



The bidi Package

Source documentation for version 35.1

to my Master, Ferdowsi The Great

If you enjoy the bidi package and want to support the project, then please consider donating to the project. It allows me to spend more time working on the bidi package, encourages me to continue, and is the perfect way to say thank you!

You can use *My PayPal.Me* to donate to the bidi package at

<https://www.paypal.me/persiantex>

If you have a problem using *My PayPal.Me*, then please email me at persian-tex@tug.org.

If you want to report any bugs or typos and corrections in the documentation, or ask for any new features, or suggest any improvements, then please do not send any direct email to me; I will not answer any direct email. Instead please use the issue tracker:

<https://sourceforge.net/p/persian-tex-dist/tickets>

In doing so, please always explain your issue well enough, and always include a minimal working example showing the issue.

Please note that most of my spare time is pretty much occupied by T_EX development and as a result, I am afraid that I can not help users on a regular basis. Therefore, I ask all users to not email me and ask for help. However, there is a Persian T_EX mailing list where everyone can discuss Persian T_EX related topics, ask and/or answer questions. This mailing list is the default media for Persian T_EX communications. I will try my best to answer questions on this mailing list whenever I have time. You can subscribe to the mailing list at

<http://tug.org/mailman/listinfo/persiantex>

Copyright (c) 2007–2018 Vafa Khalighi

Permission is granted to distribute and/or modify *both the documentation and the code* under the conditions of the L^AT_EX Project Public License, either version 1.3c of this license or (at your option) any later version.

The *bid* Package

Bidirectional typesetting in plain \TeX and \LaTeX , using \XeTeX engine

Source documentation for [version 35.1](#)

Vafa Khalighi
persian-tex@tug.org

November 11, 2018

Contents

1	File <code>amsart-xetex-bidi.def</code>	4	17	File <code>bidicode.sty</code>	44
2	File <code>adjmulticol-xetex-bidi.def</code>	6	18	File <code>bidiftnextra.sty</code>	47
3	File <code>algorithm2e-xetex-bidi.def</code>	7	19	File <code>bidimoderncv.cls</code>	51
4	File <code>amsbook-xetex-bidi.def</code>	8	20	File <code>bidi-perpage.sty</code>	56
5	File <code>amsmath-xetex-bidi.def</code>	10	21	File <code>biditools.sty</code>	57
6	File <code>amstext-xetex-bidi.def</code>	11	22	File <code>bidituftefloat.sty</code>	93
7	File <code>amsthm-xetex-bidi.def</code>	11	23	File <code>bidituftesidenote.sty</code>	104
8	File <code>array-xetex-bidi.def</code>	11	24	File <code>bidituftetoc.sty</code>	115
9	File <code>article-xetex-bidi.def</code>	12	25	File <code>bidituftegeneralstructure.sty</code>	118
10	File <code>artikel1-xetex-bidi.def</code>	16	26	File <code>bidituftehyperref.sty</code>	120
11	File <code>artikel2-xetex-bidi.def</code>	21	27	File <code>bidituftetitle.sty</code>	121
12	File <code>artikel3-xetex-bidi.def</code>	26	28	File <code>biditufte-handout.cls</code>	124
13	File <code>arydshln-xetex-bidi.def</code>	31	29	File <code>biditufte-book.cls</code>	125
14	File <code>bidi.sty</code>	34	30	File <code>bidipoem.sty</code>	126
15	File <code>bidi.tex</code>	41	31	File <code>boek3-xetex-bidi.def</code>	133
16	File <code>bidi2in1.sty</code>	43	32	File <code>boek-xetex-bidi.def</code>	137

33	File bookest-xetex-bidi.def	140	61	File float-xetex-bidi.def	225
34	File book-xetex-bidi.def	141	62	File floatrow-xetex-bidi.def	225
35	File breqn-xetex-bidi.def	145	63	File flowfram-xetex-bidi.def	225
36	File cals-xetex-bidi.def	147	64	File footnote-xetex-bidi.def	228
37	File caption-xetex-bidi.def	147	65	File framed-xetex-bidi.def	235
38	File caption3-xetex-bidi.def	148	66	File ftnright-xetex-bidi.def	239
39	File colortbl-xetex-bidi.def	148	67	File graphicx-xetex-bidi.def	243
40	File color-xetex-bidi.def	149	68	File geometry-xetex-bidi.def	246
41	File combine-xetex-bidi.def	149	69	File hvfloat-xetex-bidi.def	247
42	File crop-xetex-bidi.def	150	70	File hyperref-xetex-bidi.def	253
43	File cutwin-xetex-bidi.def	152	71	File imsproc-xetex-bidi.def	266
44	File cuted-xetex-bidi.def	153	72	File leqno-xetex-bidi.def	268
45	File cvthemebidicasual.sty	161	73	File letter-xetex-bidi.def	268
46	File cvthemebidiclassic.sty	163	74	File lettrine-xetex-bidi.def	268
47	File dblfnote-xetex-bidi.def	165	75	File lineno-xetex-bidi.def	271
48	File diagbox-xetex-bidi.def	169	76	File listings-xetex-bidi.def	272
49	File draftwatermark-xetex-bidi.def	171	77	File loadingorder-xetex-bidi.def	274
50	File eso-pic-xetex-bidi.def	171	78	File longtable-xetex-bidi.def	280
51	File empheq-xetex-bidi.def	172	79	File mathtools-xetex-bidi.def	283
52	File extarticle-xetex-bidi.def	175	80	File mdframed-xetex-bidi.def	283
53	File extbook-xetex-bidi.def	179	81	File bidi-media9.sty	285
54	File extletter-xetex-bidi.def	182	82	File memoir-xetex-bidi.def	296
55	File extrafootnotefeatures-xetex-bidi.def	183	83	File midfloat-xetex-bidi.def	299
56	File extreport-xetex-bidi.def	218	84	File minitoc-xetex-bidi.def	304
57	File fancybox-xetex-bidi.def	221	85	File multicol-xetex-bidi.def	305
58	File fancyhdr-xetex-bidi.def	222	86	File multienum-xetex-bidi.def	310
59	File fix2col-xetex-bidi.def	222	87	File natbib-xetex-bidi.def	311
60	File fleqn-xetex-bidi.def	224	88	File newfloat-xetex-bidi.def	312



89	File ntheorem-xetex-bidi.def	313	110	File soul-xetex-bidi.def	383
90	File ntheorem-hyper-xetex-bidi.def	313	111	File stabular-xetex-bidi.def	385
91	File overpic-xetex-bidi.def	314	112	File subfigure-xetex-bidi.def	385
92	File pdfbase-xetex-bidi.def	314	113	File tabs-xetex-bidi.def	385
93	File pdfpages-xetex-bidi.def	315	114	File tabularx-xetex-bidi.def	386
94	File pgfcorescopes.code-xetex-bidi.def	316	115	File tabulary-xetex-bidi.def	388
95	File picinpar-xetex-bidi.def	317	116	File tc-xetex-bidi.def	388
96	File plain-xetex-bidi.def	320	117	File tcolorbox-xetex-bidi.def	389
97	File pstricks-xetex-bidi.def	322	118	File titlesec-xetex-bidi.def	389
98	File quotchap-xetex-bidi.def	323	119	File titletoc-xetex-bidi.def	390
99	File ragged2e-xetex-bidi.def	323	120	File tocbibind-xetex-bidi.def	391
100	File rapport1-xetex-bidi.def	325	121	File tocloft-xetex-bidi.def	393
101	File rapport3-xetex-bidi.def	330	122	File tocbasic-xetex-bidi.def	399
102	File refrep-xetex-bidi.def	336	123	File tocstyle-xetex-bidi.def	412
103	File report-xetex-bidi.def	340	124	File todonotes-xetex-bidi.def	417
104	File rotating-xetex-bidi.def	344	125	File wrapfig-xetex-bidi.def	420
105	File scrartcl-xetex-bidi.def	346	126	File xcolor-xetex-bidi.def	421
106	File scrbook-xetex-bidi.def	358	127	File latex-xetex-bidi.def	423
107	File scrlettr-xetex-bidi.def	369	128	File xltextra-xetex-bidi.def	442
108	File scrreprt-xetex-bidi.def	372	129	Index	442
109	File sidecap-xetex-bidi.def	383			



1 File amsart-xetex-bidi.def

```

1 \ProvidesFile{amsart-xetex-bidi.def}[2017/08/09 v1.1 bidi adaptations for amsart class for Xe
2 \def\tocline#1#2#3#4#5#6#7{\relax
3   \ifnum #1>\c@tocdepth % then omit
4   \else
5     \par \addpenalty\@secpenalty\addvspace{#2}%
6     \begingroup \hyphenpenalty\@M
7     \@ifempty{#4}{%
8       \@tempdima\csname r@tocindent\number#1\endcsname\relax
9     }{%
10      \@tempdima#4\relax
11    }%
12    \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip
13    \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
14    #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
15    \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
16    \nobreak
17  \endgroup
18 \fi}
19 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
20 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
21 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
22 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
23 \def\part{\@startsection{part}{0}%
24   \z@\linespacing\@plus\linespacing}{.5\linespacing}%
25   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
26 \def\right@footnoterule{%
27   \kern-.4p@
28   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
29   \kern11p@\kern-\footnotesep}
30 \def\left@footnoterule{\kern-.4p@
31   \hrule\@width 5pc\kern11p@\kern-\footnotesep}
32
33
34 \long\def\@footnotetext#1{%
35   \insert\footins{%
36     \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
37     \reset@font%
38     \bidi@footnotetext@font% \normalfont\footnotesize
39     \interlinepenalty\interfootnotelinepenalty
40     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
41     \floatingpenalty\@MM \hsize\columnwidth
42     \@parboxrestore \parindent\normalparindent \sloppy
43     \protected@edef\@currentlabel{%
44       \csname p@footnote\endcsname\@thefnmark}%
45     \@makefnmark%
46     \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
47
48 \long\def\@RTLfootnotetext#1{%

```



```

49 \insert\footins{%
50   \@RTLtrue%
51   \reset@font%
52   \bidi@RTLfootnotetext@font% \normalfont\footnotesize
53   \interlinepenalty\interfootnotelinepenalty
54   \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
55   \floatingpenalty\@MM \hsize\columnwidth
56   \@parboxrestore \parindent\normalparindent \sloppy
57   \protected@edef\@currentlabel{%
58     \csname p@footnote\endcsname\@thefnmark}%
59   \@makefntext{%
60     \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
61
62
63
64 \long\def\@LTRfootnotetext#1{%
65   \insert\footins{%
66     \@RTLfalse%
67     \reset@font%
68     \bidi@LTRfootnotetext@font% \normalfont\footnotesize
69     \interlinepenalty\interfootnotelinepenalty
70     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
71     \floatingpenalty\@MM \hsize\columnwidth
72     \@parboxrestore \parindent\normalparindent \sloppy
73     \protected@edef\@currentlabel{%
74       \csname p@footnote\endcsname\@thefnmark}%
75     \@makefntext{%
76       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
77
78
79 \footdir@temp\footdir@ORG@bidi@amsart@footnotetext\@footnotetext{\bidi@footdir@footnote}%
80 \footdir@temp\footdir@ORG@bidi@amsart@RTLfootnotetext\@RTLfootnotetext{R}%
81 \footdir@temp\footdir@ORG@bidi@amsart@LTRfootnotetext\@LTRfootnotetext{L}%
82
83 \renewenvironment{thebibliography}[1]{%
84   \@bibtitlestyle
85   \normalfont\bibliofont\labelsep .5em\relax
86   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
87   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
88   \bidi@thebibliography@font@hook%
89   \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
90     \leftmargin\labelwidth \advance\leftmargin\labelsep
91     \usecounter{enumiv}}%
92   \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
93   \sfcode`\.=\@m
94 }{%
95   \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
96   \endlist
97 }
98 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi

```



```

99 \columnseprule\z@ \columnsep 35\p@
100 \@indextitlestyle
101 \thispagestyle{plain}%
102 \let\item\@idxitem
103 \parindent\z@ \parskip\z@\@plus.3\p@\relax
104 \if@RTL\raggedleft\else\raggedright\fi
105 \hyphenpenalty\@M
106 \footnotesize}
107 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
108 \def\@subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
109 \def\@subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
110 \def\maketitle{\par
111 \@topnum\z@ % this prevents figures from falling at the top of page 1
112 \@setcopyright
113 \thispagestyle{firstpage}% this sets first page specifications
114 \uppercase\nonmath\shorttitle
115 \ifx\@empty\shortauthors \let\shortauthors\shorttitle
116 \else \andify\shortauthors
117 \fi
118 \@maketitle@hook
119 \begingroup
120 \@maketitle
121 \toks@{\xp{\shortauthors}}\@temptokena{\xp{\shorttitle}}%
122 \toks4{\def\{\ \ignorespaces}}% defend against questionable usage
123 \edef\@tempa{%
124 \@nx\markboth{\the\toks4
125 \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
126 \@tempa
127 \endgroup
128 \c@footnote\z@
129 \@cleartopmattertags
130 }

```

2 File adjmulticol-xetex-bidi.def

```

131 \ProvidesFile{adjmulticol-xetex-bidi.def}[2015/04/25 v0.1 bidi adaptations for adjmulticol package]
132 \def\adjmulticols#1#2#3{\col@number#1\relax
133 \def\@tempa{#2}%
134 \ifx\@tempa\@empty\adjmc@inner\z@\else\adjmc@inner#2\fi
135 \def\@tempa{#3}%
136 \ifx\@tempa\@empty\adjmc@outer\z@\else\adjmc@outer#3\fi
137 \ifnum\col@number<\@ne
138 \PackageWarning{adjmulticol}%
139 {Using '\number\col@number'
140 columns doesn't seem a good idea.^^J
141 I therefore use one columns instead}%
142 \col@number\@ne\fi
143 \ifnum\col@number>10
144 \PackageError{adjmulticol}%
145 {Too many columns}%

```



```

146      {Current implementation doesn't
147      support more than 10 columns.%
148      \MessageBreak
149      I therefore use 10 columns instead}%
150    \col@number10 \fi
151    \ifx\@footnotetext\mult@footnotetext\else
152      \let\orig@footnotetext\@footnotetext
153      \let\@footnotetext\mult@footnotetext
154    \fi
155    \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
156      \let\orig@LTRfootnotetext\@LTRfootnotetext
157      \let\@LTRfootnotetext\mult@LTRfootnotetext
158    \fi
159    \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
160      \let\orig@RTLfootnotetext\@RTLfootnotetext
161      \let\@RTLfootnotetext\mult@RTLfootnotetext
162    \fi
163    \ifnextchar[\@adjmult@cols{\@adjmult@cols[]}]{}
164    \let\adjmc@page@sofar@orig=\page@sofar

```

3 File algorithm2e-xetex-bidi.def

```

165 \ProvidesFile{algorithm2e-xetex-bidi.def}[2018/09/23 v0.2 bidi adaptations for algorithm2e pa
166 \expandafter\ifx\csname algocf@within\endcsname\relax% if \algocf@within doesn't exist
167 \else%
168 \renewcommand\thealgocf{\csname the\algocf@within\endcsname\@SepMark\@arabic\c@algocf}%
169 \fi
170 \@ifpackageloaded{color}{-}{%
171   \bidi@patchcmd{\@algocf@start}{\bgroup}{%
172     \bgroup
173     \if@RTL
174       \beginR
175     \else
176       \beginL
177     \fi
178   }{}{}
179   \bidi@patchcmd{\@algocf@finish}{\egroup\end{lrbox}}{%
180     \if@RTL
181       \endR
182     \else
183       \endL
184     \fi
185     \egroup
186     \end{lrbox}}%
187   }{}{}
188   \bidi@patchcmd{\algocf@makecaption}{\hbox}{%
189     \if@RTL
190       \hboxR
191     \else
192       \hboxL

```




```

193 \fi
194 }{}{}
195 }

```

4 File amsbook-xetex-bidi.def

```

196 \ProvidesFile{amsbook-xetex-bidi.def}[2017/08/09 v1.2 bidi adaptations for amsbook class for L
197 \def\tocline#1#2#3#4#5#6#7{\relax
198 \ifnum #1>\c@tocdepth % then omit
199 \else
200 \par \addpenalty\@secpenalty\addvspace{#2}%
201 \begingroup \hyphenpenalty\@M
202 \@ifempty{#4}{%
203 \tempdima\csname r@tocindent\number#1\endcsname\relax
204 }{%
205 \tempdima#4\relax
206 }%
207 \parindent\z@ \if@RTL\rightskip\else\leftskip\fi#3\relax \advance\if@RTL\rightskip\else\leftskip
208 \if@RTL\leftskip\else\rightskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
209 #5\leavevmode\hskip-\tempdima #6\nobreak\relax
210 \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
211 \nobreak
212 \endgroup
213 \fi}
214 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
215 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
216 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
217 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
218 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
219 \columnseprule\z@ \columnsep 35\p@
220 \@indextitlestyle
221 \thispagestyle{plain}%
222 \let\item\@idxitem
223 \parindent\z@ \parskip\z@\@plus.3\p@\relax
224 \if@RTL\raggedleft\else\raggedright\fi
225 \hyphenpenalty\@M
226 \footnotesize}
227 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
228 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
229 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
230 \def\right@footnoterule{%
231 \kern-.4\p@
232 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
233 \kern11\p@\kern-\footnotesep}
234 \def\left@footnoterule{\kern-.4\p@
235 \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
236
237 \long\def\@footnotetext#1{%
238 \insert\footins{%
239 \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%

```



```

240 \reset@font%
241 \bidi@footnotetext@font% \normalfont\footnotesize
242 \interlinepenalty\interfootnotelinepenalty
243 \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
244 \floatingpenalty\@MM \hsize\columnwidth
245 \@parboxrestore \parindent\normalparindent \sloppy
246 \protected@edef\@currentlabel{%
247   \csname p@footnote\endcsname\@thefnmark}%
248 \@makefntext{%
249   \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}
250
251 \long\def\@RTLfootnotetext#1{%
252   \insert\footins{%
253     \@RTLtrue%
254     \reset@font%
255     \bidi@RTLfootnotetext@font% \normalfont\footnotesize
256     \interlinepenalty\interfootnotelinepenalty
257     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
258     \floatingpenalty\@MM \hsize\columnwidth
259     \@parboxrestore \parindent\normalparindent \sloppy
260     \protected@edef\@currentlabel{%
261       \csname p@footnote\endcsname\@thefnmark}%
262     \@makefntext{%
263       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
264
265
266 \long\def\@LTRfootnotetext#1{%
267   \insert\footins{%
268     \@RTLfalse%
269     \reset@font%
270     \bidi@LTRfootnotetext@font% \normalfont\footnotesize
271     \interlinepenalty\interfootnotelinepenalty
272     \splittopskip\footnotesep \splitmaxdepth \dp\strutbox
273     \floatingpenalty\@MM \hsize\columnwidth
274     \@parboxrestore \parindent\normalparindent \sloppy
275     \protected@edef\@currentlabel{%
276       \csname p@footnote\endcsname\@thefnmark}%
277     \@makefntext{%
278       \rule\z@\footnotesep\ignorespaces#1\unskip\strut\par}}}
279
280
281
282 \footdir@temp\footdir@ORG@bidi@amsbook@footnotetext\@footnotetext{\bidi@footdir@footnote}%
283 \footdir@temp\footdir@ORG@bidi@amsbook@RTLfootnotetext\@RTLfootnotetext{R}%
284 \footdir@temp\footdir@ORG@bidi@amsbook@LTRfootnotetext\@LTRfootnotetext{L}%
285
286 \renewenvironment{thebibliography}[1]{%
287   \@bibtitlestyle
288   \normalfont\bibliofont\labelsep .5em\relax
289   \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty

```



```

290 \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
291 \bidi@thebibliography@font@hook%
292 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
293 \leftmargin\labelwidth \advance\leftmargin\labelsep
294 \usecounter{enumiv}}%
295 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
296 \sfcode\.\=@m
297 }{%
298 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
299 \endlist
300 }
301 \def\@makechapterhead#1{\global\topskip 7.5pc\relax
302 \begingroup
303 \fontsize{\@xivpt}{18}\bfseries\centering
304 \ifnum\c@secnumdepth>\m@ne
305 \leavevmode \hskip-\ifRTL\righskip\else\leftskip\fi
306 \rlap{\vbox to\z@{\vss
307 \centerline{\normalsize\mdseries
308 \uppercase\@xp{\chaptername}\enspace\thechapter}
309 \vskip 3pc}}\hskip\ifRTL\righskip\else\leftskip\fi\fi
310 #1\par \endgroup
311 \skip@34\p@ \advance\skip@-\normalbaselineskip
312 \vskip\skip@ }
313 \def\maketitle{\par
314 \@topnum\z@ % this prevents figures from falling at the top of page 1
315 \begingroup
316 \@maketitle
317 \endgroup
318 \c@footnote\z@
319 \def\do##1{\let##1\relax}%
320 \do\maketitle \do\@maketitle \do\title \do\@xtitle \do\@title
321 \do\author \do\@xauthor \do\address \do\@xaddress
322 \do\email \do\@xemail \do\curraddr \do\@xcurraddr
323 \do\dedicatory \do\@dedicatory \do\thanks \do\thankses
324 \do\keywords \do\@keywords \do\subjclass \do\@subjclass
325 }

```

5 File amsmath-xetex-bidi.def

```

326 \ProvidesFile{amsmath-xetex-bidi.def}[2018/01/08 v1.1 bidi adaptations for amsmath package for
327 \let\veqno=\eqno
328 \iftagsleft@ \let\veqno=\leqno \fi
329 \renewcommand{\numberwithin}[3][\arabic]{%
330 \@ifundefined{c@#2}{\nocounterr{#2}}{%
331 \@ifundefined{c@#3}{\nocnterr{#3}}{%
332 \@addtoreset{#2}{#3}%
333 \@xp\xdef\csname the#2\endcsname{%
334 \@xp\@nx\csname the#3\endcsname \@nx\@SepMark\@nx#1{#2}}}%
335 }
336 \def\tagform#1{\maketag@@@{\ifnonlatin\beginR\fi(\kern\z@\ignorespaces#1\unskip\@italiccorr

```



6 File amstext-xetex-bidi.def

```
337 \ProvidesFile{amstext-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for amstext package for XeLaTeX]
338 \def\textdef@#1#2#3{\hbox{#{%
339     \everymath{#1}%
340     \let\fontsize#2\selectfont
341     \if@nonlatin\beginR\fi#3\if@nonlatin\endR\fi}}}
```

7 File amsthm-xetex-bidi.def

```
342 \ProvidesFile{amsthm-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for amsthm package for XeLaTeX]
343 \def\@thmcountersep{\@SepMark}
```

8 File array-xetex-bidi.def

```
344 \ProvidesFile{array-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for array package for XeLaTeX]
345 \def\@testpach{\@chclass
346 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
347 \ifnum \@lastchclass=7 5 \else
348 \ifnum \@lastchclass=8 \tw@ \else
349 \ifnum \@lastchclass=9 \thr@@
350 \else \z@
351 \ifnum \@lastchclass = 10 \else
352 \edef\@nextchar{\expandafter\string\@nextchar}%
353 \@chnum
354 \if \@nextchar c\z@ \else
355 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
356 \if \@nextchar \if@RTLtab l\else r\fi\@tw@ \else
357 \z@ \@chclass
358 \if \@nextchar |\@ne \else
359 \if \@nextchar !6 \else
360 \if \@nextchar @7 \else
361 \if \@nextchar <8 \else
362 \if \@nextchar >9 \else
363 10
364 \@chnum
365 \if \@nextchar m\thr@@\else
366 \if \@nextchar p4 \else
367 \if \@nextchar b5 \else
368 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi
369 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
370 \def\@tabular{%
371 \leavevmode
372 \hbox \bgroup\if@RTLtab\beginR \fi $\col@sep\tabcolsep \let\d@llarbegin\beginRgroup
373 \let\d@llarend\endRgroup
374 \@tabarray}
375 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
376 \expandafter\let\csname endtabular*\endcsname=\endtabular
377 \def\@array[#1]#2{%
378 \@tempdima \ht \strutbox
```



```

379 \advance \@tempdima by\extrarowheight
380 \setbox \@arstrutbox \hbox{\vrule
381     \@height \arraystretch \@tempdima
382     \@depth \arraystretch \dp \strutbox
383     \@width \z@}%
384 \begingroup
385 \mkpream{#2}%
386 \xdef\@preamble{\noexpand \ialign \@halignto
387     \bgroup \@arstrut \@preamble
388     \tabskip \z@ \cr}%
389 \endgroup
390 \@arrayleft
391 \if #1t\top \else \if#1b\box \else \vcenter \fi \fi
392 \bgroup
393 \let \@sharp ##\let \protect \relax
394 \lineskip \z@
395 \baselineskip \z@
396 \m@th
397 \let\@arraycr \let\tabularnewline\let\par\@empty \if@RTLtab\hbox\bgroup\beginR\@hboxRcor
398 \def\@tabarray{\@ifnextchar[\@array]{\@array[c]}}
399 \def\endarray{\crrc \egroup\if@RTLtab\egroup\endR\egroup\fi \egroup \@arrayright \gdef\@pream
400 \def\array{\colsep\arraycolsep
401     \def\d@llarbegin{$}\let\d@llarend\d@llarbegin\gdef\@halignto{}}%
402 \@RTLtabfalse\@tabarray}

```

9 File article-xetex-bidi.def

```

403 \ProvidesFile{article-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for standard article c
404 \if@titlepage
405 \renewcommand\maketitle{\begin{titlepage}%
406 \let\footnotesize\small
407 \let\right@footnoterule\relax
408 \let\left@footnoterule\relax
409 \let\textwidth\footnoterule\relax
410 \let \footnote \thanks
411 \let \LTRfootnote \LTRthanks
412 \let \RTLfootnote \RTLthanks
413 \null\vfil
414 \vskip 60\p@
415 \begin{center}%
416     {\LARGE \@title \par}%
417     \vskip 3em%
418     {\large
419         \lineskip .75em%
420         \begin{tabular}[t]{c}%
421             \@author
422         \end{tabular}\par}%
423     \vskip 1.5em%
424     {\large \@date \par}% % Set date in \large size.
425 \end{center}\par

```



```

426 \@thanks
427 \vfil\null
428 \end{titlepage}%
429 \setcounter{footnote}{0}%
430 \global\let\thanks\relax
431 \global\let\LTRthanks\relax
432 \global\let\RTLthanks\relax
433 \global\let\maketitle\relax
434 \global\let\@thanks\@empty
435 \global\let\@author\@empty
436 \global\let\@date\@empty
437 \global\let\@title\@empty
438 \global\let\title\relax
439 \global\let\author\relax
440 \global\let\date\relax
441 \global\let\and\relax
442 }
443 \else
444 \renewcommand\maketitle{\par
445   \begingroup
446     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
447     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
448     \long\def\@makefntext##1{\parindent 1em\noindent
449       \hb@xt@1.8em{%
450         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
451     \if@twocolumn
452       \ifnum \col@number=\@ne
453         \@maketitle
454       \else
455         \twocolumn[\@maketitle]%
456       \fi
457     \else
458       \newpage
459       \global\@topnum\z@    % Prevents figures from going at top of page.
460       \@maketitle
461     \fi
462     \thispagestyle{plain}\@thanks
463   \endgroup
464   \setcounter{footnote}{0}%
465   \global\let\thanks\relax
466   \global\let\LTRthanks\relax
467   \global\let\RTLthanks\relax
468   \global\let\maketitle\relax
469   \global\let\@maketitle\relax
470   \global\let\@thanks\@empty
471   \global\let\@author\@empty
472   \global\let\@date\@empty
473   \global\let\@title\@empty
474   \global\let\title\relax
475   \global\let\author\relax

```



```

476 \global\let\date\relax
477 \global\let\and\relax
478 }
479 \def\@maketitle{%
480 \newpage
481 \null
482 \vskip 2em%
483 \begin{center}%
484 \let \footnote \thanks
485 \let \LTRfootnote \LTRthanks
486 \let \RTLfootnote \RTLthanks
487 {\LARGE \@title \par}%
488 \vskip 1.5em%
489 {\large
490 \lineskip .5em%
491 \begin{tabular}[t]{c}%
492 \@author
493 \end{tabular}\par}%
494 \vskip 1em%
495 {\large \@date}%
496 \end{center}%
497 \par
498 \vskip 1.5em}
499 \fi
500 \renewcommand*\l@part[2]{%
501 \ifnum \c@tocdepth >-2\relax
502 \addpenalty\@secpenalty
503 \addvspace{2.25em \@plus\p@}%
504 \setlength\@tempdima{3em}%
505 \begingroup
506 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
507 \parfillskip -\@pnumwidth
508 {\leavevmode
509 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
510 \nobreak
511 \if@compatibility
512 \global\@nobreaktrue
513 \everypar{\global\@nobreakfalse\everypar{}}%
514 \fi
515 \endgroup
516 \fi}
517 \renewcommand*\l@section[2]{%
518 \ifnum \c@tocdepth >\z@
519 \addpenalty\@secpenalty
520 \addvspace{1.0em \@plus\p@}%
521 \setlength\@tempdima{1.5em}%
522 \begingroup
523 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
524 \parfillskip -\@pnumwidth
525 \leavevmode \bfseries

```



```

526     \advance\if@RTL\rightright\else\leftskip\fi\@tempdima
527     \hskip -\if@RTL\rightright\else\leftskip\fi
528     #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
529     \endgroup
530 \fi}
531 \renewcommand\left@footnoterule{%
532     \kern-3\p@
533     \hrule\@width.4\columnwidth
534     \kern2.6\p@}
535 \renewcommand\right@footnoterule{%
536     \kern-3\p@
537     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
538     \kern2.6\p@}
539 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
540 \renewcommand\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
541 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
542 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
543 \def\@part[#1]#2{%
544     \ifnum \c@secnumdepth >\m@ne
545         \refstepcounter{part}%
546         \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
547     \else
548         \addcontentsline{toc}{part}{#1}%
549     \fi
550     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
551     \interlinepenalty \@M
552     \normalfont
553     \ifnum \c@secnumdepth >\m@ne
554         \Large\bfseries \partname\nobreakspace\thepart
555         \par\nobreak
556     \fi
557     \huge \bfseries #2%
558     \markboth{}{}\par}%
559     \nobreak
560     \vskip 3ex
561     \@afterheading}
562 \renewenvironment{thebibliography}[1]
563     {\section*{\refname}%
564     \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
565     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
566     \bidi@thebibliography@font@hook%
567     \list{\@biblabel{\@arabic\c@enumiv}}%
568         {\settowidth\labelwidth{\@biblabel{#1}}%
569         \leftmargin\labelwidth
570         \advance\leftmargin\labelsep
571         \@openbib@code
572         \usecounter{enumiv}%
573         \let\p@enumiv\@empty
574         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
575     \sloppy

```




```

576 \clubpenalty4000
577 \@clubpenalty \clubpenalty
578 \widowpenalty4000%
579 \sfcode`\.\@m}
580 {\def\@noitemerr
581 {\@latex@warning{Empty `thebibliography' environment}}}%
582 \endlist}
583 \renewenvironment{theindex}
584 {\if@twocolumn
585 \@restonecolfalse
586 \else
587 \@restonecoltrue
588 \fi
589 \columnseprule \z@
590 \columnsep 35\p@
591 \twocolumn[\section*{\indexname}]%
592 \@mkboth{\MakeUppercase\indexname}%
593 {\MakeUppercase\indexname}%
594 \thispagestyle{plain}\parindent\z@
595 \parskip\z@ \@plus .3\p@\relax
596 \let\item\@idxitem}
597 {\if@restonecol\onecolumn\else\clearpage\fi}

```

10 File artikel1-xetex-bidi.def

```

598 \ProvidesFile{artikel1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel1 class for
599 \renewenvironment{theindex}{%
600 \if@twocolumn
601 \@restonecolfalse
602 \else
603 \@restonecoltrue
604 \fi
605 \columnseprule \z@
606 \columnsep 35\p@
607 \twocolumn[\section*{\indexname}]%
608 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
609 \thispagestyle{plain}\parindent\z@
610 \parskip\z@ \@plus .3\p@\relax
611 \let\item\@idxitem
612 }{%
613 \if@restonecol\onecolumn\else\clearpage\fi}
614 \renewcommand*{\head@style}{%
615 \interlinepenalty \@M
616 \hyphenpenalty=\@M \exhyphenpenalty=\@M
617 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
618 \if@titlepage
619 \renewenvironment{abstract}{%
620 \titlepage
621 \null\vfil
622 \section*{\SectFont\abstractname}

```



```

623     \noindent\ignorespaces}
624     {\par\vfil\null\endtitlepage}
625 \else
626   \renewenvironment{abstract}{%
627     \if@twocolumn
628       \section*{\abstractname}%
629     \else
630       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
631       \section*{\small\SectFont\abstractname}%
632       \noindent\ignorespaces
633     \fi}
634     {\if@twocolumn\else\par\egroup\fi}
635 \fi
636 \renewcommand*\@regtocline[3]{%
637   \ifnum #1>\c@tocdepth
638   \else
639     \vskip\z@ \@plus.2\p@
640     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
641     \if@RTL\rightskip\else\leftskip\fi\unitindent
642     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
643     \parfillskip\z@
644     \@tempdima\unitindent
645     \parindent\z@
646     \leavevmode
647     \hbox{} \hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
648     \hskip 1em \nobreak{\slshape #3}\par
649   }%
650 \fi}
651 \if@oldtoc
652 \renewcommand*\l@part[2]{%
653   \ifnum \c@tocdepth >-2\relax
654     \addpenalty\@secpenalty
655     \addvspace{2.25em \@plus\p@}%
656     \begingroup
657       \setlength\@tempdima{3em}%
658       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
659       \parfillskip -\@pnumwidth
660       {\leavevmode
661         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
662         \nobreak
663         \if@compatibility
664           \global\@nobreaktrue
665           \everypar{\global\@nobreakfalse\everypar{}}%
666         \fi
667       \endgroup
668     \fi}
669 \else
670   \renewcommand*\l@part{%
671     \ifnum \c@tocdepth >-2\relax
672       \addpenalty\@secpenalty

```



```

673 \addvspace{2.25em \@plus \p@}%
674 \regtocline{0}%
675 \fi}
676 \fi
677 \if@oldtoc
678 \renewcommand*\l@section[2]{%
679 \addpenalty\secpenalty
680 \addvspace{1.0em \@plus \p@}%
681 \setlength\tempdima{1.5em}%
682 \begingroup
683 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
684 \parfillskip -\@pnumwidth
685 \leavevmode \bfseries
686 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
687 \hskip -\if@RTL\rightskip\else\leftskip\fi
688 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
689 \endgroup}
690 \else
691 \renewcommand*\l@section{\@regtocline{1}}
692 \fi
693 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
694 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
695 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
696 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
697 \renewenvironment{thebibliography}[1]
698 {\section*\refname}%
699 {\mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
700 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
701 \bidi@thebibliography@font@hook%
702 \list{\@biblabel{\@arabic\c@enumiv}}%
703 {\settowidth\labelwidth{\@biblabel{#1}}%
704 \leftmargin\labelwidth
705 \advance\leftmargin\labelsep
706 \@openbib@code
707 \usecounter{enumiv}%
708 \let\p@enumiv\@empty
709 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
710 \sloppy\clubpenalty4000\widowpenalty4000%
711 \sfcode`.\@m}
712 {\def\@noitemerr
713 {\@latex@warning{Empty `thebibliography' environment}}%
714 \endlist}
715 \renewcommand*\left@footnoterule{%
716 \kern-3\p@
717 \kern.5\baselineskip
718 \hrule\@width\unitindent
719 \kern.4\baselineskip
720 }
721 \renewcommand*\right@footnoterule{%
722 \kern-3\p@

```



```

723 \kern.5\baselineskip
724 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
725 \kern.4\baselineskip}
726 \if@titlepage
727 \renewcommand*\TitleFont{\rmfamily}
728 \renewcommand*\maketitle{%
729 \begin{titlepage}%
730 \let\footnotesize\small
731 \let\right@footnoterule\relax
732 \let\left@footnoterule\relax
733 \let\textwidth@footnoterule\relax
734 \let \footnote \thanks
735 \long\def\@makefnrtxt##1{\parindent\z@
736 \def\labelitemi{\textendash}\@revlabeltrue
737 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
738 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
739 \if@compatibility\setcounter{page}{0}\fi
740 \null\vfil
741 \vskip 60\p@
742 \begin{center}%
743 \TitleFont
744 {\LARGE \def\\{\penalty -\@M}
745 \if@allcaps
746 \expandafter\uc@nothanks\@title\thanks\relax
747 \else
748 \@title
749 \fi\par}%
750 \vskip 3em%
751 {\large
752 \lineskip .75em \parindent\z@
753 \begin{tabular}[t]{c}%
754 \if@allcaps
755 \expandafter\uc@authornothanks\@author\and\relax
756 \else
757 \@author
758 \fi
759 \end{tabular}\par}%
760 \vskip 1.5em%
761 {\large
762 \if@allcaps
763 \uppercase\expandafter{\@date}%
764 \else
765 \@date
766 \fi\par}%
767 \end{center}\par
768 \@thanks
769 \vfil\null
770 \end{titlepage}%
771 \setcounter{footnote}{0}%
772 \global\let\thanks\relax

```



```

773 \global\let\maketitle\relax
774 \global\let\@thanks\@empty
775 \global\let\@author\@empty
776 \global\let\@title\@empty
777 \global\let\@date\@empty
778 \global\let\title\relax
779 \global\let\author\relax
780 \global\let\date\relax
781 \global\let\and\relax
782 }
783 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
784 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
785 \futurelet\@tempa\uc@ax}
786 \def\uc@ax{%
787 \ifx\@tempa\relax
788 \else
789 \ \andname \ \expandafter\uc@authornothanks
790 \fi}
791 \def\uc@tx{\ifx\@tempa\relax
792 \else \expandafter\uc@ty \fi}
793 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
794 \else
795 \renewcommand*\maketitle{\par
796 \begingroup
797 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
798 \def\@makefnmark{\rlap{%
799 \@textsuperscript{\normalfont\@thefnmark}}}%
800 \long\def\@makefntext{\@xmakefntext{%
801 \@textsuperscript{\normalfont\@thefnmark}}}%
802 \if@twocolumn
803 \ifnum \col@number=\@ne
804 \@maketitle
805 \else
806 \twocolumn[\@maketitle]%
807 \fi
808 \else
809 \newpage
810 \global\@topnum\z@
811 \@maketitle
812 \fi
813 \thispagestyle{plain}\@thanks
814 \endgroup
815 \setcounter{footnote}{0}%
816 \global\let\thanks\relax
817 \global\let\maketitle\relax
818 \global\let\@maketitle\relax
819 \global\let\@thanks\@empty
820 \global\let\@author\@empty
821 \global\let\@title\@empty
822 \global\let\@date\@empty

```



```

823 \global\let\title\relax
824 \global\let\author\relax
825 \global\let\date\relax
826 \global\let\and\relax
827 }
828 \def\@maketitle{%
829 \newpage
830 \null
831 \vskip 2em%
832 \begin{center}%
833 \let \footnote \thanks
834 {\LARGE \TitleFont \@title \par}%
835 \vskip 1.5em%
836 {\large \TitleFont
837 \lineskip .5em%
838 \begin{tabular}[t]{c}%
839 \@author
840 \end{tabular}\par}%
841 \vskip 1em%
842 {\large \TitleFont \@date}%
843 \end{center}%
844 \par
845 \vskip 1.5em}
846 \fi

```

11 File artikel2-xetex-bidi.def

```

847 \ProvidesFile{artikel2-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for artikel2 class for
848 \renewenvironment{theindex}{%
849 \if@twocolumn
850 \@restonecolfalse
851 \else
852 \@restonecoltrue
853 \fi
854 \columnseprule \z@
855 \columnsep 35\p@
856 \twocolumn[\section*{\indexname}]%
857 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
858 \thispagestyle{plain}\parindent\z@
859 \parskip\z@ \@plus .3\p@\relax
860 \let\item\@idxitem
861 }{%
862 \if@restonecol\onecolumn\else\clearpage\fi}
863 \renewcommand*\@regtocline[3]{%
864 \ifnum #1>\c@tocdepth
865 \else
866 \vskip\z@ \@plus .2\p@
867 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
868 \if@RTL\righskip\else\leftskip\fi\unitindent
869 \if@RTL\leftskip\else\righskip\fi\unitindent\@plus 1fil

```



```

870 \parfillskip\z@
871 \@tempdima\unitindent
872 \advance\@tempdima by \othermargin
873 \parindent\z@
874 \leavevmode
875 \hbox{}\hskip -\if@RTL\righskip\else\leftskip\fi\relax#2\nobreak
876 \hskip 1em \nobreak{\slshape #3}\par
877 }%
878 \fi}
879 \if@oldtoc
880 \renewcommand*\l@section[2]{%
881 \addpenalty\@secpenalty
882 \addvspace{1.0em \@plus\p@}%
883 \setlength\@tempdima{1.5em}%
884 \begingroup
885 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
886 \parfillskip -\@pnumwidth
887 \leavevmode \bfseries
888 \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
889 \hskip -\if@RTL\righskip\else\leftskip\fi
890 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
891 \endgroup}
892 \else
893 \renewcommand*\l@section{\@regtocline{1}}
894 \fi
895 \if@oldtoc
896 \renewcommand*\l@part[2]{%
897 \ifnum \c@tocdepth >-2\relax
898 \addpenalty\@secpenalty
899 \addvspace{2.25em \@plus\p@}%
900 \begingroup
901 \setlength\@tempdima{3em}%
902 \parindent \z@ \if@RTL\leftskip\else\righskip\fi \@pnumwidth
903 \parfillskip -\@pnumwidth
904 {\leavevmode
905 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
906 \nobreak
907 \if@compatibility
908 \global\@nobreaktrue
909 \everypar{\global\@nobreakfalse\everypar{}}%
910 \fi
911 \endgroup
912 \fi}
913 \else
914 \renewcommand*\l@part{%
915 \ifnum \c@tocdepth >-2\relax
916 \addpenalty\@secpenalty
917 \addvspace{2.25em \@plus \p@}%
918 \@regtocline{0}%
919 \fi}

```



```

920 \fi
921 \renewcommand*\head@style{%
922     \interlinepenalty \@M
923     \hyphenpenalty=\@M \exhyphenpenalty=\@M
924     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
925 \if@titlepage
926     \renewenvironment{abstract}{%
927         \titlepage
928         \null\vfil
929         \section*{\SectFont\abstractname}%
930         \noindent\ignorespaces}
931     {\par\vfil\null\endtitlepage}
932 \else
933     \renewenvironment{abstract}{%
934         \if@twocolumn
935             \section*{\abstractname}%
936         \else
937             \section*{\hspace\unitindent\small\SectFont\abstractname}%
938             \list{}{\setlength\listparindent{\unitindent}%
939                 \setlength\parindent {\z@}%
940                 \setlength\leftmargin {\unitindent}%
941                 \setlength\rightmargin {\unitindent}%
942                 \setlength\parsep {\z@}}%
943             \item[]%
944         \fi}
945     {\if@twocolumn\else\par\endlist\fi}
946 \fi
947 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
948 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
949 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
950 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
951 \renewcommand*\left@footnoterule{%
952     \kern-3\p@
953     \hrule\@width 3\unitindent
954     \kern 2.6\p@
955 }
956 \renewcommand*\right@footnoterule{%
957     \kern-3\p@
958     \hbox to \columnwidth{\hspace \dimexpr\columnwidth-3\unitindent\relax \hrulefill }
959     \kern 2.6\p@}
960 \renewenvironment{thebibliography}[1]
961     {\section*{\refname}%
962         \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
963         \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
964         \bidi@thebibliography@font@hook%
965         \list{\@biblabel{\@arabic\c@enumiv}}%
966             {\settowidth\labelwidth{\@biblabel{#1}}%
967             \leftmargin\labelwidth
968             \advance\leftmargin\labelsep
969             \@openbib@code

```




```

970         \usecounter{enumiv}%
971         \let\p@enumiv\@empty
972         \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
973     \sloppy\clubpenalty4000\widowpenalty4000%
974     \sfcode`\.\@m}
975     {\def\@noitemerr
976      {\@latex@warning{Empty `thebibliography' environment}}}%
977     \endlist}
978 \if@titlepage
979 \renewcommand*\TitleFont{\rmfamily}
980 \renewcommand*\maketitle{%
981 \begin{titlepage}%
982     \let\footnotesize\small
983     \let\right@footnoterule\relax
984     \let\left@footnoterule\relax
985     \let\textwidth\footnoterule\relax
986     \let \footnote \thanks
987     \long\def\@makefnmark{\parindent\z@
988         \def\labelitemi{\textendash}\@revlabeltrue
989         \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
990     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
991     \if@compatibility\setcounter{page}{0}\fi
992     \null\vfil
993     \vskip 60\p@
994     \begin{center}%
995         \TitleFont
996         {\LARGE \def\\{\penalty -\@M}
997         \if@allcaps
998             \expandafter\uc@nothanks\@title\thanks\relax
999         \else
1000             \@title
1001             \fi\par}%
1002         \vskip 3em%
1003         {\large
1004             \lineskip .75em \parindent\z@
1005             \begin{tabular}[t]{c}%
1006                 \if@allcaps
1007                     \expandafter\uc@author\@author\and\relax
1008                 \else
1009                     \@author
1010                 \fi
1011             \end{tabular}\par}%
1012         \vskip 1.5em%
1013         {\large
1014             \if@allcaps
1015                 \uppercase\expandafter{\@date}%
1016             \else
1017                 \@date
1018             \fi\par}%
1019     \end{center}\par

```



```

1020 \thanks
1021 \vfil\null
1022 \end{titlepage}%
1023 \setcounter{footnote}{0}%
1024 \global\let\thanks\relax
1025 \global\let\maketitle\relax
1026 \global\let\@thanks\@empty
1027 \global\let\@author\@empty
1028 \global\let\@title\@empty
1029 \global\let\@date\@empty
1030 \global\let\title\relax
1031 \global\let\author\relax
1032 \global\let\date\relax
1033 \global\let\and\relax
1034 }
1035 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1036 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1037 \futurelet\@tempa\uc@ax}
1038 \def\uc@ax{%
1039 \ifx\@tempa\relax
1040 \else
1041 \\\andname \\\expandafter\uc@authornothanks
1042 \fi}
1043 \def\uc@tx{\ifx\@tempa\relax
1044 \else \expandafter\uc@ty \fi}
1045 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1046 \else
1047 \renewcommand*\maketitle{\par
1048 \begingroup
1049 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1050 \long\def\@makefntext##1{\parindent\z@
1051 \def\labelitemi{\textendash}%
1052 \leavevmode\hb@xt@.5\unitindent{%
1053 \@textsuperscript{\normalfont\@thefnmark}\hfil}##1}
1054 \if@twocolumn
1055 \ifnum \col@number=\@ne
1056 \@maketitle
1057 \else
1058 \twocolumn[\@maketitle]%
1059 \fi
1060 \else
1061 \newpage
1062 \global\@topnum\z@
1063 \@maketitle
1064 \fi
1065 \thispagestyle{plain}\@thanks
1066 \endgroup
1067 \setcounter{footnote}{0}%
1068 \global\let\thanks\relax
1069 \global\let\maketitle\relax

```



```

1070 \global\let\@maketitle\relax
1071 \global\let\@thanks\@empty
1072 \global\let\@author\@empty
1073 \global\let\@title\@empty
1074 \global\let\@date\@empty
1075 \global\let\title\relax
1076 \global\let\author\relax
1077 \global\let\date\relax
1078 \global\let\and\relax
1079 }
1080 \def\@maketitle{%
1081 \newpage
1082 \null
1083 \vskip 2em%
1084 \begin{center}%
1085 \let \footnote \thanks
1086 {\LARGE \TitleFont \@title \par}%
1087 \vskip 1.5em%
1088 {\large \TitleFont
1089 \lineskip .5em%
1090 \begin{tabular}[t]{c}%
1091 \@author
1092 \end{tabular}\par}%
1093 \vskip 1em%
1094 {\large \TitleFont \@date}%
1095 \end{center}%
1096 \par
1097 \vskip 1.5em}
1098 \fi

```

12 File artikel3-xetex-bidi.def

```

1099 \ProvidesFile{artikel3-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for artikel3 class for
1100 \renewenvironment{theindex}{%
1101 \if@twocolumn
1102 \@restonecolfalse
1103 \else
1104 \@restonecoltrue
1105 \fi
1106 \columnseprule \z@
1107 \columnsep 35\p@
1108 \twocolumn[\section*{\indexname}]%
1109 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
1110 \thispagestyle{plain}\parindent\z@
1111 \parskip\z@ \@plus .3\p@\relax
1112 \let\item\@idxitem
1113 }{%
1114 \if@restonecol\onecolumn\else\clearpage\fi}
1115 \renewcommand*{\head@style}{%
1116 \interlinepenalty \@M

```



```

1117 \hyphenpenalty=\@M \exhyphenpenalty=\@M
1118 \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
1119 \renewcommand*\@regtocline[3]{%
1120 \ifnum #1>\c@tocdepth
1121 \else
1122 \vskip\z@\@plus.2\p@
1123 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
1124 \if@RTL\rightskip\else\leftskip\fi\unitindent
1125 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
1126 \parfillskip\z@
1127 \@tempdima\unitindent
1128 \parindent\z@
1129 \leavevmode
1130 \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
1131 \hskip 1em \nobreak{\slshape #3}\par
1132 }%
1133 \fi}
1134 \if@oldtoc
1135 \renewcommand*\l@part[2]{%
1136 \ifnum \c@tocdepth >-2\relax
1137 \addpenalty\@secpenalty
1138 \addvspace{2.25em \@plus\p@}%
1139 \begingroup
1140 \setlength\@tempdima{3em}%
1141 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1142 \parfillskip -\@pnumwidth
1143 {\leavevmode
1144 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
1145 \nobreak
1146 \if@compatibility
1147 \global\@nobreaktrue
1148 \everypar{\global\@nobreakfalse\everypar{}}%
1149 \fi
1150 \endgroup
1151 \fi}
1152 \else
1153 \renewcommand*\l@part{%
1154 \ifnum \c@tocdepth >-2\relax
1155 \addpenalty\@secpenalty
1156 \addvspace{2.25em \@plus \p@}%
1157 \@regtocline{0}%
1158 \fi}
1159 \fi
1160
1161 \if@oldtoc
1162 \renewcommand*\l@section[2]{%
1163 \addpenalty\@secpenalty
1164 \addvspace{1.0em \@plus\p@}%
1165 \setlength\@tempdima{1.5em}%
1166 \begingroup

```



```

1167 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
1168 \parfillskip -\@pnumwidth
1169 \leavevmode \bfseries
1170 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
1171 \hskip -\if@RTL\rightskip\else\leftskip\fi
1172 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
1173 \endgroup}
1174 \else
1175 \renewcommand*\l@section{\@regtocline{1}}
1176 \fi
1177 \if@titlepage
1178 \renewenvironment{abstract}{%
1179 \titlepage
1180 \null\vfil
1181 \section*{\SectFont\abstractname}%
1182 \noindent\ignorespaces}
1183 {\par\vfil\null\endtitlepage}
1184 \else
1185 \renewenvironment{abstract}{%
1186 \if@twocolumn
1187 \section*{\abstractname}%
1188 \else
1189 \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
1190 \section*{\small\SectFont\abstractname}%
1191 \noindent\ignorespaces
1192 \fi}
1193 {\if@twocolumn\else\par\egroup\fi}
1194 \fi
1195 \renewcommand*\left@footnoterule{%
1196 \kern-3\p@
1197 \kern.5\baselineskip
1198 \hrule\@width\unitindent
1199 \kern.4\baselineskip
1200 }
1201 \renewcommand*\right@footnoterule{%
1202 \kern-3\p@
1203 \kern.5\baselineskip
1204 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
1205 \kern.4\baselineskip}
1206 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@section}
1207 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
1208 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
1209 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
1210 \renewenvironment{thebibliography}[1]
1211 {\section*{\refname}%
1212 \@mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}%
1213 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
1214 \bidi@@thebibliography@font@hook%
1215 \list{\@biblabel{\@arabic\c@enumiv}}%
1216 {\settowidth\labelwidth{\@biblabel{#1}}%

```



```

1217         \leftmargin\labelwidth
1218         \advance\leftmargin\labelsep
1219         \@openbib@code
1220         \usecounter{enumiv}%
1221         \let\p@enumiv\@empty
1222         \renewcommand*{\theenumiv}{\@arabic\c@enumiv}}}%
1223     \sloppy\clubpenalty4000\widowpenalty4000%
1224     \sfcode`\.\@m}
1225     {\def\@noitemerr
1226       {\@latex@warning{Empty `thebibliography' environment}}}%
1227     \endlist}
1228 \if@titlepage
1229 \renewcommand*{\TitleFont}{\rmfamily}
1230 \renewcommand*{\maketitle}{%
1231   \begin{titlepage}%
1232     \let\footnotesize\small
1233     \let\right@footnoterule\relax
1234     \let\left@footnoterule\relax
1235     \let\textwidth\footnoterule\relax
1236     \let \footnote \thanks
1237     \long\def\@makefnmark##1{\parindent\z@
1238       \def\labelitemi{\textendash}\@revlabeltrue
1239       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
1240     \renewcommand*{\thefootnote}{\@fnsymbol\c@footnote}%
1241     \if@compatibility\setcounter{page}{0}\fi
1242     \null\vfil
1243     \vskip 60\p@
1244     \begin{center}%
1245       \TitleFont
1246       {\LARGE \def\\{\penalty -\@M}
1247         \if@allcaps
1248           \expandafter\uc@nothanks\@title\thanks\relax
1249         \else
1250           \@title
1251         \fi\par}%
1252     \vskip 3em%
1253     {\large
1254       \lineskip .75em \parindent\z@
1255       \begin{tabular}[t]{c}%
1256         \if@allcaps
1257           \expandafter\uc@authornothanks\@author\and\relax
1258         \else
1259           \@author
1260         \fi
1261       \end{tabular}\par}%
1262     \vskip 1.5em%
1263     {\large
1264       \if@allcaps
1265         \uppercase\expandafter{\@date}%
1266       \else

```



```

1267         \@date
1268         \fi\par}%
1269     \end{center}\par
1270     \@thanks
1271     \vfil\null
1272 \end{titlepage}%
1273 \setcounter{footnote}{0}%
1274 \global\let\thanks\relax
1275 \global\let\maketitle\relax
1276 \global\let\@thanks\@empty
1277 \global\let\@author\@empty
1278 \global\let\@title\@empty
1279 \global\let\@date\@empty
1280 \global\let\title\relax
1281 \global\let\author\relax
1282 \global\let\date\relax
1283 \global\let\and\relax
1284 }
1285 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
1286 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
1287     \futurelet\@tempa\uc@ax}
1288 \def\uc@ax{%
1289     \ifx\@tempa\relax
1290     \else
1291         \\\andname \\\expandafter\uc@authornothanks
1292     \fi}
1293 \def\uc@tx{\ifx\@tempa\relax
1294     \else \expandafter\uc@ty \fi}
1295 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
1296 \else
1297 \renewcommand*\maketitle{\par
1298     \begingroup
1299     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
1300     \def\@makefnmark{\rlap{%
1301         \@textsuperscript{\normalfont\@thefnmark}}}%
1302     \long\def\@makefntext{\@xmakefntext{%
1303         \@textsuperscript{\normalfont\@thefnmark}}}%
1304     \if@twocolumn
1305         \ifnum \col@number=\@ne
1306             \@maketitle
1307         \else
1308             \twocolumn[\@maketitle]%
1309         \fi
1310     \else
1311         \newpage
1312         \global\@topnum\z@
1313         \@maketitle
1314     \fi
1315     \thispagestyle{plain}\@thanks
1316 \endgroup

```



```

1317 \setcounter{footnote}{0}%
1318 \global\let\thanks\relax
1319 \global\let\maketitle\relax
1320 \global\let\@maketitle\relax
1321 \global\let\@thanks\@empty
1322 \global\let\@author\@empty
1323 \global\let\@title\@empty
1324 \global\let\@date\@empty
1325 \global\let\title\relax
1326 \global\let\author\relax
1327 \global\let\date\relax
1328 \global\let\and\relax
1329 }
1330 \def\@maketitle{%
1331 \newpage
1332 \null
1333 \vskip 2em%
1334 \if@titlecentered
1335 \begin{center}%
1336 \let \footnote \thanks
1337 {\LARGE \TitleFont \@title \par}%
1338 \vskip 1.5em%
1339 {\large \TitleFont
1340 \lineskip .5em%
1341 \begin{tabular}[t]{c}%
1342 \@author
1343 \end{tabular}\par}%
1344 \vskip 1em%
1345 {\large \TitleFont \@date}%
1346 \end{center}%
1347 \else
1348 {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
1349 {\large \TitleFont \lineskip .5em \tabcolsep\z@
1350 \def\and{%% \begin{tabular} has already started
1351 \end{tabular}\hskip 1em plus .17fil
1352 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular}
1353 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par
1354 \vskip 1em {\large \TitleFont \@date}
1355 \fi
1356 \par
1357 \vskip 1.5em}
1358 \fi

```

13 File arydshln-xetex-bidi.def

```

1359 \ProvidesFile{arydshln-xetex-bidi.def}[2010/08/01 v0.2 bidi adaptations for arydshln package]
1360 \def\endarray{\adl@endarray \egroup \adl@arrayrestore \if@RTLtab\egroup\endR\egroup\fi\egroup}
1361 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
1362 \expandafter\let\csname endtabular*\endcsname\endtabular
1363 \let\adl@array\@array

```




```

1364 \def\@array{\adl@everyvbox\everyvbox
1365         \everyvbox{\adl@arrayinit \the\adl@everyvbox \everyvbox\adl@everyvbox}%
1366         \ifadl@inactive \adl@inactivate \else \adl@activate \fi
1367         \let\adl@noalign\noalign
1368         \adl@array}
1369 \ifadl@usingarypkg
1370 \def\@testpach{\@chclass
1371 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
1372 \ifnum \@lastchclass=7 5 \else
1373 \ifnum \@lastchclass=8 \tw@ \else
1374 \ifnum \@lastchclass=9 \thr@@
1375 \else \z@
1376 \ifnum \@lastchclass = 10 \else
1377 \edef\@nextchar{\expandafter\string\@nextchar}%
1378 \@chnum
1379 \if \@nextchar c\z@ \else
1380 \if \@nextchar \ifRTLTa b r\else l\fi\@ne \else
1381 \if \@nextchar \ifRTLTa b l\else r\fi\@tw@ \else
1382 \z@ \@chclass
1383 \if \@nextchar |\@ne \let\@arrayrule\adl@arrayrule \else
1384 \if \@nextchar : \@ne \let\@arrayrule\adl@arraydashrule \else
1385 \if \@nextchar ; \@ne \let\@arrayrule\adl@argarraydashrule \else
1386 \if \@nextchar !6 \else
1387 \if \@nextchar @7 \else
1388 \if \@nextchar <8 \else
1389 \if \@nextchar >9 \else
1390 10
1391 \@chnum
1392 \if \@nextchar m\thr@@\else
1393 \if \@nextchar p4 \else
1394 \if \@nextchar b5 \else
1395 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi
1396 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1397
1398 \def\@classz{\@classx
1399 \count@
1400 \prepnext@tok
1401 \@addtopreamble{\ifcase \@chnum
1402 \hfil
1403 \adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1404 \hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\hfil \or
1405 \hfil\hskip1sp\adl@putlrc{\d@llarbegin \insert@column \d@llarend}\or
1406 \setbox\adl@box\hbox \adl@startmbox{\@nextchar}\insert@column
1407 \adl@endmbox\or
1408 \setbox\adl@box\vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
1409 \setbox\adl@box\vbox \@startpbox{\@nextchar}\insert@column \@endpbox
1410 \fi}\prepnext@tok}
1411 \def\adl@classstart{4}
1412 \def\adl@class@iiiorvii{7}
1413

```



```

1414 \else
1415 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4\relax \else
1416 \ifnum \@lastchclass=\thr@@ 5\relax \else
1417 \z@ \if #1c\@chnum \z@ \else
1418 \if \if@RTLtab#1r\else#1l\fi\@chnum \@one \else
1419 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
1420 \@chclass
1421 \if #1|\@one \let\@arrayrule\adl@arrayrule \else
1422 \if #1:\@one \let\@arrayrule\adl@arraydashrule \else
1423 \if #1;\@one \let\@arrayrule\adl@argarraydashrule \else
1424 \if #1@\tw@ \else
1425 \if #1p\thr@@ \else \z@ \@preamerr 0\fi
1426 \fi \fi \fi \fi \fi \fi \fi \fi \fi}
1427
1428 \def\@arrayclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1429 \or \or \@addamp \or
1430 \@acolampacol \or \@firststampfalse \@acol \fi
1431 \edef\@preamble{\@preamble
1432 \ifcase \@chnum
1433 \hfil\adl@putlrc{\$relax\@sharp$}\hfil
1434 \or \adl@putlrc{\$relax\@sharp$}\hfil
1435 \or \hfil\adl@putlrc{\$relax\@sharp$}\fi}}
1436 \def\@tabclassz{\ifcase \@lastchclass \@acolampacol \or \@ampacol \or
1437 \or \or \@addamp \or
1438 \@acolampacol \or \@firststampfalse \@acol \fi
1439 \edef\@preamble{\@preamble
1440 \ifcase \@chnum
1441 \hfil\adl@putlrc{\@sharp\unskip}\hfil
1442 \or \adl@putlrc{\@sharp\unskip}\hfil
1443 \or \hfil\hskip\z@ \adl@putlrc{\@sharp\unskip}\fi}}
1444 \def\adl@class@start{6}
1445 \def\adl@class@iiiorvii{3}
1446 \fi
1447 \ifpackageloaded{colortbl}{%
1448 \def\adl@inactivate{\adl@org@inactivate \let\CT@setup\adl@CT@setup}
1449 \def\adl@activate{\adl@org@activate \let\CT@setup\adl@act@CT@setup
1450 \let\@endpbox\adl@org@endpbox}
1451 \let\adl@CT@setup\CT@setup
1452 \def\CT@setup{\adl@CT@setup
1453 \@tempdima\ht\z@ \advance\@tempdima\minrowclearance
1454 \ifdim\adl@height<\@tempdima \global\adl@height\@tempdima \fi
1455 \ifdim\adl@depth<\dp\z@ \global\adl@depth\dp\z@\fi}
1456 \let\adl@act@CT@setup\CT@setup
1457 \def\@classz{\@classx
1458 \@tempcnta\count@ \prepnext@tok
1459 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
1460 \expandafter\adl@extract@arc\the\toks\@tempcnta\arrayrulecolor!\@nil
1461 \expandafter\adl@extract@drsc
1462 \the\toks\@tempcnta\doublerulesepcolor!\@nil
1463 \expandafter\adl@extract@dgc\the\toks\@tempcnta\dashgapcolor!\@nil

```



```

1464 \addtopreamble{\if@RTL\beginL\fi%
1465 \setbox\z@\hbox\bgroup\bgroup\if@RTL\beginR\fi
1466 \ifcase \@chnum
1467 \hskip\stretch{.5}\kern\z@
1468 \d@llarbegin
1469 \insert@column
1470 \d@llarend\hskip\stretch{.5}%
1471 \or \d@llarbegin \insert@column \d@llarend \hfill
1472 \or \hfill \kern\z@ \d@llarbegin \insert@column \d@llarend
1473 \or $\vcenter
1474 \startpbox{\@nextchar}\insert@column \endpbox $%
1475 \or \vtop \startpbox{\@nextchar}\insert@column \endpbox
1476 \or \vbox \startpbox{\@nextchar}\insert@column \endpbox
1477 \fi
1478 \if@RTL\endR\fi\egroup\egroup
1479 \begingroup
1480 \CT@setup
1481 \CT@column@color
1482 \CT@row@color
1483 \CT@cell@color
1484 \CT@do@color
1485 \endgroup
1486 \@tempdima\ht\z@
1487 \advance\@tempdima\minrowclearance
1488 \vrule\@height\@tempdima\@width\z@
1489 \unhbox\z@\if@RTL\endL\fi}%
1490 \prepnext@tok}
1491 \let\adl@act@classz\@classz
1492 \let\adl@org@classz\@classz
1493 }{}

```

14 File bidi.sty

```

1494 \NeedsTeXFormat{LaTeX2e}
1495 \def\bididate{2018/11/11}
1496 \def\bidiversion{35.1}
1497 \ProvidesPackage{bidi}[\bididate\space v\bidiversion\space
1498 Bidirectional typesetting in plain TeX and LaTeX]
1499 \edef\@bidi@info{*****^J%
1500 * ^J%
1501 * bidi package (Bidirectional typesetting in^J%
1502 * plain TeX and LaTeX, using XeTeX engine)^J%
1503 * ^J%
1504 * Description: A convenient interface for^J%
1505 * typesetting bidirectional texts in plain TeX^J%
1506 * and LaTeX. The package includes adaptations^J%
1507 * for use with many other commonly-used packages.^J%
1508 * ^J%
1509 * Copyright (c) 2009--2018 Vafa Khalighi^J%
1510 * ^J%

```



```

1511 * v\bididate\version, \bididate^^J%
1512 * ^^J%
1513 * License: LaTeX Project Public License, version^^J%
1514 * 1.3c or higher (your choice)^^J%
1515 * ^^J%
1516 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1517 * ^^J%
1518 * Issue tracker: https://sourceforge.net/p/persian-tex-dist/tickets^^J%
1519 * ^^J%
1520 * Support: http://tug.org/mailman/listinfo/persiantex^^J%
1521 * ^^J%
1522 *****}
1523 \typeout{\@bidi@info}
1524 \edef\bidi@everyjob{\the\everyjob}
1525 \everyjob{\bidi@everyjob\typeout{\@bidi@info}}
1526 \newcommand*{\bidiversion}{\ensuremath\bidi@version}
1527 \newcommand*{\IfbidiPackageVersionLater}[1]{%
1528   \ifdim\bidi@version pt > #1 pt %
1529     \expandafter\@firstoftwo
1530   \else
1531     \expandafter\@secondoftwo
1532   \fi}
1533 \newcommand*{\IfbidiPackageVersionBefore}[1]{%
1534   \ifdim\bidi@version pt < #1 pt %
1535     \expandafter\@firstoftwo
1536   \else
1537     \expandafter\@secondoftwo
1538   \fi}
1539 \newcommand*{\IfbidiPackageVersion}[1]{%
1540   \ifdim\bidi@version pt = #1 pt %
1541     \expandafter\@firstoftwo
1542   \else
1543     \expandafter\@secondoftwo
1544   \fi}
1545 \RequirePackage{iftex}
1546 \RequirePackage{XeTeX}
1547 \RequirePackage{bidiutils}
1548 \RequirePackage{zref-abspage}
1549 \RequirePackage{auxhook}
1550 \RequirePackage{ltxcmds}
1551 \RequirePackage{xkeyval}
1552 \eqnewif{\if@RTLmain}{\if@rlmain}
1553 \eqnewif{\if@RTL}{\if@rl}
1554 \newif\if@nonlatin
1555 \newif\if@bidi@perpage@footnote
1556 \newcommand*{\setlatin}{\@nonlatinfalse}
1557 \newcommand*{\setnonlatin}{\@nonlatintrue}
1558 \eqnewif{\if@RTLtab}{\if@tab@rl}
1559 \newif\if@hboxRconstruct
1560 \newif\if@bidi@pdfencrypt

```



```

1561 \newcommand*{\setRTLtable}{\@RTLtabtrue}
1562 \newcommand*{\setLTRtable}{\@RTLtabfalse}
1563 \newif\if@bidi@pdfm@mark
1564 \newif\if@RTLmarginpar
1565 \newif\if@LTRmarginpar
1566 \newif\if@LTRbibitems
1567 \newif\if@RTLbibitems
1568 \newif\if@extrafootnotefeatures
1569 \newif\if@RTLcolumnfootnotes
1570 \eqnewif{\if@RTL@footnote}{\if@rl@footnote}
1571 \newif\if@bidi@list@minipage@parbox
1572 \newif\if@bidi@list@minipage@parbox@not@nob
1573 \newcommand*{\@bidi@pdfcreator}{%
1574   The bidi package, v\@bidi@version, \@bidi@date
1575 }
1576 \newcommand*{\@bidi@pdfproducer}{%
1577   The bidi package, v\@bidi@version, \@bidi@date
1578 }
1579 \newcommand*{\@bidi@pdfcustomproperties}{%
1580   This is the bidi package, Version \@bidi@version,
1581   Released November 11, 2018.
1582 }
1583 \@RTLmainfalse
1584 \AtBeginDocument{%
1585   \if@RTLmain\else
1586     \if@RTL\@RTLmaintrue%
1587     \else\@RTLmainfalse%
1588     \fi%
1589   \fi%
1590 }
1591 \let\n@xt=
1592 \bidi@newrobustcmd*{\LRE}{\protect\pLRE}%
1593 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1594 \bidi@newrobustcmd*{\RLE}{\protect\pRLE}
1595 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1596 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1597   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1598 \newinsert\@bidi@copyins@
1599 \skip\@bidi@copyins@=12\p@
1600 \dimen\@bidi@copyins@=40pc
1601 \count\@bidi@copyins@=1000
1602 \newcommand*{\@bidi@inslogo@}{\insert\@bidi@copyins@{\@bidi@logo@}}
1603 \newcommand*{\@bidi@logo@hb@xt@columnwidth}{%
1604   \if@RTLmain
1605     \if@twocolumn
1606       \hboxR to \columnwidth
1607     \else
1608       \hboxR to \textwidth
1609     \fi
1610   \else

```



```

1611 \if@twocolumn
1612 \hboxL to \columnwidth
1613 \else
1614 \hboxL to \textwidth
1615 \fi
1616 \fi
1617 }
1618 \newcommand*{\@bidi@logo}[1]{%
1619 \toks@{%
1620 \setbox\z@\hbox{%
1621 \special{%
1622 pdf:image width 50pt height 50pt (#1)%
1623 }
1624 }%
1625 \dp\z@\z@
1626 \ht\z@=50pt
1627 \wd\z@=50pt
1628 \beginL
1629 \lower20pt\box\z@
1630 \endL
1631 }%
1632 \the\toks@
1633 }
1634 \newcommand*{\@bidi@logo@}{%
1635 \@bidi@logo@hb@xt@columnwidth
1636 {\hss\LRE{\bfseries Typeset by the \textsf{bidi}
1637 package\quad\@bidi@logo{bidi-logo.pdf}}}}
1638 \define@key{bidi@pdfencrypt}{userpassword}[]{%
1639 \def\bidi@pdfencrypt@userpassword{#1}%
1640 }
1641 \define@key{bidi@pdfencrypt}{ownerpassword}[]{%
1642 \def\bidi@pdfencrypt@ownerpassword{#1}%
1643 }
1644 \define@key{bidi@pdfencrypt}{keylength}[128]{%
1645 \def\bidi@pdfencrypt@keylength{#1}%
1646 }
1647 \define@key{bidi@pdfencrypt}{permissionflags}[2052]{%
1648 \def\bidi@pdfencrypt@permissionflags{#1}%
1649 }
1650 \newcommand*{\pdfencryptsetup}{\setkeys{bidi@pdfencrypt}}
1651 \@onlypreamble\pdfencryptsetup
1652 \input{latex-xetex-bidi.def}
1653 \input{loadingorder-xetex-bidi.def}
1654 \define@choicekey{bidi.sty}{RTLdocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1655 \ifcase\bidi@tempb\relax
1656 \@RTLtrue
1657 \or
1658 \@RTLfalse
1659 \fi}
1660 \define@choicekey{bidi.sty}{documentdirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}

```



```

1661 \ifcase\bidit@tempb\relax
1662   \@RTLtrue
1663 \or
1664   \@RTLfalse
1665 \fi}
1666 \define@choicekey{bidi.sty}{tabledirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}{%
1667 \ifcase\bidit@tempb\relax
1668   \@RTLtabtrue
1669 \or
1670   \@RTLtabfalse
1671 \fi}
1672 \define@choicekey{bidi.sty}{script}[\bidi@tempa\bidi@tempb]{latin,nonlatin}[latin]{%
1673 \ifcase\bidit@tempb\relax
1674   \@nonlatinfalse
1675 \or
1676   \@nonlatintrue
1677 \fi}
1678 \define@choicekey{bidi.sty}{rldocument}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1679 \ifcase\bidit@tempb\relax
1680   \@RTLtrue
1681 \or
1682   \@RTLfalse
1683 \fi}
1684 \define@choicekey{bidi.sty}{footnoterule}[\bidi@tempa\bidi@tempb]{automatic,left,right,split,t
1685 \ifcase\bidit@tempb\relax
1686   \autofootnoterule
1687 \or
1688   \leftfootnoterule
1689 \or
1690   \rightfootnoterule
1691 \or
1692   \SplitFootnoteRule
1693 \or
1694   \textwidthfootnoterule
1695 \fi}
1696 \define@choicekey{bidi.sty}{footnotedirection}[\bidi@tempa\bidi@tempb]{righttoleft,lefttoright}{%
1697 \ifcase\bidit@tempb\relax
1698   \@RTL@footnotetrue
1699 \or
1700   \@RTL@footnotefalse
1701 \fi}
1702 \define@choicekey{bidi.sty}{debugfootnotedirection}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1703 \ifcase\bidit@tempb\relax
1704   \footdir@debugtrue
1705 \or
1706   \footdir@debugfalse
1707 \fi}
1708 \define@choicekey{bidi.sty}{extrafootnotefeatures}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1709 \ifcase\bidit@tempb\relax
1710   \@extrafootnotefeaturetrue

```



```

1711 \or
1712 \extrafootnotefeaturesfalse
1713 \fi}
1714
1715 \define@choicekey{bidi.sty}{DetectColumn}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1716 \ifcase\bidi@tempb\relax
1717 \def\bidi@firstcolumn@status@write{%
1718 \protected@write\auxout{%
1719 \string\bidi@column@status
1720 {1}}}%
1721 \def\bidi@lastcolumn@status@write{%
1722 \protected@write\auxout{%
1723 \string\bidi@column@status{2}}}%
1724 \or
1725 \let\bidi@firstcolumn@status@write\relax
1726 \let\bidi@lastcolumn@status@write\relax
1727 \fi}
1728
1729 \define@choicekey{bidi.sty}{logo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1730 \ifcase\bidi@tempb\relax
1731 \AtBeginDocument{\@bidi@inslogo@}%
1732 \or
1733 \let\@bidi@logo@\empty \let\@bidi@inslogo@\empty
1734 \fi}
1735
1736 \define@choicekey{bidi.sty}{pdfinfo}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1737 \ifcase\bidi@tempb\relax
1738 \bidi@pdfm@marktrue
1739 \or
1740 \bidi@pdfm@markfalse
1741 \fi}
1742
1743 % The 'perpagefootnote' option is documented in UK TeX FAQ at
1744 % <https://texfaq.org/FAQ-footnpp> (see last paragraph)
1745
1746 \define@choicekey{bidi.sty}{perpagefootnote}[\bidi@tempa\bidi@tempb]{on,off}[on]{%
1747 \ifcase\bidi@tempb\relax
1748 \bidi@perpage@footnotetrue
1749 \or
1750 \bidi@perpage@footnotefalse
1751 \fi}
1752
1753 \ExecuteOptionsX{%
1754 DetectColumn=off%
1755 }
1756
1757 \ProcessOptionsX
1758
1759 \pdfencryptsetup{%
1760 userpassword,%

```




```

1761 ownerpassword,%
1762 keylength,%
1763 permissionflags%
1764 }
1765
1766 \if@extrafootnotefeatures
1767 \input{extrafootnotefeatures-xetex-bidi.def}
1768 \fi
1769 \newcount\bididigits
1770 \XeTeXinterchartokenstate=\@ne
1771 \newXeTeXintercharclass\bididigits@charclass
1772 \newXeTeXintercharclass\bidisepmark@charclass
1773 \XeTeXcharclass \\. \bidisepmark@charclass
1774 \XeTeXcharclass \- \bidisepmark@charclass
1775 \bididigits=\0 \loop \XeTeXcharclass \bididigits \bididigits@charclass \ifnum\bididigits<
1776 \bididigits=\ \loop \XeTeXcharclass \bididigits \bididigits@charclass \ifnum\bididigits<
1777 \XeTeXinterchartoks \bidisepmark@charclass \bididigits@charclass = {\DigitsDotDashInterChar
1778 \newcommand*{\DigitsDotDashInterCharToks}{\if@nonlatin\char"200F \fi}
1779 \bidi@AtEndPreamble{%
1780 \if@bidi@perpage@footnote
1781 \RequirePackage{bidi-perpage}%
1782 \ResetCounterPerPage{footnote}%
1783 \fi
1784 \ifx\bidipdfencrypt@ownerpassword\bidiepty
1785 \ifx\bidipdfencrypt@userpassword\bidiepty
1786 \@bidi@pdfencryptfalse
1787 \else
1788 \@bidi@pdfencrypttrue
1789 \fi
1790 \else
1791 \@bidi@pdfencrypttrue
1792 \fi
1793 \if@bidi@pdfencrypt
1794 \special{pdf:encrypt
1795 userpw (\bidipdfencrypt@userpassword)
1796 ownerpw (\bidipdfencrypt@ownerpassword)
1797 length \bidipdfencrypt@keylength
1798 perm \bidipdfencrypt@permissionflags
1799 }%
1800 \fi
1801 }
1802 \AtEndDocument{%
1803 \special{pdf:%
1804 docinfo<<%
1805 \if@bidi@pdfm@mark
1806 /Creator(\@bidi@pdfcreator)%
1807 /Producer(\@bidi@pdfproducer)%
1808 \fi
1809 /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
1810 \if@bidi@csdef{@xepersian@pdfcustomproperties}{%

```



```

1811      /XEPERSIAN.Fullbanner(\@xepersian@pdfcustomproperties)%
1812    }{}%
1813    >>%
1814  }%
1815 }

```

15 File `bidi.tex`

```

1816 \def\bididate{2018/11/11}
1817 \catcode`\@=11
1818 \def\bidiversion{35.1}
1819 \let \protect \relax
1820 \newlinechar`\^^J
1821 \edef\@bidi@info{*****^^J%
1822 * ^^J%
1823 * bidi package (Bidirectional typesetting in^^J%
1824 * plain TeX and LaTeX, using XeTeX engine)^^J%
1825 * ^^J%
1826 * Description: A convenient interface for^^J%
1827 * typesetting bidirectional texts in plain TeX^^J%
1828 * and LaTeX. The package includes adaptations^^J%
1829 * for use with many other commonly-used packages.^^J%
1830 * ^^J%
1831 * Copyright (c) 2009--2018 Vafa Khalighi^^J%
1832 * ^^J%
1833 * v\bidiversion, \bididate^^J%
1834 * ^^J%
1835 * License: LaTeX Project Public License, version^^J%
1836 * 1.3c or higher (your choice)^^J%
1837 * ^^J%
1838 * Location on CTAN: /macros/xetex/latex/bidi^^J%
1839 * ^^J%
1840 * Issue tracker: https://sourceforge.net/p/persian-tex-dist/tickets^^J%
1841 * ^^J%
1842 * Support: http://tug.org/mailman/listinfo/persiantex^^J%
1843 * ^^J%
1844 * *****}
1845 \message{\@bidi@info}
1846 \edef\bidi@everyjob{\the\everyjob}
1847 \everyjob{\bidi@everyjob\message{\@bidi@info}}
1848 \def\bidiversion{%
1849   \relax
1850   \ifmmode
1851     \bidiversion
1852   \else
1853     $\bidiversion$
1854   \fi
1855 }
1856 \input iftex.sty
1857 \RequireXeTeX

```



```

1858 \newif\if@bidi@pdfm@mark
1859 \newif\if@RTLmain
1860 \newif\if@RTL
1861 \newif\if@hboxRconstruct
1862 \newif\if@sendif
1863 \newif\if@RTL@footnote
1864 \@RTLmainfalse
1865 \def\setRTLmain{%
1866   \if@RTLmain\else
1867     \if@RTL\@RTLmaintrue%
1868     \else\@RTLmainfalse%
1869     \fi%
1870   \fi%
1871 }
1872 \let\n@xt=\
1873 \protected\def\LRE{\protect\pLRE}%
1874 \def\pLRE{\protect\afterassignment\moreLRE \let\n@xt= }
1875 \protected\def\RLE{\protect\pRLE}
1876 \def\pRLE{\protect\afterassignment\moreRLE \let\n@xt= }
1877 \def\bracetext{\ifcat\n@xt{\else\ifcat\n@xt}\fi
1878   \errmessage{Missing left brace has been substituted}\fi \bgroup}
1879 \newinsert\@bidi@copyins@
1880 \skip\@bidi@copyins@=12\p@
1881 \dimen\@bidi@copyins@=40pc
1882 \count\@bidi@copyins@=1000
1883 \def\@bidi@inslogo@{\insert\@bidi@copyins@{\@bidi@logo@}}
1884 \def\@bidi@logo@hb@xt@{%
1885   \if@RTLmain
1886     \hboxR to
1887   \else
1888     \hboxL to
1889   \fi
1890 }
1891 \def\@bidi@logo#1{%
1892   \toks@{%
1893     \setbox\z@\hbox{%
1894       \special{%
1895         pdf:image width 50pt height 50pt (#1)%
1896       }
1897     }%
1898     \dp\z@\z@
1899     \ht\z@=50pt
1900     \wd\z@=50pt
1901     \beginL
1902       \lower20pt\box\z@
1903     \endL
1904   }%
1905   \the\toks@
1906 }
1907 \def\@bidi@logo@{\@bidi@logo@hb@xt@\hsize{\hss\LRE{\bf Typeset by the bidi package\quad\@bidi

```



```

1908 \def\nobidilogo{\let\@bidi@logo@\empty \let\@bidi@inslogo@\empty}
1909 \def\@bidi@pdfcreator{%
1910   The bidi package, v\@bidi@version, \bidi@date
1911 }
1912 \def\@bidi@pdfproducer{%
1913   The bidi package, v\@bidi@version, \bidi@date
1914 }
1915 \def\@bidi@pdfcustomproperties{%
1916   This is the bidi package, Version \@bidi@version,
1917   Released November 11, 2018.
1918 }
1919 \def\@bidi@pdfm@mark{%
1920   \special{pdf:
1921     docinfo<<%
1922       \if\@bidi@pdfm@mark
1923         /Creator(\@bidi@pdfcreator)%
1924         /Producer(\@bidi@pdfproducer)%
1925       \fi
1926       /BIDI.Fullbanner(\@bidi@pdfcustomproperties)%
1927     >>%
1928   }%
1929 }
1930 \def\@bidi@pdfinfoon{\@bidi@pdfm@marktrue}
1931 \def\@bidi@pdfinfooff{\@bidi@pdfm@markfalse}
1932 \input plain-xetex-bidi.def
1933 \@bidi@inslogo@
1934 \outer\def\bye{\par\vfill\supereject\@bidi@pdfm@mark\end}
1935 \catcode\@=12
1936 \bidi@pdfinfoon

```

16 File bidi2in1.sty

```

1937 \NeedsTeXFormat{LaTeX2e}
1938 \ProvidesPackage{bidi2in1}
1939 \pagestyle{plain}
1940 \newcount\evenpage
1941 \newcount\oddpge
1942 \twocolumn
1943 \def\@oddfont{\evenpage=\thepage%
1944 \multiply\evenpage by 2%
1945 \oddpge=\thepage%
1946 \advance\oddpge by -1%
1947 \hfil\thepage\hfil\hfil\thepage\hfil}%
1948 \def\@evenfont{\evenpage=\thepage%
1949 \multiply\evenpage by 2%
1950 \oddpge=\thepage%
1951 \advance\oddpge by -1%
1952 \hfil\thepage\hfil\hfil\thepage\hfil}%
1953 \textwidth 9.49in
1954 \textheight 6.7in

```



```

1955 \columnsep 0.9in
1956 \columnseprule 0.125pt
1957 \headheight 0cm
1958 \topmargin 0in
1959 \marginparwidth 0in
1960 \marginparsep 0in
1961 \hoffset 0.05in % Corrected
1962 \voffset -0.5in %top margin space is 1.0in by default
1963 \oddsidemargin 0in
1964 \evensidemargin 0in
1965 \headsep 0cm
1966 \topskip 0cm
1967 \parskip 0.15in %
1968 \headsep 0pt
1969 \special{papersize=11.69in,8.26in}
1970 \renewcommand\maketitle{\par
1971 \begingroup
1972 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
1973 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
1974 \long\def\@makefntext##1{\parindent 1em\noindent
1975 \hb@xt@1.8em{%
1976 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
1977 \@maketitle
1978 \@thanks
1979 \endgroup
1980 \setcounter{footnote}{0}%
1981 \global\let\thanks\relax
1982 \global\let\maketitle\relax
1983 \global\let\@maketitle\relax
1984 \global\let\@thanks\@empty
1985 \global\let\@author\@empty
1986 \global\let\@date\@empty
1987 \global\let\@title\@empty
1988 \global\let\title\relax
1989 \global\let\author\relax
1990 \global\let\date\relax
1991 \global\let\and\relax
1992 }

```

17 File `bidicode.sty`

```

1993 \NeedsTeXFormat{LaTeX2e}
1994 \ProvidesPackage{bidicode}
1995 \RequirePackage{xcolor}
1996 \RequirePackage{showexpl}
1997 \definecolor{hellgelb}{rgb}{1,1,0.85}
1998 \definecolor{colKeys}{rgb}{0,0,1}
1999 \definecolor{colIdentifier}{rgb}{0,0,0}
2000 \definecolor{colComments}{rgb}{1,0,0}
2001 \definecolor{colString}{rgb}{0,0.5,0}

```



```

2002 \lstset{
2003     language=[LaTeX]TEX,
2004     float=hbp,
2005     basicstyle=\ttfamily\small,
2006     identifierstyle=\color{colIdentifier},
2007     keywordstyle=\color{colKeys},
2008     stringstyle=\color{colString},
2009     commentstyle=\color{colComments},
2010     backgroundcolor=\color{hellgelb},
2011     columns=flexible,
2012     tabsize=4,
2013     extendedchars=true,
2014     showspace=false,
2015     showstringspaces=false,
2016     numbers=left,
2017     numbersep=0.9em,
2018     numberstyle=\tiny, %
2019     frame=single,
2020     captionpos=b,
2021     xleftmargin=1em,
2022     breaklines=true,
2023     breakautoindent=false,
2024     breakindent=0pt,
2025     escapeinside=**,
2026     pos=r,
2027     explpreset={%
2028     xleftmargin=1em,columns=flexible,language=[LaTeX]TEX},
2029     morekeywords={setLTR,setLR,setRTL,setRL,LRE,LR,RLE,RL,lr,bidiversion,bididate}
2030 }
2031 \newcommand\HLON{%
2032 \gdef\lst@alloverstyle##1{%
2033     \fboxrule=0pt
2034     \fboxsep=0pt
2035     \fcolorbox{hellgelb}{hellgelb}{\bfseries\strut##1}%
2036 }}
2037 \newcommand\HLOFF{%
2038 \xdef\lst@alloverstyle##1{##1}%
2039 }
2040 \newcommand\Larg [1]{\normalfont\itshape#1\/\}}
2041 \newcommand\Larga[1]{\$\angle$\Larg{#1}$\rangle$}
2042 \newcommand\Largb[1]{\lcb\Larg{#1}\rcb}
2043 \newcommand\Largs[1]{\lsb\Larg{#1}\rsb}
2044 \newcommand\Largr[1]{\lrb\Larg{#1}\rrb}
2045 \newcommand\LBEG[1]{\normalfont\ttfamily\bs{}begin\lcb#1\rcb}}
2046 \newcommand\LEND[1]{\normalfont\ttfamily\bs{}end\lcb#1\rcb}}
2047
2048 \DeclareRobustCommand\bs{\normalfont\ttfamily\symbol{92}}
2049 \DeclareRobustCommand\lcb{\normalfont\ttfamily\char`\{}}
2050 \DeclareRobustCommand\rcb{\normalfont\ttfamily\char`\}}
2051 \DeclareRobustCommand\lsb{\normalfont\ttfamily[}

```



```

2052 \DeclareRobustCommand\rsb{{\normalfont\ttfamily}}
2053 \DeclareRobustCommand\lrb{{\normalfont\ttfamily}}
2054 \DeclareRobustCommand\rrb{{\normalfont\ttfamily}}
2055
2056 \def\Lcs#1{\nxLcs{#1}}
2057 \def\LcsStar#1{\nxLcs{#1}\OptArg*{}}
2058 \def\nxLcs#1{\texttt{\symbol{92}#1}}
2059
2060 \def\Coordx#1{$x_{#1}$}
2061 \def\Coordy#1{$y_{#1}$}
2062 \def\Coordz#1{$z_{#1}$}
2063 \def\Coord#1{\Coordx{#1},\kern 1pt\Coordy{#1}}
2064 \def\Coordn{\Coordx{n},\kern 1pt\Coordy{n}}
2065 \def\CoordIII#1{\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1}}
2066 \def\CAny{\Coordx{},\kern 1pt\Coordy{}}
2067 \def\CIIIAny{\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
2068 \def\coord#1{(\Coordx{#1},\kern 1pt\Coordy{#1})}
2069 \def\coordn{(\Coordx{n},\kern 1pt\Coordy{n})}
2070 \def\coordiii#1{(\Coordx{#1},\kern 1pt\Coordy{#1},\kern 1pt\Coordz{#1})}
2071 \def\coordx#1{($x_{#1}$)}
2072 \def\coordy#1{($y_{#1}$)}
2073 \def\coordz#1{($z_{#1}$)}
2074 \def\cAny{(\Coordx{},\kern 1pt\Coordy{}}
2075 \def\ciiAny{(\Coordx{},\kern 1pt\Coordy{},\kern 1pt\Coordz{}}
2076
2077 \newsavebox{\boxdef}
2078 \newenvironment{BDef}
2079   {\begin{lrbox}\boxdef
2080     \def\arraystretch{1.0}
2081     \begin{tabular}{@{}l@{}l@{}l@{}}
2082   }
2083   {\end{tabular}\end{lrbox}}
2084
2085   {\BCmd\fbbox{\usebox\boxdef}\endBCmd}
2086   \aftergroup\@afterindentfalse\aftergroup\@afterheading
2087 }
2088
2089 \newenvironment{BDef*}
2090   {\begin{lrbox}\boxdef
2091     \def\arraystretch{1.0}
2092     \begin{tabular}{@{}l@{}l@{}l@{}}
2093   }
2094   {\end{tabular}\end{lrbox}}
2095   {\begin{BCmd*}\fbbox{\usebox\boxdef}\endBCmd*}}
2096   \aftergroup\@afterindentfalse\aftergroup\@afterheading
2097 }
2098 \newenvironment{BCmd}{
2099   \@beginparpenalty-\@lowpenalty
2100   \topsep\BDefaboveskip
2101   \fbboxsep3pt

```



```

2102 \flushleft}
2103 {\@endparpenalty\@M
2104 \@topsepadd\BDefbelowskip
2105 \endflushleft}
2106
2107 \newenvironment{BCmd*}{
2108 \@beginparpenalty\@M
2109 \topsep\BDefinlineskip
2110 \fboxsep3pt
2111 \flushleft}
2112 {\@endparpenalty5000
2113 \endflushleft}
2114
2115 \newskip\BDefaboveskip
2116 \newskip\BDefbelowskip
2117 \newskip\BDefinlineskip
2118 \setlength\BDefaboveskip{10pt plus 4pt}
2119 \setlength\BDefbelowskip{6pt}
2120 \setlength\BDefinlineskip{6pt}
2121
2122 \def\OptArgs{\colorbox{black!20}{\texttt{[Options]}}}\kern1pt}
2123 \def\OptArg{\@ifnextchar*\OptArgi{\OptArgii*}}
2124 \def\OptArgi*#1{\colorbox{black!20}{\texttt{#1}}}\kern1pt}
2125 \def\OptArgii*#1{\colorbox{black!20}{\texttt{[#1]}}}\kern1pt}

```

18 File bidiftnxtra.sty

```

2126 \NeedsTeXFormat{LaTeX2e}
2127 \ProvidesPackage{bidiftnxtra}
2128 \newtoks\bidip@ftn
2129 \let\FN@sffootnote\footnote
2130 \let\FN@sff@LTRfootnote\LTRfootnote
2131 \let\FN@sff@RTLfootnote\RTLfootnote
2132 \def\footnote{\ifx\protect\@typeset@protect
2133 \expandafter\FN@sffootnote
2134 \else
2135 \expandafter\FN@sff@gobble@opt
2136 \fi
2137 }
2138 \def\LTRfootnote{\ifx\protect\@typeset@protect
2139 \expandafter\FN@sff@LTRfootnote
2140 \else
2141 \expandafter\FN@sff@gobble@opt
2142 \fi
2143 }
2144 \def\RTLfootnote{\ifx\protect\@typeset@protect
2145 \expandafter\FN@sff@RTLfootnote
2146 \else
2147 \expandafter\FN@sff@gobble@opt
2148 \fi

```




```

2149 }
2150 \edef\FN@sfgobble@opt{\noexpand\protect
2151   \expandafter\noexpand\csname FN@sfgobble@opt \endcsname}
2152 \expandafter\def\csname FN@sfgobble@opt \endcsname{%
2153   \@ifnextchar[%]
2154     \FN@sfgobble@twobrace
2155     \@gobble
2156 }
2157 \def\FN@sfgobble@twobrace[#1]#2{}
2158 \let\FN@sfgobble@footnotemark\footnotemark
2159 \def\footnotemark{\ifx\protect\@typeset@protect
2160   \expandafter\FN@sfgobble@footnotemark
2161   \else
2162     \expandafter\FN@sfgobble@optonly
2163   \fi
2164 }
2165 \edef\FN@sfgobble@optonly{\noexpand\protect
2166   \expandafter\noexpand\csname FN@sfgobble@optonly \endcsname}
2167 \expandafter\def\csname FN@sfgobble@optonly \endcsname{%
2168   \@ifnextchar[%]
2169     \FN@sfgobble@brace
2170     {}%
2171 }
2172 \def\FN@sfgobble@brace[#1]{}
2173 \def\@tabular{%
2174   \leavevmode \hbox \bgroup
2175   \let\@footnotetext\@bidi@p@ftntext
2176   \let\@LTRfootnotetext\@bidi@p@LTRftntext
2177   \let\@RTLfootnotetext\@bidi@p@RTLftntext
2178   \let\@xfootnotenext\@bidi@p@xftntext
2179   \let\@xfootnote\@bidi@p@xfootnote
2180   \let\@xLTRfootnotenext\@bidi@p@xLTRftntext
2181   \let\@xLTRfootnote\@bidi@p@xLTRfootnote
2182   \let\@xRTLfootnotenext\@bidi@p@xRTLftntext
2183   \let\@xRTLfootnote\@bidi@p@xRTLfootnote
2184   \if@RTLtab\beginR \fi
2185   $\let\@acol\@tabacol
2186   \let\@classz\@tabclassz
2187   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
2188 \def\endtabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
2189   \egroup $\if@RTLtab\endR\fi\egroup
2190   \ifx\@cuptype\@undefined
2191     \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn\fi}
2192 \long\def\@bidi@p@ftntext#1{%
2193   \edef\@tempy{\the\@bidi@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}%
2194   \global\@bidi@p@ftn\expandafter{\@tempy{#1}}}%
2195 \long\def\@bidi@p@LTRftntext#1{%
2196   \edef\@tempyi{\the\@bidi@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\@mpfn\endcsname]}%
2197   \global\@bidi@p@ftn\expandafter{\@tempyi{#1}}}%
2198 \long\def\@bidi@p@RTLftntext#1{%

```



```

2199 \edef\@tempyii{\the\bidip@ftn\noexpand\RTLfootnotetext[\the\csname c@\mpfn\endcsname]}%
2200 \global\bidip@ftn\expandafter{\@tempyii{#1}}}%
2201
2202
2203 \long\def\bidip@xftntext[#1]#2{%
2204 \global\bidip@ftn\expandafter{\the\bidip@ftn\footnotetext[#1]{#2}}}
2205
2206 \long\def\bidip@xLTRftntext[#1]#2{%
2207 \global\bidip@ftn\expandafter{\the\bidip@ftn\LTRfootnotetext[#1]{#2}}}
2208
2209 \long\def\bidip@xRTLftntext[#1]#2{%
2210 \global\bidip@ftn\expandafter{\the\bidip@ftn\RTLfootnotetext[#1]{#2}}}
2211
2212
2213 \def\bidip@xfootnote[#1]{%
2214 \begingroup
2215 \csname c@\mpfn\endcsname #1\relax
2216 \unrestored@protected@xdef\@thefnmark{\thempfn}%
2217 \endgroup
2218 \@footnotemark\bidip@xftntext[#1]}
2219
2220
2221 \def\bidip@xLTRfootnote[#1]{%
2222 \begingroup
2223 \csname c@\mpfn\endcsname #1\relax
2224 \unrestored@protected@xdef\@thefnmark{\thempfn}%
2225 \endgroup
2226 \@footnotemark\bidip@xLTRftntext[#1]}
2227
2228
2229 \def\bidip@xRTLfootnote[#1]{%
2230 \begingroup
2231 \csname c@\mpfn\endcsname #1\relax
2232 \unrestored@protected@xdef\@thefnmark{\thempfn}%
2233 \endgroup
2234 \@footnotemark\bidip@xRTLftntext[#1]}
2235
2236 \def\@xfloat #1[#2]{%
2237 \nodocument
2238 \def \@capttype {#1}%
2239 \def \@fps {#2}%
2240 \@onelevel@sanitize \@fps
2241 \def \reserved@b {!}%
2242 \ifx \reserved@b \@fps
2243 \@fpsadddefault
2244 \else
2245 \ifx \@fps \empty
2246 \@fpsadddefault
2247 \fi
2248 \fi

```



```

2249 \ifhmode
2250 \@bsphack
2251 \@floatpenalty -\@Mii
2252 \else
2253 \@floatpenalty-\@Miii
2254 \fi
2255 \ifinner
2256 \@parmoderr\@floatpenalty\z@
2257 \else
2258 \@next\@currbox\@freelist
2259 {%
2260 \@tempcnta \sixt@@n
2261 \expandafter \@tfor \expandafter \reserved@a
2262 \expandafter :\expandafter =\@fps
2263 \do
2264 {%
2265 \if \reserved@a h%
2266 \ifodd \@tempcnta
2267 \else
2268 \advance \@tempcnta \@ne
2269 \fi
2270 \fi
2271 \if \reserved@a t%
2272 \@setfpsbit \tw@
2273 \fi
2274 \if \reserved@a b%
2275 \@setfpsbit 4%
2276 \fi
2277 \if \reserved@a p%
2278 \@setfpsbit 8%
2279 \fi
2280 \if \reserved@a !%
2281 \ifnum \@tempcnta>15
2282 \advance\@tempcnta -\sixt@@n\relax
2283 \fi
2284 \fi
2285 }%
2286 \@tempcntb \csname ftype@\@capytype \endcsname
2287 \multiply \@tempcntb \@xxxii
2288 \advance \@tempcnta \@tempcntb
2289 \global \count\@currbox \@tempcnta
2290 }%
2291 \@fltovf
2292 \fi
2293 \global \setbox\@currbox
2294 \color@vbox
2295 \normalcolor
2296 \vbox \bgroup
2297 \let\@footnotetext\@bidi@p@ftntext
2298 \let\@LTRfootnotetext\@bidi@p@LTRftntext

```



```

2299 \let\@RTLfootnotetext\@RTLftntext
2300 \let\@xfootnotenext\@xftntext
2301 \let\@xfootnote\@xfootnote
2302 \let\@xLTRfootnotenext\@xLTRftntext
2303 \let\@xLTRfootnote\@xLTRfootnote
2304 \let\@xRTLfootnotenext\@xRTLftntext
2305 \let\@xRTLfootnote\@xRTLfootnote
2306 \hsize\columnwidth
2307 \@parboxrestore
2308 \@floatboxreset
2309 }
2310 \def \@endfloatbox{%
2311 \par\vskip\z@skip %% \par\vskip\z@ added 15 Dec 87
2312 \@minipagefalse
2313 \outer@nobreak
2314 \egroup %% end of vbox
2315 \global\@bidi@p@ftn\expandafter{\expandafter}\the\@bidi@p@ftn
2316 \color@endbox
2317 }

```

19 File bidimoderncv.cls

```

2318 \NeedsTeXFormat{LaTeX2e}
2319 \ProvidesClass{bidimoderncv}
2320 \newif\if@DEBUG\@DEBUGfalse
2321 \DeclareOption{a4paper}{
2322 \setlength\paperheight{297mm}
2323 \setlength\paperwidth{210mm}}
2324 \DeclareOption{a5paper}{
2325 \setlength\paperheight{210mm}
2326 \setlength\paperwidth{148mm}}
2327 \DeclareOption{b5paper}{
2328 \setlength\paperheight{250mm}
2329 \setlength\paperwidth{176mm}}
2330 \DeclareOption{letterpaper}{
2331 \setlength\paperheight{11in}
2332 \setlength\paperwidth{8.5in}}
2333 \DeclareOption{legalpaper}{
2334 \setlength\paperheight{14in}
2335 \setlength\paperwidth{8.5in}}
2336 \DeclareOption{executivepaper}{
2337 \setlength\paperheight{10.5in}
2338 \setlength\paperwidth{7.25in}}
2339 \DeclareOption{landscape}{
2340 \setlength\@tempdima{\paperheight}
2341 \setlength\paperheight{\paperwidth}
2342 \setlength\paperwidth{\@tempdima}}
2343 \newcommand\@ptsize{}
2344 \DeclareOption{10pt}{\renewcommand\@ptsize{0}}
2345 \DeclareOption{11pt}{\renewcommand\@ptsize{1}}

```



```

2346 \DeclareOption{12pt}{\renewcommand\@ptsize{2}}
2347 \DeclareOption{draft}{\setlength\overfullrule{5pt}}
2348 \DeclareOption{final}{\setlength\overfullrule{0pt}}
2349 \newif\if@colour\@colourtrue
2350 \DeclareOption{nocolour}{\@colourfalse}
2351 \ExecuteOptions{a4paper,11pt,colour,final}
2352 \ProcessOptions\relax
2353 \input{size1\@ptsize.clo}
2354 \RequirePackage{color}
2355 \RequirePackage{graphicx}
2356 \RequirePackage{ifthen}
2357 \RequirePackage{marvosym}
2358 \addtolength{\oddsidemargin}{-54pt}
2359 \addtolength{\textwidth}{109pt}
2360 \addtolength{\topmargin}{-70pt}
2361 \addtolength{\textheight}{122pt}
2362 \addtolength{\marginparsep}{-5pt}
2363 \addtolength{\marginparwidth}{-10pt}
2364 \RequirePackage{url}
2365 \RequirePackage{hyperref}
2366 \hypersetup{%
2367   breaklinks,
2368   baseurl      = http://,%
2369   pdfborder    = 0 0 0,%
2370   pdfpagemode  = UseNone,%
2371   pdfstartpage = 1}
2372 \AtEndOfClass{%
2373   \AtBeginDocument{%
2374     \hypersetup{%
2375       pdfauthor    = \@firstname-\@familyname,%
2376       pdftitle     = \@title,%
2377       pdfsubject   = \@firstname-\@familyname,%
2378       pdfkeywords  = \@resumename-\@firstname-\@familyname}}}
2379 \urlstyle{tt}
2380 \RequirePackage{fancyhdr}
2381 \fancypagestyle{plain}{%
2382   \renewcommand{\headrulewidth}{0pt}
2383   \renewcommand{\footrulewidth}{0pt}
2384   \fancyhf{}}
2385 \pagestyle{plain}
2386 \setlength\lineskip{1\p@}
2387 \setlength\normallineskip{1\p@}
2388 \renewcommand\baselinestretch{}
2389 \setlength{\parindent}{0pt}
2390 \setlength{\parskip}{0pt}
2391 \setlength\columnsep{10\p@}
2392 \setlength\columnseprule{0\p@}
2393 \pagestyle{empty}
2394 \pagenumbering{arabic}
2395 \raggedbottom

```



```

2396 \onecolumn
2397 \providecommand*\listitemsymbol{\textbullet}
2398 \providecommand*\addresssymbol{}
2399 \providecommand*\mobilesymbol{\Mobilefone}
2400 \providecommand*\phonesymbol{\Telefon}
2401 \providecommand*\faxsymbol{\FAX}
2402 \providecommand*\emailsymbol{\Letter}
2403 \definecolor{firstnamecolour}{rgb}{0,0,0}
2404 \def\firstnamecolour#1{\gdef\@firstnamecolour{\addfontfeature{Color=#1}}}
2405 \def\familynamcolour#1{\gdef\@familynamcolour{\addfontfeature{Color=#1}}}
2406 \def\titlecolour#1{\gdef\@titlecolour{\addfontfeature{Color=#1}}}
2407 \def\addresscolour#1{\gdef\@addresscolour{\addfontfeature{Color=#1}}}
2408 \def\quotecolour#1{\gdef\@quotecolour{\addfontfeature{Color=#1}}}
2409 \def\sectiontitlecolour#1{\gdef\@sectiontitlecolour{\addfontfeature{Color=#1}}}
2410 \definecolor{sectionrectanglecolor}{rgb}{0,0,0}
2411 \def\subsectioncolour#1{\gdef\@subsectioncolour{\addfontfeature{Color=#1}}}
2412 \def\hintcolour#1{\gdef\@hintcolour{\addfontfeature{Color=#1}}}
2413 \providecommand*\firstnamefont{}
2414 \providecommand*\familynamefont{}
2415 \providecommand*\titlefont{}
2416 \providecommand*\addressfont{}
2417 \providecommand*\quotefont{}
2418 \providecommand*\sectionfont{}
2419 \providecommand*\subsectionfont{}
2420 \providecommand*\hintfont{\small}
2421 \providecommand*\firstnamestyle[1]{\{\@firstnamefont\@firstnamecolour#1\}}
2422 \providecommand*\familynamestyle[1]{\{\@familynamefont\@familynamcolour#1\}}
2423 \providecommand*\titlestyle[1]{\{\@titlefont\@titlecolour#1\}}
2424 \providecommand*\addresstyle[1]{\{\@addressfont\@addresscolour#1\}}
2425 \providecommand*\quotestyle[1]{\{\@quotefont\@quotecolour#1\}}
2426 \providecommand*\sectionstyle[1]{\{\@sectionfont\@sectiontitlecolour#1\}}
2427 \providecommand*\subsectionstyle[1]{\{\@subsectionfont\@subsectioncolour#1\}}
2428 \providecommand*\hintstyle[1]{\{\@hintfont\@hintcolour#1\}}
2429 \newcommand*\cvtheme}[2][]{
2430   \def\@cvtheme{#2}
2431   \def\@cvthemeoptions{#1}
2432   \cvtheme{bidi-casual}
2433   \AtBeginDocument{\RequirePackage[\@cvthemeoptions]{cvtheme\@cvtheme}}
2434   \newcommand*\resumename[1]{\def\@resumename{#1}}
2435   \newcommand*\firstname[1]{\def\@firstname{#1}}
2436   \newcommand*\familyname[1]{\def\@familyname{#1}}
2437   \renewcommand*\title[1]{\def\@title{#1}}
2438   \newcommand*\address[1]{\def\@address{#1}}
2439   \newcommand*\mobile[1]{\def\@mobile{#1}}
2440   \newcommand*\phone[1]{\def\@phone{#1}}
2441   \renewcommand*\fax[1]{\def\@fax{#1}}
2442   \newcommand*\email[1]{\def\@email{#1}}
2443   \newcommand*\extrainfo[1]{\def\@extrainfo{#1}}
2444   \def\@photowidth{0pt}
2445   \newcommand*\photo}[2][64pt]{\def\@photowidth{#1}\def\@photo{#2}}

```



```

2446 \newcommand*{\quote}[1]{\def\@quote{#1}}
2447 \newlength{\quotewidth}
2448 \newlength{\hintscolumnwidth}
2449 \newlength{\separatorcolumnwidth}
2450 \setlength{\separatorcolumnwidth}{0.025\textwidth}
2451 \newlength{\maincolumnwidth}
2452 \newlength{\doubleitemmaincolumnwidth}
2453 \newlength{\listitemsymbolwidth}
2454 \settowidth{\listitemsymbolwidth}{\listitemsymbol{~}}
2455 \newlength{\listitemmaincolumnwidth}
2456 \newlength{\listdoubleitemmaincolumnwidth}
2457 \newcommand*{\recomputethemelengths}{%
2458 \newcommand*{\recomputelengths}{%
2459 \setlength{\quotewidth}{0.65\textwidth}%
2460 \setlength{\maincolumnwidth}{\textwidth}%
2461 \addtolength{\maincolumnwidth}{-\separatorcolumnwidth}%
2462 \addtolength{\maincolumnwidth}{-\hintscolumnwidth}%
2463 \setlength{\listitemmaincolumnwidth}{\maincolumnwidth}%
2464 \addtolength{\listitemmaincolumnwidth}{-\listitemsymbolwidth}%
2465 \setlength{\doubleitemmaincolumnwidth}{\maincolumnwidth}%
2466 \addtolength{\doubleitemmaincolumnwidth}{-\hintscolumnwidth}%
2467 \addtolength{\doubleitemmaincolumnwidth}{-\separatorcolumnwidth}%
2468 \setlength{\doubleitemmaincolumnwidth}{0.5\doubleitemmaincolumnwidth}%
2469 \setlength{\listdoubleitemmaincolumnwidth}{\maincolumnwidth}%
2470 \addtolength{\listdoubleitemmaincolumnwidth}{-\listitemsymbolwidth}%
2471 \setlength{\listdoubleitemmaincolumnwidth}{0.475\listdoubleitemmaincolumnwidth}%
2472 \renewcommand{\headwidth}{\textwidth}%
2473 \recomputethemelengths}
2474 \setlength{\hintscolumnwidth}{0.15\textwidth}
2475 \recomputelengths
2476 \title{}
2477 \renewcommand*{\maketitle}{}
2478 \newcommand*{\section}[1]{%
2479 \vspace*{2.5ex \@plus 1ex \@minus .2ex}%
2480 \phantomsection}%
2481 \addcontentsline{toc}{part}{#1}%
2482 \parbox[m]{\hintscolumnwidth}{\bidi@raggedleft\hintfont{\leavevmode\color{sectionrectanglecolor}\section{#1}}}%
2483 \hspace{\separatorcolumnwidth}%
2484 \parbox[m]{\maincolumnwidth}{\sectionstyle{#1}}\[\[1ex]}
2485 \newcommand*{\subsection}[1]{%
2486 \cvline[0.45em]{\subsectionstyle{#1}}}%
2487 \newcommand*{\cvline}[3][.25em]{%
2488 \begin{tabular}{@{}p{\hintscolumnwidth}@{\hspace{\separatorcolumnwidth}}p{\maincolumnwidth}@{}%
2489 \bidi@raggedleft\hintfont{#2} &#3}%
2490 \end{tabular}}\[\[#1]}
2491 \newcommand*{\cvsdoubleitem}[4]{%
2492 \cvline{#1}{\begin{minipage}[t]{\doubleitemmaincolumnwidth}#2\end{minipage}}%
2493 \hfill%
2494 \begin{minipage}[t]{\hintscolumnwidth}\bidi@raggedleft\hintfont{#3}\end{minipage}\hspace*{\separatorcolumnwidth}%
2495 \newcommand*{\cvlistitem}[2]{\listitemsymbol{}}}%

```



```

2496 \cvline[Opt]{\#1~\begin{minipage}[t]{\listitemmaincolumnwidth}\#2\end{minipage}}
2497 \newcommand*{\cvlistdoubleitem}[3][\listitemsymbol]{\%
2498 \cvline[Opt]{\#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#2\end{minipage}}
2499 \hfill\%
2500 \ifthenelse{\equal{\#3}{}}{\%
2501 }{\%
2502 \#1~\begin{minipage}[t]{\listdoubleitemmaincolumnwidth}\#3\end{minipage}}}}
2503 \newcommand*{\cventry}[6]{\%
2504 \cvline{\#1}{\%
2505 {\bfseries\#2}\%
2506 \ifx\#3\else{, {\slshape\#3}}\fi\%
2507 \ifx\#4\else{, \#4}\fi\%
2508 \ifx\#5\else{, \#5}\fi\%
2509 .\%
2510 \ifx\#6\else{\newline}\begin{minipage}[t]{\linewidth}\small\#6\end{minipage}}\fi
2511 }{\%
2512 \newcommand*{\cvlanguage}[3]{\%
2513 \cvline{\#1}{\begin{minipage}[t]{.225\maincolumnwidth}\textbf{\#2}\end{minipage}\hfill\begin{tr
2514 \newcommand*{\cvcomputer}[4]{\%
2515 \cdoubleitem{\#1}{\small\#2}{\#3}{\small\#4}}
2516 \newcommand*{\link}[2][\%
2517 \ifthenelse{\equal{\#1}{}}{\%
2518 {\href{\#2}{\#2}}\%
2519 {\href{\#2}{\#1}}\%
2520 \newcommand*{\httplink}[2][\%
2521 \ifthenelse{\equal{\#1}{}}{\%
2522 {\href{http://\#2}{\#2}}\%
2523 {\href{http://\#2}{\#1}}\%
2524 \newcommand*{\emailink}[2][\%
2525 \ifthenelse{\equal{\#1}{}}{\%
2526 {\href{mailto:\#2}{\#2}}\%
2527 {\href{mailto:\#2}{\#1}}\%
2528 \newif\if@displaypagenumbers\@displaypagenumberstrue
2529 \newcommand*{\nopagenumbers}{\@displaypagenumbersfalse}
2530 \AtBeginDocument{\%
2531 \if@displaypagenumbers\%
2532 \ifundefined{r@lastpage}{\%
2533 \ifthenelse{\pageref{lastpage} > 1}{\%
2534 \fancypagestyle{plain}{\%
2535 \fancyfoot[r]{\beginL\addressfont\@quotecolour\footnotesize\thepage\beginL/\endL\page
2536 \pagestyle{plain}}}{\%
2537 \AtEndDocument{\label{lastpage}}\%
2538 \fi}
2539 \newlength{\bibindent}
2540 \setlength{\bibindent}{1.5em}
2541 \newcommand*{\bibliographyitemlabel}{\includegraphics{bibitem.pdf}}
2542 \newenvironment{thebibliography}[1]{\%
2543 {\%
2544 \section{\refname}\%
2545 \small\%

```




```

2546 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
2547 \bidi@thebibliography@font@hook%
2548 \begin{list}{\bibliographyitemlabel}%
2549 {%
2550 \setlength{\topsep}{0pt}%
2551 \setlength{\labelwidth}{\hintscolumnwidth}%
2552 \setlength{\labelsep}{\separatorcolumnwidth}%
2553 \leftmargin\labelwidth%
2554 \advance\leftmargin\labelsep%
2555 \@openbib@code%
2556 \usecounter{enumiv}%
2557 \let\p@enumiv\@empty%
2558 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
2559 \sloppy\clubpenalty4000\widowpenalty4000%
2560 }%
2561 {%
2562 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
2563 \end{list}%
2564 }
2565 \newcommand\newblock{\hskip .11em\@plus.33em\@minus.07em}
2566 \let\@openbib@code\@empty

```

20 File bidi-perpage.sty

```

2567 \NeedsTeXFormat{LaTeX2e}
2568 \ProvidesPackage{bidi-perpage}[2018/10/04 v0.4 Reset counter(s) on every page]
2569 \newcount\bidi@page@count
2570 \bidi@page@count\@ne
2571 \newcommand*\ResetCounterPerPage[2][\z@]{%
2572 \if@bidi@csundef\bidi@stepcounterhook@#2}{%
2573 \expandafter\gdef\csname bidi@stepcounterhook@#2\endcsname{}%
2574 }{}%
2575 \if@bidi@csundef\if@bidi@reset@#2@rerun}{%
2576 \expandafter\newif\csname if@bidi@reset@#2@rerun\endcsname
2577 }{}%
2578 \if@bidi@csundef\bidi@#2@count}{%
2579 \expandafter\newcount\csname bidi@#2@count\endcsname
2580 }{}%
2581 \csname bidi@#2@count\endcsname\z@
2582 \if@bidi@csundef\bidi@previous@page@#2@count}{%
2583 \expandafter\newcount\csname
2584 bidi@previous@page@#2@count\endcsname
2585 }{}%
2586 \csname bidi@previous@page@#2@count\endcsname\z@
2587 \if@bidi@csundef\bidi@reset@#2@perpage}{%
2588 \bidi@AfterEndDocumentCheckLabelsRerun%
2589 \csname if@bidi@reset@#2@rerun\endcsname
2590 \PackageWarningNoLine{bidi-perpage}{%
2591 Counter `#2' may not have been reset per page.
2592 Rerun to reset counter `#2' per page%

```



```

2593     }%
2594     \fi
2595   }%
2596 }{}%
2597 \expandafter\gdef\csname bidi@reset@#2@perpage\endcsname{%
2598   \global\advance\csname bidi@#2@count\endcsname\@ne
2599   \if@files
2600     \edef\@tempa{%
2601       \write\@auxout{%
2602         \string\bidi@counter@page{#2}%
2603         {\number\csname bidi@#2@count\endcsname}%
2604         {\noexpand\number\noexpand\bidi@page@count}%
2605       }%
2606     }%
2607     \@tempa
2608   \fi
2609 \begingroup\expandafter\expandafter\expandafter\endgroup
2610 \expandafter\ifx\csname bidi@#2@@\number\csname
2611   bidi@#2@count\endcsname\endcsname\relax
2612   \global\csname @bidi@reset@#2@reruntrue\endcsname
2613 \else
2614   \global\csname @bidi@reset@#2@rerunfalse\endcsname
2615   \expandafter\@tempcnta\csname bidi@#2@@\number
2616   \csname bidi@#2@count\endcsname\endcsname\relax
2617   \ifnum\@tempcnta=\csname
2618     bidi@previous@page@@#2@count\endcsname
2619   \else
2620     \global\csname
2621       bidi@previous@page@@#2@count\endcsname\@tempcnta
2622     \global\csname c@#2\endcsname#1\relax
2623   \fi
2624 \fi
2625 }%
2626 \expandafter\bidi@gappto\csname
2627   bidi@stepcounterhook@@#2\endcsname{%
2628   \csname bidi@reset@#2@perpage\endcsname
2629 }%
2630 }
2631 \def\bidi@counter@page#1#2#3{\bidi@namegdef\bidi@#1@@#2}{#3}}
2632 \bidi@AtEndOutputPage{%
2633   \global\advance\bidi@page@count\@ne
2634 }

```

21 File biditools.sty

```

2635 \NeedsTeXFormat{LaTeX2e}
2636 \ProvidesPackage{biditools}[2018/10/12 v1.7 Programming tools for bidi package]
2637 \providecommand{\@bidi@saveprimitive}[2]{\begingroup\escapechar`\relax
2638   \edef\@tempa{\string#1}\edef\@tempb{\meaning#1}%
2639   \ifx\@tempa\@tempb \global\let#2#1%

```



```

2640 \else
2641 \edef\@tempb{\meaning#2}%
2642 \ifx\@tempa\@tempb
2643 \else
2644 \@latex@error{Unable to properly define \string#2; primitive
2645 \noexpand#1no longer primitive}\@eha
2646 \fi
2647 \fi
2648 \endgroup}
2649 \newtoks\@bidi@envbody
2650 \newtoks\@bidi@emptytoks
2651 \def\bidi@addto@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2652 \def\bidi@collect@body#1{%
2653 \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}}%
2654 \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
2655 \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2656 \begingroup
2657 \expandafter\let\csname\@currenvir\endcsname\bidi@collect@@body
2658 \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
2659 \bidi@process@envbody
2660 }
2661 \def\bidi@push@begins#1\begin#2{%
2662 \ifx\end#2\else b\expandafter\bidi@push@begins\fi
2663 }
2664 \def\bidi@collect@@body#1\end#2{%
2665 \edef\begin@bidi@stack{\bidi@push@begins#1\begin\end \expandafter\@gobble\begin@bidi@stack}%
2666 \ifx\@empty\begin@bidi@stack
2667 \endgroup
2668 \@checkend{#2}%
2669 \bidi@addto@envbody{#1}%
2670 \else
2671 \bidi@addto@envbody{#1\end{#2}}%
2672 \fi
2673 \bidi@process@envbody % A little tricky! Note the grouping
2674 }
2675 \long\def\bidi@addto@long@envbody#1{\global\@bidi@envbody\expandafter{\the\@bidi@envbody#1}}
2676 \long\def\bidi@collect@long@body#1{%
2677 \@bidi@envbody{\expandafter#1\expandafter{\the\@bidi@envbody}}}%
2678 \edef\bidi@process@envbody{\the\@bidi@envbody\noexpand\end{\@currenvir}}%
2679 \@bidi@envbody\@bidi@emptytoks \def\begin@bidi@stack{b}%
2680 \begingroup
2681 \expandafter\let\csname\@currenvir\endcsname\bidi@collect@long@@body
2682 \edef\bidi@process@envbody{\expandafter\noexpand\csname\@currenvir\endcsname}%
2683 \bidi@process@envbody
2684 }
2685 \long\def\bidi@push@long@begins#1\begin#2{%
2686 \ifx\end#2\else b\expandafter\bidi@push@long@begins\fi
2687 }
2688 \long\def\bidi@collect@long@@body#1\end#2{%
2689 \edef\begin@bidi@stack{\bidi@push@long@begins#1\begin\end \expandafter\@gobble\begin@bidi@st

```



```

2690 \ifx\@empty\begin@bidi@stack
2691 \endgroup
2692 \@checkend{#2}%
2693 \bidi@addto@long@envbody{#1}%
2694 \else
2695 \bidi@addto@long@envbody{#1\end{#2}}%
2696 \fi
2697 \bidi@process@envbody % A little tricky! Note the grouping
2698 }
2699 \long\def\bidi@new@ifnextchar#1#2#3{%
2700 \let\reserved@d= #1%
2701 \def\reserved@a{#2}\def\reserved@b{#3}%
2702 \futurelet\@let@token\bidi@new@ifnch
2703 }
2704 \def\bidi@new@ifnch{%
2705 \ifx\@let@token\reserved@d \let\reserved@b\reserved@a \fi
2706 \reserved@b
2707 }
2708 \def\bidi@matrix@check#1{%
2709 \expandafter\ifx\csname\@currenvir\endcsname#1%
2710 \else\bidi@matrix@error#1%
2711 \expandafter\@gobble
2712 \fi
2713 }
2714 \def\bidi@matrix@error#1{%
2715 \PackageError{biditools}{%
2716 Old form '\string#1' should be \string\begin{\expandafter\@gobble\string#1}%
2717 }{%
2718 '\string#1{...}' is old bidi package syntax whose use is
2719 ill-advised in the old versions of bidi package.%
2720 }%
2721 }
2722 \def\@tagsextension{clo}
2723 \def\@definitionfileextension{def}
2724 \def\@texfileextension{tex}
2725 \def\@iftagsloaded{\@ifl@aded\@tagsextension}
2726 \def\@ifdefinitionfileloaded{\@ifl@aded\@definitionfileextension}
2727 \def\@iftexfileloaded{\@ifl@aded\@texfileextension}
2728 \def\eqnewif#1#2{%
2729 \count@\escapechar \escapechar\m@ne
2730 \let#1\iffalse
2731 \let#2\iffalse
2732 \eq@if#1#2\iftrue
2733 \eq@if#1#2\iffalse
2734 \escapechar\count@}
2735 \def\eq@if#1#2#3{%
2736 \expandafter\def\csname\expandafter\@gobbletwo\string#1%
2737 \expandafter\@gobbletwo\string#3\endcsname
2738 {\let#1#3%
2739 \let#2#3}%

```



```

2740 \expandafter\def\csname\expandafter@gobbletwo\string#2%
2741 \expandafter@gobbletwo\string#3\endcsname
2742 {\let#2#3%
2743 \let#1#3}}
2744 \newcommand*\SetBoolean}[2]{%
2745 \lowercase{\def\@tempa{#2}}%
2746 \@ifundefined{\tempswa\@tempa}%
2747 {\PackageError{biditools}%
2748 {You can only set a boolean to `true' or `false'}\@ehc}%
2749 {\@ifundefined{#1\@tempa}%
2750 {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
2751 {\csname#1\@tempa\endcsname}}}
2752 \newcommand*\GlobalSetBoolean}[2]{%
2753 \lowercase{\def\@tempa{#2}}%
2754 \@ifundefined{\tempswa\@tempa}%
2755 {\PackageError{biditools}%
2756 {You can only set a boolean to `true' or `false'}\@ehc}%
2757 {\@ifundefined{#1\@tempa}%
2758 {\PackageError{biditools}{Boolean #1 undefined}\@ehc}%
2759 {\global\csname#1\@tempa\endcsname}}}
2760 \newcommand*\SetatBoolean}[2]{%
2761 \lowercase{\def\@tempa{#2}}%
2762 \@ifundefined{\tempswa\@tempa}%
2763 {\PackageError{biditools}%
2764 {You can only set a boolean to `true' or `false'}\@ehc}%
2765 {\@ifundefined{@#1\@tempa}%
2766 {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
2767 {\csname @#1\@tempa\endcsname}}}
2768 \newcommand*\GlobalSetatBoolean}[2]{%
2769 \lowercase{\def\@tempa{#2}}%
2770 \@ifundefined{\tempswa\@tempa}%
2771 {\PackageError{biditools}%
2772 {You can only set a boolean to `true' or `false'}\@ehc}%
2773 {\@ifundefined{@#1\@tempa}%
2774 {\PackageError{biditools}{Boolean @#1 undefined}\@ehc}%
2775 {\global\csname @#1\@tempa\endcsname}}}
2776 \def\@bidi@removefromreset#1#2{%
2777 \expandafter\let\csname c@#1\endcsname\@bidi@removefromreset
2778 \def\@elt##1{%
2779 \expandafter\ifx\csname c@##1\endcsname\@bidi@removefromreset
2780 \else
2781 \noexpand\@elt{##1}%
2782 \fi}%
2783 \expandafter\xdef\csname cl@#2\endcsname{%
2784 \csname cl@#2\endcsname}}}
2785 \newcommand*\ifRtoL{%
2786 \ifRTL
2787 \expandafter\@firstoftwo
2788 \else
2789 \expandafter\@secondoftwo

```



```

2790 \fi}
2791 \newcommand*{\ifLtoR}{%
2792   \if@RTL
2793     \expandafter\@secondoftwo
2794   \else
2795     \expandafter\@firstoftwo
2796   \fi}
2797 \newcommand*{\ifRtoLtable}{%
2798   \if@RTLtab
2799     \expandafter\@firstoftwo
2800   \else
2801     \expandafter\@secondoftwo
2802   \fi}
2803 \newcommand*{\ifLtoRtable}{%
2804   \if@RTLtab
2805     \expandafter\@secondoftwo
2806   \else
2807     \expandafter\@firstoftwo
2808   \fi}
2809 \newcommand*{\ifRtoLhboxconstruct}{%
2810   \if@hboxRconstruct
2811     \expandafter\@firstoftwo
2812   \else
2813     \expandafter\@secondoftwo
2814   \fi}
2815 \newcommand*{\ifLtoRhboxconstruct}{%
2816   \if@hboxRconstruct
2817     \expandafter\@secondoftwo
2818   \else
2819     \expandafter\@firstoftwo
2820   \fi}
2821 \newcommand*{\iflatin}{%
2822   \if@nonlatin
2823     \expandafter\@secondoftwo
2824   \else
2825     \expandafter\@firstoftwo
2826   \fi}
2827 \newcommand*{\ifnonlatin}{%
2828   \if@nonlatin
2829     \expandafter\@firstoftwo
2830   \else
2831     \expandafter\@secondoftwo
2832   \fi}
2833
2834 \newcommand*{\bidi@convert@dimen@t@unit}[2]{%
2835   \strip@pt\dimexpr #1*65536/\dimexpr 1#2\relax #2}
2836
2837 \newcommand*{\bidi@convert@dimen@t@pt}[1]{%
2838   \dimexpr #1*65536/\dimexpr 1pt\relax}
2839

```



```

2840 \newcommand*{\if@bidi@csdef}[1]{%
2841   \ifcsname#1\endcsname
2842   \expandafter\@firstoftwo
2843   \else
2844   \expandafter\@secondoftwo
2845   \fi}
2846 \newcommand*{\if@bidi@csundef}[1]{%
2847   \ifcsname#1\endcsname
2848   \expandafter\ifx\csname#1\endcsname\relax
2849   \expandafter\expandafter
2850   \expandafter\@firstoftwo
2851   \else
2852   \expandafter\expandafter
2853   \expandafter\@secondoftwo
2854   \fi
2855   \else
2856   \expandafter\@firstoftwo
2857   \fi}
2858 \newcommand{\if@bidi@def}[1]{%
2859   \ifdefined#1%
2860   \expandafter\@firstoftwo
2861   \else
2862   \expandafter\@secondoftwo
2863   \fi}
2864 \newcommand{\if@bidi@undef}[1]{%
2865   \ifdefined#1%
2866   \ifx#1\relax
2867   \expandafter\expandafter
2868   \expandafter\@firstoftwo
2869   \else
2870   \expandafter\expandafter
2871   \expandafter\@secondoftwo
2872   \fi
2873   \else
2874   \expandafter\@firstoftwo
2875   \fi}
2876 \newcommand{\if@bidi@blank}[1]{% from url.sty
2877   \bidi@ifblank@i#1&&\@secondoftwo\@firstoftwo:}
2878 \long\def\bidi@ifblank@i#1#2&#3#4#5:{#4}
2879 \newcommand{\bidi@notblank}[1]{%
2880   \bidi@ifblank@i#1&&\@firstoftwo\@secondoftwo:}
2881 \newcommand{\if@bidi@defmacro}{}
2882 \long\edef\if@bidi@defmacro#1{%
2883   \noexpand\expandafter\noexpand\bidi@ifdefmacro
2884   \noexpand\meaning#1\detokenize{macro}:&}
2885 \edef\bidi@ifdefmacro{%
2886   \def\noexpand\bidi@ifdefmacro##1\detokenize{macro}:##2&}
2887 \bidi@ifdefmacro{\bidi@notblank{#2}}
2888 \newcommand*{\if@bidi@csmacro}[1]{%
2889   \if@bidi@csdef{#1}

```



```

2890     {\expandafter\if@bidi@defmacro\csname#1\endcsname}
2891     {\@secondoftwo}}
2892 \newcommand{\if@bidi@defprimitive}[1]{%
2893   \ifprimitive#1%
2894     \expandafter\@firstoftwo
2895   \else
2896     \expandafter\@secondoftwo
2897   \fi}
2898 \newcommand{\if@bidi@csprimitive}[1]{%
2899   \begingroup\expandafter\expandafter\expandafter\endgroup%
2900   \expandafter\ifprimitive\csname#1\endcsname%
2901   \expandafter\@firstoftwo
2902   \else
2903     \expandafter\@secondoftwo
2904   \fi}
2905 \newcommand*{\@bidi@csdefcs}[2]{%
2906   \expandafter\@ifdefinable \csname#1\endcsname{%
2907     \expandafter\def\csname#1\expandafter\endcsname{\csname#2\endcsname}}}%
2908 \newcommand*{\@bidi@csletcs}[2]{%
2909   \expandafter\@ifdefinable \csname#1\endcsname{%
2910     \expandafter\let\csname#1\expandafter\endcsname\csname#2\endcsname}}}%
2911 \newcommand*{\@bidi@cslet}[2]{%
2912   \expandafter\@ifdefinable \csname#1\endcsname{%
2913     \expandafter\let\csname#1\endcsname#2}}}%
2914 \newcommand{\@bidi@namelongdef}[1]{%
2915   \long\expandafter\def\csname #1\endcsname}
2916 \def\@bidi@ensure@newcommand{\@star@or@long\@bidi@ensure@new@command}
2917 \def\@bidi@ensure@new@command#1{%
2918   \begingroup \escapechar\m@ne\xdef\@gtempa{\string#1}\endgroup
2919   \expandafter\if@bidi@csundef\@gtempa
2920     {\new@command#1}{\relax%
2921     \let\@ifdefinable\@rc@ifdefinable%
2922     \new@command#1}}}%
2923 \def\@bidi@ensure@newlength#1{\if@bidi@undef#1{\newskip#1}{}}%
2924
2925 \protected\def\@bidi@error{\PackageError{bidi}}
2926 \protected\def\@bidi@warning{\PackageWarning{bidi}}
2927 \protected\def\@bidi@info{\PackageInfo{bidi}}
2928
2929
2930 \newcommand*{\setbaselineskip}[1]{%
2931   \linespread{\strip@pt\dimexpr\numexpr\dimexpr#1\relax*65536/\dimexpr\baselineskip\relax}
2932   \selectfont
2933 }
2934
2935
2936 \newcommand*{\@bidi@newrobustcmd}{%
2937   \protected\def\@bidi@newrobustcmd{\@star@or@long\@bidi@new@command}
2938
2939 \def\@bidi@new@command#1{\@testopt{\@bidi@newcommand#1}0}

```




```

2940
2941 \def\bidinewcommand#1[#2]{%
2942   \@ifnextchar[%
2943     {\bidixargdef#1[#2]}
2944     {\ifx\l@ngrel@x\relax
2945       \let\l@ngrel@x\protected
2946       \else
2947         \protected\def\l@ngrel@x{\protected\long}%
2948       \fi
2949       \@argdef#1[#2]}}
2950
2951 \long\def\bidixargdef#1[#2][#3]#4{%
2952   \@ifdefinable#1{%
2953     \expandafter\protected
2954     \expandafter\def
2955     \expandafter#1%
2956     \expandafter{%
2957       \expandafter\@testopt
2958       \csname\string#1\endcsname{#3}}}%
2959   \expandafter\@yargdef\csname\string#1\endcsname\tw@{#2}{#4}}
2960
2961 \bidinewrobustcmd*{\bidirenewrobustcmd}{\@star@or@long\bidirenew@command}
2962
2963 \def\bidirenew@command#1{%
2964   \if@bidi@undef{#1}
2965     {\biderror{\string#1 undefined}\@ehc}
2966     {}%
2967   \let\@ifdefinable\@rc@ifdefinable
2968   \bidinew@command#1}
2969
2970
2971
2972 \bidinewrobustcmd*{\bidiproviderobustcmd}{\@star@or@long\bidiprovide@command}
2973
2974 \def\bidiprovide@command#1{%
2975   \if@bidi@undef{#1}
2976     {\def\reserved@a{\bidinew@command#1}}
2977     {\def\reserved@a{\bidirenew@command\reserved@a}}%
2978   \reserved@a}
2979
2980 \newcommand*{\bidicsuse}[1]{%
2981   \ifcsname#1\endcsname
2982     \csname#1\endcsname\expandafter\endcsname
2983   \fi}
2984
2985 \newcommand{\bidieexpandonce}[1]{%
2986   \unexpanded\expandafter{#1}}
2987
2988 \def\bidiprotected{%
2989   \let\@@protect\protect

```



```

2990 \let\protect\@unexpandable@protect
2991 \afterassignment\restore@protect}
2992
2993 \bidi@newrobustcmd{\bidi@appto}[2]{%
2994   \if@bidi@undef{#1}
2995     {\edef#1{\unexpanded{#2}}}
2996     {\edef#1{\bidi@expandonce#1\unexpanded{#2}}}}
2997 \bidi@newrobustcmd{\bidi@eappto}[2]{%
2998   \if@bidi@undef{#1}
2999     {\edef#1{#2}}
3000     {\edef#1{\bidi@expandonce#1#2}}}
3001 \bidi@newrobustcmd{\bidi@gappto}[2]{%
3002   \if@bidi@undef{#1}
3003     {\xdef#1{\unexpanded{#2}}}
3004     {\xdef#1{\bidi@expandonce#1\unexpanded{#2}}}}
3005 \bidi@newrobustcmd{\bidi@xappto}[2]{%
3006   \if@bidi@undef{#1}
3007     {\xdef#1{#2}}
3008     {\xdef#1{\bidi@expandonce#1#2}}}
3009
3010 \bidi@newrobustcmd*{\bidi@protected@eappto}{\bidi@protected\bidi@eappto}
3011 \bidi@newrobustcmd*{\bidi@protected@xappto}{\bidi@protected\bidi@xappto}
3012
3013
3014
3015 \bidi@newrobustcmd{\bidi@preto}[2]{%
3016   \if@bidi@undef{#1}
3017     {\edef#1{\unexpanded{#2}}}
3018     {\edef#1{\unexpanded{#2}\bidi@expandonce#1}}}
3019 \bidi@newrobustcmd{\bidi@epreto}[2]{%
3020   \if@bidi@undef{#1}
3021     {\edef#1{#2}}
3022     {\edef#1{#2\bidi@expandonce#1}}}
3023 \bidi@newrobustcmd{\bidi@gpreto}[2]{%
3024   \if@bidi@undef{#1}
3025     {\xdef#1{\unexpanded{#2}}}
3026     {\xdef#1{\unexpanded{#2}\bidi@expandonce#1}}}
3027 \bidi@newrobustcmd{\bidi@xpreto}[2]{%
3028   \if@bidi@undef{#1}
3029     {\xdef#1{#2}}
3030     {\xdef#1{#2\bidi@expandonce#1}}}
3031
3032 \bidi@newrobustcmd*{\bidi@protected@epreto}{\bidi@protected\bidi@epreto}
3033 \bidi@newrobustcmd*{\bidi@protected@xpreto}{\bidi@protected\bidi@xpreto}
3034
3035
3036
3037 \bidi@newrobustcmd*{\bidi@csappto}[1]{\expandafter\bidi@appto\csname#1\endcsname}
3038 \bidi@newrobustcmd*{\bidi@cseappto}[1]{\expandafter\bidi@eappto\csname#1\endcsname}
3039 \bidi@newrobustcmd*{\bidi@csgappto}[1]{\expandafter\bidi@gappto\csname#1\endcsname}

```



```

3040 \bidi@newrobustcmd*{\bidi@csxappto}[1]{\expandafter\bidi@xappto\csname#1\endcsname}
3041 \bidi@newrobustcmd*{\bidi@protected@cseappto}{\bidi@protected\bidi@cseappto}
3042 \bidi@newrobustcmd*{\bidi@protected@csxappto}{\bidi@protected\bidi@csxappto}
3043
3044
3045
3046 \bidi@newrobustcmd*{\bidi@cspreto}[1]{\expandafter\bidi@preto\csname#1\endcsname}
3047 \bidi@newrobustcmd*{\bidi@csepreto}[1]{\expandafter\bidi@epreto\csname#1\endcsname}
3048 \bidi@newrobustcmd*{\bidi@csgpreto}[1]{\expandafter\bidi@gpreto\csname#1\endcsname}
3049 \bidi@newrobustcmd*{\bidi@csxpreto}[1]{\expandafter\bidi@xpreto\csname#1\endcsname}
3050 \bidi@newrobustcmd*{\bidi@protected@csepreto}{\bidi@protected\bidi@csepreto}
3051 \bidi@newrobustcmd*{\bidi@protected@csxpreto}{\bidi@protected\bidi@csxpreto}
3052
3053
3054
3055 \bidi@newrobustcmd{\if@bidi@patchable}{%
3056   \bidi@dbg@trce\if@bidi@patchable
3057   \begingroup
3058   \@makeother\#%
3059   \@ifstar\bidi@ifpatchable@i\bidi@ifpatchable}
3060
3061 \long\def\bidi@ifpatchable#1#2{%
3062   \endgroup
3063   \bidi@dbg@init#1%
3064   \if@bidi@undef{#1}
3065     {\bidi@dbg@fail{def}\@secondoftwo}
3066     {\bidi@dbg@info{def}%
3067       \if@bidi@defmacro{#1}
3068         {\bidi@dbg@info{mac}%
3069           \bidi@ifscanable{#1}
3070           {\bidi@ifhashcheck{#2}
3071             {\bidi@dbg@info{tok}%
3072               \bidi@ifpattern#1{#2}
3073               {\bidi@dbg@info{pat}%
3074                 \bidi@dbg@info{pos}\@firstoftwo}
3075                 {\bidi@dbg@fail{pat}\@secondoftwo}}
3076               {\bidi@dbg@fail{hsh}\@secondoftwo}}
3077               {\bidi@dbg@fail{tok}\@secondoftwo}}
3078               {\bidi@dbg@fail{mac}\@secondoftwo}}}
3079
3080 \long\def\bidi@ifpatchable@i#1{%
3081   \endgroup
3082   \bidi@dbg@init#1%
3083   \if@bidi@undef{#1}
3084     {\bidi@dbg@fail{def}\@secondoftwo}
3085     {\bidi@dbg@info{def}%
3086       \if@bidi@defmacro{#1}
3087         {\bidi@dbg@info{mac}%
3088           \if@bidi@defparam{#1}
3089             {\bidi@dbg@info{prm}%

```



```

3090         \bidi@ifscanable{#1}
3091         {\bidi@dbg@info{tok}%
3092          \bidi@dbg@info{pos}\@firstoftwo}
3093          {\bidi@dbg@fail{tok}\@secondoftwo}}
3094     {\bidi@dbg@info{prl}%
3095      \if@bidi@defprotected{#1}
3096      {\bidi@dbg@info{pro}}
3097      }%
3098      \bidi@dbg@info{pos}\@firstoftwo}}
3099     {\bidi@dbg@fail{mac}\@secondoftwo}}
3100
3101 \bidi@newrobustcmd*{\bidi@patchcmd}{%
3102  \bidi@dbg@trce\bidi@patchcmd
3103  \begingroup
3104  \@makeother\#%
3105  \bidi@@patchcmd}
3106
3107 \newcommand{\bidi@@patchcmd}[4][#####1]{%
3108  \bidi@ifpatchable#2{#3}
3109  {\bidi@dbg@succ{ret}%
3110   \begingroup
3111   \edef\bidi@resrvda{%
3112    \def\noexpand\bidi@resrvda####1\detokenize{macro:}####2->####3&{%
3113     #1\def\string\bidi@resrvda\space####2{\noexpand\bidi@resrvdb####3&}}%
3114    \def\noexpand\bidi@resrvdb####1\detokenize{#3}####2&{%
3115     #####1\detokenize{#4}####2}%
3116    \edef\noexpand\bidi@resrvda{%
3117     \noexpand\bidi@resrvda\meaning#2&}}%
3118    \bidi@resrvda
3119    \bidi@patchcmd@scantoks\bidi@resrvda
3120    \let#2\bidi@resrvda
3121    \bidi@undef\bidi@resrvda
3122    \@firstoftwo}
3123  {\@secondoftwo}}
3124
3125 \def\bidi@patchcmd@scantoks#1{%
3126  \edef\bidi@resrvda{\endgroup
3127   \unexpanded{\makeatletter\scantokens}{#1}%
3128   \catcode\number`\@=\the\catcode`\@ \relax}%
3129  \bidi@resrvda}
3130
3131 \newcommand\bidi@isloaded[2][ ]{
3132  \expandafter\ifx\csname if@bidi@#2loaded@ \endcsname \relax
3133   \expandafter\newif\csname if@bidi@#2loaded@ \endcsname
3134   \fi
3135   \@ifpackageloaded{#2}
3136   {\csname @bidi@#2loaded@true \endcsname #1}
3137   {\csname @bidi@#2loaded@false \endcsname}}
3138
3139 \protected\def\bidi@ifscanable#1{%

```



```

3140 \begingroup
3141 \edef\bidi@resrvda{%
3142   \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
3143     ####1\def\string\bidi@resrvda####2{####3}}}%
3144   \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda\meaning#1&}}%
3145 \bidi@resrvda
3146 \makeatletter
3147 \scantokens\expandafter{\bidi@resrvda}%
3148 \expandafter\endgroup\ifx#1\bidi@resrvda
3149   \expandafter\@firstoftwo
3150 \else
3151   \expandafter\@secondoftwo
3152 \fi}
3153
3154
3155 \protected\long\def\bidi@ifhashcheck#1{%
3156   \begingroup
3157   \edef\bidi@resrvda{\detokenize{#1}}%
3158   \expandafter\endgroup
3159   \expandafter\bidi@ifhashcheck@i\meaning\bidi@resrvda&}
3160
3161 \edef\bidi@ifhashcheck@i#1&{%
3162   \noexpand\expandafter
3163   \noexpand\bidi@ifhashcheck@ii
3164   \noexpand\strip@prefix#1\string#\string#&}
3165
3166 \edef\bidi@ifhashcheck@ii{%
3167   \def\noexpand\bidi@ifhashcheck@ii##1\string#\string###2&}
3168 \bidi@ifhashcheck@ii{\if@bidi@blank{#2}}
3169
3170
3171 \protected\long\def\bidi@ifpattern#1#2{%
3172   \begingroup
3173   \edef\bidi@resrvda{%
3174     \def\noexpand\bidi@resrvda####1\detokenize{#2}####2&{%
3175       \endgroup\noexpand\noexpand\noexpand\noexpand\if@bidi@blank{####2}}}%
3176     \edef\noexpand\bidi@resrvda{\noexpand\bidi@resrvda
3177       \expandafter\strip@prefix\meaning#1\detokenize{#2}&}%
3178     \noexpand\bidi@resrvda}
3179   \bidi@resrvda\@secondoftwo\@firstoftwo}
3180
3181
3182 \newcommand{\if@bidi@defparam}{ }
3183 \long\edef\if@bidi@defparam#1{%
3184   \noexpand\expandafter\noexpand\bidi@ifdefparam
3185   \noexpand\meaning#1\detokenize{macro}:->&}
3186 \edef\bidi@ifdefparam{%
3187   \def\noexpand\bidi@ifdefparam##1\detokenize{macro}:##2->##3&}
3188 \bidi@ifdefparam{\bidi@notblank{#2}}
3189

```



```

3190
3191 \newcommand{\if@bidi@defprotected}{%
3192 \long\edef\if@bidi@defprotected#1{%
3193   \noexpand\expandafter\noexpand\bidi@ifdefprotected
3194   \noexpand\meaning#1\string\protected&}
3195 \edef\bidi@ifdefprotected{%
3196   \def\noexpand\bidi@ifdefprotected##1\string\protected##2&}
3197 \bidi@ifdefprotected{\bidi@notblank{#2}}
3198
3199
3200 \bidi@newrobustcmd{\bidi@undef}[1]{\let#1\bidi@undefined}
3201
3202 \let\bidi@dbg@trce\@gobble
3203 \let\bidi@dbg@init\@gobble
3204 \let\bidi@dbg@info\@gobble
3205 \let\bidi@dbg@succ\@gobble
3206 \let\bidi@dbg@fail\@gobble
3207
3208
3209
3210 \bidi@newrobustcmd*\bidi@apptocmd{%
3211   \bidi@dbg@trce\bidi@apptocmd
3212   \begingroup
3213   \@makeother\#%
3214   \bidi@hooktocmd\bidi@append}
3215
3216
3217
3218 \bidi@newrobustcmd*\bidi@pretocmd{%
3219   \bidi@dbg@trce\bidi@pretocmd
3220   \begingroup
3221   \@makeother\#%
3222   \bidi@hooktocmd\bidi@prepend}
3223
3224 \long\def\bidi@hooktocmd#1#2#3{%
3225   \endgroup
3226   \bidi@dbg@init#2%
3227   \if@bidi@undef{#2}
3228     {\bidi@dbg@fail{def}\@secondoftwo}
3229     {\bidi@dbg@info{def}%
3230       \if@bidi@defmacro{#2}
3231         {\bidi@dbg@info{mac}%
3232           \if@bidi@defparam{#2}
3233             {\bidi@dbg@info{prm}%
3234               \bidi@ifscanable{#2}
3235                 {\bidi@ifhashcheck{#3}
3236                   {\bidi@dbg@info{tok}%
3237                     \bidi@dbg@succ{ret}%
3238                     \bidi@hooktocmd@i#1#2{#3}%
3239                     \@firstoftwo}

```



```

3240         {\bidi@dbg@fail{hsh}\@secondoftwo}}
3241         {\bidi@dbg@fail{tok}\@secondoftwo}}
3242     {\bidi@dbg@info{prl}%
3243     \if@bidi@defprotected{#2}
3244         {\bidi@dbg@info{pro}%
3245         \bidi@dbg@succ{red}%
3246         \protected}
3247         {\bidi@dbg@succ{red}}}%
3248     \edef#2{#1{\bidi@expandonce#2}{\unexpanded{#3}}}%
3249     \@firstoftwo}}
3250     {\bidi@dbg@fail{mac}\@secondoftwo}}
3251
3252 \long\def\bidi@hooktocmd@i#1#2#3{%
3253     \begingroup
3254     \edef\bidi@resrvda{%
3255         \def\noexpand\bidi@resrvda####1\detokenize{macro}:####2->####3&{%
3256             ####1\def\string\bidi@resrvda\space####2{#1{####3}{\detokenize{#3}}}%
3257         \edef\noexpand\bidi@resrvda{%
3258             \noexpand\bidi@resrvda\meaning#2&}}%
3259     \bidi@resrvda
3260     \bidi@patchcmd@scantoks\bidi@resrvda
3261     \let#2\bidi@resrvda
3262     \bidi@undef\bidi@resrvda}
3263
3264 \long\def\bidi@append#1#2{#1#2}
3265 \long\def\bidi@prepend#1#2{#2#1}
3266
3267 \bidi@newrobustcmd*{\bidi@AtEndPreamble}{\bidi@gappto\bidi@endpreamblehook}
3268 \newcommand*{\bidi@endpreamblehook}{}
3269
3270 \bidi@newrobustcmd*{\bidi@BeforeOutputPageShipOut}{\bidi@gappto\bidi@beforeoutputpageshipouthook}
3271 \newcommand*{\bidi@beforeoutputpageshipouthook}{}
3272
3273 \bidi@newrobustcmd*{\bidi@BeforeHeader}{\bidi@gappto\bidi@beforeheaderhook}
3274 \newcommand*{\bidi@beforeheaderhook}{}
3275
3276 \bidi@newrobustcmd*{\bidi@BeforeOutputBoxOutputPage}{\bidi@gappto\bidi@beforeoutputboxoutputpagehook}
3277 \newcommand*{\bidi@beforeoutputboxoutputpagehook}{}
3278
3279 \bidi@newrobustcmd*{\bidi@AfterOutputBoxOutputPage}{\bidi@gappto\bidi@afteroutputboxoutputpagehook}
3280 \newcommand*{\bidi@afteroutputboxoutputpagehook}{}
3281
3282 \bidi@newrobustcmd*{\bidi@BeforeFooter}{\bidi@gappto\bidi@beforefooterhook}
3283 \newcommand*{\bidi@beforefooterhook}{}
3284
3285 \bidi@newrobustcmd*{\bidi@AfterFooter}{\bidi@gappto\bidi@afterfooterhook}
3286 \newcommand*{\bidi@afterfooterhook}{}
3287
3288
3289 \bidi@newrobustcmd*{\bidi@AfterOutputPageShipOut}{\bidi@gappto\bidi@afteroutputpageshipouthook}

```



```

3290 \newcommand*{\bidi@afteroutputpageshipouthook}{}
3291
3292 \bidi@newrobustcmd*{\bidi@AtEndOutputPage}{\bidi@gappto\bidi@atendoutputpagehook}
3293 \newcommand*{\bidi@atendoutputpagehook}{}
3294
3295 \bidi@preto\document{%
3296   \endgroup
3297   \let\bidi@AtEndPreamble\@firstofone
3298   \bidi@endpreamblehook
3299   \protected\def\bidi@AtEndPreamble{\@notprerr\@gobble}%
3300   \bidi@undef\bidi@endpreamblehook
3301   \begingroup}
3302
3303 \bidi@newrobustcmd*{\bidi@AfterPreamble}{\AtBeginDocument}
3304 \bidi@AtEndPreamble{\let\bidi@AfterPreamble\@firstofone}
3305
3306 \bidi@newrobustcmd*{\bidi@AfterEndPreamble}{\bidi@gappto\bidi@afterendpreamblehook}
3307 \newcommand*{\bidi@afterendpreamblehook}{}
3308
3309 \bidi@appto\document{%
3310   \let\bidi@AfterEndPreamble\@firstofone
3311   \bidi@afterendpreamblehook
3312   \protected\def\bidi@AfterEndPreamble{\@notprerr\@gobble}%
3313   \bidi@undef\bidi@afterendpreamblehook
3314   \ignorespaces}
3315
3316 \bidi@newrobustcmd*{\bidi@AfterEndDocumentCheckLabelsRerun}{\bidi@gappto\bidi@afterenddocument}
3317 \newcommand*{\bidi@afterenddocumentchecklabelsrerunhook}{}
3318
3319 \bidi@patchcmd\enddocument
3320   {\fi\endgroup}
3321   {\let\bidi@AfterEndDocumentCheckLabelsRerun\@firstofone
3322     \bidi@afterenddocumentchecklabelsrerunhook
3323     \fi\endgroup}
3324   {}
3325   {\PackageWarning{biditools}{Patching '\string\enddocument' failed}}
3326
3327 \AtEndDocument{\let\bidi@AfterEndPreamble\@gobble}
3328
3329 \bidi@newrobustcmd*{\bidi@AfterLastShipout}{\bidi@gappto\bidi@afterlastshipouthook}
3330 \newcommand*{\bidi@afterlastshipouthook}{}
3331
3332 \bidi@patchcmd\enddocument
3333   {\clearpage}
3334   {\clearpage
3335     \let\bidi@AfterLastShipout\@firstofone
3336     \bidi@afterlastshipouthook}
3337   {}
3338   {\let\bidi@clearpage\clearpage
3339     \def\clearpage{%

```




```

3340 \bidi@clearpage
3341 \let\bidi@AfterLastShipout\@firstofone
3342 \bidi@afterlastshipouthook}}
3343
3344 \bidi@newrobustcmd*\bidi@AfterEndDocument}\bidi@gappto\bidi@afterenddocumenthook}
3345 \newcommand*\bidi@afterenddocumenthook}{
3346
3347 \bidi@patchcmd\enddocument
3348 {\deadcycles}
3349 {\let\bidi@AfterEndDocument\@firstofone
3350 \bidi@afterenddocumenthook
3351 \deadcycles}
3352 {}
3353 {\let\bidi@@end@@end
3354 \def@@end{%
3355 \let\bidi@AfterEndDocument\@firstofone
3356 \bidi@afterenddocumenthook
3357 \bidi@@end}}
3358
3359 \bidi@newrobustcmd{\bidi@AtBeginEnvironment}[1]{%
3360 \bidi@csgappto{\bidi@begin@#1@hook}}
3361
3362 \bidi@patchcmd\begin
3363 {\csname #1\endcsname}
3364 {\bidi@csuse{\bidi@begin@#1@hook}%
3365 \csname #1\endcsname}
3366 {}
3367 {\bidi@warning{%
3368 Patching '\string\begin' failed!\MessageBreak
3369 '\string\bidi@AtBeginEnvironment' will not work\@gobble}}
3370
3371
3372
3373 \bidi@newrobustcmd{\bidi@AtEndEnvironment}[1]{%
3374 \bidi@csgappto{\bidi@end@#1@hook}}
3375
3376 \bidi@patchcmd\end
3377 {\csname end#1\endcsname}
3378 {\bidi@csuse{\bidi@end@#1@hook}%
3379 \csname end#1\endcsname}
3380 {}
3381 {\bidi@warning{%
3382 Patching '\string\end' failed!\MessageBreak
3383 '\string\bidi@AtEndEnvironment' will not work\@gobble}}
3384
3385
3386
3387 \bidi@newrobustcmd{\bidi@BeforeBeginEnvironment}[1]{%
3388 \bidi@csgappto{\bidi@beforebegin@#1@hook}}
3389

```



```

3390 \bidi@pretocmd\begin
3391   {\bidi@csuse{@bidi@beforebegin@#1@hook}}
3392   {}
3393   {\bidi@warning{%
3394     Patching '\string\begin' failed!\MessageBreak
3395     '\string\bidi@BeforeBeginEnvironment' will not work@gobble}}
3396
3397
3398
3399 \bidi@newrobustcmd{\bidi@AfterEndEnvironment}[1]{%
3400   \bidi@csgappto{@bidi@afterend@#1@hook}}
3401
3402 \bidi@patchcmd\end
3403   {\if@ignore}
3404   {\bidi@csuse{@bidi@afterend@#1@hook}%
3405     \if@ignore}
3406   {}
3407   {\bidi@warning{%
3408     Patching '\string\end' failed!\MessageBreak
3409     '\string\bidi@AfterEndEnvironment' will not work@gobble}}
3410
3411 \def\bidi@namedef#1{\expandafter\def\csname #1\endcsname}
3412 \def\bidi@namegdef#1{\expandafter\gdef\csname #1\endcsname}
3413 \def\bidi@nameedef#1{\expandafter\edef\csname #1\endcsname}
3414 \def\bidi@namexdef#1{\expandafter\xdef\csname #1\endcsname}
3415
3416 % From David Carlisle:
3417 % The \@stpelt redefinition below belongs to Heiko Oberdiek
3418 % See also https://github.com/ho-tex/oberdiek/issues/26
3419
3420 \let\bidi@stepcounter\stepcounter
3421 \let\bidi@@stpelt\@stpelt
3422
3423 \def\@stpelt#1{%
3424   \ifcsname bidi@reset@#1@perpage\endcsname
3425     \begingroup
3426       \let\stepcounter\bidi@stepcounter
3427       \@bidi@@stpelt{#1}%
3428     \endgroup
3429     \expandafter\@gobbletwo
3430   \fi
3431   \@bidi@@stpelt{#1}%
3432 }
3433
3434 \bidi@pretocmd\stepcounter
3435   {%
3436     \if@bidi@csundef{bidi@stepcounterhook@@#1}{-}{%
3437       \csname bidi@stepcounterhook@@#1\endcsname
3438     }%
3439   }%

```



```

3440 {\PackageWarning{biditools}{Patching `string\stepcounter' failed}}
3441
3442 \chardef\bidi@backslash`\\
3443 \def\bidics#1{\texttt{\char\bidi@backslash#1}}
3444
3445 % anonymous control sequences
3446 \newcount\bidi@tempcountb
3447 \newtoks\bidi@temptoksa
3448 \newtoks\bidi@temptoksb
3449
3450 % Catcode (re)storing
3451 %
3452 \def\bidi@storecatcode#1%
3453   {\escapechar\m@ne
3454    \bidi@csarg\edef\bidi@restorecatcode\string#1}%
3455    {\catcode`\string#1=
3456     \the\catcode\expandafter`\string#1}%
3457    \catcode\expandafter`\string#1=12\relax
3458    \escapechar`\\relax}
3459 \def\bidi@restorecatcode#1%
3460   {\escapechar\m@ne
3461    \csname bidi@restorecatcode\string#1\endcsname
3462    \escapechar`\\relax}
3463
3464 % Construct a control sequence inside \edef
3465 %
3466 \def\bidi@csname#1{\expandafter\noexpand\csname#1\endcsname}
3467
3468 % Construct a control sequence out of #2, and give it to #1
3469 %
3470 \def\bidi@csarg#1#2{\expandafter#1\csname#2\endcsname}
3471
3472 % Pick an escapecharacter
3473 % this presumes that its argument is a character.
3474 %
3475 \def\bidi@pickescape#1{\ifnum`#1=\escapechar\else#1\fi}
3476
3477 % Equality of strings.
3478 % the fast approach: does not work in expansion-only environment.
3479 %
3480 \def\bidi@EqualString#1#2{00\fi\def\bidi@eqs@a{#1}\def\bidi@eqs@b{#2}%
3481   \ifx\bidi@eqs@a\bidi@eqs@b}
3482
3483 % Test by expansion only
3484 %
3485 \def\bidi@EqualStringX#1#2{00\fi
3486   \csname if\bidi@EqualStringX#1&#2&$\endcsname}
3487 \def\bidi@EqualStringX#1#2$#3#4${\ifx#1#3%
3488   \ifx#1&true\else\bidi@hop@ES\bidi@EqualStringX#2$#4$\fi
3489   \else false\fi}

```



```

3490 \def\bidihop@ES#1\fi#2\fi{\fi\fi#1}
3491
3492 % Lexicographic ordering
3493 % note the use of \def
3494 % also note the characters 0,127,255 that are used,
3495 % these are not supposed to appear in the strings
3496 %
3497 {\catcode0=12 \catcode255=12 \catcode127=12
3498 \gdef\bidistringbeforeNC#1#2{00\fi
3499 \bidicharsbefore#1^^@^^?#2^^ff^^?}
3500 \gdef\bidicharsbeforeNC#1#2^^?#3#4^^?{%
3501 \ifcat#1\relax\def\bidinext{\bidicharsbefore#2^^@^^?#3#4^^ff^^?}%
3502 \else\ifcat#3\relax\def\bidinext{\bidicharsbefore#1#2^^@^^?#4^^ff^^?}%
3503 \else\ifnum\lccode`#1<\lccode`#3
3504 \def\bidinext{\csname iftrue\endcsname}%
3505 \else\ifnum\lccode`#1>\lccode`#3
3506 \def\bidinext{\csname iffalse\endcsname}%
3507 \else\def\bidinext{\bidicharsbefore#2^^?#4^^?}%
3508 \fi \fi \fi \fi
3509 \bidinext}
3510 \gdef\bidistringbefore#1#2{00\fi
3511 \bidicharsbefore#1^^@^^?#2^^ff^^?}
3512 \gdef\bidicharsbefore#1#2^^?#3#4^^?{%
3513 \ifnum`#1<`#3
3514 \def\bidinext{\csname iftrue\endcsname}%
3515 \else\ifnum`#1>`#3
3516 \def\bidinext{\csname iffalse\endcsname}%
3517 \else\def\bidinext{\bidicharsbefore#2^^?#4^^?}%
3518 \fi\fi
3519 \bidinext}
3520 }
3521
3522 % Null argument test
3523 %
3524 \def\bidiempty{}
3525 \def\bidiiifempty#1{00\fi\expandafter\ifx\csname bidi@#1null\endcsname\bidie@null}
3526 \def\bidiiifemptyX#1{\expandafter\ifx\csname bidi@#1null\endcsname\bidie@null}
3527 %\def\bidiiifempty#1{\def\bidics@a{#1}\ifx\bidics@a\bidie@empty}
3528 \def\bidiiifemptylist#1{00\fi\def\bidics@a{#1}\ifx\cs@a\bidie@empty}
3529
3530 % Next character test
3531 %
3532 \def\bidinextchar#1#2#3{00\fi
3533 \let\bidinxt@ch#1\def\bidinxt@a{#2}\def\bidinxt@b{#3}%
3534 \futurelet\bidinxt@c@\bidie@ifnxtc}
3535 \def\bidiiifnextchar#1#2#3{%
3536 \let\bidinxt@ch#1\def\bidinxt@a{#2}\def\bidinxt@b{#3}%
3537 \futurelet\bidinxt@c@\bidie@ifnxtc}
3538 \def\bidie@ifnxtc{\ifx\bidinxt@ch\bidinxt@c \expandafter\bidinxt@a
3539 \else \expandafter\bidinxt@b \fi}

```



```

3540
3541 % Test for defined-ness of string as control sequence.
3542 % works inside \edef
3543 %
3544 \def\bid@undefinedcs#1{00\fi\bid@csarg\ifx{#1}\relax}
3545
3546 % Define uniquely defined dummy macros,
3547 % usually to serve as bumper blocks at the end of a list
3548 %
3549 \newcount\bid@dummies
3550 \def\DefNewDummy#1{
3551   \if\bid@undefinedcs{#1}\bid@csarg\edef{#1}{\bid@dum\the\bid@dummies}
3552   \advance\bid@dummies\@ne
3553   \else
3554     \bid@error{Attempt at second definition of `#1'}
3555   \fi}
3556
3557 % string case statement
3558 % use: \bid@switch \iftest{...} in:
3559 %   item1 action1
3560 %   ...
3561 %   itemn actionn
3562 %   default defaultaction [optional]
3563 %   \endbid@switch
3564 % inspired by Jonathan Fine: Some Basic Control Macros
3565 % Tugboat 12 #4
3566 %
3567 \let\@bid@fi\fi \let\endbid@switch\relax \DefNewDummy{\bid@default}
3568 \def\bid@switch@exit #1 \@bid@fi #2 \endbid@switch {\fi #1}
3569 \def\bid@switch #1#2#3{\bid@csarg\ifx{#2}\bid@default\bid@switch@exit #3 \@bid@fi
3570 #1{#2}\bid@switch@exit #3 \@bid@fi
3571 \bid@switch {#1}
3572 }
3573 % this version puts the test object in {}
3574 \def\bid@oswitch #1 in: #2 #3; {\bid@csarg\ifx{#2}\bid@default\bid@switch@exit #3 \@bid@fi
3575 #1{#2}\bid@switch@exit #3 \@bid@fi
3576 \bid@switch #1 in:
3577 }
3578 % this version assumes that the test object is just one character
3579 \def\bid@cswitch #1 in: #2 #3; {\bid@csarg\ifx{#2}\bid@default\bid@switch@exit #3 \@bid@fi
3580 #1#2\bid@switch@exit #3 \@bid@fi
3581 \bid@cswitch #1 in:
3582 }
3583 % this version assumes that the test object can have an optional space
3584 \def\bid@bswitch #1 in: #2 #3; {\bid@csarg\ifx{#2}\bid@default\bid@switch@exit #3 \@bid@fi
3585 #1#2 \bid@switch@exit #3 \@bid@fi
3586 \bid@bswitch #1 in:
3587 }
3588 % this version can cope with significant spaces at the start of #3;
3589 % #2 is macro argument

```



```

3590 \def\bidimswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@
3591 #1{#2}\bidi@switch@exit #3 \@bidi@fi
3592 \bidi@mswitch #1 in:
3593 }
3594 % idem; #2 does not have to be enclosed in braces
3595 \def\bidi@fswitch #1 in: #2:#3; {\bidi@csarg\ifx{#2}\bidi@default\bidi@switch@exit #3 \@bidi@
3596 #1#2 \bidi@switch@exit #3 \@bidi@fi
3597 \bidi@fswitch #1 in:
3598 }
3599
3600 % Routines for taking the value of a string:
3601 % if the string is defined as control sequence
3602 % take the value of that, otherwise take the string itself
3603
3604 % String or value of control sequence
3605 %
3606 \def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else \the\csname#1\endcsname\fi}
3607
3608 % String or control sequence
3609 %
3610 \def\bidi@ww#1{\if\bidi@undefinedcs{#1}#1\else \csname#1\endcsname \fi}
3611
3612 % String or \noexpand-ed control sequence;
3613 % for use in \edef
3614 %
3615 \newif\ifbidi@in@label
3616 \def\bidi@w@w#1{\if\bidi@undefinedcs{#1}#1\else
3617 \ifbidi@in@label\noexpand\protect\fi \bidi@csname{#1}\fi}
3618 \newtoks\bidi@are@these@correct
3619 \def\bidi@t@w@w#1{%
3620 \if\bidi@undefinedcs{#1}#1%
3621 \ifdefining\bidi@append@to@list\bidi@are@these@correct{#1} \fi
3622 \else
3623 \ifin@label\noexpand\protect\fi \bidi@csname{#1}\fi}
3624
3625 % List Manipulation .....
3626 % this assumes that #1 is a list of tokens, #2 is the name of a list
3627 %
3628 % Names of lists (and of items to pop into) are given as strings;
3629 % not as control sequences.
3630 %
3631 \newtoks\bidi@toks@lista \newtoks\bidi@toks@listb
3632 % basic append/prepend macro
3633 \long\def\bidi@append@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
3634 \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter#1\the\bidi@toks@
3635 \long\def\bidi@prepend@to@cslist#1#2#3{\begingroup\bidi@toks@lista=#2{#3}%
3636 \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidi@toks@lista
3637 \def\bidi@append@to@list{\bidi@csarg\bidi@append@to@cslist}
3638 % variations:
3639 \long\def\bidi@append@to@list#1#2{\bidi@append@to@list{#1}{#2}}

```



```

3640 \def\bidid@append@list@to@list#1#2{%
3641   \@bidid@append@to@list{#1}{\expandafter\expandafter}{\expandafter\the\csname#2\en
3642 \def\bidid@append@csl@to@csl#1#2{%
3643   \@bidid@append@to@csl#1}{\expandafter\the#2}}
3644 \def\bidid@append@toks@csl@to@list#1#2{\@bidid@append@to@list{#1}{\expandafter\the#2}}
3645
3646 \let\bidid@willbeunhskip\unhskip
3647
3648 % A few list macros for the user
3649 \def\NewList:#1 {\bidid@csarg\newtoks{#1}\global\csname#1\endcsname{}}
3650 \def\EmptyList:#1 {\global\csname#1\endcsname{}}
3651 \long\def\AppendToList:#1=#2 {\@bidid@append@to@list{#1}{#2}}
3652 \def\TheList:#1 {\let\bidid@oldwbuskip\bidid@willbeunhskip \let\bidid@willbeunhskip\@empty
3653   \if\bidid@undefinedcs{#1}\bidid@error{List <#1> undefined}
3654   \else\bidid@csarg\the{#1}\fi
3655   \let\bidid@willbeunhskip\bidid@oldwbuskip}
3656
3657 \def\bidid@del@tok@from@list#1#2{\begingroup
3658   \long\def\bidid@cs@liste##1#2##2\bidid@tok@SM
3659     {\bidid@toks@lista{##1}\bidid@toks@listb{##2}}%
3660     \edef\bidid@cs@listb{\global\bidid@csname{#1}=
3661       {\the\bidid@toks@lista\the\bidid@toks@listb}}%
3662     \bidid@cs@listb}%
3663     \edef\bidid@cs@lista{\noexpand\bidid@cs@liste}\expandafter\the\csname#1\endcsname\noexpand
3664     \bidid@cs@lista \endgroup}
3665 \def\bidid@in@front@of@list#1{\bidid@csarg{\let\expandafter\bidid@cs@lista}{#1}%
3666   \bidid@in@front@of@csl@list\bidid@cs@lista}
3667 \long\def\bidid@in@front@of@csl#1#2{\begingroup\bidid@toks@lista={#2}%
3668   \global#1=\expandafter\expandafter\expandafter{\expandafter\the\expandafter\bidid@toks@lista
3669   \endgroup}
3670 \long\def\bidid@local@in@front@of@list#1#2{\bidid@toks@lista={#2}%
3671   \csname#1\endcsname\expandafter\expandafter\expandafter\expandafter\expandafter\expandafter
3672     {\expandafter\expandafter\expandafter\the\expandafter\expandafter\expandafter
3673     \expandafter\the\csname#1\endcsname}%
3674   }
3675 \def\bidid@set@list#1{\bidid@csarg{\let\expandafter\bidid@cs@lista}{#1}%
3676   \bidid@set@csl@list\bidid@cs@lista}
3677 \long\def\bidid@set@csl#1#2{\begingroup\bidid@toks@lista={#2}%
3678   \global#1=\expandafter{\the\bidid@toks@lista}\endgroup}
3679
3680 %%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%% Stack macros
3681 %
3682 % push in terms of prepending of lists
3683 \def\bidid@push@csl@onto@csl#1#2{\@bidid@prepend@to@csl#1\expandafter{\expandafter\\expandafter
3684 \def\bidid@push@onto#1{\bidid@csarg\bidid@push@onto@csl{#1}}
3685 \def\bidid@push@onto@csl#1#2{\@bidid@prepend@to@csl#1}{\{\\{#2}}}}
3686 \def\bidid@local@push@onto#1#2{\let\\=\relax
3687   \bidid@local@in@front@of@list{#1}{\\{#2}}}}
3688 % pop via auxiliary macro: #1 is result, #2 is stack
3689 % two cs arguments

```



```

3690 \def\bidipop@cs@into#1#2{\edef\bidics@e
3691   {\noexpand\@bidipopinto\noexpand#1\noexpand#2\the#2\noexpand\@bidipop}\bidics@e}
3692 % two string arguments
3693 \def\bidipop@into#1#2{\edef\bidics@e
3694   {\noexpand\@bidipopinto\bidicsname{#1}\bidicsname{#2}\bidicsarg\the{#2}\noexpand\@bidipop}
3695 \long\def\@bidipopinto#1#2\#3#4\@bidipop{#1{#3}#2{#4}}
3696 \def\bidicopy@stacktop#1#2{%
3697   \edef\bidics@e{\noexpand\@bidicopy@stacktop
3698     {#1}\bidicsarg\the{#2}\noexpand\@bidipop}%
3699   \bidics@e}
3700 \def\@bidicopy@stacktop#1\#2#3\@bidipop{csname#1\endcsname#2\relax}
3701 \newcount\bidistack@length \newtoks\bidiepty@stack \bidiepty@stack{\{\}}
3702 \def\bidilength@of@stack#1{\bidicsarg\bidilength@of@csstack{#1}}
3703 \def\bidilength@of@csstack#1{\def\##1{\advance\bidistack@length@m@ne}%
3704   \bidistack@length@m@ne \the#1}
3705 % turn a stack upside down
3706 \def\bidinvert@csstack#1{\bidilength@of@csstack{#1}%
3707   \biditempcountb\z@ \biditemptoksa\bidiepty@stack
3708   \loop\ifnum\biditempcountb<\bidistack@length
3709     \bidipop@cs@into\biditemptoksb#1\advance\bidistack@length@m@ne
3710     \bidipush@cs@onto@cs\biditemptoksa\biditemptoksb
3711 %     \bidicappend@cslst@to@cslst\biditemptoksb\biditemptoksa% append a to b
3712 %     \biditemptoksa\biditemptoksb
3713     \repeat% copy b to a
3714     #1\biditemptoksa \biditemptoksa\bidiepty@toks}
3715 % invert a stack into a list
3716 \def\bidix@stack@to@list#1{\bidilength@of@stack{#1}%
3717   \biditempcountb\z@ \biditemptoksa\bidiepty@toks
3718   \loop\ifnum\biditempcountb<\bidistack@length
3719     \bidipop@into{\biditemptoksb}{#1}\advance\bidistack@length@m@ne
3720     \bidicappend@list@to@list{\biditemptoksb}{\biditemptoksa}\repeat
3721   \csname#1\endcsname\biditemptoksa \biditemptoksa\bidiepty@toks}
3722
3723
3724 % General loop macro:
3725 % \looprepeat
3726 %   \forvariable{<var>} \fromvalue{<start>} \bystep{<step>} \tovalue{<end>} \downtovalue{<end>}
3727 %   \untilcondition{<cond>} \whilecondition{<cond>}
3728 %   \doloopbody { <loop body> }
3729 % where all control sequences in between \looprepeat and \doloopbody are optional.
3730 %
3731 % var: characters to form a control sequence;
3732 %   after \forvariable{index} you can access the loop counter as \index.
3733 %   This is a count register; to print it use \number\index.
3734 % start,step,end: integers with obvious relations to the loop counter;
3735 %   start and step have a default value of 1
3736 % cond: (sequence of commands ending in) any TeX \if... test.
3737 %
3738 % Count down instead of up with \downtovalue; the increment given in \bystep
3739 % is always positive, and is added or subtracted accordingly.

```




```

3740%
3741% Tests: \untilcondition is evaluated at the end of the loop body; \whilecondition
3742% at the beginning of the loop body.
3743%
3744% Exit from middle of loop: \breaklooprepeat
3745% use this at any place in the loop; in case of a conditional use
3746% \ifsomething ... \expandafter \breaklooprepeat \fi
3747%
3748% Note that the line ends do not cause spaces in the output.
3749%
3750% Technical details:
3751% The loop body is not executed in a group: the braces are those
3752% of a token list.
3753% The 'forvariable' variable is \let to a \count register.
3754
3755
3756
3757% Auxiliary stuff
3758\def\bidilooprepeat@csarg#1#2{\expandafter#1\csname#2\endcsname}
3759\def\bidilooprepeat@csromannumeral#1{\csname #1\romannumeral\bidilooprepeat@depth\endcsname}
3760\def\bidilooprepeat@csargromannumeral#1#2{\expandafter#1\csname#2\romannumeral\bidilooprepeat@depth\endcsname}
3761
3762\newcount\bidilooprepeat@depth
3763\let\endlooprepeat\relax \def\bidicsprotect{}
3764% Trace switches may later be defined by PAC_utils
3765\let\bidilooprepeat@traceinit\relax \let\bidilooprepeat@traceexit\relax
3766
3767% Main repeatloop macro
3768% - go to next level and allocate unique counter/toks if this is the
3769% first time we visit this level
3770% - setup: gather bounds and termination conditions
3771% - scoop up body in token list; after the assignment define and
3772% execute body
3773\def\looprepeat#1\doloopbody{\bidilooprepeat@traceinit % exit in \breakrepeatloop
3774\advance\bidilooprepeat@depth\@ne\relax
3775\bidilooprepeat@csargromannumeral\ifx\bidilooprepeat@count\relax
3776\bidilooprepeat@csargromannumeral{\csname newcount\expandafter\endcsname}{\bidilooprepeat@depth\endcsname}
3777\bidilooprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidilooprepeat@depth\endcsname}
3778\bidilooprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidilooprepeat@depth\endcsname}
3779\bidilooprepeat@csargromannumeral{\csname newtoks\expandafter\endcsname}{\bidilooprepeat@depth\endcsname}
3780\fi \bidilooprepeat@zero \def\bidilooprepeat@sign{}\def\bidilooprepeat@comp{>}\bidilooprepeat@depth\endcsname}
3781\edef\bidilooprepeat@tmp
3782{\def\bidilooprepeat@csargromannumeral\noexpand{\bidilooprepeat@looprepeat}{\bidilooprepeat@body}%
3783\afterassignment\bidilooprepeat@dxbod\bidilooprepeat@csromannumeral{\bidilooprepeat@toks}%
3784
3785% Define and execute loop body
3786% This is done with an \edef to construct the actual sequence
3787\def\bidilooprepeat@dxbod{\bidilooprepeat@csargromannumeral\edef{\bidilooprepeat@body}{%
3788\bidilooprepeat@csargromannumeral\the{\bidilooprepeat@wtest}%
3789\noexpand\the\bidilooprepeat@csargromannumeral\noexpand{\bidilooprepeat@toks}%

```



```

3790         \bidi@looprepeat@csargromannumeral\the\bidi@looprepeat@utest}%
3791     \global\bidi@looprepeat@csargromannumeral\advance\bidi@looprepeat@count by \bidi@looprepe
3792     \noexpand\endlooprepeat
3793     \bidi@looprepeat@csargromannumeral\noexpand\bidi@looprepeat@looprepeat}}%
3794 \bidi@looprepeat@csromannumeral\bidi@looprepeat@body}\ignorespaces}
3795
3796 % Stop test
3797 %% In order to stop, issue a
3798 % \breaklooprepeat which scoops up the rest of the body and exits
3799 \def\breaklooprepeat#1\endlooprepeat{\bidi@looprepeat@zero\bidi@looprepeat@csargromannumeral\
3800     \advance\bidi@looprepeat@depth@mOne \bidi@looprepeat@traceexit
3801 }
3802
3803
3804 % Setup
3805 % gather bounds and termination conditions
3806 \def\bidi@looprepeat@setup#1{%
3807     \begingroup
3808     \def\forvariable##1{%
3809         \edef\bidi@looprepeat@tmp{%
3810             \global\let\bidi@looprepeat@csarg\noexpand{##1}\bidi@looprepeat@csromannumeral\bidi@l
3811             \bidi@looprepeat@tmp}%
3812         \def\fromvalue##1{\bidi@looprepeat@csargromannumeral\global\bidi@looprepeat@count}##1\ign
3813         \def\tovalue##1{%
3814             \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loopre
3815             {\bidi@looprepeat@csargromannumeral\the\bidi@looprepeat@wtest}}%
3816             \noexpand\ifnum\bidi@looprepeat@csargromannumeral\noexpand\bidi@looprepeat@count\bidi
3817             \noexpand\expandafter \noexpand\breaklooprepeat
3818             \noexpand\fi}\ignorespaces}%
3819             \bidi@looprepeat@tmp}%
3820         \def\downtovalue##1{%
3821             \gdef\bidi@looprepeat@sign{-}\gdef\bidi@looprepeat@comp{<}\tovalue{##1}\ignorespaces}%
3822         \def\bystep##1{\ifnum##1<0 \bidi@error{LOOPREPEAT: increment has to be a positive value}\
3823             \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc{-##1}\else
3824             \bidi@looprepeat@csargromannumeral\gdef\bidi@looprepeat@inc{##1}\fi\ignorespaces}
3825         \def\untilcondition##1{%
3826             \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loopre
3827             {\noexpand##1\relax
3828             \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
3829             \bidi@looprepeat@tmp}%
3830         \def\whilecondition##1{%
3831             \edef\bidi@looprepeat@tmp{\global\bidi@looprepeat@csargromannumeral\noexpand\bidi@loopre
3832             {\noexpand##1\relax \noexpand\else
3833             \noexpand\expandafter \noexpand\breaklooprepeat \noexpand\fi}\ignorespaces}%
3834             \bidi@looprepeat@tmp}%
3835             \fromvalue{\@ne}\bystep{\@ne}#1%
3836         \endgroup}
3837 \def\bidi@looprepeat@zero
3838     {\bidi@looprepeat@csromannumeral\bidi@looprepeat@toks}{\bidi@looprepeat@csromannumeral\bidi
3839     \bidi@looprepeat@csargromannumeral\def\bidi@looprepeat@body{}}

```



```

3840
3841 %\tracingmacros2
3842 %\newcount\tmpcount % used in some examples below
3843
3844 %\looprepeat \forvariable{i}
3845 %      \bystep{2}
3846 %  \doloopbody {%
3847 %      \ifnum i=13 \expandafter\breaklooprepeat \fi
3848 %      \number{i} } %
3849 %}%
3850
3851 %\looprepeat \forvariable{iii}
3852 %      \tovalue{8}
3853 %  \doloopbody {}
3854 %After loop: \number{iii}%
3855
3856 %\looprepeat \forvariable{i}
3857 %      \fromvalue{10}
3858 %      \bystep{2}
3859 %      \downtovalue{0}
3860 %  \doloopbody {\number{i} }
3861
3862 %\looprepeat \forvariable{x} \whilecondition{\ifnum x<7}
3863 %  \doloopbody {\number{x} }
3864
3865 %\looprepeat \tovalue{3} \doloopbody {Hello world! }
3866
3867 %\looprepeat \forvariable{j}
3868 %      \untilcondition{\tmpcount\j \divide\tmpcount by 37 \noexpand\ifnum\tmpcount=1}
3869 %  \doloopbody {\number{j} }
3870
3871 %\looprepeat \forvariable{i} \bystep{2} \tovalue{10} \doloopbody
3872 % {\looprepeat \forvariable{j} \fromvalue{i} \bystep{3} \tovalue{18}
3873 %  \doloopbody {(\number{i}.\number{j}) }
3874 % }
3875
3876 % infinite loop
3877 %\looprepeat \doloopbody {}
3878
3879 \CheckCommand{\InputIfFileExists}[2]{%
3880   \IfFileExists{#1}%
3881     {#2\@addtofilelist{#1}\@input \@filef@und}}
3882
3883 \renewcommand{\InputIfFileExists}[2]{%
3884   \begingroup\expandafter\expandafter\expandafter\endgroup
3885   \expandafter\ifx\csname #1-@bidi@alias\endcsname\relax
3886     \expandafter\@secondoftwo
3887   \else
3888     \bidi@replacefile@msg{\csname #1-@bidi@alias\endcsname}{#1}%
3889     \expandafter\@firstoftwo

```



```

3890 \fi
3891 {%
3892   \expandafter\InputIfFileExists\expandafter{\csname
3893     #1-@bidi@alias\endcsname}{#2}%
3894 }%
3895 {\IfFileExists{#1}{%
3896   \bidi@load@hook{before}{#1}%
3897   #2\@addtofilelist{#1}%
3898   \@input \@file@und
3899   \bidi@load@hook{after}{#1}%
3900 }}%
3901 }
3902
3903 \newcommand*{\bidi@loadwithoptions}{%
3904 \newcommand*{\bidi@loadwithoptions}{%
3905 \let\bidi@loadwithoptions\@loadwithoptions
3906
3907 \renewcommand*{\@loadwithoptions}[3]{%
3908   \begingroup\expandafter\expandafter\expandafter\endgroup
3909   \expandafter\ifx\csname #3.#1-@bidi@aliasname\endcsname\relax
3910     \def\bidi@loadwithoptions{\bidi@loadwithoptions{#1}{#2}{#3}}%
3911   \else
3912     \bidi@replacefile@msg{\csname #3.#1-@bidi@aliasname\endcsname.#1}{#3.#1}%
3913     \def\bidi@loadwithoptions{%
3914       \@loadwithoptions{#1}{#2}{\csname #3.#1-@bidi@aliasname\endcsname}%
3915     }%
3916   \fi
3917   \bidi@loadwithoptions
3918 }
3919
3920 \newcommand*{\bidi@onefilewithoptions}{%
3921 \let\bidi@onefilewithoptions\@onefilewithoptions
3922 \def\@onefilewithoptions#1[#2][#3]#4{%
3923   \begingroup\expandafter\expandafter\expandafter\endgroup
3924   \expandafter\ifx\csname #1.#4-@bidi@aliasname\endcsname\relax
3925     \def\bidi@onefilewithoptions{\bidi@onefilewithoptions{#1}}%
3926   \else
3927     \bidi@replacefile@msg{\csname #1.#4-@bidi@aliasname\endcsname.#4}{#1.#4}%
3928     \edef\bidi@onefilewithoptions{%
3929       \noexpand\@onefilewithoptions{\csname #1.#4-@bidi@aliasname\endcsname}}%
3930   \fi
3931   \bidi@onefilewithoptions[#{#2}][#{#3}]{#4}%
3932   \bidi@load@hook{lateafter}{#1.#4}%
3933 }
3934
3935 \newcommand*{\bidi@ReplaceInput}[2]{%
3936   \expandafter\edef\csname #1-@bidi@alias\endcsname{#2}%
3937 }
3938
3939 \newcommand*{\bidi@UnReplaceInput}[1]{%

```



```

3940 \ifcsname #1-@bidi@alias\endcsname
3941 \expandafter\let\csname #1-@bidi@alias\endcsname\relax
3942 \fi
3943 }
3944
3945 \newcommand*{\@bidi@replacefilewithtext}[3]{%
3946 \expandafter\edef\csname #1.#3-@bidi@aliasname\endcsname{#2}%
3947 }
3948 \newcommand*{\bidi@ReplacePackage}[2]{%
3949 \@bidi@replacefilewithtext{#1}{#2}\@pkgextension
3950 }
3951 \newcommand*{\bidi@ReplaceClass}[2]{%
3952 \@bidi@replacefilewithtext{#1}{#2}\@clsextension
3953 }
3954 \newcommand*{\@bidi@unreplacefilewithtext}[2]{%
3955 \ifcsname #1.#2-@bidi@aliasname\endcsname
3956 \expandafter\let\csname #1.#2-@bidi@aliasname\endcsname\relax
3957 \fi
3958 }
3959 \newcommand*{\bidi@UnReplacePackage}[1]{%
3960 \@bidi@unreplacefilewithtext{#1}\@pkgextension
3961 }
3962 \newcommand*{\bidi@UnReplaceClass}[1]{%
3963 \@bidi@unreplacefilewithtext{#1}\@clsextension
3964 }
3965 \newcommand*{\bidi@replacefile@msg}[2]{%
3966 \PackageInfo{biditools}{inputting `#1' instead of `#2'}%
3967 }
3968
3969 \newcommand*{\bidi@load@hook}[2]{%
3970 \@ifundefined{#2-@#1}{}%
3971 \@nameuse{#2-@#1}%
3972 \expandafter\let\csname #2-@#1\endcsname=\relax}}
3973 \newcommand*{\bidi@set@load@hook}[2]{%
3974 \@ifundefined{#2-@#1}{\@namedef{#2-@#1}{}}}%
3975 \expandafter\g@addto@macro\csname #2-@#1\endcsname}
3976 \newcommand*{\bidi@BeforeFile}{\bidi@set@load@hook{before}}
3977 \newcommand*{\bidi@AfterFile}{\bidi@set@load@hook{after}}
3978 \newcommand*{\bidi@BeforeClass}[1]{%
3979 \bidi@set@load@hook{before}{#1.\@clsextension}}
3980 \newcommand*{\bidi@AfterClass}{%
3981 \@ifstar {\@s@bidi@AfterClass}{%
3982 \@ifnextchar +\@@bidi@AfterClass{%
3983 \@ifnextchar !\@@@bidi@AfterClass\bidi@AfterClass
3984 }%
3985 }%
3986 }
3987
3988 \newcommand*{\@@@bidi@AfterClass}[2]{%
3989 \begingroup\ifx\csname #2.\@clsextension-h@k\endcsname\relax

```



```

3990 \aftergroup\@s@bidi@AfterClass
3991 \else
3992 \aftergroup\bidi@AfterAtEndOfClass
3993 \fi
3994 \endgroup{#2}%
3995 }
3996
3997 \newcommand*{\bidi@AfterAtEndOfClass}[1]{%
3998 \bidi@set@load@hook{lateafter}{#1.\@clsextension}}
3999 \newcommand*{\@@bidi@AfterClass}[2]{%
4000 \begingroup
4001 \expandafter\ifx\csname #2.\@clsextension-h@@k\endcsname\relax
4002 \aftergroup\@s@bidi@AfterClass
4003 \else
4004 \aftergroup\@bidi@AfterClass
4005 \fi
4006 \endgroup{#2}%
4007 }
4008
4009 \newcommand*{\@bidi@AfterClass}[1]{%
4010 \bidi@set@load@hook{after}{#1.\@clsextension}}
4011 \newcommand*{\@s@bidi@AfterClass}[1]{%
4012 \begingroup
4013 \@ifclassloaded{#1}{%
4014 \aftergroup\@secondoftwo
4015 }{%
4016 \aftergroup\@bidi@AfterClass
4017 }%
4018 \endgroup
4019 {#1}%
4020 }
4021
4022
4023 \newcommand*{\bidi@BeforePackage}[1]{%
4024 \bidi@set@load@hook{before}{#1.\@pkgextension}}
4025 \newcommand*{\bidi@AfterPackage}{%
4026 \@ifstar {\@s@bidi@AfterPackage}{%
4027 \@ifnextchar +\@@bidi@AfterPackage{%
4028 \@ifnextchar !\@@@bidi@AfterPackage\bidi@AfterPackage
4029 }%
4030 }%
4031 }
4032 \newcommand*{\@@@bidi@AfterPackage}[2]{%
4033 \begingroup\ifx\csname #2.\@pkgextension-h@@k\endcsname\relax
4034 \aftergroup\@s@bidi@AfterPackage
4035 \else
4036 \aftergroup\bidi@AfterAtEndOfPackage
4037 \fi
4038 \endgroup{#2}%
4039 }

```



```

4040 \newcommand*{\@bidi@AfterAtEndOfPackage}[1]{%
4041   \bidi@set@load@hook{lateafter}{#1.\@pkgextension}}
4042 \newcommand*{\@bidi@AfterPackage}[2]{%
4043   \beginingroup
4044     \expandafter\ifx\csname #2.\@pkgextension-h@k\endcsname\relax
4045       \aftergroup\@s@bidi@AfterPackage
4046     \else
4047       \aftergroup\@bidi@AfterPackage
4048     \fi
4049   \endgroup{#2}%
4050 }
4051 \newcommand*{\@bidi@AfterPackage}[1]{%
4052   \bidi@set@load@hook{after}{#1.\@pkgextension}}
4053 \newcommand*{\@s@bidi@AfterPackage}[1]{%
4054   \beginingroup
4055     \ifpackageloaded{#1}{%
4056       \aftergroup\@secondoftwo
4057     }{%
4058       \aftergroup\@bidi@AfterPackage
4059     }%
4060   \endgroup
4061   {#1}%
4062 }
4063
4064 \newcommand*{\@bidi@excludedpackages}{}
4065 \let\bidi@excludedpackages\@empty
4066 \newcommand*{\@bidi@sav@RequirePackage}{}
4067 \newcommand*{\@bidi@PreventPackageFromLoading}{%
4068   \@ifstar{\@bidi@PreventPackageFromLoading\PackageInfo}%
4069   {\@bidi@PreventPackageFromLoading\PackageWarning}%
4070 }
4071 \newcommand*{\@bidi@PreventPackageFromLoading}[1]{%
4072   \@ifnextchar [%]
4073   {\@bidi@PreventPackageFromLoading#1}{\@bidi@PreventPackageFromLoading#1[]}%
4074 }
4075 \newcommand*{\@bidi@PreventPackageFromLoading}{}
4076
4077 \def\@bidi@PreventPackageFromLoading#1[#2]#3{%
4078   \edef\reserved@b{\zap@space#3 \@empty}%
4079   \ifx \reserved@b\@empty
4080     #1{\biditytools}{%
4081       \string\bidi@PreventPackageFromLoading\space with empty packages\MessageBreak
4082       argument ignored%
4083     }%
4084   \else
4085     \ifx\bidi@excludedpackages\@empty
4086       \let\bidi@sav@RequirePackage\RequirePackage
4087       \let\RequirePackage\bidi@RequirePackage
4088     \def\reserved@a##1##{%
4089       \@latex@error

```



```

4090     {\noexpand \usepackage before \string\documentclass}%
4091     {\noexpand \usepackage may only appear in the document
4092      preamble, i.e.,\MessageBreak
4093      between \noexpand\documentclass and
4094      \string\begin{document}.}%
4095     \@gobble}%
4096   \ifx\reserved@a\usepackage\else
4097     \ifx\usepackage\bidisaved@RequirePackage\else
4098       \PackageWarning{biditools}{%
4099         Maybe serious problem: unexpected definition of\MessageBreak
4100         \string\usepackage
4101       }%
4102     \fi
4103     \let\usepackage\RequirePackage
4104   \fi
4105 \fi
4106 \expandafter\@for \expandafter\reserved@a\expandafter:\expandafter=%
4107 \reserved@b\do {%
4108   \ifx\reserved@a\@empty
4109     #1{biditools}{%
4110       empty package argument for
4111       \string\bidisaved@PreventPackageFromLoading\MessageBreak
4112       ignored%
4113     }%
4114   \else
4115     \expandafter\@ifpackageloaded\expandafter{\reserved@a}{%
4116       #1{biditools}{%
4117         package `\'reserved@a' already loaded.\MessageBreak
4118         Cannot prevent it from being loaded%
4119       }%
4120     }{%
4121       \edef\bidisaved@excludedpackages{\bidisaved@excludedpackages,%
4122         \reserved@a}%
4123       \if\relax\detokenize{#2}\relax\else
4124         \@ifundefined{bidisaved@exclude@package@\reserved@a @do}{%
4125           \@namedef{bidisaved@exclude@package@\reserved@a @do}{%
4126             }{%
4127               \expandafter\def
4128               \csname bidisaved@exclude@package@\reserved@a
4129                 @do\expandafter\expandafter\expandafter\endcsname
4130             \expandafter\expandafter\expandafter{%
4131               \csname bidisaved@exclude@package@\reserved@a @do\endcsname
4132             #2%
4133             }%
4134           \fi
4135         }%
4136       \fi
4137     }%
4138   \ifx\bidisaved@excludedpackages\@empty
4139     \bidisaved@ResetPreventPackageFromLoading

```




```

4140 \fi
4141 \fi
4142 }
4143
4144 \@onlypreamble\bidipreventPackageFromLoading
4145 \newcommand*{\bidipreventPackageFromLoading}{%
4146 \let\bidipreventPackageFromLoading\empty
4147 \ifx\RequirePackage\bidipreventPackage
4148 \ifx\usepackage\RequirePackage
4149 \let\usepackage\bidipreventPackage
4150 \fi
4151 \let\RequirePackage\bidipreventPackage
4152 \fi
4153 }
4154 \@onlypreamble\bidiresetPackageFromLoading
4155 \newcommand*{\bidiresetPackageFromLoading}[1]{%
4156 \let#1\bidipreventPackageFromLoading
4157 }
4158 \@onlypreamble\bidistorePackageFromLoading
4159 \newcommand*{\bidistorePackageFromLoading}{%
4160 \@ifstar {\@tempwatrue\bidistorePackageFromLoading}%
4161 {\@tempwafalse\bidistorePackageFromLoading}%
4162 }
4163
4164 \newcommand*{\bidistorePackageFromLoading}[1]{%
4165 \edef\reserved@a{\zap@space#1 \empty}%
4166 \if@tempwa
4167 \for\reserved@a:=\reserved@a\do {%
4168 \ifx\reserved@a\empty \else
4169 \ifcsname \bidipreventPackageFromLoading\reserved@a \endcsname
4170 \expandafter\let
4171 \csname \bidipreventPackageFromLoading\reserved@a \endcsname
4172 \undefined
4173 \fi
4174 \fi
4175 }%
4176 \fi
4177 \ifcsname \bidipreventPackageFromLoading\endcsname
4178 \let\reserved@a\bidipreventPackageFromLoading
4179 \let\bidipreventPackageFromLoading\empty
4180 \expandafter\for\expandafter\reserved@c
4181 \expandafter:\expandafter=\reserved@a
4182 \do{%
4183 \ifx\reserved@c\empty\else
4184 \expandafter\in\{,\reserved@c,\},\reserved@a,%
4185 \ifin@
4186 \else
4187 \edef\bidipreventPackageFromLoading{%
4188 \bidipreventPackageFromLoading,\reserved@c
4189 }%

```



```

4190         \fi
4191     \fi
4192 }%
4193 \ifx\bidix@excludedpackages\@empty\bidix@ResetPreventPackageFromLoading\fi
4194 \fi
4195 }
4196
4197
4198 \newcommand*\bidix@RequirePackage}[2][ ]{%
4199     \let\reserved@c\@empty
4200     \let\reserved@d\@empty
4201     \edef\reserved@b{\zap@space#2 \@empty}%
4202     \expandafter\@for\expandafter\reserved@b\expandafter:\expandafter=\reserved@b
4203     \do {%
4204         \begingroup
4205         \@tempswatrue
4206         \@for\reserved@a:=\bidix@excludedpackages\do {%
4207             \ifx\reserved@a\reserved@b
4208                 \@tempswafalse
4209             \fi
4210         }%
4211         \if@tempswa
4212             \xdef\reserved@c{\reserved@c,\reserved@b}%
4213         \else
4214             \ifx\reserved@b\@empty\else
4215                 \PackageInfo{biditools}{Excluding package `\' \reserved@b' \MessageBreak
4216                     from loading}%
4217                 \@ifundefined{bidix@exclude@package@\reserved@b @do}{%
4218                     }{%
4219                     \expandafter\g@addto@macro\expandafter\reserved@d
4220                     \csname bidix@exclude@package@\reserved@b @do\endcsname
4221                     }%
4222             \fi
4223         \fi
4224     \endgroup
4225 }%
4226 \ifx\reserved@c\@empty
4227     \let\reserved@a\bidix@gobbleopt
4228 \else
4229     \edef\reserved@a{\noexpand\bidix@saved@RequirePackage[#1]{%
4230         \expandafter\@gobble\reserved@c\@empty}}%
4231 \fi
4232 \expandafter\reserved@d
4233 \reserved@a
4234 }
4235
4236 \newcommand*\bidix@gobbleopt}[1][ ]{}
4237 \AtEndDocument{%
4238     \let\bidix@saved@checkend=\@checkend
4239     \renewcommand*\@checkend}[1]{%

```



```

4240 \def\reserved@a{#1}\def\reserved@b{document}%
4241 \bidi@saved@checkend{#1}%
4242 \ifx\reserved@a\reserved@b
4243   \let\bidi@saved@clearpage=\clearpage
4244   \renewcommand*{\clearpage}{\bidi@saved@clearpage
4245     \bidi@hook@bcma
4246     \bidi@restore@newpage
4247     \let\clearpage=\bidi@saved@clearpage}%
4248 \fi%
4249 \let\bidi@saved@dofilelist\@dofilelist
4250 \def\@dofilelist{%
4251   \bidi@hook@acma
4252   \let\@dofilelist\bidi@saved@dofilelist
4253   \bidi@saved@dofilelist
4254 }%
4255 }%
4256 }
4257
4258
4259 \newcommand*{\bidi@saved@checkend}{}
4260 \newcommand*{\bidi@saved@dofilelist}{}
4261 \newcommand*{\bidi@redefine@newpage}{%
4262   \let\bidi@saved@newpage\newpage
4263   \def\bidi@restore@newpage{%
4264     \renewcommand*{\newpage}{%
4265       \PackageWarningNoLine{%
4266         biditools%
4267       }{%
4268         \string\newpage\space at main aux file!\MessageBreak
4269         You have output material at the main aux file.\MessageBreak
4270         Note, that the \string\bidi@BeforeClosingMainAux\space commands\MessageBreak
4271         are processed before the output from aux file%
4272       }%
4273       \let\newpage\bidi@saved@newpage
4274       \newpage
4275     }%
4276   }%
4277   \renewcommand*{\newpage}{%
4278     \PackageError{%
4279       biditools%
4280     }{%
4281       \string\newpage\space at \string\bidi@BeforeClosingMainAux
4282     }{%
4283       You should never use \string\newpage\space or
4284       \string\clear(double)page or other output material at the\MessageBreak
4285       argument of \string\bidi@BeforeClosingMainAux!\MessageBreak
4286       If you'll continue, the \string\newpage\space will be ignored to
4287       avoid corruption of\MessageBreak
4288       every prior use of \string\bidi@BeforeClosingMainAux.
4289     }%

```



```

4290 }%
4291 }
4292
4293 \newcommand*{\bidi@restore@newpage}{}
4294 \newcommand*{\bidi@hook@bcma}{}
4295 \newcommand*{\bidi@hook@acma}{}
4296 \newcommand*{\bidi@BeforeClosingMainAux}{%
4297   \ifx\bidi@hook@bcma\@empty
4298     \gdef\bidi@hook@bcma{%
4299       \renewcommand*{\bidi@BeforeClosingMainAux}[1]{###1}%
4300       \let\protected@write\bidi@protected@immediate@write
4301       \bidi@redefine@newpage
4302     }%
4303   \fi
4304   \g@addto@macro\bidi@hook@bcma%
4305 }
4306
4307 \newcommand*{\bidi@AfterReadingMainAux}{%
4308   \ifx\bidi@hook@acma\@empty
4309     \gdef\bidi@hook@acma{%
4310       \renewcommand*{\bidi@AfterReadingMainAux}[1]{###1}%
4311       \let\protected@write\bidi@protected@immediate@write
4312     }%
4313   \fi
4314   \g@addto@macro\bidi@hook@acma%
4315 }
4316
4317 \long\def\bidi@protected@immediate@write#1#2#3{%
4318   \begingroup
4319     #2%
4320     \let\protect\@unexpandable@protect
4321     \edef\reserved@a{\immediate\write#1{#3}}%
4322     \reserved@a
4323   \endgroup
4324   \if@nobreak\ifvmode\nobreak\fi\fi
4325 }
4326
4327 \def\bidi@patch@counter{0}%
4328 \if@bidi@csundef{numexpr}{%
4329   \def\bidi@patch@stepcounter{%
4330     \begingroup
4331       \count@\bidi@patch@counter\relax
4332       \advance\count@\@one\relax
4333     \edef\x{\endgroup
4334       \noexpand\def\noexpand\bidi@patch@counter{\the\count@}%
4335     }%
4336     \x
4337   }%
4338 }{%
4339   \def\bidi@patch@stepcounter{%

```



```

4340 \edef\bidipatch@counter{%
4341 \the\numexpr\bidipatch@counter+\@ne\relax
4342 }%
4343 }%
4344 }
4345 \def\bidipatch@list{}
4346 \def\bidipatch@Add{%
4347 \bidipatch@appto\bidipatch@list
4348 }
4349 \def\bidipatch@AfterPackage#1{%
4350 \@ifpackageloaded{#1}{%
4351 \@firstofone
4352 }{%
4353 \bidipatch@AfterPackage{#1}%
4354 }%
4355 }
4356 \def\@bidipatch@AfterPackage#1{%
4357 \edef\bidipatch@temp{#1}%
4358 \bidipatch@stepcounter
4359 \expandafter\bidipatch@@AfterPackage
4360 \csname @bidipatch@\bidipatch@counter\expandafter\endcsname{%
4361 \bidipatch@temp
4362 }%
4363 }
4364 \def\bidipatch@@AfterPackage#1#2#3{%
4365 \begingroup
4366 \toks@{#3}%
4367 \xdef\bidipatch@gtemp{%
4368 \noexpand\@ifpackageloaded{#2}{%
4369 \noexpand\let\noexpand#1\noexpand\relax
4370 \the\toks@
4371 }{}}%
4372 }%
4373 \endgroup
4374 \let#1\bidipatch@gtemp
4375 \bidipatch@Add#1%
4376 \bidipatch@try{\bidipatch@AfterPackage}{#2}#1%
4377 }
4378
4379 \def\bidipatch@try#1#2#3{%
4380 \if@bidipatch@csundef{#1}{%
4381 \csname #1\endcsname{#2}{#3}%
4382 }%
4383 }
4384
4385 \AtBeginDocument{\bidipatch@list}
4386
4387 \bidipatch@AtEndPreamble{\bidipatch@list}%
4388
4389 \bidipatch@AfterEndPreamble{%

```



```

4390 \let\ bidi@patch@OrgIfPackageLoaded\@ifpackageloaded
4391 \let\ bidi@patch@OrgIfPackageLater\@ifpackagelater
4392 \let\ bidi@patch@OrgIfClassLoaded\@ifclassloaded
4393 \let\ bidi@patch@OrgIfClassLater\@ifclasslater
4394 \bidi@patch@list
4395 \let\@ifpackageloaded\ bidi@patch@OrgIfPackageLoaded
4396 \let\@ifpackagelater\ bidi@patch@OrgIfPackageLater
4397 \let\@ifclassloaded\ bidi@patch@OrgIfClassLoaded
4398 \let\@ifclasslater\ bidi@patch@OrgIfClassLater
4399 }%

```

22 File `bidituftefloat.sty`

```

4400 \NeedsTeXFormat{LaTeX2e}
4401 \ProvidesPackage{bidituftefloat}[2017/05/19 v0.2
4402 bidi implementation of tufte float]
4403 \RequirePackage{xifthen}
4404 \newcommand{\@bidituftefloat@pkgname}{bidituftefloat}
4405 \newcommand{\bidituftefloatError}[2]{\PackageError{\@bidituftefloat@pkgname}{#1}{#2}}
4406 \newcommand{\bidituftefloatDebugInfoNL}[1]{\ifthenelse{\boolean{\@bidituftefloat@debug}}{\bidi
4407 \newcommand{\bidituftefloatInfoNL}[1]{\PackageInfo{\@bidituftefloat@pkgname}{#1\@gobble}}
4408 \newboolean{\@bidituftefloat@reversegeometry}
4409 \setboolean{\@bidituftefloat@reversegeometry}{false}
4410 \DeclareOption{reversegeometry}{\setboolean{\@bidituftefloat@reversegeometry}{true}}
4411 \newboolean{\@bidituftefloat@a4paper}
4412 \DeclareOption{a4paper}{\setboolean{\@bidituftefloat@a4paper}{true}}
4413 \newboolean{\@bidituftefloat@b5paper}
4414 \DeclareOption{b5paper}{\setboolean{\@bidituftefloat@b5paper}{true}}
4415 \newboolean{\@bidituftefloat@symmetric}
4416 \newboolean{\@bidituftefloat@twoside}
4417 \DeclareOption{twoside}{%
4418 \@twosidefalse \@mparswitchtrue%
4419 \setboolean{\@bidituftefloat@twoside}{true}%
4420 \setboolean{\@bidituftefloat@symmetric}{true}%
4421 }
4422 \DeclareOption{oneside}{%
4423 \@twosidefalse \@mparswitchfalse%
4424 \setboolean{\@bidituftefloat@twoside}{false}%
4425 \setboolean{\@bidituftefloat@symmetric}{false}%
4426 }
4427 \ifclassloaded{book}{\ExecuteOptions{twoside}}{}
4428 \newboolean{\@bidituftefloat@debug}
4429 \newcommand*{\@bidituftefloat@caption@justification}{\@bidituftefloat@justification@autodetect
4430 \ProcessOptions
4431 %% Globally sets the length
4432 \newcommand*{\gsetlength}[2]{%
4433 \setlength{#1}{#2}%
4434 \global#1=#1\relax%
4435 }
4436

```



```

4437%% Set the font sizes and baselines to match bidingfloat's books
4438\renewcommand\normalsize{%
4439  \@setfontsize\normalsize\@xpt{14}%
4440  \abovedisplayskip 10\p@ \@plus2\p@ \@minus5\p@
4441  \abovedisplayshortskip \z@ \@plus3\p@
4442  \belowdisplayshortskip 6\p@ \@plus3\p@ \@minus3\p@
4443  \belowdisplayskip \abovedisplayskip
4444  \let\@listi\@listI}
4445\normalbaselineskip=14pt
4446\normalsize
4447\renewcommand\footnotesize{%
4448  \@setfontsize\footnotesize\@viipt{10}%
4449  \abovedisplayskip 6\p@ \@plus2\p@ \@minus4\p@
4450  \abovedisplayshortskip \z@ \@plus\p@
4451  \belowdisplayshortskip 3\p@ \@plus\p@ \@minus2\p@
4452  \def\@listi{\leftmargin\leftmarginI
4453      \topsep 3\p@ \@plus\p@ \@minus\p@
4454      \parsep 2\p@ \@plus\p@ \@minus\p@
4455      \itemsep \parsep}%
4456  \belowdisplayskip \abovedisplayskip
4457}
4458%% Paragraph indentation and separation for marginal text
4459\newcommand{\@bidingfloat@margin@par}{%
4460  \setlength{\RaggedRightParindent}{0.5pc}%
4461  \setlength{\JustifyingParindent}{0.5pc}%
4462  \setlength{\parindent}{0.5pc}%
4463  \setlength{\parskip}{0pt}%
4464}
4465\RequirePackage{ragged2e}
4466\ifthenelse{\boolean{@bidingfloat@reversegeometry}}{%
4467\RequirePackage[letterpaper,right=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar]{ragged2e}
4468\ifthenelse{\boolean{@bidingfloat@a4paper}}{
4469  {\geometry{a4paper,right=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpar}{
4470    {}
4471\ifthenelse{\boolean{@bidingfloat@b5paper}}{
4472  {\geometry{paperwidth=176mm,paperheight=250mm,right=14.66mm,top=13.88mm,textwidth=102.66mm,marginpar}{
4473    {}}%
4474\RequirePackage[letterpaper,left=1in,top=1in,headsep=2\baselineskip,textwidth=26pc,marginpar]{ragged2e}
4475\ifthenelse{\boolean{@bidingfloat@a4paper}}{
4476  {\geometry{a4paper,left=24.8mm,top=27.4mm,headsep=2\baselineskip,textwidth=107mm,marginpar}{
4477    {}
4478\ifthenelse{\boolean{@bidingfloat@b5paper}}{
4479  {\geometry{paperwidth=176mm,paperheight=250mm,left=14.66mm,top=13.88mm,textwidth=102.66mm,marginpar}{
4480    {}}%
4481\ifthenelse{\boolean{@bidingfloat@symmetric}}{
4482  {}
4483  {\geometry{asymmetric}}}% forces internal LaTeX `twoside'
4484\setlength\marginparpush{10pt}
4485%% Font for margin items
4486\newcommand{\@bidingfloat@marginfont}{\normalfont\footnotesize}

```



```

4487 \newcommand*{\@biditytfloat@caption@font}{\@biditytfloat@marginfont}
4488 \newcommand*{\setcaptionfont}[1]{\renewcommand*{\@biditytfloat@caption@font}{#1}}
4489 \newcommand{\@biditytfloat@justification}{\justifying}%
4490 \setlength\abovedisplayskip{6pt plus 2pt minus 4pt}
4491 \setlength\belowdisplayskip{6pt plus 2pt minus 4pt}
4492 \newboolean{\@biditytfloat@changepage}
4493 \IfFileExists{changepage.sty}{%
4494   \biditytfloatDebugInfoNL{Found changepage.sty}
4495   \RequirePackage[strict]{changepage}
4496   \setboolean{\@biditytfloat@changepage}{true}
4497 }{%
4498   \biditytfloatDebugInfoNL{Found chngpage.sty}
4499   \RequirePackage[strict]{chngpage}
4500   \setboolean{\@biditytfloat@changepage}{false}
4501 }
4502 \newboolean{\@biditytfloat@odd@page}
4503 \setboolean{\@biditytfloat@odd@page}{true}
4504 \newcommand*{\@biditytfloat@checkoddpag}{%
4505   \checkoddpag%
4506   \ifthenelse{\boolean{\@biditytfloat@changepage}}{%
4507     \ifoddpag%
4508       \setboolean{\@biditytfloat@odd@page}{true}%
4509     \else%
4510       \setboolean{\@biditytfloat@odd@page}{false}%
4511     \fi%
4512   }{%
4513     \ifcpoddpag%
4514       \setboolean{\@biditytfloat@odd@page}{true}%
4515     \else%
4516       \setboolean{\@biditytfloat@odd@page}{false}%
4517     \fi%
4518   }%
4519 }
4520 \newlength{\@biditytfloat@overhang}% used by the fullwidth environment and the running head
4521 \newlength{\@biditytfloat@fullwidth}
4522 \newlength{\@biditytfloat@caption@fill}
4523 \newcommand{\@biditytfloatRecalculate}{%
4524   \setlength{\@biditytfloat@overhang}{\marginparwidth}
4525   \addtolength{\@biditytfloat@overhang}{\marginparsep}
4526
4527   \setlength{\@biditytfloat@fullwidth}{\textwidth}
4528   \addtolength{\@biditytfloat@fullwidth}{\marginparsep}
4529   \addtolength{\@biditytfloat@fullwidth}{\marginparwidth}
4530
4531   \setlength{\@biditytfloat@caption@fill}{\textwidth}
4532   \addtolength{\@biditytfloat@caption@fill}{\marginparsep}
4533 }
4534 \AtBeginDocument{\@biditytfloatRecalculate}
4535 \RequirePackage{optparams}% provides multiple optional arguments for commands
4536 \RequirePackage{placeins}

```




```

4537 \newsavebox{\@biditytfloat@margin@floatbox}
4538 \newenvironment{@biditytfloat@margin@float}[2][-1.2ex]%
4539   {\FloatBarrier% process all floats before this point so the figure/table numbers stay in order}
4540   \begin{lrbox}{\@biditytfloat@margin@floatbox}%
4541   \begin{minipage}{\marginparwidth}%
4542     \@biditytfloat@caption@font%
4543     \def\@capttype{#2}%
4544     \hbox{\vspace*{#1}%
4545       \@biditytfloat@caption@justification%
4546       \@biditytfloat@margin@par%
4547       \noindent%
4548     }
4549   {\end{minipage}%
4550   \end{lrbox}%
4551   \marginpar{\usebox{\@biditytfloat@margin@floatbox}}%
4552 }
4553 \newenvironment{marginfigure}[1][-1.2ex]%
4554   {\begin{@biditytfloat@margin@float}[#1]{figure}}
4555   {\end{@biditytfloat@margin@float}}
4556 \newenvironment{margintable}[1][-1.2ex]%
4557   {\begin{@biditytfloat@margin@float}[#1]{table}}
4558   {\end{@biditytfloat@margin@float}}
4559 \newcommand*{\@biditytfloat@justification@autodetect}{\justifying}%
4560
4561 \newcommand{\@biditytfloat@float@debug@info}{}% contains debug info generated as the float is processed
4562 \newcommand{\@biditytfloat@float@debug}[1]{% adds debug info to the queue for output
4563   \ifthenelse{equal{\@biditytfloat@float@debug@info}{}}%
4564     {\def\@biditytfloat@float@debug@info{#1}}%
4565     {\g@addto@macro\@biditytfloat@float@debug@info{\MessageBreak#1}}%
4566 }
4567 \newcommand{\floatalignment}{x}% holds the current float alignment (t, b, h, p)
4568 \newcommand{\setfloatalignment}[1]{\global\def\floatalignment{#1}\@biditytfloat@float@debug@info{setfloatalignment: #1}}
4569 \newboolean{@biditytfloat@float@recto}
4570 \newcommand{\forcerectofloat}{\GlobalSetBoolean{@biditytfloat@float@recto}{true}\@biditytfloat@float@recto}
4571 \newcommand{\forceeversofloat}{\GlobalSetBoolean{@biditytfloat@float@recto}{false}\@biditytfloat@float@recto}
4572 \newsavebox{\@biditytfloat@figure@box}
4573 \newsavebox{\@biditytfloat@caption@box}
4574 \let\@biditytfloat@orig@float\@float
4575 \let\@biditytfloat@orig@endfloat\endfloat
4576 \newlength{\@biditytfloat@caption@vertical@offset}
4577 \setlength{\@biditytfloat@caption@vertical@offset}{0pt}
4578 \newcommand{\@biditytfloat@stored@shortcaption}{%
4579   \newcommand{\@biditytfloat@stored@caption}{%
4580     \newcommand{\@biditytfloat@stored@label}{%
4581       \long\def\@biditytfloat@caption[#1][#2]#3{%
4582         \ifthenelse{isempty{#1}}%
4583           {\gdef\@biditytfloat@stored@shortcaption{#3}}%
4584           {\gdef\@biditytfloat@stored@shortcaption{#1}}%
4585         \gsetlength{\@biditytfloat@caption@vertical@offset}{-#2}% we want a positive offset to lower the caption
4586         \gdef\@biditytfloat@stored@caption{#3}%

```



```

4587 }
4588 \newcommand{\@biditytfloat@label}[1]{%
4589   \gdef\@biditytfloat@stored@label{#1}%
4590 }
4591 \newcommand{\@biditytfloat@fps}{%
4592 \newboolean{\@biditytfloat@float@star}
4593 \newlength{\@biditytfloat@float@contents@width}
4594 \newenvironment{\@biditytfloat@float}[3][htbp]{%
4595   {% begin \@biditytfloat@float
4596     % Should this float be full-width or just text-width?
4597     \ifthenelse{\equal{#3}{star}}{%
4598       {\GlobalSetBoolean{\@biditytfloat@float@star}{true}}%
4599       {\GlobalSetBoolean{\@biditytfloat@float@star}{false}}%
4600     % Check page side (recto/verso) and store detected value -- can be overridden in environment
4601     \@biditytfloat@checkoddpagel%
4602     \ifthenelse{\boolean{\@biditytfloat@odd@page}}{%
4603       {\GlobalSetBoolean{\@biditytfloat@float@recto}{true}}\@biditytfloat@float@debug{Detect
4604       {\GlobalSetBoolean{\@biditytfloat@float@recto}{false}}\@biditytfloat@float@debug{Detect
4605     % If the float placement specifier is 'b' and only 'b', then bottom-align the mini-pages,
4606     \renewcommand{\@biditytfloat@fps}{#1}%
4607     \@biditytfloat@float@debug{Allowed positions: [ #1 ]}%
4608     \ifthenelse{\equal{#1}{b}\OR\equal{#1}{B}}{%
4609       {\renewcommand{\floatalignment}{b}}\@biditytfloat@float@debug{Presumed position: [bottom]}
4610       {\renewcommand{\floatalignment}{t}}\@biditytfloat@float@debug{Presumed position: [top]}
4611     % Capture the contents of the \caption and \label commands to use later
4612     \global\let\@biditytfloat@orig@caption\caption%
4613     \global\let\@biditytfloat@orig@label\label%
4614     \renewcommand{\caption}{\optparams{\@biditytfloat@caption}{[ ] [Opt]}}%
4615     \renewcommand{\label}[1]{\@biditytfloat@label{##1}}%
4616     % Handle subfigure package compatibility
4617     \ifthenelse{\boolean{\@biditytfloat@packages@subfigure}}{%
4618       \bidi@patchcmd{\subfigure}{%
4619         \let\subfig@oldlabel=\label
4620       }{%
4621         \let\subfig@oldlabel=\@biditytfloat@orig@label
4622       }
4623     }
4624     {}
4625     \let\subtable=\subfigure
4626   }{% subfigure package is not loaded
4627     \@biditytfloat@orig@float{#2}[#1]%
4628     \ifthenelse{\boolean{\@biditytfloat@float@star}}{%
4629       {\setlength{\@biditytfloat@float@contents@width}{\@biditytfloat@fullwidth}}%
4630       {\setlength{\@biditytfloat@float@contents@width}{\textwidth}}%
4631     }
4632     \begin{lrbox}{\@biditytfloat@figure@box}%
4633     \begin{minipage}[floatalignment]{\@biditytfloat@float@contents@width}\hbox{%
4634   }{% end \@biditytfloat@float
4635     \par\hbox{} \vspace{-\baselineskip}\ifthenelse{\prevdepth>0}{\vspace{-\prevdepth}}{}% align
4636     \end{minipage}%
4637     \end{lrbox}%

```



```

4637 % build the caption box
4638 \begin{lrbox}{\@biditytfloat@caption@box}%
4639 \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{%
4640 \ifthenelse{\NOT\equal{\@biditytfloat@stored@caption}{}}{\@biditytfloat@orig@capti
4641 \ifthenelse{\NOT\equal{\@biditytfloat@stored@label}{}}{\@biditytfloat@orig@label{
4642 \par\vspace{-\prevdepth}}% TODO: DOUBLE-CHECK FOR SAFETY
4643 \end{minipage}%
4644 \end{lrbox}%
4645 % now typeset the stored boxes
4646 \begin{fullwidth}%
4647 \begin{minipage}[\floatalignment]{\linewidth}%
4648 \ifthenelse{\boolean{@biditytfloat@float@star}}%
4649 {\@biditytfloat@float@fullwidth[\@biditytfloat@caption@vertical@offset]{\@bidity
4650 {\@biditytfloat@float@textwidth[\@biditytfloat@caption@vertical@offset]{\@bidity
4651 \end{minipage}%
4652 \end{fullwidth}%
4653 \@biditytfloat@orig@endfloat% end original LaTeX float environment
4654 % output debug info
4655 \ifthenelse{\boolean{@biditytfloat@debug}}{%
4656 \typeout{^^J^^J----- biditytfloat package float information -----}%
4657 \ifthenelse{\equal{\@biditytfloat@stored@label}{}}%
4658 {\typeout{Warning: Float unlabeled!}}%
4659 {\typeout{Float label: [\@biditytfloat@stored@label]}}%
4660 \typeout{Page number: [\thepage]}%
4661 \def\MessageBreak{^^J}%
4662 \typeout{\@biditytfloat@float@debug@info}%
4663 \ifthenelse{\boolean{@biditytfloat@symmetric}}%
4664 {\typeout{Symmetric: [true]}}%
4665 {\typeout{Symmetric: [false]}}%
4666 \typeout{-----^^J^^J}%
4667 }%
4668 % reset commands and temp boxes and captions
4669 \gdef\@biditytfloat@float@debug@info{%
4670 \let\caption\@biditytfloat@orig@caption%
4671 \let\label\@biditytfloat@orig@label%
4672 \begin{lrbox}{\@biditytfloat@figure@box}\hbox{}\end{lrbox}%
4673 \begin{lrbox}{\@biditytfloat@caption@box}\hbox{}\end{lrbox}%
4674 \gdef\@biditytfloat@stored@shortcaption{%
4675 \gdef\@biditytfloat@stored@caption{%
4676 \gdef\@biditytfloat@stored@label{%
4677 \gsetlength{\@biditytfloat@caption@vertical@offset}{0pt}% reset caption offset
4678 }
4679 \newcommand{\@biditytfloat@float@textwidth}[3][0pt]{%
4680 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}\OR\boolean{@biditytfloat@float@recto}}
4681 % asymmetric or page is odd, so caption is on the right
4682 \hbox{%
4683 \usebox{#2}%
4684 \hspace{\marginparsep}%
4685 \smash{\raisebox{#1}{\usebox{#3}}}%
4686 }

```



```

4687 \@biditytfloat@float@debug{Caption position: [right]]}%
4688 }{% symmetric pages and page is even, so caption is on the left
4689 \hbox{%
4690 \smash{\raisebox{#1}{\usebox{#3}}}%
4691 \hspace{\marginparsep}%
4692 \usebox{#2}%
4693 }
4694 \@biditytfloat@float@debug{Caption position: [left]]}%
4695 }%
4696 }
4697 \newcommand{\@biditytfloat@float@fullwidth}[3][Opt]{%
4698 \ifthenelse{equal{\floatalignment}{b}}{%
4699 {% place caption above figure
4700 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}\OR\boolean{@biditytfloat@float@re
4701 {\hfill\smash{\raisebox{#1}{\usebox{#3}}}\par\usebox{#2}\@biditytfloat@float@debug{
4702 {\smash{\raisebox{#1}{\usebox{#3}}}\hfill\par\usebox{#2}\@biditytfloat@float@debug{
4703 }{% place caption below figure
4704 \ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}\OR\boolean{@biditytfloat@float@re
4705 {\usebox{#2}\par\hfill\smash{\raisebox{#1}{\usebox{#3}}}\@biditytfloat@float@debug{
4706 {\usebox{#2}\par\smash{\raisebox{#1}{\usebox{#3}}}\hfill\@biditytfloat@float@debug{
4707 }%
4708 }
4709 \renewenvironment{figure}[1][htbp]{%
4710 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{figure}{}}
4711 {\end{@biditytfloat@float}}
4712 \renewenvironment{table}[1][htbp]
4713 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{table}{}}
4714 {\end{@biditytfloat@float}}
4715 \renewenvironment{figure*}[1][htbp]{%
4716 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{figure}{star}}
4717 {\end{@biditytfloat@float}}
4718 \renewenvironment{table*}[1][htbp]{%
4719 {\ifvmode\else\unskip\fi\begin{@biditytfloat@float}[#1]{table}{star}}
4720 {\end{@biditytfloat@float}}
4721 \newenvironment{fullwidth}
4722 {\ifthenelse{\boolean{@biditytfloat@symmetric}}}%
4723 {\ifthenelse{\boolean{@biditytfloat@change page}}{\begin{adjustwidth*}{-}\@biditytfloat@
4724 {\begin{adjustwidth}{-}\@biditytfloat@overhang}}}%
4725 }%
4726 {\ifthenelse{\boolean{@biditytfloat@symmetric}}}%
4727 {\ifthenelse{\boolean{@biditytfloat@change page}}{\end{adjustwidth*}}{\end{adjustwidth}}}%
4728 {\end{adjustwidth}}}%
4729 }
4730 \long\def\@caption#1[#2]#3{%
4731 \par%
4732 \addcontentsline{\csname ext@#1\endcsname}{#1}%
4733 {\protect\numberline{\csname the#1\endcsname}{\ignorespaces #2}}%
4734 \begingroup%
4735 \@parboxrestore%
4736 \if@minipage%

```



```

4737 \setminipage%
4738 \fi%
4739 \@biditytfloat@caption@font\@biditytfloat@caption@justification%
4740 \noindent\csname fnum@#1\endcsname: \ignorespaces#3\par%
4741 %\@makecaption{\csname fnum@#1\endcsname}{\ignorespaces #3}\par
4742 \endgroup}
4743 %%
4744 % Turns newlines into spaces. Based on code from the 'titlesec' package.
4745 \DeclareRobustCommand{\@biditytthead@newlinetospace}{%
4746 \@ifstar{\@biditytthead@newlinetospace@i}{\@biditytthead@newlinetospace@i}%
4747 }
4748 \def\@biditytthead@newlinetospace@i{%
4749 \ifdim\lastskip>z@\else\space\fi
4750 \ignorespaces%
4751 }
4752 \DeclareRobustCommand{\newlinetospace}[1]{%
4753 \let\@biditytthead@orig@cr\\% save the original meaning of \\
4754 \def\\{\@biditytthead@newlinetospace}% turn \\ and \\* into \space
4755 \let\newline\\% turn \newline into \space
4756 #1%
4757 \let\\{\@biditytthead@orig@cr}% revert to original meaning of \\
4758 }
4759 \RequirePackage{fancyhdr}
4760 \pagestyle{fancy}
4761 \AtBeginDocument{%
4762 \ifthenelse{\boolean{@biditytfloat@symmetric}}
4763 {\fancyhfoffset[LE,RO]{\@biditytfloat@overhang}}
4764 {\fancyhfoffset[RE,RO]{\@biditytfloat@overhang}}
4765 }
4766 % The running heads/feet don't have rules
4767 \renewcommand{\headrulewidth}{0pt}
4768 \renewcommand{\footrulewidth}{0pt}
4769 % The 'fancy' page style is the default style for all pages.
4770 \fancyhf{} % clear header and footer fields
4771 \ifthenelse{\boolean{@biditytfloat@symmetric}}
4772 {\fancyhead[LE]{\thepage\quad\textsl{\newlinetospace{\plainauthor}}}%
4773 \fancyhead[RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
4774 {\fancyhead[RE,RO]{\textsl{\newlinetospace{\plaintitle}}\quad\thepage}}%
4775 % The 'plain' page style is used on chapter opening pages.
4776 % In Tufte's /Beautiful Evidence/ he never puts page numbers at the
4777 % bottom of pages -- the folios are unexpressed.
4778 \fancypagestyle{plain}{
4779 \fancyhf{} % clear header and footer fields
4780 % Uncomment the following five lines of code if you want the opening page
4781 % of the chapter to express the folio in the lower outside corner.
4782 % \ifthenelse{\boolean{@biditytfloat@symmetric}}
4783 % {\fancyfoot[LE,RO]{\thepage}}
4784 % {\fancyfoot[RE,RO]{\thepage}}
4785 }
4786 % The 'empty' page style suppresses all headers and footers.

```



```

4787 % It's used on title pages and 'intentionally blank' pages.
4788 \fancypagestyle{empty}{
4789   \fancyhf{} % clear header and footer fields
4790 }
4791 \def\morefloats{% provides a total of 52 floats
4792   \ifthenelse{\isundefined{\bx@S}}{%
4793     \bidituftefloatDebugInfoNL{Adding 34 more float slots.}
4794     \newinsert\bx@S
4795     \newinsert\bx@T
4796     \newinsert\bx@U
4797     \newinsert\bx@V
4798     \newinsert\bx@W
4799     \newinsert\bx@X
4800     \newinsert\bx@Y
4801     \newinsert\bx@Z
4802     \newinsert\bx@a
4803     \newinsert\bx@b
4804     \newinsert\bx@c
4805     \newinsert\bx@d
4806     \newinsert\bx@e
4807     \newinsert\bx@f
4808     \newinsert\bx@g
4809     \newinsert\bx@h
4810     \newinsert\bx@i
4811     \newinsert\bx@j
4812     \newinsert\bx@k
4813     \newinsert\bx@l
4814     \newinsert\bx@m
4815     \newinsert\bx@n
4816     \newinsert\bx@o
4817     \newinsert\bx@p
4818     \newinsert\bx@q
4819     \newinsert\bx@r
4820     \newinsert\bx@s
4821     \newinsert\bx@t
4822     \newinsert\bx@u
4823     \newinsert\bx@v
4824     \newinsert\bx@w
4825     \newinsert\bx@x
4826     \newinsert\bx@y
4827     \newinsert\bx@z
4828     \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
4829       \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
4830       \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
4831       \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
4832       \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
4833       \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
4834       \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
4835       \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
4836       \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n

```



```

4837         \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
4838         \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
4839         \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z}%
4840 }{% we've already added another 34 floats, so we'll add 26 more, but that's it!
4841 \ifthenelse{isundefined{\bx@AA}}{%
4842     \bidituftefloatDebugInfoNL{Adding 26 more float slots.}
4843     \newinsert\bx@AA
4844     \newinsert\bx@BB
4845     \newinsert\bx@CC
4846     \newinsert\bx@DD
4847     \newinsert\bx@EE
4848     \newinsert\bx@FF
4849     \newinsert\bx@GG
4850     \newinsert\bx@HH
4851     \newinsert\bx@II
4852     \newinsert\bx@JJ
4853     \newinsert\bx@KK
4854     \newinsert\bx@LL
4855     \newinsert\bx@MM
4856     \newinsert\bx@NN
4857     \newinsert\bx@OO
4858     \newinsert\bx@PP
4859     \newinsert\bx@QQ
4860     \newinsert\bx@RR
4861     \newinsert\bx@SS
4862     \newinsert\bx@TT
4863     \newinsert\bx@UU
4864     \newinsert\bx@VV
4865     \newinsert\bx@WW
4866     \newinsert\bx@XX
4867     \newinsert\bx@YY
4868     \newinsert\bx@ZZ
4869 \gdef\@freelist{\@elt\bx@A\@elt\bx@B\@elt\bx@C\@elt\bx@D\@elt\bx@E
4870     \@elt\bx@F\@elt\bx@G\@elt\bx@H\@elt\bx@I\@elt\bx@J
4871     \@elt\bx@K\@elt\bx@L\@elt\bx@M\@elt\bx@N
4872     \@elt\bx@O\@elt\bx@P\@elt\bx@Q\@elt\bx@R
4873     \@elt\bx@S\@elt\bx@T\@elt\bx@U\@elt\bx@V
4874     \@elt\bx@W\@elt\bx@X\@elt\bx@Y\@elt\bx@Z
4875     \@elt\bx@a\@elt\bx@b\@elt\bx@c\@elt\bx@d\@elt\bx@e
4876     \@elt\bx@f\@elt\bx@g\@elt\bx@h\@elt\bx@i\@elt\bx@j
4877     \@elt\bx@k\@elt\bx@l\@elt\bx@m\@elt\bx@n
4878     \@elt\bx@o\@elt\bx@p\@elt\bx@q\@elt\bx@r
4879     \@elt\bx@s\@elt\bx@t\@elt\bx@u\@elt\bx@v
4880     \@elt\bx@w\@elt\bx@x\@elt\bx@y\@elt\bx@z
4881     \@elt\bx@AA\@elt\bx@BB\@elt\bx@CC\@elt\bx@DD\@elt\bx@EE
4882     \@elt\bx@FF\@elt\bx@GG\@elt\bx@HH\@elt\bx@II\@elt\bx@JJ
4883     \@elt\bx@KK\@elt\bx@LL\@elt\bx@MM\@elt\bx@NN
4884     \@elt\bx@OO\@elt\bx@PP\@elt\bx@QQ\@elt\bx@RR
4885     \@elt\bx@SS\@elt\bx@TT\@elt\bx@UU\@elt\bx@VV
4886     \@elt\bx@WW\@elt\bx@XX\@elt\bx@YY\@elt\bx@ZZ}%

```



```

4887 }{%
4888     \biditytfloatError{You may only call \string\morefloats\space twice. See the\MessageB
4889         {There are already 78 float slots allocated. Try using \string\FloatBarrier\space or\
4890     }%
4891 }%
4892 }
4893 \newboolean{@biditytfloat@packages@subfigure}
4894 \setboolean{@biditytfloat@packages@subfigure}{false}
4895 \AtBeginDocument{%
4896     \@ifpackageloaded{subfigure}
4897     {\GlobalSetBoolean{@biditytfloat@packages@subfigure}{true}}
4898     {\GlobalSetBoolean{@biditytfloat@packages@subfigure}{false}}%
4899 }
4900 \AtBeginDocument{%
4901     \@ifpackageloaded{float}{%
4902         % Save the redefined float environment (instead of the LaTeX float environment)
4903         \let\biditytfloat@orig@float\float
4904         \let\biditytfloat@orig@endfloat\endfloat
4905
4906         % Define Tuftian float styles (with the caption in the margin)
4907         \newcommand{\floatc@biditytfloatplain}[2]{%
4908             \begin{lrbox}{\@biditytfloat@caption@box}%
4909                 \begin{minipage}[\floatalignment]{\marginparwidth}\hbox{%
4910                     \@biditytfloat@caption@font{\@fs@cfont #1:} #2\par%
4911                 }
4912             \end{minipage}%
4913             \smash{\hspace{\@biditytfloat@caption@fill}}\usebox{\@biditytfloat@caption@box}}%
4914     }
4915     \newcommand{\fs@biditytfloatplain}{%
4916         \def\@fs@cfont{\@biditytfloat@caption@font}%
4917         \let\@fs@capt\floatc@biditytfloatplain%
4918         \def\@fs@pre{%
4919             \def\@fs@post{%
4920                 \def\@fs@mid{%
4921                     \let\@fs@iftopcapt\iftrue%
4922                 }
4923                 \let\fs@biditytfloatplaintop=\fs@biditytfloatplain
4924                 \let\floatc@biditytfloatplaintop=\floatc@biditytfloatplain
4925                 \newcommand\floatc@biditytfloatruled[2]{%
4926                     {\@fs@cfont #1} #2\par%
4927                 }
4928                 \newcommand\fs@biditytfloatruled{%
4929                     \def\@fs@cfont{\@biditytfloat@caption@font}%
4930                     \let\@fs@capt\floatc@biditytfloatplain%
4931                     \def\@fs@pre{\hrule height.8pt depth0pt width\textwidth \kern2pt}%
4932                     \def\@fs@post{\kern2pt\hrule width\textwidth\relax}%
4933                     \def\@fs@mid{%
4934                         \let\@fs@iftopcapt\iftrue%
4935                     }
4936                     \newcommand\fs@biditytfloatboxed{%

```




```

4937 \def\@fs@cfont{}%
4938 \let\@fs@capt\floatc@biditytfloatplain%
4939 \def\@fs@pre{%
4940   \setbox\@currbox\vbox{\hbadness10000
4941     \moveleft3.4pt\vbox{\advance\hsize by6.8pt
4942       \hrule \hbox to\hsize{\vrule\kern3pt
4943         \vbox{\kern3pt\box\@currbox\kern3pt}\kern3pt\vrule}\hrule}}
4944   }%
4945 \def\@fs@mid{\kern2pt}%
4946 \def\@fs@post{}%
4947 \let\@fs@iftopcapt\iftrue%
4948 }
4949 }{%
4950 % Nothing to do
4951 }
4952 }
4953 \AtBeginDocument{%
4954 \ifpackageloaded{algorithm}{%
4955 % Set the float style to the Tufte version
4956 \ifthenelse{\equal{\ALG@floatstyle}{plain}\OR\equal{\ALG@floatstyle}{ruled}\OR\equal{\ALG@floatstyle}{tufte}}{}{
4957 \biditytfloatInfoNL{Switching algorithm float style from \ALG@floatstyle\MessageBreak
4958 \floatstyle{biditytfloat\ALG@floatstyle}%
4959 \restylefloat{algorithm}%
4960 }{}}%
4961 }{%
4962 % Nothing to do
4963 }
4964 }
4965 \PassOptionsToPackage{caption=false}{subfig}

```

23 File biditytfloatsidenote.sty

```

4966 \NeedsTeXFormat{LaTeX2e}
4967 \ProvidesPackage{biditytfloatsidenote}[2017/08/09 v0.4
4968 bidi implementation of tufte sidenote]
4969 \RequirePackage{xifthen}
4970 \RequirePackage{ragged2e}
4971 \RequirePackage{setspace}
4972 \RequirePackage{biditytools}
4973 \def\biditytfloatsidenotemarginpar{%
4974   \ifhmode
4975     \@bsphack
4976     \@floatpenalty -\@Mii
4977   \else
4978     \@floatpenalty-\@Miii
4979   \fi
4980   \ifinner
4981     \@parmoderr
4982     \@floatpenalty\z@
4983   \else

```



```

4984 \@next\@currbox\@freelist{ }{}%
4985 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
4986 {\@floatpenalty\z@
4987 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
4988 \fi
4989 \@ifnextchar [\@bidityftesidenotexmpar\@bidityftesidenoteympar}
4990 \long\def\@bidityftesidenotexmpar[#1]#2{%
4991 \@bidityftesidenotesavemarbox\@marbox{#1}%
4992 \@bidityftesidenotesavemarbox\@currbox{#2}%
4993 \@xympar}
4994 \long\def\@bidityftesidenoteympar#1{%
4995 \@bidityftesidenotesavemarbox\@marbox{#1}%
4996 \global\setbox\@currbox\copy\@marbox
4997 \@xympar}
4998 \long\def \@bidityftesidenotesavemarbox #1#2{%
4999 \global\setbox #1%
5000 \color@vbox
5001 \vtop{%
5002 \hsize\marginparwidth
5003 \@parboxrestore
5004 \@bidityftesidenotemarginparreset
5005 #2%
5006 \@minipagefalse
5007 \outer@nobreak
5008 }%
5009 \color@endbox
5010 }
5011 \def \@bidityftesidenotemarginparreset {%
5012 \reset@font
5013 \normalsize
5014 \@minipagetrue
5015 \everypar{\@minipagefalse\everypar{}}\if@RTL@footnote\beginR\else\beginL\fi}%
5016 }
5017 \def\LTRbidityftesidenotemarginpar{%
5018 \ifhmode
5019 \@bsphack
5020 \@floatpenalty -\@Mii
5021 \else
5022 \@floatpenalty-\@Miii
5023 \fi
5024 \ifinner
5025 \@parmoderr
5026 \@floatpenalty\z@
5027 \else
5028 \@next\@currbox\@freelist{ }{}%
5029 \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
5030 {\@floatpenalty\z@
5031 \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
5032 \fi
5033 \@ifnextchar [\@LTRbidityftesidenotexmpar\@LTRbidityftesidenoteympar}

```



```

5034 \long\def\LTRbidityftesidenotexmpar[#1]#2{%
5035   \LTRbidityftesidenotesavemarbox\@marbox{#1}%
5036   \LTRbidityftesidenotesavemarbox\@currbox{#2}%
5037   \@xympar}
5038 \long\def\LTRbidityftesidenoteympar#1{%
5039   \LTRbidityftesidenotesavemarbox\@marbox{#1}%
5040   \global\setbox\@currbox\copy\@marbox
5041   \@xympar}
5042 \long\def \LTRbidityftesidenotesavemarbox #1#2{%
5043   \global\setbox #1%
5044     \color@vbox
5045     \vtop{%
5046       \hsize\marginparwidth
5047       \@parboxrestore
5048       \LTRbidityftesidenotemarginparreset
5049       #2%
5050       \@minipagefalse
5051       \outer@nobreak
5052     }%
5053   \color@endbox
5054 }
5055 \def \LTRbidityftesidenotemarginparreset {%
5056   \reset@font
5057   \normalsize
5058   \@minipagetrue
5059   \everypar{\@minipagefalse\everypar{}\beginL}%
5060 }
5061 \def\RTLbidityftesidenotemarginpar{%
5062   \ifhmode
5063     \@bsphack
5064     \@floatpenalty -\@Mii
5065   \else
5066     \@floatpenalty-\@Miii
5067   \fi
5068   \ifinner
5069     \@parmoderr
5070     \@floatpenalty\z@
5071   \else
5072     \@next\@currbox\@freelist{}\}%
5073     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
5074     {\@floatpenalty\z@
5075     \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}}%
5076   \fi
5077   \@ifnextchar [\@RTLbidityftesidenotexmpar\@RTLbidityftesidenoteympar}
5078 \long\def\@RTLbidityftesidenotexmpar[#1]#2{%
5079   \@RTLbidityftesidenotesavemarbox\@marbox{#1}%
5080   \@RTLbidityftesidenotesavemarbox\@currbox{#2}%
5081   \@xympar}
5082 \long\def\@RTLbidityftesidenoteympar#1{%
5083   \@RTLbidityftesidenotesavemarbox\@marbox{#1}%

```



```

5084 \global\setbox\@currbox\copy\@marbox
5085 \@xympar}
5086 \long\def \@RTLbidituftesidenotesavemarbox #1#2{%
5087 \global\setbox #1%
5088 \color@vbox
5089 \vtop{%
5090 \hsize\marginparwidth
5091 \@parboxrestore
5092 \@RTLbidituftesidenotemarginparreset
5093 #2%
5094 \@minipagefalse
5095 \outer@nobreak
5096 }%
5097 \color@endbox
5098 }
5099 \def \@RTLbidituftesidenotemarginparreset {%
5100 \reset@font
5101 \normalsize
5102 \@minipagetrue
5103 \everypar{\@minipagefalse\everypar{}\beginR}%
5104 }
5105 \newcommand*{\@bidituftesidenote@marginfont}{\normalfont\footnotesize}
5106 \newcommand*{\@bidituftesidenote@LTRmarginfont}{\normalfont\footnotesize}
5107 \newcommand*{\@bidituftesidenote@RTLmarginfont}{\normalfont\footnotesize}
5108 \newcommand*{\@bidituftesidenote@sidenote@font}{\@bidituftesidenote@marginfont}
5109 \newcommand*{\@bidituftesidenote@LTRsidenote@font}{\@bidituftesidenote@LTRmarginfont}
5110 \newcommand*{\@bidituftesidenote@RTLSidenote@font}{\@bidituftesidenote@RTLmarginfont}
5111 \newcommand*{\@bidituftesidenote@marginnote@font}{\@bidituftesidenote@marginfont}
5112 \newcommand*{\@bidituftesidenote@LTRmarginnote@font}{\@bidituftesidenote@LTRmarginfont}
5113 \newcommand*{\@bidituftesidenote@RTLmarginnote@font}{\@bidituftesidenote@RTLmarginfont}
5114 \newcommand*{\@bidituftesidenote@citation@font}{\@bidituftesidenote@marginfont}
5115 \newcommand*{\@bidituftesidenote@LTRcitation@font}{\@bidituftesidenote@LTRmarginfont}
5116 \newcommand*{\@bidituftesidenote@RTLcitation@font}{\@bidituftesidenote@RTLmarginfont}
5117 \newcommand*{\setsidenote@font}[1]{\renewcommand*{\@bidituftesidenote@sidenote@font}{#1}}
5118 \newcommand*{\setLTRsidenote@font}[1]{\renewcommand*{\@bidituftesidenote@LTRsidenote@font}{#1}}
5119 \newcommand*{\setRTLSidenote@font}[1]{\renewcommand*{\@bidituftesidenote@RTLSidenote@font}{#1}}
5120 \newcommand*{\setmarginnote@font}[1]{\renewcommand*{\@bidituftesidenote@marginnote@font}{#1}}
5121 \newcommand*{\setLTRmarginnote@font}[1]{\renewcommand*{\@bidituftesidenote@LTRmarginnote@font}{#1}}
5122 \newcommand*{\setRTLmarginnote@font}[1]{\renewcommand*{\@bidituftesidenote@RTLmarginnote@font}{#1}}
5123 \newcommand*{\setcitationfont}[1]{\renewcommand*{\@bidituftesidenote@citation@font}{#1}}
5124 \newcommand*{\setLTRcitationfont}[1]{\renewcommand*{\@bidituftesidenote@LTRcitation@font}{#1}}
5125 \newcommand*{\setRTLcitationfont}[1]{\renewcommand*{\@bidituftesidenote@RTLcitation@font}{#1}}
5126 \newcommand*{\@bidituftesidenote@sidenote@justification}{\@bidituftesidenote@justification@aut}
5127 \newcommand*{\@bidituftesidenote@marginnote@justification}{\@bidituftesidenote@justification@aut}
5128 \newcommand*{\@bidituftesidenote@citation@justification}{\@bidituftesidenote@justification@aut}
5129 \newcommand*{\@bidituftesidenote@justification@autodetect}{\justifying}%
5130 \newcommand{\@bidituftesidenote@margin@par}{%
5131 \setlength{\RaggedRightParindent}{0.5pc}%
5132 \setlength{\JustifyingParindent}{0.5pc}%
5133 \setlength{\parindent}{0.5pc}%

```



```

5134 \setlength{\parskip}{0pt}%
5135 }
5136 %%
5137 % Globally sets the length
5138 \@ifundefined{gsetlength}{%
5139 \newcommand*{\gsetlength}[2]{%
5140 \setlength{#1}{#2}%
5141 \global#1=#1\relax%
5142 }%
5143 }{}
5144
5145 %%
5146 % A function that removes leading and trailing spaces from the supplied macro.
5147 % Based on code written by Michael Downes (See ``Around the Bend'', #15.)
5148 % Executing \@bidityftesidenote@trim@spaces\xyzy will result in the contents of \xyzy
5149 % being trimmed of leading and trailing white space.
5150 \catcode\Q=3
5151 \def\@bidityftesidenote@trim@spaces#1{%
5152 % Use grouping to emulate a multi-token afterassignment queue
5153 \begingroup%
5154 % Put \toks 0 {' into the afterassignment queue
5155 \aftergroup\toks\aftergroup0\aftergroup{%
5156 % Apply \trimb to the replacement text of #1, adding a leading
5157 % \noexpand to prevent brace stripping and to serve another purpose
5158 % later.
5159 \expandafter\@bidityftesidenote@trim@b\expandafter\noexpand#1\Q}%
5160 % Transfer the trimmed text back into #1.
5161 \edef#1{\the\toks0}%
5162 }
5163 % \trimb removes a trailing space if present, then calls \@bidityftesidenote@trim@c to
5164 % clean up any leftover bizarre Qs, and trim a leading space. In
5165 % order for \trimc to work properly we need to put back a Q first.
5166 \def\@bidityftesidenote@trim@b#1\Q{\@bidityftesidenote@trim@c#1\Q}
5167 % Execute \vfuzz assignment to remove leading space; the \noexpand
5168 % will now prevent unwanted expansion of a macro or other expandable
5169 % token at the beginning of the trimmed text. The \endgroup will feed
5170 % in the \aftergroup tokens after the \vfuzz assignment is completed.
5171 \def\@bidityftesidenote@trim@c#1\Q#2{\afterassignment\endgroup \vfuzz\the\vfuzz#1}
5172 \catcode\Q=11
5173 %%
5174 % Citations should go in the margin as sidenotes
5175
5176 \RequirePackage{natbib}
5177 \RequirePackage{bibentry} % allows bibitems to be typeset outside the bibliography environment
5178 % Redefine the \BR@b@bibitem command to fix a bug with bibentry+chicago style
5179 \renewcommand\BR@b@bibitem[2][{}]{%
5180 \ifthenelse{\isempty{#1}}{%
5181 \BR@bibitem{#2}}%
5182 {\BR@bibitem[#1]{#2}}%
5183 \BR@c@bibitem{#2}%

```



```

5184 }
5185 \bidi@AtEndPreamble{\nobibliography*} % pre-loads the bibliography keys
5186 %%
5187 % Normal \cite behavior
5188 \newcounter{@bidityftesidenote@num@bibkeys}%
5189 \newcommand{\@bidityftesidenote@normal@cite}[2][Opt]{%
5190 % Snag the last bibentry in the list for later comparison
5191 \let\@temp@last@bibkey\empty%
5192 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5193 \sidenote[] [#1]{%
5194 % Loop through all the bibentries, separating them with semicolons and spaces
5195 \normalsize\normalfont\@bidityftesidenote@citation@font%
5196 \setcounter{@bidityftesidenote@num@bibkeys}{0}%
5197 \@for\@temp@bibkeyx:=#2\do{%
5198 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
5199 {\ifthenelse{\equal{\value{@bidityftesidenote@num@bibkeys}}{0}}{\and\ }%
5200 \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5201 \bibentry{\@temp@bibkeyx}}%
5202 {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5203 \bibentry{\@temp@bibkeyx};\ }%
5204 \stepcounter{@bidityftesidenote@num@bibkeys}%
5205 }%
5206 }%
5207 }
5208 \newcommand{\@bidityfteLTRsidenote@normal@cite}[2][Opt]{%
5209 % Snag the last bibentry in the list for later comparison
5210 \let\@temp@last@bibkey\empty%
5211 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5212 \LTRsidenote[] [#1]{%
5213 % Loop through all the bibentries, separating them with semicolons and spaces
5214 \normalsize\normalfont\@bidityftesidenote@LTRcitation@font%
5215 \setcounter{@bidityftesidenote@num@bibkeys}{0}%
5216 \@for\@temp@bibkeyx:=#2\do{%
5217 \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}{%
5218 {\ifthenelse{\equal{\value{@bidityftesidenote@num@bibkeys}}{0}}{\and\ }%
5219 \@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5220 \bibentry{\@temp@bibkeyx}}%
5221 {\@bidityftesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5222 \bibentry{\@temp@bibkeyx};\ }%
5223 \stepcounter{@bidityftesidenote@num@bibkeys}%
5224 }%
5225 }%
5226 }
5227 \newcommand{\@bidityfteRTLsidenote@normal@cite}[2][Opt]{%
5228 % Snag the last bibentry in the list for later comparison
5229 \let\@temp@last@bibkey\empty%
5230 \@for\@temp@bibkey:=#2\do{\let\@temp@last@bibkey\@temp@bibkey}%
5231 \RTLsidenote[] [#1]{%
5232 % Loop through all the bibentries, separating them with semicolons and spaces
5233 \normalsize\normalfont\@bidityftesidenote@citation@font%

```



```

5234 \setcounter{@biditytesidenote@num@bibkeys}{0}%
5235 \@for\@temp@bibkeyx:=#2\do{%
5236   \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
5237     {\ifthenelse{\equal{\value{@biditytesidenote@num@bibkeys}}{0}}{\and\ }%
5238     \@biditytesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5239     \bibentry{\@temp@bibkeyx}}%
5240     {\@biditytesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5241     \bibentry{\@temp@bibkeyx};\ }%
5242   \stepcounter{@biditytesidenote@num@bibkeys}%
5243 }%
5244 }%
5245 }
5246 %%
5247 % Macros for holding the list of cite keys until after the \sidenote
5248 \gdef\@biditytesidenote@citations{}% list of cite keys
5249 \newcommand\@biditytesidenote@add@citation[1]{\relax% adds a new bibkey to the list of cite
5250 \ifx\@biditytesidenote@citations\empty\else
5251   \g@addto@macro\@biditytesidenote@citations{,% separate by commas
5252 \fi
5253 \g@addto@macro\@biditytesidenote@citations{#1}
5254 }
5255 \newcommand{\@biditytesidenote@print@citations}[1][0pt]{% puts the citations in a margin note
5256 % Snag the last bibentry in the list for later comparison
5257 \let\@temp@last@bibkey\empty%
5258 \@for\@temp@bibkey:=\@biditytesidenote@citations\do{\let\@temp@last@bibkey\@temp@bibkey}%
5259 \marginpar{%
5260   \hbox{\vspace*{#1}}%
5261   \@biditytesidenote@citation@font%
5262   \@biditytesidenote@citation@justification%
5263   \@biditytesidenote@margin@par% use parindent and parskip settings for marginal text
5264   \vspace*{-1\baselineskip}%
5265   % Loop through all the bibentries, separating them with semicolons and spaces
5266   \setcounter{@biditytesidenote@num@bibkeys}{0}%
5267   \@for\@temp@bibkeyx:=\@biditytesidenote@citations\do{%
5268     \ifthenelse{\equal{\@temp@last@bibkey}{\@temp@bibkeyx}}%
5269       {\ifthenelse{\equal{\value{@biditytesidenote@num@bibkeys}}{0}}{\and\ }%
5270       \@biditytesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5271       \bibentry{\@temp@bibkeyx}}%
5272       {\@biditytesidenote@trim@spaces\@temp@bibkeyx% trim spaces around bibkey
5273       \bibentry{\@temp@bibkeyx};\ }%
5274     \stepcounter{@biditytesidenote@num@bibkeys}%
5275   }%
5276 }%
5277 }
5278 %%
5279 % \cite behavior when executed within a sidenote
5280 \newcommand{\@biditytesidenote@sidenote@citations}{}% contains list of \cites in sidenote
5281 \newcommand{\@biditytesidenote@infootnote@cite}[1]{%
5282   \@biditytesidenote@add@citation{#1}
5283 }

```



```

5284%%
5285% Set the default \cite style. This is set and reset by the \sidenote command.
5286\let\cite\@bidityftesidenote@normal@cite
5287\let\LTRcite\@bidityftelTRsidenote@normal@cite
5288\let\RTLcite\@bidityfteRTLSidenote@normal@cite
5289%%
5290% Transform existing \footnotes into \sidenotes
5291% Sidenote: ``Where God meant footnotes to go.''' ---bidityftesidenote
5292\RequirePackage{optparams}% for our new sidenote commands -- provides multiple optional arguments
5293\providecommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote@font}
5294\renewcommand{\footnotelayout}{\@bidityftesidenote@sidenote@font\@bidityftesidenote@sidenote@font}
5295% Override footmisc's definition to set the sidenote marks (numbers) inside the
5296% sidenote's text block.
5297\bidipatch@AfterPackage{bidi}{\long\def\@makefnintext#1{\@textsuperscript{\@bidityftesidenote@sidenote@font#1}}
5298% Set the in-text footnote mark in the same typeface as the body text itself.
5299\bidipatch@AfterPackage{bidi}{\def\@makefnmark{\hbox{\@textsuperscript{\normalfont\footnotesize\@bidityftesidenote@sidenote@font#1}}}
5300\providecommand*\multiplefootnotemarker{\hspace{3sp}}
5301\providecommand*\multfootsep{,}
5302\bidipatch@AfterPackage{bidi}{%
5303\renewcommand{\@footnotemark}{%
5304\leavevmode%
5305\ifhmode%
5306\edef\@xsf{\the\spacefactor}%
5307\@bidityftesidenote@check@multiple@sidenotes%
5308\nobreak%
5309\fi%
5310\@makefnmark%
5311\ifhmode\spacefactor\@xsf\fi%
5312\relax%
5313}%
5314}
5315\newcommand{\@bidityftesidenote@check@multiple@sidenotes}{%
5316\ifdim\lastkern=\multiplefootnotemarker\relax%
5317\edef\@xsf{\the\spacefactor}%
5318\unkern%
5319\textsuperscript{\multfootsep}%
5320\spacefactor\@xsf\relax%
5321\fi
5322}
5323\bidipatch@AfterPackage{bidi}{%
5324\renewcommand\@footnotetext[2][Opt]{%
5325\@bidityftesidenotemarginpar{%
5326\hbox{\vspace*{#1}}%
5327\def\baselinestretch {\setspace@singlespace}%
5328\reset@font%
5329\@bidityftesidenote@font% \reset@font\footnotesize%
5330\@bidityftesidenote@margin@par% use parindent and parskip settings for marginal text
5331\vspace*{-1\baselineskip}\noindent%
5332\protected@edef\@currentlabel{%
5333\csname p@footnote\endcsname\@thefnmark%

```




```

5334 }%
5335 \color@begingroup%
5336 \makefnfntext{%
5337 \ignorespaces#2%
5338 }%
5339 \color@endgroup%
5340 }%
5341 }%
5342 \renewcommand\@LTRfootnotetext[2][0pt]{%
5343 \LTRbidituftesidenotemarginpar{%
5344 \hbox{}\vspace*{#1}%
5345 \def\baselinestretch {\setspace@singlespace}%
5346 \reset@font%
5347 \bidi@LTRfootnotetext@font% \reset@font\footnotesize%
5348 \@bidiuftesidenote@margin@par% use parindent and parskip settings for marginal text
5349 \vspace*{-1\baselineskip}\noindent%
5350 \protected@edef\@currentlabel{%
5351 \csname p@footnote\endcsname\@thefnmark%
5352 }%
5353 \color@begingroup%
5354 \makefnfntext{%
5355 \ignorespaces#2%
5356 }%
5357 \color@endgroup%
5358 }%
5359 }%
5360 \renewcommand\@RTLfootnotetext[2][0pt]{%
5361 \RTLbidituftesidenotemarginpar{%
5362 \hbox{}\vspace*{#1}%
5363 \def\baselinestretch {\setspace@singlespace}%
5364 \reset@font%
5365 \bidi@RTLfootnotetext@font% \reset@font\footnotesize%
5366 \@bidiuftesidenote@margin@par% use parindent and parskip settings for marginal text
5367 \vspace*{-1\baselineskip}\noindent%
5368 \protected@edef\@currentlabel{%
5369 \csname p@footnote\endcsname\@thefnmark%
5370 }%
5371 \color@begingroup%
5372 \makefnfntext{%
5373 \ignorespaces#2%
5374 }%
5375 \color@endgroup%
5376 }%
5377 }%
5378 }
5379 %
5380 % Define \sidenote command. Can handle \cite.
5381 \newlength{\@bidiuftesidenote@sidenote@vertical@offset}
5382 \setlength{\@bidiuftesidenote@sidenote@vertical@offset}{0pt}
5383 % #1 = footnote num, #2 = vertical offset, #3 = footnote text

```



```

5384 \long\def\@bidityftesidenote@sidenote[#1][#2]#3{%
5385   \let\cite\@bidityftesidenote@infootnote@cite%   use the in-sidenote \cite command
5386   \gdef\@bidityftesidenote@citations{}%           clear out any old citations
5387   \ifthenelse{\NOT\isempty{#2}}{%
5388     \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
5389   }{%
5390     \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
5391   }%
5392   \ifthenelse{\isempty{#1}}{%
5393     % no specific footnote number provided
5394     \stepcounter\@mpfn%
5395     \protected@xdef\@thefnmark{\thempfn}%
5396     \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
5397   }{%
5398     % specific footnote number provided
5399     \begingroup%
5400       \csname c@\@mpfn\endcsname #1\relax%
5401       \unrestored@protected@xdef\@thefnmark{\thempfn}%
5402     \endgroup%
5403     \@footnotemark\@footnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
5404   }%
5405   \@bidityftesidenote@print@citations%             print any citations
5406   \let\cite\@bidityftesidenote@normal@cite%        go back to using normal in-text \cite command
5407   \let\LTRcite\@bidityfteLTRsidenote@normal@cite%  go back to using normal in-text \LTRcite
5408   \let\RTLcite\@bidityfteRTLSidenote@normal@cite%  go back to using normal in-text \RTLcite
5409   \unskip\ignorespaces%                             remove extra white space
5410   \kern-\multiplefootnotemarker%                    remove \kern left behind by sidenote
5411   \kern\multiplefootnotemarker\relax%               add new \kern here to replace the one we yanked
5412 }
5413 \long\def\@LTRbidityftesidenote@sidenote[#1][#2]#3{%
5414   \let\cite\@bidityftesidenote@infootnote@cite%   use the in-sidenote \cite command
5415   \gdef\@bidityftesidenote@citations{}%           clear out any old citations
5416   \ifthenelse{\NOT\isempty{#2}}{%
5417     \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
5418   }{%
5419     \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
5420   }%
5421   \ifthenelse{\isempty{#1}}{%
5422     % no specific footnote number provided
5423     \stepcounter\@mpfn%
5424     \protected@xdef\@thefnmark{\thempfn}%
5425     \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
5426   }{%
5427     % specific footnote number provided
5428     \begingroup%
5429       \csname c@\@mpfn\endcsname #1\relax%
5430       \unrestored@protected@xdef\@thefnmark{\thempfn}%
5431     \endgroup%
5432     \@footnotemark\@LTRfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
5433   }%

```



```

5434 \@bidityftesidenote@print@citations%          print any citations
5435 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite comman
5436 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTRc
5437 \let\RTLcite\@bidityfteRTLSidenote@normal@cite% go back to using normal in-text \RTLc
5438 \unskip\ignorespaces%                          remove extra white space
5439 \kern-\multiplefootnotemarker%                 remove \kern left behind by sidenote
5440 \kern\multiplefootnotemarker\relax%             add new \kern here to replace the one we yanked
5441 }
5442 \long\def\@RTLbidityftesidenote@sidenote[#1][#2]#3{%
5443 \let\cite\@bidityftesidenote@infootnote@cite%  use the in-sidenote \cite command
5444 \gdef\@bidityftesidenote@citations{}%          clear out any old citations
5445 \ifthenelse{NOT\isempty{#2}}{%
5446 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{#2}%
5447 }{%
5448 \gsetlength{\@bidityftesidenote@sidenote@vertical@offset}{0pt}%
5449 }%
5450 \ifthenelse{\isempty{#1}}{%
5451 % no specific footnote number provided
5452 \stepcounter\@mpfn%
5453 \protected@xdef\@thefnmark{\thempfn}%
5454 \@footnotemark\@RTLfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
5455 }{%
5456 % specific footnote number provided
5457 \begingroup%
5458 \csname c@\@mpfn\endcsname #1\relax%
5459 \unrestored@protected@xdef\@thefnmark{\thempfn}%
5460 \endgroup%
5461 \@footnotemark\@RTLfootnotetext[\@bidityftesidenote@sidenote@vertical@offset]{#3}%
5462 }%
5463 \@bidityftesidenote@print@citations%          print any citations
5464 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite comman
5465 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTRc
5466 \let\RTLcite\@bidityfteRTLSidenote@normal@cite% go back to using normal in-text \RTLc
5467 \unskip\ignorespaces%                          remove extra white space
5468 \kern-\multiplefootnotemarker%                 remove \kern left behind by sidenote
5469 \kern\multiplefootnotemarker\relax%             add new \kern here to replace the one we yanked
5470 }
5471 \newcommand{\sidenote}{\@bidityftesidenote@sidenote}{}[0pt]}
5472 \newcommand{\LTRsidenote}{\@bidityfteLTRsidenote@sidenote}{}[0pt]}
5473 \newcommand{\RTLSidenote}{\@bidityfteRTLSidenote@sidenote}{}[0pt]}
5474 \bidi@patch@AfterPackage{bidi}{%
5475 \renewcommand{\footnote}{\@bidityftesidenote@sidenote}{}[0pt]}%
5476 \renewcommand{\LTRfootnote}{\@bidityfteLTRsidenote@sidenote}{}[0pt]}%
5477 \renewcommand{\RTLfootnote}{\@bidityfteRTLSidenote@sidenote}{}[0pt]}%
5478 }
5479 %%
5480 % Sidenote without the footnote mark
5481 \newcommand\marginnote[2][0pt]{%
5482 \let\cite\@bidityftesidenote@infootnote@cite%  use the in-sidenote \cite command
5483 \gdef\@bidityftesidenote@citations{}%          clear out any old citations

```



```

5484 \bidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@marginnote@font\@bidityft
5485 \@bidityftesidenote@print@citations%          print any citations
5486 \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite comman
5487 \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTRc
5488 \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTLc
5489 }
5490 \newcommand\LTRmarginnote[2][0pt]{%
5491   \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
5492   \gdef\@bidityftesidenote@citations{}%        clear out any old citations
5493   \LTRbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@LTRmarginnote@font\@b
5494   \@bidityftesidenote@print@citations%          print any citations
5495   \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite comman
5496   \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTRc
5497   \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTLc
5498 }
5499 \newcommand\RTLmarginnote[2][0pt]{%
5500   \let\cite\@bidityftesidenote@infootnote@cite% use the in-sidenote \cite command
5501   \gdef\@bidityftesidenote@citations{}%        clear out any old citations
5502   \RTLbidityftesidenotemarginpar{\hbox{}}\vspace*{#1}\@bidityftesidenote@RTLmarginnote@font\@b
5503   \@bidityftesidenote@print@citations%          print any citations
5504   \let\cite\@bidityftesidenote@normal@cite%      go back to using normal in-text \cite comman
5505   \let\LTRcite\@bidityfteLTRsidenote@normal@cite% go back to using normal in-text \LTRc
5506   \let\RTLcite\@bidityfteRTLsidenote@normal@cite% go back to using normal in-text \RTLc
5507 }

```

24 File bidityfttetoc.sty

```

5508 \NeedsTeXFormat{LaTeX2e}
5509 \ProvidesPackage{bidityfttetoc}[2011/06/17 v0.1
5510 bidi implementation of tufte toc]
5511 \RequirePackage{titlesec,titletoc,xifthen,biditytools}
5512 \newcommand{\@bidityfttetoc@pkgname}{bidityfttetoc}
5513 \newcommand{\@bidityfttetocError}[2]{\PackageError{\@bidityfttetoc@pkgname}{#1}{#2}}
5514 %%
5515 % Turn off section numbering
5516 \setcounter{secnumdepth}{-1}
5517 \newboolean{\@bidityfttetoc@toc}
5518 \setboolean{\@bidityfttetoc@toc}{true}
5519 \DeclareOption{notoc}{\setboolean{\@bidityfttetoc@toc}{false}}
5520 \DeclareOption{toc}{\setboolean{\@bidityfttetoc@toc}{true}}
5521 \ProcessOptions
5522 %%
5523 % Make Tuftian-style section headings and TOC formatting
5524 \bidityft@patch@AfterPackage{bidi}{%
5525   \titleformat{\chapter}{%
5526     [display]% shape
5527     {\relax\ifthenelse{\NOT\boolean{\@bidityftfloat@symmetric}}{\begin{fullwidth}}{}}% format ap
5528     {\itshape\huge\thechapter}% label
5529     [0pt]% horizontal separation between label and title body
5530     {\huge\rmfamily\itshape}% before the title body

```



```

5531 [\ifthenelse{\NOT\boolean{@biditytfloat@symmetric}}{\end{fullwidth}}{}]% after the title
5532 \titleformat{\section}%
5533   [hang]% shape
5534   {\normalfont\Large\itshape}% format applied to label+text
5535   {\thesection}% label
5536   {1em}% horizontal separation between label and title body
5537   {}% before the title body
5538   []% after the title body
5539 \titleformat{\subsection}%
5540   [hang]% shape
5541   {\normalfont\large\itshape}% format applied to label+text
5542   {\thesubsection}% label
5543   {1em}% horizontal separation between label and title body
5544   {}% before the title body
5545   []% after the title body
5546 \titleformat{\paragraph}%
5547   [runin]% shape
5548   {\normalfont\itshape}% format applied to label+text
5549   {\theparagraph}% label
5550   {1em}% horizontal separation between label and title body
5551   {}% before the title body
5552   []% after the title body
5553 \titlespacing*{\chapter}{0pt}{50pt}{40pt}
5554 \titlespacing*{\section}{0pt}{3.5ex plus 1ex minus .2ex}{2.3ex plus .2ex}
5555 \titlespacing*{\subsection}{0pt}{3.25ex plus 1ex minus .2ex}{1.5ex plus .2ex}
5556 }
5557 % Subsubsection and following section headings shouldn't be used.
5558 % See Bringhurst's _The Elements of Typography_, section 4.2.2.
5559 \renewcommand\subsubsection{%
5560   \biditytError{\noexpand\subsubsection is undefined by this class.%
5561     \MessageBreak See Robert Bringhurst's _The Elements of
5562     \MessageBreak Typographic Style_, section 4.2.2.
5563     \MessageBreak \noexpand\subsubsection was used}
5564   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
5565     \MessageBreak many levels of headings as you need, no more and no fewer. Also see the mar
5566     \MessageBreak related threads on Ask E.T. at http://www.edwardbiditytError.com/.}
5567 }
5568 \renewcommand\subparagraph{%
5569   \biditytError{\noexpand\subparagraph is undefined by this class.%
5570     \MessageBreak See Robert Bringhurst's _The Elements of
5571     \MessageBreak Typographic Style_, section 4.2.2.
5572     \MessageBreak \noexpand\subparagraph was used}
5573   {From Bringhurst's _The Elements of Typographic Style_, section 4.2.2: Use as
5574     \MessageBreak many levels of headings as you need, no more and no fewer. Also see the mar
5575     \MessageBreak related threads on Ask E.T. at http://www.edwardbiditytError.com/.}
5576 }
5577 % Formatting for main TOC (printed in front matter)
5578 % {section} [left] {above} {before w/label} {before w/o label} {filler + page} [after]
5579 \ifthenelse{\boolean{@biditytError@toc}}{%
5580   \biditytPatch@AfterPackage{bidity}{%

```



```

5581 \titlecontents{part}% FIXME
5582 [0em] % distance from left margin
5583 {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format
5584 {\contentslabel{2em}} % before w/label (label = ``II'')
5585 {} % before w/o label
5586 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
5587 [\end{fullwidth}] % after
5588 \titlecontents{chapter}%
5589 [0em] % distance from left margin
5590 {\vspace{1.5\baselineskip}\begin{fullwidth}\LARGE\rmfamily\itshape} % above (global format
5591 {\hspace*{0em}\contentslabel{2em}} % before w/label (label = ``2'')
5592 {\hspace*{0em}} % before w/o label
5593 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
5594 [\end{fullwidth}] % after
5595 \titlecontents{section}% FIXME
5596 [0em] % distance from left margin
5597 {\vspace{0\baselineskip}\begin{fullwidth}\Large\rmfamily\itshape} % above (global format
5598 {\hspace*{2em}\contentslabel{2em}} % before w/label (label = ``2.6'')
5599 {\hspace*{2em}} % before w/o label
5600 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
5601 [\end{fullwidth}] % after
5602 \titlecontents{subsection}% FIXME
5603 [0em] % distance from left margin
5604 {\vspace{0\baselineskip}\begin{fullwidth}\large\rmfamily\itshape} % above (global format
5605 {\hspace*{4em}\contentslabel{4em}} % before w/label (label = ``2.6.1'')
5606 {\hspace*{4em}} % before w/o label
5607 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
5608 [\end{fullwidth}] % after
5609 \titlecontents{paragraph}% FIXME
5610 [0em] % distance from left margin
5611 {\vspace{0\baselineskip}\begin{fullwidth}\normalsize\rmfamily\itshape} % above (global for
5612 {\hspace*{6em}\contentslabel{2em}} % before w/label (label = ``2.6.0.0.1'')
5613 {\hspace*{6em}} % before w/o label
5614 {\rmfamily\upshape\quad\thecontentspage} % filler + page (leaders and page num)
5615 [\end{fullwidth}] % after
5616 }%
5617 }{}
5618 %%
5619 % Format lists of figures/tables
5620 \renewcommand\listoffigures{%
5621 \@ifundefined{chapter}%
5622 {\section*{\listfigurename}}%
5623 {\chapter*{\listfigurename}}%
5624 % \begin{fullwidth}%
5625 % \@starttoc{lof}%
5626 % \end{fullwidth}%
5627 }
5628 \renewcommand\listoftables{%
5629 \@ifundefined{chapter}%
5630 {\section*{\listtablename}}%

```



```

5631     {\chapter*{\listtablename}}%
5632 % \begin{fullwidth}%
5633     \@starttoc{lot}%
5634 % \end{fullwidth}%
5635 }
5636 \newcommand{\@bidityfttoc@lof@line}[2]{%
5637 % #1 is the figure/table number and its caption text
5638 % #2 is the page number on which the figure/table appears
5639 \leftskip 0.0em
5640 \rightskip 0em
5641 \parfillskip 0em plus 1fil
5642 \parindent 0.0em
5643 \@afterindenttrue
5644 \interlinepenalty\@M
5645 \leavevmode
5646 \@tempdima 2.0em
5647 \ifRTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
5648 \null\nobreak\hskip -\ifRTL\rightskip\else\leftskip\fi
5649 {#1}\nobreak\quad\nobreak#2%
5650 \par%
5651 }
5652 \renewcommand*{\l@figure{\@bidityfttoc@lof@line}
5653 \let\l@table\l@figure

```

25 File bidityftgeneralstructure.sty

```

5654 \NeedsTeXFormat{LaTeX2e}
5655 \ProvidesPackage{bidityftgeneralstructure}[2011/06/18 v0.1
5656 bidi implementation of tufte general structure]
5657 \renewcommand\small{%
5658   \@setfontsize\small\@ixpt{12}%
5659   \abovedisplayskip 8.5\p@ \@plus3\p@ \@minus4\p@
5660   \abovedisplayshortskip \z@ \@plus2\p@
5661   \belowdisplayshortskip 4\p@ \@plus2\p@ \@minus2\p@
5662   \def\@listi{\leftmargin\leftmargini
5663     \topsep 4\p@ \@plus2\p@ \@minus2\p@
5664     \parsep 2\p@ \@plus\p@ \@minus\p@
5665     \itemsep \parsep}%
5666   \belowdisplayskip \abovedisplayskip
5667 }
5668 \renewcommand\scriptsize{\@setfontsize\scriptsize\@viipt\@viipt}
5669 \renewcommand\tiny{\@setfontsize\tiny\@vpt\@vpt}
5670 \renewcommand\large{\@setfontsize\large\@xipt{15}}
5671 \renewcommand\Large{\@setfontsize\Large\@xiipt{16}}
5672 \renewcommand\LARGE{\@setfontsize\LARGE\@xivpt{18}}
5673 \renewcommand\huge{\@setfontsize\huge\@xxpt{30}}
5674 \renewcommand\Huge{\@setfontsize\Huge{24}{36}}
5675 \setlength\leftmargini {1pc}
5676 \setlength\leftmarginii {1pc}
5677 \setlength\leftmarginiii {1pc}

```



```

5678 \setlength\leftmarginiv {1pc}
5679 \setlength\leftmarginv {1pc}
5680 \setlength\leftmarginvi {1pc}
5681 \setlength\labelsep {.5pc}
5682 \setlength\labelwidth {\leftmargini}
5683 \addtolength\labelwidth{-\labelsep}
5684 \setlength{\parindent}{1.0pc}%
5685 \setlength{\parskip}{0pt}%
5686 \RequirePackage{ragged2e}
5687 \setlength{\RaggedRightRightskip}{\z@ plus 0.08\hsize}
5688 % Paragraph indentation and separation for normal text
5689 \newcommand{\@biditytgeneralstructure@reset@par}{%
5690 \setlength{\RaggedRightParindent}{1.0pc}%
5691 \setlength{\JustifyingParindent}{1.0pc}%
5692 \setlength{\parindent}{1pc}%
5693 \setlength{\parskip}{0pt}%
5694 }
5695 \@biditytgeneralstructure@reset@par
5696 % Require paralist package for tighter lists
5697 \RequirePackage{paralist}
5698 % Add rightmargin to compactenum
5699 \def\@compactenum{%
5700 \expandafter\list\csname label\@enumctr\endcsname{%
5701 \usecounter{\@enumctr}%
5702 \rightmargin=2em% added this
5703 \parsep\plparsep
5704 \itemsep\plitemsep
5705 \topsep\pltopsep
5706 \partopsep\plpartopsep
5707 \def\makelabel##1{\hss\llap{##1}}}}
5708 %%
5709 % An environment for paragraph-style section
5710 \providecommand\newthought[1]{%
5711 \addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}%
5712 \noindent\textbf{#1}%
5713 }
5714 %%
5715 % Redefine the display environments (quote, quotation, etc.)
5716 \renewenvironment{verse}
5717 {\let\\ \@centercr
5718 \list{}{\itemsep \z@
5719 \itemindent -1pc%
5720 \listparindent\itemindent
5721 \rightmargin \leftmargin
5722 \advance\leftmargin 1pc}%
5723 \small%
5724 \item\relax}
5725 {\endlist}
5726 \renewenvironment{quotation}
5727 {\list{}{\listparindent 1pc%

```




```

5728             \itemindent      \listparindent
5729             \rightmargin      \leftmargin
5730             \parsep           \z@ \@plus\p@}%
5731             \small%
5732             \item\relax\noindent\ignorespaces}
5733         {\endlist}
5734 \renewenvironment{quote}
5735         {\list{}{\rightmargin\leftmargin}%
5736         \small%
5737         \item\relax}
5738         {\endlist}
5739 % Italicize description run-in headings (instead of the default bold)
5740 \renewcommand*{\descriptionlabel[1]{\hspace\labelsep\normalfont\em #1}
5741 %%
5742 % Redefine \bibsection to not mark the running heads.
5743 % (Code modified from natbib.sty.)
5744 \@ifundefined{chapter}%
5745   {\renewcommand\bibsection{\section*{\refname}}}
5746   {\@ifundefined{NAT@sectionbib}%
5747     {\renewcommand\bibsection{\chapter{\bibname}}}
5748     {\renewcommand\bibsection{\section*{\bibname}}}}
5749 \RequirePackage{multicol}
5750 \renewenvironment{theindex}{%
5751   \@ifundefined{chapter}%
5752     {\section*{\indexname}}%
5753     {\chapter{\indexname}}%
5754   \begin{fullwidth}%
5755   \small%
5756   \parskip0pt%
5757   \parindent0pt%
5758   \let\item\@idxitem%
5759   \begin{multicols}{3}%
5760 }{%
5761   \end{multicols}%
5762   \end{fullwidth}%
5763 }
5764 \AtBeginDocument{%
5765 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi2em}%
5766 \renewcommand\subitem{\par\hangindent \if@RTL-\fi3em\hspace*{1em}}%
5767 \renewcommand\subsubitem{\par\hangindent \if@RTL-\fi4em\hspace*{2em}}%
5768 \renewcommand\indexspace{\par\addvspace{1.0\baselineskip plus 0.5ex minus 0.2ex}\relax}%
5769 \newcommand{\lettergroup}[1]{}% swallow the letter heading in the index

```

26 File `bidituftehyperref.sty`

```

5770 \NeedsTeXFormat{LaTeX2e}
5771 \ProvidesPackage{bidituftehyperref}[2011/06/18 v0.1
5772 bidi implementation of tufte hyperref]
5773 %%
5774 % Color

```



```

5775 \RequirePackage[usenames,dvipsnames,svgnames]{xcolor}%
5776 \newboolean{@bidituftehyperref@loadhyper}
5777 \setboolean{@bidituftehyperref@loadhyper}{true}
5778 \DeclareOption{hyper}{\setboolean{@bidituftehyperref@loadhyper}{true}}
5779 \DeclareOption{nohyper}{\setboolean{@bidituftehyperref@loadhyper}{false}}
5780 \ProcessOptions
5781 %% Loads the hyperref package and sets some default options.
5782 \newcommand{\bidituftehyperrefLoadHyperref}{%
5783 \RequirePackage[hyperfootnotes=false,colorlinks=true]{hyperref}
5784 \hypersetup{%
5785     bookmarksdepth = section,
5786     citecolor = DarkGreen,
5787     linkcolor = DarkBlue,
5788     pagecolor = DarkBlue,
5789     urlcolor = DarkGreen,
5790 }%
5791 }
5792 \ifthenelse{\boolean{@bidituftehyperref@loadhyper}}{%
5793 \bidituftehyperrefLoadHyperref%
5794 }{% hyperfootnotes override our modifications to the \footnote* and \@footnote* commands.
5795 \PassOptionsToPackage[hyperfootnotes=false]{hyperref}
5796 }

```

27 File bidituftetitle.sty

```

5797 \NeedsTeXFormat{LaTeX2e}
5798 \ProvidesPackage{bidituftetitle}[2011/06/18 v0.1
5799 bidi implementation of tufte title]
5800 \RequirePackage{biditools}
5801 %%
5802 % `titlepage' option -- creates a full title page with \maketitle
5803 \newboolean{@bidituftetitle@titlepage}
5804 \DeclareOption{titlepage}{\setboolean{@bidituftetitle@titlepage}{true}}
5805 \DeclareOption{notitlepage}{\setboolean{@bidituftetitle@titlepage}{false}}
5806 % Default `book' and `handout' options
5807 \@ifclassloaded{book}{%
5808 \ExecuteOptions{titlepage}}{%
5809 \@ifclassloaded{article}{%
5810 \ExecuteOptions{notitlepage}}%
5811 {}}
5812 \ProcessOptions
5813 %%
5814 % Modified \title, \author, and \date commands. These store the
5815 % (footnote-less) values in \plaintitle, \plainauthor, and \thedate, respectively.
5816 \newcommand{\plaintitle}{}% plain-text-only title
5817 \newcommand{\plainauthor}{}% plain-text-only author
5818 \newcommand{\plainpublisher}{}% plain-text-only publisher
5819 \newcommand{\thanklesstitle}{}% full title text minus \thanks{}
5820 \newcommand{\thanklessauthor}{}% full author text minus \thanks{}
5821 \newcommand{\thanklesspublisher}{}% full publisher minus \thanks{}

```



```

5822 \newcommand{\@publisher}{}% full publisher with \thanks{
5823 \newcommand{\thedata}{\today}
5824 \bidi@patch@AfterPackage{bidi}{%
5825 \renewcommand{\thanks}[1]{\footnote{#1}}
5826 \renewcommand{\LTRthanks}[1]{\LTRfootnote{#1}}
5827 \renewcommand{\RTLthanks}[1]{\RTLfootnote{#1}}
5828 }
5829 \renewcommand{\title}[2][]{%
5830 \gdef\@title{#2}%
5831 \begingroup%
5832 % TODO store contents of \thanks command
5833 \renewcommand{\thanks}[1]{}% swallow \thanks contents
5834 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
5835 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5836 \protected@xdef\thanklesstitle{#2}%
5837 \endgroup%
5838 \ifthenelse{\isempty{#1}}%
5839 {\renewcommand{\plaintitle}{\thanklesstitle}}% use thankless title
5840 {\renewcommand{\plaintitle}{#1}}% use provided plain-text title
5841 \@ifundefined{hypersetup}%
5842 {}% hyperref is not loaded; do nothing
5843 {\hypersetup{pdftitle={\plaintitle}}}% set the PDF metadata title
5844 }
5845 \let\@author\@empty% suppress default latex.ltx ``no author'' warning
5846 \renewcommand{\author}[2][]{%
5847 \ifthenelse{\isempty{#2}}{\gdef\@author{#2}}%
5848 \begingroup%
5849 % TODO store contents of \thanks command
5850 \renewcommand{\thanks}[1]{}% swallow \thanks contents
5851 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
5852 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5853 \protected@xdef\thanklessauthor{#2}%
5854 \endgroup%
5855 \ifthenelse{\isempty{#1}}%
5856 {\renewcommand{\plainauthor}{\thanklessauthor}}% use thankless author
5857 {\renewcommand{\plainauthor}{#1}}% use provided plain-text author
5858 \@ifundefined{hypersetup}%
5859 {}% hyperref is not loaded; do nothing
5860 {\hypersetup{pdfauthor={\plainauthor}}}% set the PDF metadata author
5861 }
5862 \renewcommand{\date}[1]{%
5863 \gdef\@date{#1}%
5864 \begingroup%
5865 % TODO store contents of \thanks command
5866 \renewcommand{\thanks}[1]{}% swallow \thanks contents
5867 \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
5868 \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5869 \protected@xdef\thedata{#1}%
5870 \endgroup%
5871 }

```



```

5872 %%
5873 % Provides a \publisher command to set the publisher
5874 \newcommand{\publisher}[2][]{%
5875   \gdef\@publisher{#2}%
5876   \begingroup%
5877     \renewcommand{\thanks}[1]{}% swallow \thanks contents
5878     \renewcommand{\LTRthanks}[1]{}% swallow \LTRthanks contents
5879     \renewcommand{\RTLthanks}[1]{}% swallow \RTLthanks contents
5880     \protected@xdef\thanklesspublisher{#2}%
5881   \endgroup%
5882   \ifthenelse{\isempty{#1}}{
5883     {\renewcommand{\plainpublisher}{\thanklesspublisher}}% use thankless publisher
5884     {\renewcommand{\plainpublisher}{#1}}% use provided plain-text publisher
5885 }
5886 %%
5887 % Produces a full title page
5888 \newcommand{\maketitlepage}[0]{%
5889   \cleardoublepage%
5890   {%
5891     \bfseries%
5892     \begin{fullwidth}%
5893       \fontsize{18}{20}\selectfont\par\noindent\thanklessauthor%
5894       \vspace{11.5pc}%
5895       \fontsize{36}{40}\selectfont\par\noindent\thanklesstitle%
5896       \vfill%
5897       \fontsize{14}{16}\selectfont\par\noindent\thanklesspublisher%
5898     \end{fullwidth}%
5899   }
5900   \thispagestyle{empty}%
5901   \clearpage%
5902 }
5903 %%
5904 % Title block
5905 \bidi@AfterEndPreamble{%
5906 \renewcommand{\maketitle}{%
5907   \newpage%
5908   \global\@topnum\z@% prevent floats from being placed at the top of the page
5909   \begingroup%
5910     \setlength{\parindent}{0pt}%
5911     \setlength{\parskip}{4pt}%
5912     \let\@title\@empty%
5913     \let\@author\@empty%
5914     \let\@date\@empty%
5915     \gdef\@title{\LARGE\itshape\@title\par}%
5916     \gdef\@author{\Large\itshape\@author\par}%
5917     \gdef\@date{\Large\itshape\@date\par}%
5918     \@title%
5919     \@author%
5920     \@date%
5921   \endgroup%

```



```

5922 \thispagestyle{plain}% suppress the running head
5923 }%
5924 }
5925 %%
5926 % Title page (if the `titlepage' option was passed to the bidentitetitle-handout
5927 % class.)
5928 \bidentitetitle@AfterEndPreamble{%
5929 \ifthenelse{\boolean{@bidentitetitle@titlepage}}
5930 {\renewcommand{\maketitle}{\maketitlepage}}
5931 {}
5932 }
5933 %%
5934 % When \cleardoublepage is called, produce a blank (empty) page -- i.e.,
5935 % without headers and footers
5936 \def\cleardoublepage{\clearpage\if@twoside\ifodd\c@page\else
5937 \hbox{}
5938 %\vspace*{\fill}
5939 %\begin{center}
5940 % This page intentionally contains only this sentence.
5941 %\end{center}
5942 %\vspace{\fill}
5943 \thispagestyle{empty}
5944 \newpage
5945 \if@twocolumn\hbox{}\newpage\fi\fi\fi}

```

28 File bidentufte-handout.cls

```

5946 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5947 \ProvidesClass{bidentufte-handout}[2011/06/18 v0.1 bidentufte-handout class]
5948 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}
5949 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftefloat}}
5950 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetoc}}
5951 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftehyperref}}
5952 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentitetitle}}
5953 \ProcessOptions\relax
5954 \LoadClass{article}
5955 \RequirePackage{bidentuftefloat}
5956 \RequirePackage{bidentuftesidenote}
5957 \RequirePackage{bidentuftetoc}
5958 \RequirePackage{bidentuftegeneralstructure}
5959 \RequirePackage{bidentuftehyperref}
5960 \RequirePackage{bidentitetitle}
5961 \renewenvironment{abstract}
5962 {\begin{quotation}}
5963 {\end{quotation}}
5964 \AtBeginDocument{%
5965 \IfFileExists{bidentufte-handout.cfg}
5966 {\input{bidentufte-handout.cfg}}
5967 \ClassInfo{bidentufte-handout}{Loading bidentufte-handout configuration file \@gobble}}
5968 {}%

```



5969 }

29 File bidentufte-book.cls

```
5970 \NeedsTeXFormat{LaTeX2e}[1994/06/01]
5971 \ProvidesClass{bidentufte-book}[2011/06/18 v0.1 bidentufte-book class]
5972 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{book}}
5973 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftefloat}}
5974 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetoc}}
5975 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftehyperref}}
5976 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{bidentuftetitle}}
5977 \ProcessOptions\relax
5978 \LoadClass{book}
5979 \RequirePackage{bidentuftefloat}
5980 \RequirePackage{bidentuftesidenote}
5981 \RequirePackage{bidentuftetoc}
5982 \RequirePackage{bidentuftegeneralstructure}
5983 \RequirePackage{bidentuftehyperref}
5984 \RequirePackage{bidentuftetitle}
5985 %%
5986 % Set up any book-specific stuff now
5987 %%
5988 % The front matter in Tufte's /Beautiful Evidence/ contains everything up
5989 % to the opening page of Chapter 1. The running heads, when they appear,
5990 % contain only the (arabic) page number in the outside corner.
5991 \newif\if@mainmatter \mainmattertrue
5992 \renewcommand\frontmatter{%
5993   \cleardoublepage%
5994   \@mainmatterfalse%
5995   \pagenumbering{arabic}%
5996   %\pagestyle{plain}%
5997   \fancyhf{}%
5998   \ifthenelse{\boolean{@bidentuftefloat@twoside}}%
5999     {\fancyhead[LE,RO]{\thepage}}%
6000     {\fancyhead[RE,RO]{\thepage}}%
6001 }
6002 %%
6003 % The main matter in Tufte's /Beautiful Evidence/ doesn't restart the page
6004 % numbering---it continues where it left off in the front matter.
6005 \renewcommand\mainmatter{%
6006   \cleardoublepage%
6007   \@mainmattertrue%
6008   \fancyhf{}%
6009   \ifthenelse{\boolean{@bidentuftefloat@twoside}}%
6010     {\renewcommand{\chaptermark}[1]{\markboth{##1}{}}}%
6011     {\fancyhead[LE]{\thepage\quad\smallcaps{\newlinetospace{\plaintitle}}}% book title
6012     \fancyhead[RO]{\smallcaps{\newlinetospace{\leftmark}}\quad\thepage}% chapter title
6013     {\fancyhead[RE,RO]{\smallcaps{\newlinetospace{\plaintitle}}\quad\thepage}}% book title
6014 }
6015 %%
```



```

6016% The back matter contains appendices, indices, glossaries, endnotes,
6017% bibliographies, list of contributors, illustration credits, etc.
6018\renewcommand\backmatter{%
6019  \if@openright%
6020    \cleardoublepage%
6021  \else%
6022    \clearpage%
6023  \fi%
6024  \@mainmatterfalse%
6025}
6026%%
6027% Only show the chapter titles in the table of contents
6028\setcounter{tocdepth}{0}
6029\AtBeginDocument{%
6030\IfFileExists{biditufte-book.cfg}
6031  {\input{biditufte-book.cfg}
6032   \ClassInfo{biditufte-book}{Loading biditufte-book configuration file \@gobble}}
6033  {}%
6034}

```

30 File bidipoem.sty

```

6035\NeedsTeXFormat{LaTeX2e}
6036\ProvidesPackage{bidipoem}%
6037[2014/04/27 v0.9 Environments for typesetting Persian traditional and modern poems]
6038
6039% Usage:
6040%
6041% \Setversedim #1#2 % define the layout (within a group):
6042% #1 = length of both half-verses
6043% #2 = separation distance = length of a connection, if present
6044% Variant:
6045% \Setversedim #1[#2]#3 % for half-verses of unequal length
6046% #1 = length of first (=right) half-verse
6047% #2 = length of second (=left) half-verse
6048% #3 = separation distance = length of a connection, if present
6049%
6050% \traditionalhalfverses #1#2 % typeset two separated half-verses
6051% #1 = text of first (=right) half-verse
6052% #2 = text of second (=left) half-verse
6053% Variant:
6054% \traditionalhalfverses #1[#2]#3 % typeset two connected half-verses
6055% #1 = text of first (=right) half-verse
6056% #2 = text of connection
6057% #3 = text of second (=left) half-verse
6058%
6059% Alternative (if preferred):
6060%
6061% \traditionalconnverses #1#2#3 % = \traditionalhalfverses #1[#2]#3
6062

```



```

6063
6064 \newcommand*{\bidipoem@spreadbox}[2]{\hbox to #1{#2}}
6065
6066 % define the layout, verses will be centered
6067
6068 \newdimen \bidipoem@hvlen \newdimen \bidipoem@hvsep
6069 \newdimen \bidipoem@hvind \newdimen \bidipoem@@hvlen
6070
6071 \newcommand*{\Setversedim}[2]{% set lengths of half-verse, [separation]
6072 \bidipoem@hvind \textwidth
6073 \bidipoem@hvlen #1\relax \advance \bidipoem@hvind -\bidipoem@hvlen
6074 \ifx [#2\def \bidipoem@next {\bidipoem@set@verseI []}\else
6075 \bidipoem@@hvlen \bidipoem@hvlen \def \bidipoem@next {\bidipoem@set@@verse {#2}}\fi \bidipoem@
6076
6077 \def \bidipoem@set@verseI [#1]{% optional parameter
6078 \bidipoem@@hvlen #1\relax \bidipoem@set@@verse }
6079
6080 \newcommand*{\bidipoem@set@@verse}[1]{% separation
6081 \advance \bidipoem@hvind -\bidipoem@@hvlen \bidipoem@hvsep #1\relax
6082 \advance \bidipoem@hvind -\bidipoem@hvsep \divide \bidipoem@hvind 2 }
6083
6084 \newcommand*{\traditionalconnverses}[3]{% first half-verse, connection, second half-verse
6085 \ifdim Opt > \bidipoem@hvind %
6086 \bidipoem@spreadbox \bidipoem@hvlen {#1}\\ \hfill % first block
6087 \else
6088 \noindent \hskip \bidipoem@hvind \relax \bidipoem@spreadbox \bidipoem@hvlen {#1}\fi
6089 \bidipoem@spreadbox \bidipoem@hvsep {#2}% separator
6090 \bidipoem@spreadbox \bidipoem@@hvlen {#3}% second block
6091 \par }
6092
6093 % macro for two half verses
6094 \newcommand*{\traditionalhalfverses}[2]{% optional parameter?
6095 \ifx [#2\def \bidipoem@half@verses@next {\bidipoem@half@verses {#1}[]}%
6096 \else\def \bidipoem@half@verses@next {\bidipoem@half@verses {#1}[\hfill]{#2}}\fi%
6097 \bidipoem@half@verses@next}
6098
6099 \def \bidipoem@half@verses #1[#2]#3{% first[mid]second
6100 \traditionalconnverses {#1}{#2}{#3}}
6101
6102
6103 {\catcode\^^M=\active % these lines must end with %
6104 \gdef\traditionalpoem@obeylines{\catcode\^^M\active \let^^M\traditionalpoem@par}%
6105 \global\let^^M\traditionalpoem@par} % this is in case ^^M appears in a \write
6106 {\catcode\^^M=\active % these lines must end with %
6107 \gdef\modernpoem@obeylines{\catcode\^^M\active \let^^M\modernpoem@par}%
6108 \global\let^^M\modernpoem@par} % this is in case ^^M appears in a \write
6109 \def\poemcolsepskip{.1\versewidth plus .1\versewidth minus .05\versewidth}
6110 \def\poemmarginskip{1em plus 1fil minus 1em}
6111 \def\poemextrabaselineskip{0\baselineskip}
6112 \def\poemskip{\medskip}

```




```

6113 \newcommand{\bidipoem@openbox}{\leavevmode
6114   \hbox to.77778em{%
6115     \hfil\vrule
6116     \vbox to.675em{\hrule width.6em\vfil\hrule}%
6117     \vrule\hfil}}
6118 \def\poemblocksep{\quad\hbox{\bidipoem@openbox}}
6119 \newdimen\versewidth
6120 \newtoks\bidipoem@p@ftn
6121 \def\poem@verse#1{%
6122   \ifdim\wd#1>\new@poem@width
6123     \xdef\new@poem@width{\the\wd#1}%
6124     \ifdim\new@poem@width>\poem@width
6125       \xdef\poem@width{\new@poem@width}%
6126     \global\let\poem@needrun\relax
6127   \fi
6128   \fi
6129   \hbox to\poem@width{\unhbox#1}%
6130   \global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn%
6131 }
6132 \def\poem@linebegin{\vadjust{}}\hskip\@flushglue\hskip\poemmargin\skip\relax}
6133 \def\poem@lineend{\nobreak\hskip\poemmargin\skip\hskip\@flushglue\vadjust{}}
6134 \def\poem@lineversesep{%
6135   \nobreak
6136   \hskip\z@ plus 1filll%
6137   \penalty600%
6138   \hskip\poemcolsepskip
6139   \hskip\z@ plus -2filll%
6140   \vadjust{}}%
6141   \nobreak
6142   \hskip\z@ plus 1filll%
6143 }
6144 \def\poem@lineparsebegin{%
6145   \halign\bgroup
6146   \global\setbox\verse@i=\hbox{%
6147     \let\@footnotetext\bidipoem@p@ftntext%
6148     \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
6149     \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
6150     \let\@xfootnotenext\bidipoem@p@xftntext%
6151     \let\@xfootnote\bidipoem@p@xfootnote%
6152     \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
6153     \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
6154     \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
6155     \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
6156     \ignorespaces##\unskip}&&
6157   \global\setbox\verse@ii=\hbox{%
6158     \let\@footnotetext\bidipoem@p@ftntext%
6159     \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
6160     \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
6161     \let\@xfootnotenext\bidipoem@p@xftntext%
6162     \let\@xfootnote\bidipoem@p@xfootnote%

```



```

6163 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
6164 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
6165 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
6166 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
6167 \ignorespaces##\unskip}
6168 \cr
6169 }
6170 \def\poem@lineparseend{%
6171 \crr\egroup
6172 \vskip-\baselineskip
6173 }
6174 \def\traditionalpoem@cr{%
6175   \cr\poem@line
6176 }
6177 \newbox\verse@i
6178 \newbox\verse@ii
6179 \newif\ifpoem@started
6180
6181 \def\poem@line{%
6182 \poem@lineparseend
6183 \ifdim\wd\verse@i>\z@\global\poem@startedtrue\fi
6184 \ifdim\wd\verse@ii>\z@\global\poem@startedtrue\fi
6185 \ifpoem@started
6186   \ifdim\wd\verse@ii>\z@else
6187     \nopagebreak[3]
6188     \fi
6189     \leavevmode
6190     \poem@linebegin
6191     \poem@verse\verse@i
6192     \ifdim\wd\verse@ii>\z@
6193       \poem@lineversesep
6194       \poem@verse\verse@ii
6195     \fi
6196     \poem@lineend
6197 %   \nopagebreak
6198   \par
6199   \vskip\poemextrabaseskip
6200 \fi
6201 \poem@lineparsebegin
6202 }
6203 \def\@traditionalpoem{%
6204 \stepcounter{poem@no}
6205   \ifnum\max@poem@no<\number\c@poem@no%
6206 \xdef\poem@width{\z@}%
6207   \else
6208 \xdef\poem@width{\poem@prop{poem@width}}%
6209 \fi
6210 \xdef\new@poem@width{\z@}%
6211 \global\versewidth=\poem@width
6212 \poemskip\par

```



```

6213 \beginngroup
6214 \tabskip=\z@
6215 \parskip=\z@
6216 \parindent=\z@
6217 \parfillskip=\z@
6218 \rightskip=\z@
6219 \leftskip=\z@
6220 \widowpenalty=10000% No break between verses of the same line.
6221 \clubpenalty=10000% Same as above. Not really needed.
6222 \def\newblock{\hfil\poemblocksep\hfil\null}%
6223 \def\traditionalpoem@par{\traditionalpoem@cr}% Redefine \par for possible \obeylines
6224 \def\{\global\poem@startedtrue\traditionalpoem@cr}%
6225 \global\poem@startedfalse
6226 \csname poem@obeylines\endcsname
6227 \let\poem@obeylines\relax
6228 \poem@lineparsebegin
6229 }
6230 \def\@endtraditionalpoem{%
6231 \cr
6232 \ifdim\wd\verse@i>\z@\poem@line\else\ifdim\wd\verse@ii>\z@\poem@line\else
6233 \noalign{%
6234 \skip0=\poemextrabaselineskip
6235 \vskip-\skip0
6236 \vskip-\baselineskip
6237 }%
6238 \fi\fi
6239 \poem@lineparseend
6240 \endgroup
6241 \par
6242 \vskip\baselineskip
6243 \poemskip
6244 \if@nparlist \else
6245 \ifdim\lastskip >\z@
6246 \@tempskipa\lastskip \vskip -\lastskip
6247 \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
6248 \vskip\@tempskipa
6249 \fi
6250 \@endparenv
6251 \fi
6252 \ifdim\new@poem@width<\poem@width
6253 \global\let\poem@needrun\relax
6254 \fi
6255 \poem@write@aux{\poem@width@\romannumeral\c@poem@no}{\new@poem@width}%
6256 \ifx\AtEndDocument\undefined\poem@finish\fi
6257 }
6258
6259
6260 \long\def\bidipoem@p@ftntext#1{%
6261 \edef\@temp{x{\the\bidipoem@p@ftn\noexpand\footnotetext[\the\csname c@\@mpfn\endcsname]}}%
6262 \global\bidipoem@p@ftn\expandafter{\@temp{x{#1}}}%

```



```

6263 \long\def\bidipoem@p@LTRftntext#1{%
6264   \edef\@tempxi{\the\bidipoem@p@ftn\noexpand\LTRfootnotetext[\the\csname c@\mpfn\endcsname]}%
6265   \global\bidipoem@p@ftn\expandafter{\@tempxi{#1}}}%
6266 \long\def\bidipoem@p@RTLftntext#1{%
6267   \edef\@tempxii{\the\bidipoem@p@ftn\noexpand\RTLfootnotetext[\the\csname c@\mpfn\endcsname]}%
6268   \global\bidipoem@p@ftn\expandafter{\@tempxii{#1}}}%
6269
6270 \long\def\bidipoem@p@xftntext[#1]#2{%
6271   \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\footnotetext[#1]{#2}}}
6272
6273 \long\def\bidipoem@p@xLTRftntext[#1]#2{%
6274   \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\LTRfootnotetext[#1]{#2}}}
6275
6276 \long\def\bidipoem@p@xRTLftntext[#1]#2{%
6277   \global\bidipoem@p@ftn\expandafter{\the\bidipoem@p@ftn\RTLfootnotetext[#1]{#2}}}
6278
6279 \def\bidipoem@p@xfootnote[#1]{%
6280   \begingroup
6281     \csname c@\mpfn\endcsname #1\relax
6282     \unrestored@protected@xdef\@thefnmark{\thempfn}%
6283   \endgroup
6284   \@footnotemark\bidipoem@p@xftntext[#1]}
6285
6286 \def\bidipoem@p@xLTRfootnote[#1]{%
6287   \begingroup
6288     \csname c@\mpfn\endcsname #1\relax
6289     \unrestored@protected@xdef\@thefnmark{\thempfn}%
6290   \endgroup
6291   \@footnotemark\bidipoem@p@xLTRftntext[#1]}
6292
6293 \def\bidipoem@p@xRTLfootnote[#1]{%
6294   \begingroup
6295     \csname c@\mpfn\endcsname #1\relax
6296     \unrestored@protected@xdef\@thefnmark{\thempfn}%
6297   \endgroup
6298   \@footnotemark\bidipoem@p@xRTLftntext[#1]}
6299
6300
6301
6302 \newenvironment{traditionalpoem}{\@traditionalpoem}{\@endtraditionalpoem}
6303 \expandafter\def\csname traditionalpoem*\endcsname{\let\poem@obeylines=\traditionalpoem@obeyl}
6304 \expandafter\def\csname endtraditionalpoem*\endcsname{\endtraditionalpoem}
6305 \def\poem@finish{%
6306   \poem@write@aux{max@poem@no}{\number\c@poem@no}%
6307   \ifx\poem@needrun\relax
6308     \PackageWarning{bidipoem}{Unjustified poem. Rerun XeLaTeX to get poem right}%
6309   \global\let\poem@needrun\undefined
6310 \fi
6311 }
6312 \ifx\AtEndDocument\undefined\else\AtEndDocument\poem@finish\fi

```



```

6313 \newcounter{poem@no}\setcounter{poem@no}{\z@}
6314 \ifx\max@poem@no\undefined
6315     \def\max@poem@no{0}%
6316 \fi
6317 \newcommand{\poem@prop}[1]{\@nameuse{#1\romannumeral\c@poem@no}}
6318 \newcommand{\poem@write@aux}[2]{%
6319     \def\x{\immediate\write@auxout{\global\noexpand\@namedef{#1}{#2}}}%
6320     \x
6321 }
6322 \def\@modernpoem{%
6323 \par
6324 \begingroup
6325 \parskip=\z@
6326 \parindent=\z@
6327 \def\{ {\@settab\@tabplus\ignorespaces}%
6328 \def\} {\@tabminus\ignorespaces}%
6329 \def\newblock{\poemblocksep}%
6330 \let\newpoem@tabcr\@tabcr
6331 \def\modernpoem@par{% Redefine \par for possible \obeylines
6332     \ifpoem@started\else
6333         \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
6334             \@stopfield
6335             \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
6336             \@contfield
6337         \fi
6338     \fi
6339     \ifpoem@started\newpoem@tabcr\fi}%
6340 \def\@tabcr{\global\poem@startedtrue\newpoem@tabcr}%
6341 \global\poem@startedfalse
6342 \csname poem@obeylines\endcsname
6343 \let\poem@obeylines\relax
6344 \begin{tabbing}%
6345 }
6346 \def\@endmodernpoem{%
6347 \global\poem@startedfalse
6348 \ifdim\wd\@curline>\z@\global\poem@startedtrue\else
6349     \@stopfield
6350     \ifdim\wd\@curfield>\z@\global\poem@startedtrue\fi
6351     \@contfield
6352 \fi
6353 \ifpoem@started\else\let\@stopline\@stopfield\fi
6354 \end{tabbing}%
6355 \endgroup
6356 \par
6357 \if@nparlist \else
6358     \ifdim\lastskip >\z@
6359         \@tempskipa\lastskip \vskip -\lastskip
6360         \advance\@tempskipa\parskip \advance\@tempskipa -\@outerparskip
6361         \vskip\@tempskipa
6362     \fi

```



```

6363 \endparenv
6364 \fi
6365 }
6366 \newenvironment{modernpoem}{\@modernpoem}{\endmodernpoem}
6367 \expandafter\def\csname modernpoem*\endcsname{\let\poem@obeylines=\modernpoem@obeylines\modernpoem}
6368 \expandafter\def\csname endmodernpoem*\endcsname{\endmodernpoem}
6369 \gdef\@startfield{%
6370 \global\setbox\@curfield\hbox\bgroup%
6371 \let\@footnotetext\bidipoem@p@ftntext%
6372 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
6373 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
6374 \let\@xfootnotenext\bidipoem@p@xftntext%
6375 \let\@xfootnote\bidipoem@p@xfootnote%
6376 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
6377 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
6378 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
6379 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
6380 \color@begingroup}
6381 \gdef\@stopfield{%
6382 \color@endgroup\egroup\global\bidipoem@p@ftn\expandafter{\expandafter}\the\bidipoem@p@ftn}
6383 \gdef\@contfield{%
6384 \global\setbox\@curfield\hbox\bgroup%
6385 \let\@footnotetext\bidipoem@p@ftntext%
6386 \let\@LTRfootnotetext\bidipoem@p@LTRftntext%
6387 \let\@RTLfootnotetext\bidipoem@p@RTLftntext%
6388 \let\@xfootnotenext\bidipoem@p@xftntext%
6389 \let\@xfootnote\bidipoem@p@xfootnote%
6390 \let\@xLTRfootnotenext\bidipoem@p@xLTRftntext%
6391 \let\@xLTRfootnote\bidipoem@p@xLTRfootnote%
6392 \let\@xRTLfootnotenext\bidipoem@p@xRTLftntext%
6393 \let\@xRTLfootnote\bidipoem@p@xRTLfootnote%
6394 \color@begingroup\unhbox\@curfield}

```

31 File boek3-xetex-bidi.def

```

6395 \ProvidesFile{boek3-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek3 class for XeTeX]
6396 \renewenvironment{theindex}{%
6397 \if@twocolumn
6398 \@restonecolfalse
6399 \else
6400 \@restonecoltrue
6401 \fi
6402 \columnseprule \z@
6403 \columnsep 35\p@
6404 \twocolumn[\@makeschapterhead{\indexname}]{%
6405 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}}%
6406 \thispagestyle{plain}\parindent\z@
6407 \parskip\z@ \@plus .3\p@\relax
6408 \let\item\@idxitem
6409 }{%

```



```

6410 \if@restonecol\onecolumn\else\clearpage\fi}
6411 \renewcommand*\head@style{%
6412     \interlinepenalty \@M
6413     \hyphenpenalty=\@M \exhyphenpenalty=\@M
6414     \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
6415 \renewcommand*\@regtocline[3]{%
6416     \ifnum #1>\c@tocdepth
6417     \else
6418         \vskip\z@\@plus.2\p@
6419         {\hangindent\z@ \@afterindenttrue \interlinepenalty \@M
6420         \if@RTL\rightskip\else\leftskip\fi\unitindent
6421         \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
6422         \parfillskip\z@
6423         \@tempdima\unitindent
6424         \parindent\z@
6425         \leavevmode
6426         \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
6427         \hskip 1em \nobreak{\slshape #3}\par
6428         }%
6429     \fi}
6430 \if@oldtoc
6431 \renewcommand*\l@part[2]{%
6432     \ifnum \c@tocdepth >-2\relax
6433         \addpenalty{-\@highpenalty}%
6434         \addvspace{2.25em \@plus\p@}%
6435         \begingroup
6436             \setlength\@tempdima{3em}%
6437             \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6438             \parfillskip -\@pnumwidth
6439             {\leavevmode
6440                 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
6441                 \nobreak
6442                 \global\@nobreaktrue
6443                 \everypar{\global\@nobreakfalse\everypar{}}%
6444             \endgroup
6445     \fi}
6446 \else
6447     \renewcommand*\l@part{%
6448         \ifnum \c@tocdepth >-2\relax
6449             \addpenalty{-\@highpenalty}%
6450             \addvspace{2.25em \@plus \p@}%
6451             \@regtocline{0}%
6452         \fi}
6453 \fi
6454 \if@oldtoc
6455 \renewcommand*\l@chapter[2]{%
6456     \addpenalty{-\@highpenalty}%
6457     \vskip 1.0em \@plus\p@
6458     \setlength\@tempdima{1.5em}%
6459     \begingroup

```



```

6460 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6461 \parfillskip -\@pnumwidth
6462 \leavevmode \bfseries
6463 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
6464 \hskip -\if@RTL\rightskip\else\leftskip\fi
6465 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
6466 \penalty\@highpenalty
6467 \endgroup}
6468 \else
6469 \renewcommand*\l@chapter{\@regtocline{0}}
6470 \fi
6471 \renewenvironment{abstract}{%
6472 \titlepage
6473 \null\vfil
6474 \section*{\SectFont \abstractname}
6475 \noindent\ignorespaces}
6476 {\par\vfil\null\endtitlepage}
6477 \renewenvironment{thebibliography}[1]
6478 {\chapter*{\bibname}%
6479 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6480 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6481 \bidi@thebibliography@font@hook%
6482 \list{\@biblabel{\@arabic\c@enumiv}}%
6483 {\settowidth\labelwidth{\@biblabel{#1}}%
6484 \leftmargin\labelwidth
6485 \advance\leftmargin\labelsep
6486 \openbib@code
6487 \usecounter{enumiv}%
6488 \let\p@enumiv\@empty
6489 \renewcommand*\theenumiv{\@arabic\c@enumiv}}%
6490 \sloppy\clubpenalty4000\widowpenalty4000%
6491 \sfcode`\.\@m}
6492 {\def\@noitemerr
6493 {\@latex@warning{Empty `thebibliography' environment}}}%
6494 \endlist}
6495 \renewcommand*\left@footnoterule{%
6496 \kern-3\p@
6497 \kern.5\baselineskip
6498 \hrule\@width\unitindent
6499 \kern.4\baselineskip
6500 }
6501 \renewcommand*\right@footnoterule{%
6502 \kern-3\p@
6503 \kern.5\baselineskip
6504 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
6505 \kern.4\baselineskip}
6506 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
6507 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
6508 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
6509 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}

```




```

6510 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
6511 \renewcommand*\theequation{%
6512   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
6513 \renewcommand*\thefigure{%
6514   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
6515 \renewcommand*\thetable{%
6516   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
6517 \renewcommand*\maketitle{%
6518   \begin{titlepage}%
6519     \let\footnotesize\small
6520     \let\right@footnoterule\relax
6521     \let\left@footnoterule\relax
6522     \let\textwidth@footnoterule\relax
6523     \let \footnote \thanks
6524     \long\def\@makefnmark##1{\parindent\z@
6525       \def\labelitemi{\textendash}\@revlabeltrue
6526       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
6527     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
6528     \if@compatibility\setcounter{page}{0}\fi
6529     \null\vfil
6530     \vskip 60\p@
6531     \begin{center}%
6532       \TitleFont
6533       {\LARGE \def\\{\penalty -\@M}
6534         \if@allcaps
6535           \expandafter\uc@nothanks\@title\thanks\relax
6536         \else
6537           \@title
6538         \fi\par}%
6539       \vskip 3em%
6540       {\large
6541         \lineskip .75em \parindent\z@
6542         \begin{tabular}[t]{c}%
6543           \if@allcaps
6544             \expandafter\uc@authornothanks\@author\and\relax
6545           \else
6546             \@author
6547           \fi
6548         \end{tabular}\par}%
6549       \vskip 1.5em%
6550       {\large
6551         \if@allcaps
6552           \uppercase\expandafter{\@date}%
6553         \else
6554           \@date
6555         \fi\par}%
6556       \end{center}\par
6557       \@thanks
6558       \vfil\null
6559     \end{titlepage}%

```



```

6560 \setcounter{footnote}{0}%
6561 \global\let\thanks\relax
6562 \global\let\maketitle\relax
6563 \global\let\@thanks\@empty
6564 \global\let\@author\@empty
6565 \global\let\@title\@empty
6566 \global\let\@date\@empty
6567 \global\let\title\relax
6568 \global\let\author\relax
6569 \global\let\date\relax
6570 \global\let\and\relax
6571 }

```

32 File boek-xetex-bidi.def

```

6572 \ProvidesFile{boek-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for boek class for XeTeX]
6573 \renewenvironment{theindex}{%
6574   \if@twocolumn
6575     \@restonecolfalse
6576   \else
6577     \@restonecoltrue
6578   \fi
6579   \columnseprule \z@
6580   \columnsep 35\p@
6581   \twocolumn[\@makeschapterhead{\indexname}]%
6582   \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
6583   \thispagestyle{plain}\parindent\z@
6584   \parskip\z@ \@plus .3\p@\relax
6585   \let\item\@idxitem
6586 }{%
6587   \if@restonecol\onecolumn\else\clearpage\fi}
6588 \renewcommand*{\head@style}{%
6589   \interlinepenalty \@M
6590   \hyphenpenalty=\@M \exhyphenpenalty=\@M
6591   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
6592 \renewcommand*{\@regtocline}[3]{%
6593   \ifnum #1>\c@tocdepth
6594   \else
6595     \vskip\z@ \@plus.2\p@
6596     {\hangindent\z@ \@afterindenttrue \interlinepenalty \@M
6597     \if@RTL\rightskip\else\leftskip\fi\unitindent
6598     \if@RTL\leftskip\else\rightskip\fi\unitindent \@plus 1fil
6599     \parfillskip\z@
6600     \@tempdima\unitindent
6601     \parindent\z@
6602     \leavevmode
6603     \hbox{ }\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
6604     \hskip 1em \nobreak{\slshape #3}\par
6605   }%
6606 \fi}

```



```

6607 \if@oldtoc
6608 \renewcommand*\l@part[2]{%
6609   \ifnum \c@tocdepth >-2\relax
6610     \addpenalty{-\@highpenalty}%
6611     \addvspace{2.25em \@plus\p@}%
6612     \begingroup
6613       \setlength\@tempdima{3em}%
6614       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6615       \parfillskip -\@pnumwidth
6616       {\leavevmode
6617         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
6618         \nobreak
6619         \global\@nobreaktrue
6620         \everypar{\global\@nobreakfalse\everypar{}}%
6621       \endgroup
6622   \fi}
6623 \else
6624   \renewcommand*\l@part{%
6625     \ifnum \c@tocdepth >-2\relax
6626       \addpenalty{-\@highpenalty}%
6627       \addvspace{2.25em \@plus\p@}%
6628       \@regtocline{0}%
6629     \fi}
6630 \fi
6631 \if@oldtoc
6632 \renewcommand*\l@chapter[2]{%
6633   \addpenalty{-\@highpenalty}%
6634   \vskip 1.0em \@plus\p@
6635   \setlength\@tempdima{1.5em}%
6636   \begingroup
6637   \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6638   \parfillskip -\@pnumwidth
6639   \leavevmode \bfseries
6640   \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
6641   \hskip -\if@RTL\rightskip\else\leftskip\fi
6642   #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
6643   \penalty\@highpenalty
6644   \endgroup}
6645 \else
6646   \renewcommand*\l@chapter{\@regtocline{0}}
6647 \fi
6648 \renewcommand*\left@footnoterule{%
6649   \kern-3\p@
6650   \kern.5\baselineskip
6651   \hrule\@width\unitindent
6652   \kern.4\baselineskip
6653 }
6654 \renewcommand*\right@footnoterule{%
6655   \kern-3\p@
6656   \kern.5\baselineskip

```



```

6657 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
6658 \kern.4\baselineskip}
6659 \renewenvironment{abstract}{%
6660     \titlepage
6661     \null\vfil
6662     \section*{\SectFont \abstractname}
6663     \noindent\ignorespaces}
6664     {\par\vfil\null\endtitlepage}
6665 \renewenvironment{thebibliography}[1]
6666     {\chapter*{\bibname}%
6667         \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6668         \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
6669         \bidi@thebibliography@font@hook%
6670         \list{\@biblabel{\@arabic\c@enumiv}}{%
6671             {\settowidth\labelwidth{\@biblabel{#1}}%
6672             \leftmargin\labelwidth
6673             \advance\leftmargin\labelsep
6674             \@openbib@code
6675             \usecounter{enumiv}%
6676             \let\p@enumiv\@empty
6677             \renewcommand*{theenumiv}{\@arabic\c@enumiv}}%
6678         \sloppy\clubpenalty4000\widowpenalty4000%
6679         \sfcode`.\@m}
6680     {\def\@noitemerr
6681         {\@latex@warning{Empty `thebibliography' environment}}}%
6682     \endlist}
6683 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
6684 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
6685 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
6686 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
6687 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
6688 \renewcommand*\theequation{%
6689     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
6690 \renewcommand*\thefigure{%
6691     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@figure}
6692 \renewcommand*\thetable{%
6693     \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@table}
6694 \renewcommand*\maketitle{%
6695     \begin{titlepage}%
6696         \let\footnotesize\small
6697         \let\right@footnoterule\relax
6698         \let\left@footnoterule\relax
6699         \let\textwidth\footnoterule\relax
6700         \let \footnote \thanks
6701         \long\def\@makefnctext##1{\parindent\z@
6702             \def\labelitemi{\textendash}\@revlabeltrue
6703             \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
6704         \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
6705         \if@compatibility\setcounter{page}{0}\fi
6706         \null\vfil

```



```

6707 \vskip 60\p@
6708 \begin{center}%
6709 \TitleFont
6710 {\LARGE \def\{\{\penalty -\@M}
6711 \if@allcaps
6712 \expandafter\uc@nothanks\@title\thanks\relax
6713 \else
6714 \@title
6715 \fi\par}%
6716 \vskip 3em%
6717 {\large
6718 \lineskip .75em \parindent\z@
6719 \begin{tabular}[t]{c}%
6720 \if@allcaps
6721 \expandafter\uc@author\and\relax
6722 \else
6723 \@author
6724 \fi
6725 \end{tabular}\par}%
6726 \vskip 1.5em%
6727 {\large
6728 \if@allcaps
6729 \uppercase\expandafter{\@date}%
6730 \else
6731 \@date
6732 \fi\par}%
6733 \end{center}\par
6734 \@thanks
6735 \vfil\null
6736 \end{titlepage}%
6737 \setcounter{footnote}{0}%
6738 \global\let\thanks\relax
6739 \global\let\maketitle\relax
6740 \global\let\@thanks\@empty
6741 \global\let\@author\@empty
6742 \global\let\@title\@empty
6743 \global\let\@date\@empty
6744 \global\let\title\relax
6745 \global\let\author\relax
6746 \global\let\date\relax
6747 \global\let\and\relax
6748 }

```

33 File `bookest-xetex-bidi.def`

```

6749 \ProvidesFile{bookest-xetex-bidi.def}[2010/07/25 v0.4 bidi adaptations for bookest class for X
6750 \def\@makechapterhead#1{%
6751 \vspace*{20\p@}
6752 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6753 \ifnum \c@secnumdepth >\m@ne

```



```

6754     \if@mainmatter
6755         {\colorA\huge\scshape \@chapapp\space \thechapter}
6756         \par\nobreak
6757         \vskip 10\p@
6758     \fi
6759 \fi
6760 \interlinepenalty\@M
6761 {\colorB\hrule}
6762 \vskip 15\p@
6763 \if@RTL\begin{flushleft}\else\begin{flushright}\fi
6764     {\colorA\Huge \bfseries #1}\par\nobreak
6765 \if@RTL\end{flushleft}\else\end{flushright}\fi
6766 \vskip 5\p@
6767 {\colorB\hrule}
6768 \vskip 30\p@
6769 }}
6770 \def\@makeschapterhead#1{%
6771     \vspace*{20\p@}
6772     {\parindent \z@ \raggedright \normalfont
6773     {\colorB\hrule}
6774     \vskip 15\p@
6775     \begin{center}
6776         {\colorA\Huge \bfseries #1}\par\nobreak
6777     \end{center}
6778     \vskip 5\p@
6779     {\colorB\hrule}
6780     \vskip 30\p@
6781 }}

```

34 File book-xetex-bidi.def

```

6782 \ProvidesFile{book-xetex-bidi.def}[2017/06/09 v1.0 bidi adaptations for standard book class f
6783 \renewenvironment{theindex}
6784     {\if@twocolumn
6785         \@restonecolfalse
6786         \else
6787             \@restonecoltrue
6788         \fi
6789         \columnseprule \z@
6790         \columnsep 35\p@
6791         \twocolumn[\@makeschapterhead{\indexname}]%
6792         \@mkboth{\MakeUppercase\indexname}%
6793             {\MakeUppercase\indexname}%
6794         \thispagestyle{plain}\parindent\z@
6795         \parskip\z@ \@plus .3\p@\relax
6796         \let\item\@idxitem}
6797     {\if@restonecol\onecolumn\else\clearpage\fi}
6798 \@ifclassloaded{bookest}{-}{-}%
6799 \if@titlepage
6800 \renewcommand\maketitle{\begin{titlepage}%

```



```

6801 \let\footnotesize\small
6802 \let\right@footnoterule\relax
6803 \let\left@footnoterule\relax
6804 \let\textwidth@footnoterule\relax
6805 \let \footnote \thanks
6806 \let \LTRfootnote \LTRthanks
6807 \let \RTLfootnote \RTLthanks
6808 \null\vfil
6809 \vskip 60\p@
6810 \begin{center}%
6811   {\LARGE \@title \par}%
6812   \vskip 3em%
6813   {\large
6814     \lineskip .75em%
6815     \begin{tabular}[t]{c}%
6816       \@author
6817     \end{tabular}\par}%
6818     \vskip 1.5em%
6819     {\large \@date \par}%      % Set date in \large size.
6820 \end{center}\par
6821 \@thanks
6822 \vfil\null
6823 \end{titlepage}%
6824 \setcounter{footnote}{0}%
6825 \global\let\thanks\relax
6826 \global\let\LTRthanks\relax
6827 \global\let\RTLthanks\relax
6828 \global\let\maketitle\relax
6829 \global\let\@thanks\@empty
6830 \global\let\@author\@empty
6831 \global\let\@date\@empty
6832 \global\let\@title\@empty
6833 \global\let\title\relax
6834 \global\let\author\relax
6835 \global\let\date\relax
6836 \global\let\and\relax
6837 }
6838 \else
6839 \renewcommand\maketitle{\par
6840   \begingroup
6841     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
6842     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
6843     \long\def\@makefntext##1{\parindent 1em\noindent
6844       \hb@xt@1.8em{%
6845         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
6846     \if@twocolumn
6847       \ifnum \col@number=\@ne
6848         \@maketitle
6849       \else
6850         \twocolumn[\@maketitle]%

```



```

6851     \fi
6852   \else
6853     \newpage
6854     \global\@topnum\z@    % Prevents figures from going at top of page.
6855     \@maketitle
6856   \fi
6857   \thispagestyle{plain}\@thanks
6858 \endgroup
6859 \setcounter{footnote}{0}%
6860 \global\let\thanks\relax
6861 \global\let\LTRthanks\relax
6862 \global\let\RTLthanks\relax
6863 \global\let\maketitle\relax
6864 \global\let\@maketitle\relax
6865 \global\let\@thanks\@empty
6866 \global\let\@author\@empty
6867 \global\let\@date\@empty
6868 \global\let\@title\@empty
6869 \global\let\title\relax
6870 \global\let\author\relax
6871 \global\let\date\relax
6872 \global\let\and\relax
6873 }
6874 \def\@maketitle{%
6875   \newpage
6876   \null
6877   \vskip 2em%
6878   \begin{center}%
6879     \let \footnote \thanks
6880     \let \LTRfootnote \LTRthanks
6881     \let \RTLfootnote \RTLthanks
6882     {\LARGE \@title \par}%
6883     \vskip 1.5em%
6884     {\large
6885       \lineskip .5em%
6886       \begin{tabular}[t]{c}%
6887         \@author
6888       \end{tabular}\par}%
6889     \vskip 1em%
6890     {\large \@date}%
6891   \end{center}%
6892   \par
6893   \vskip 1.5em}
6894 \fi}
6895 \renewcommand*\l@part[2]{%
6896   \ifnum \c@tocdepth >-2\relax
6897     \addpenalty{-\@highpenalty}%
6898     \addvspace{2.25em \@plus\p@}%
6899     \setlength\@tempdima{3em}%
6900     \begin{group

```




```

6901 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6902 \parfillskip -\@pnumwidth
6903 {\leavevmode
6904 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
6905 \nobreak
6906 \global\@nobreaktrue
6907 \everypar{\global\@nobreakfalse\everypar{}}%
6908 \endgroup
6909 \fi}
6910 \renewcommand*\l@chapter[2]{%
6911 \ifnum \c@tocdepth >\m@ne
6912 \addpenalty{-\@highpenalty}%
6913 \vskip 1.0em \@plus\p@
6914 \setlength\@tempdima{1.5em}%
6915 \begingroup
6916 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
6917 \parfillskip -\@pnumwidth
6918 \leavevmode \bfseries
6919 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
6920 \hskip -\if@RTL\rightskip\else\leftskip\fi
6921 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
6922 \penalty\@highpenalty
6923 \endgroup
6924 \fi}
6925 \renewcommand\left@footnoterule{%
6926 \kern-3\p@
6927 \hrule\@width.4\columnwidth
6928 \kern2.6\p@}
6929 \renewcommand\right@footnoterule{%
6930 \kern-3\p@
6931 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
6932 \kern2.6\p@}
6933 \renewcommand\theequation
6934 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
6935 \renewcommand \thefigure
6936 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
6937 \renewcommand \thetable
6938 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
6939 \renewcommand \thechapter {\@arabic\c@chapter}
6940 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
6941 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
6942 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
6943 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
6944 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
6945 \def\@makechapterhead#1{%
6946 \vspace*{50\p@}%
6947 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
6948 \ifnum \c@secnumdepth >\m@ne
6949 \if@mainmatter
6950 \huge\bfseries \@chapapp\space \thechapter

```



```

6951      \par\nobreak
6952      \vskip 20\p@
6953      \fi
6954      \fi
6955      \interlinepenalty\@M
6956      \Huge \bfseries #1\par\nobreak
6957      \vskip 40\p@
6958    }}
6959 \def\@makeschapterhead#1{%
6960   \vspace*{50\p@}%
6961   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
6962    \normalfont
6963    \interlinepenalty\@M
6964    \Huge \bfseries #1\par\nobreak
6965    \vskip 40\p@
6966   }}
6967 \renewcommand\backmatter{%
6968   \if@openright
6969     \cleardoublepage
6970   \else
6971     \clearpage
6972   \fi
6973   \@mainmatterfalse}
6974 \renewenvironment{thebibliography}[1]
6975   {\chapter*{\bibname}%
6976    \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
6977    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
6978    \bidi@thebibliography@font@hook%
6979    \list{\@biblabel{\@arabic\c@enumiv}}%
6980      {\settowidth\labelwidth{\@biblabel{#1}}%
6981       \leftmargin\labelwidth
6982       \advance\leftmargin\labelsep
6983       \@openbib@code
6984       \usecounter{enumiv}%
6985       \let\p@enumiv\@empty
6986       \renewcommand\theenumiv{\@arabic\c@enumiv}}%
6987    \sloppy
6988    \clubpenalty4000
6989    \@clubpenalty \clubpenalty
6990    \widowpenalty4000%
6991    \sfcode`.\@m}
6992   {\def\@noitemerr
6993    {\@latex@warning{Empty `thebibliography' environment}}%
6994    \endlist}

```

35 File breqn-xetex-bidi.def

```

6995 \ProvidesFile{breqn-xetex-bidi.def}[2016/09/12 v0.2 bidi adaptations for breqn package for XeLaTeX]
6996 \def\@dmath[#1]{\if@RTL\@RTLfalse\fi%
6997   \everydisplay\expandafter{\the\everydisplay \display@setup}%

```



```

6998 \if@noskipsec \leavevmode \fi
6999 \if@inlabel \leavevmode \global\@inlabelfalse \fi
7000 \if\eq@group\else\eq@prelim\fi
7001 \setkeys{breqn}{#1}%
7002 \the\eqstyle
7003 \eq@setnumber
7004 \begingroup
7005 \eq@setup@a
7006 \eq@startup
7007 }
7008 \def\@dgroup[#1]{\if@RTL\@RTLfalse\fi%
7009 \let\eq@group\@True \global\let\eq@GRP@first@dmath\@True
7010 \global\GRP@queue\@emptytoks \global\setbox\GRP@box\box\voidb@x
7011 \global\let\GRP@label\@empty
7012 \global\grp@wdL\z@\global\grp@wdR\z@\global\grp@wdT\z@
7013 \global\grp@linewidth\z@\global\grp@wdNum\z@
7014 \global\let\grp@eqs@numbered\@False
7015 \global\let\grp@aligned\@True
7016 \global\let\grp@shiftnumber\@False
7017 \eq@prelim
7018 \setkeys{breqn}{#1}%
7019 \if\grp@hasNumber \grp@setnumber \fi
7020 }
7021 \def\@dseries[#1]{\if@RTL\@RTLfalse\fi%
7022 \let\display@setup\dseries@display@setup
7023 % Question: should this be the default for dseries???
7024 \global\eq@wdCond\z@
7025 \@dmath[layout={M},#1]%
7026 \mathsurround\z@\@math \penalty\@Mi
7027 \let\endmath\ends@math
7028 \def\premath{%
7029 \ifdim\lastskip<.3em \unskip
7030 \else\ifnum\lastpenalty<\@M \dquad\fi\fi
7031 }%
7032 \def\postmath{\unpenalty\eq@addpunct \penalty\intermath@penalty \dquad \@ignoretrue}%
7033 \ignorespaces
7034 }
7035 \def\eqnumform#1{\if@nonlatin\beginR\@RTLtrue\fi(#1\@@italiccorr)\if@nonlatin\endR\fi}
7036 \renewenvironment{dsuspend}{%
7037 \global\setbox\EQ@box\vbox\bgroup\if@nonlatin\@RTLtrue\fi \@parboxrestore
7038 \parshape 1 \displayindent \displaywidth\relax
7039 \hsize=\columnwidth \noindent\ignorespaces
7040 }{%
7041 \par\egroup
7042 \global\setbox\GRP@box\vbox{%
7043 \hbox{\copy\EQ@box\top{\unvbox\EQ@box}}%
7044 \unvbox\GRP@box
7045 }%
7046 \global\GRP@queue\@xp{\the\GRP@queue
7047 \@elt{\let\eq@isIntertext\@True}%

```



```

7048 }%
7049 }

```

36 File cals-xetex-bidi.def

```

7050 \ProvidesFile{cals-xetex-bidi.def}[2016/11/30 v0.4 bidi adaptations for cals package for XeTeX]
7051 \renewcommand\cals@setup@alignment[1]{%
7052 \if c#1\relax \cals@vfillAdd \leftskip \cals@vfillAdd \rightskip \fi
7053 \if l#1\relax \cals@vfillDrop\leftskip \cals@vfillDrop\rightskip \fi
7054 \if r#1\relax \cals@vfillAdd \leftskip \cals@vfillDrop\rightskip \fi
7055 }
7056 \renewcommand\cals@table@alignment{\ifRTLtab r\else l\fi}
7057 \renewenvironment{calstable}[1][\cals@table@alignment]{%
7058 \ifRTLtab\cals@activate@rtl\fi
7059 \let\cals@thead@tokens=\relax
7060 \let\cals@tfoot@tokens=\relax
7061 \let\cals@tbreak@tokens=\relax
7062 \cals@tfoot@height=0pt \relax
7063 \let\cals@last@context=n%
7064 \let\cals@current@context=b%
7065 \parindent=0pt \relax%
7066 \cals@setup@alignment{#1}%
7067 \cals@setpadding{Ag}\cals@setcellprevdepth{Al}\cals@set@tohsize%
7068 %% Alignment inside is independent on center/flushright outside
7069 \parfillskip=0pt plus1fil\relax
7070 \let\cals@borderL=\relax
7071 \let\cals@borderR=\relax
7072 \let\cals@borderT=\relax
7073 \let\cals@borderB=\relax
7074 \setbox\cals@backup@row=\box\voidb@x\relax
7075 \cals@AtBeginTable
7076 }{% End of the table
7077 \cals@tfoot@tokens\lastrule\cals@AtEndTable}
7078 \renewcommand\alignL{%
7079 \ifRTLtab
7080 \cals@vfillAdd\cals@paddingL
7081 \else
7082 \cals@vfillDrop\cals@paddingL
7083 \fi
7084 \cals@vfillDrop\cals@paddingR}
7085 \renewcommand\alignR{%
7086 \ifRTLtab
7087 \cals@vfillDrop\cals@paddingL
7088 \else
7089 \cals@vfillAdd\cals@paddingL
7090 \fi
7091 \cals@vfillDrop\cals@paddingR}

```

37 File caption-xetex-bidi.def



```

7092 \ProvidesFile{caption-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for caption package for
7093 \let\@makecaption\caption@makecaption

```

38 File caption3-xetex-bidi.def

```

7094 \ProvidesFile{caption3-xetex-bidi.def}[2013/04/01 v0.1 bidi adaptations for caption3 package f
7095 \renewcommand*\caption@@par{%
7096 \parindent\caption@parindent\hangindent\if@RTL-\fi\caption@hangindent}%

```

39 File colortbl-xetex-bidi.def

```

7097 \ProvidesFile{colortbl-xetex-bidi.def}[2012/06/10 v0.2 bidi adaptations for colortbl package f
7098 \def\CT@setup{%
7099 \@tempdimb\col@sep
7100 \@tempdimc\col@sep
7101 \def\CT@color{%
7102 \global\let\CT@do@color\CT@@do@color
7103 \bidicolor}}
7104 \def\@classz{\@classx
7105 \@tempcnta \count@
7106 \prepnext@tok
7107 \expandafter\CT@extract\the\toks\@tempcnta\columncolor!\@nil
7108 \@addtopreamble{\if@RTLtab\beginL\fi%
7109 \setbox\z@\hbox\bgroup\bgroup\if@RTLtab\beginR\fi
7110 \ifcase \@chnum
7111 \hskip\stretch{.5}\kern\z@
7112 \dollarbegin
7113 \insert@column
7114 \dollarend\hskip\stretch{.5}\or
7115 \dollarbegin \insert@column \dollarend \hfill \or
7116 \hfill\kern\z@ \dollarbegin \insert@column \dollarend \or
7117 $\vcenter
7118 \@startpbox{\@nextchar}\insert@column \@endpbox $\or
7119 \vtop \@startpbox{\@nextchar}\insert@column \@endpbox \or
7120 \vbox \@startpbox{\@nextchar}\insert@column \@endpbox
7121 \fi
7122 \if@RTLtab\endR\fi\egroup\egroup
7123 \begingroup
7124 \CT@setup
7125 \CT@column@color
7126 \CT@row@color
7127 \CT@cell@color
7128 \CT@do@color
7129 \endgroup
7130 \@tempdima\ht\z@
7131 \advance\@tempdima\minrowclearance
7132 \vrule\@height\@tempdima\@width\z@
7133 \unhbox\z@\if@RTLtab\endL\fi}%
7134 \prepnext@tok}

```



40 File color-xetex-bidi.def

```

7135 \ProvidesFile{color-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for color package for Xe
7136 \long\def\color@b@x#1#2#3{%
7137   \leavevmode\ifhmode\else\if@RTL\beginL\fi\fi
7138   \setbox\z@\hbox{\kern\fbboxsep{\set@color\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
7139   \dimen@ \ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
7140   \dimen@ \dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
7141   {\if#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}%
7142     \box\z@}\ifhmode\else\if@RTL\endL\fi\fi}
7143 \def\normalcolor{\let\current@color\default@color\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi}
7144 \DeclareRobustCommand\color{%
7145   \ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\ifnextchar[\@undeclaredcolor\@declaredcolor]
7146   \def\@undeclaredcolor#1{%
7147     \ifundefined{\string\color @#1}%
7148       {\c@lor@error{`#1'}}%
7149       {\expandafter\let\expandafter\current@color
7150         \csname\string\color @#1\endcsname
7151         \set@color}%
7152     \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
7153 \def\@undeclaredcolor[#1]#2{%
7154   \ifundefined{color@#1}%
7155     {\c@lor@error{model `#1'}}%
7156     {\csname color@#1\endcsname\current@color{#2}%
7157     \set@color}%
7158   \ifhmode\if@RTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
7159 \DeclareRobustCommand\bidicolor{%
7160   \ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor]
7161   \def\@bidiundeclaredcolor[#1]#2{%
7162     \ifundefined{color@#1}%
7163       {\c@lor@error{model `#1'}}%
7164       {\csname color@#1\endcsname\current@color{#2}%
7165       \set@color}%
7166     \ignorespaces}
7167 \def\@bidideclaredcolor#1{%
7168   \ifundefined{\string\color @#1}%
7169     {\c@lor@error{`#1'}}%
7170     {\expandafter\let\expandafter\current@color
7171       \csname\string\color @#1\endcsname
7172       \set@color}%
7173   \ignorespaces}
7174 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
7175 \def\color@fbbox#1#2#3{%
7176   \color@b@x{\fbboxsep\z@\bidicolor#1{#2}\fbbox}{\bidicolor#1{#3}}}
7177 \def\color@setgroup{\begingroup\ifhmode\if@RTL\beginL\aftergroup\endR\fi\fi\set@color\ifhmode\fi}

```

41 File combine-xetex-bidi.def

```

7178 \ProvidesFile{combine-xetex-bidi.def}[2011/09/23 v0.1 bidi adaptations for combine class for Xe
7179 \renewcommand{\c@ll@chapsecii}[2]{%

```



```

7180 \if@RTL\advance\rightskip\@tempdima\else\advance\leftskip\@tempdima\fi
7181 \if@RTL\hskip -\rightskip\else\hskip -\leftskip\fi
7182 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
7183 }
7184 \renewcommand{\c@ll@chapseci}{%
7185 \setlength\@tempdima{0em}%
7186 \begingroup
7187 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
7188 \parfillskip -\@pnumwidth
7189 \leavevmode
7190 }
7191 \renewenvironment{tocindent}[1]{%
7192 \hangindent \if@RTL-\fi#1 \hangafter -100\relax}{%

```

42 File crop-xetex-bidi.def

```

7193 \ProvidesFile{crop-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for crop package for XeTeX]
7194 \renewcommand*\CROP@ulc{%
7195 \if@RTLmain%
7196 \begin{picture}(0,0)
7197 \unitlength\p@\thinlines
7198 \put(-40,0){\circle{10}}
7199 \put(-30,-5){\line(0,1){10}}
7200 \put(-35,0){\line(1,0){30}}
7201 \put(-10,30){\circle{10}}
7202 \put(-5,30){\line(1,0){10}}
7203 \put(0,35){\line(0,-1){30}}
7204 \end{picture}%
7205 \else%
7206 \begin{picture}(0,0)
7207 \unitlength\p@\thinlines
7208 \put(-30,0){\circle{10}}
7209 \put(-30,-5){\line(0,1){10}}
7210 \put(-35,0){\line(1,0){30}}
7211 \put(0,30){\circle{10}}
7212 \put(-5,30){\line(1,0){10}}
7213 \put(0,35){\line(0,-1){30}}
7214 \end{picture}%
7215 \fi%
7216 }
7217 \renewcommand*\CROP@urc{%
7218 \if@RTLmain%
7219 \begin{picture}(0,0)
7220 \unitlength\p@\thinlines
7221 \put(20,0){\circle{10}}
7222 \put(30,-5){\line(0,1){10}}
7223 \put(35,0){\line(-1,0){30}}
7224 \put(-10,30){\circle{10}}
7225 \put(-5,30){\line(1,0){10}}
7226 \put(0,35){\line(0,-1){30}}

```



```

7227 \end{picture}%
7228 \else%
7229 \begin{picture}(0,0)
7230 \unitlength\p@\thinlines
7231 \put(30,0){\circle{10}}
7232 \put(30,-5){\line(0,1){10}}
7233 \put(35,0){\line(-1,0){30}}
7234 \put(0,30){\circle{10}}
7235 \put(-5,30){\line(1,0){10}}
7236 \put(0,35){\line(0,-1){30}}
7237 \end{picture}%
7238 \fi%
7239 }
7240 \renewcommand*\CROP@llc{%
7241 \if@RTLmain%
7242 \begin{picture}(0,0)
7243 \unitlength\p@\thinlines
7244 \put(-40,0){\circle{10}}
7245 \put(-30,-5){\line(0,1){10}}
7246 \put(-35,0){\line(1,0){30}}
7247 \put(-10,-30){\circle{10}}
7248 \put(-5,-30){\line(1,0){10}}
7249 \put(0,-35){\line(0,1){30}}
7250 \end{picture}%
7251 \else%
7252 \begin{picture}(0,0)
7253 \unitlength\p@\thinlines
7254 \put(-30,0){\circle{10}}
7255 \put(-30,-5){\line(0,1){10}}
7256 \put(-35,0){\line(1,0){30}}
7257 \put(0,-30){\circle{10}}
7258 \put(-5,-30){\line(1,0){10}}
7259 \put(0,-35){\line(0,1){30}}
7260 \end{picture}%
7261 \fi%
7262 }
7263 \renewcommand*\CROP@lrc{%
7264 \if@RTLmain%
7265 \begin{picture}(0,0)
7266 \unitlength\p@\thinlines
7267 \put(20,0){\circle{10}}
7268 \put(30,-5){\line(0,1){10}}
7269 \put(35,0){\line(-1,0){30}}
7270 \put(-10,-30){\circle{10}}
7271 \put(-5,-30){\line(1,0){10}}
7272 \put(0,-35){\line(0,1){30}}
7273 \end{picture}%
7274 \else%
7275 \begin{picture}(0,0)
7276 \unitlength\p@\thinlines

```




```

7277         \put(30,0){\circle{10}}
7278         \put(30,-5){\line(0,1){10}}
7279         \put(35,0){\line(-1,0){30}}
7280         \put(0,-30){\circle{10}}
7281         \put(-5,-30){\line(1,0){10}}
7282         \put(0,-35){\line(0,1){30}}
7283     \end{picture}%
7284     \fi%
7285 }
7286 \@ifpackagewith{crop}{cam}{%
7287 \CROP@execopt{cam}%
7288 }{}

```

43 File cutwin-xetex-bidi.def

```

7289 \ProvidesFile{cutwin-xetex-bidi.def}[2011/11/12 v0.1 bidi adaptations for cutwin package for XeTeX]
7290 \renewcommand*{\c@twcompctr}[2]{%
7291   \def\c@twfirst{1}
7292   \loop\advance\c@twwinlines\m@ne
7293   \setbox\c@twslicea=\vsplit#1 to\baselineskip
7294   \setbox\c@twsliceb=\vsplit#1 to\baselineskip
7295   \c@twprune{\c@twslicea}{\c@twlftside}%
7296   \c@twprune{\c@twsliceb}{\c@twrtside}%
7297   \ifnum\c@twfirst=\@ne
7298     \setbox#2=\vbox{\unvbox#2\hbox
7299       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\pageinwindow\hfil\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi}}
7300   \else
7301     \setbox#2=\vbox{\unvbox#2\hbox
7302       to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}}
7303   \fi
7304   \def\c@twfirst{2}
7305   \ifnum\c@twwinlines>\z@\repeat{
7306 \renewcommand*{\c@twcompodctr}[2]{%
7307   \def\c@twrounds{1}
7308   \def\c@twfirst{1}
7309   \@for\c@twlspec:=\c@twb\do{%
7310     \ifnum\c@twrounds=1
7311       \setbox\c@twslicea=\vsplit#1 to\baselineskip % first of pair
7312       \c@twprune{\c@twslicea}{\c@twlspec}%
7313       \def\c@twrounds{2}
7314     \else
7315       \setbox\c@twsliceb=\vsplit#1 to\baselineskip % second of pair
7316       \c@twprune{\c@twsliceb}{\c@twlspec}%
7317       \ifnum\c@twfirst=1
7318         \setbox#2=\vbox{\unvbox#2\hbox
7319           to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\picinwindow\hfil\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi}}
7320       \def\c@twfirst{2}
7321     \else
7322       \setbox#2=\vbox{\unvbox#2\hbox
7323         to\hsize{\if@RTL\box\c@twsliceb\else\box\c@twslicea\fi\hfil\if@RTL\box\c@twslicea\else\box\c@twsliceb\fi}}

```



```

7324     \fi
7325     \def\c@twrounds{1}
7326     \fi}}

```

44 File cuted-xetex-bidi.def

```

7327 \ProvidesFile{cuted-xetex-bidi.def}[2017/05/06 v0.6 bidi adaptations for cuted package for XeΛ
7328
7329 \def\RTL@outputdblcol{%
7330   \if@firstcolumn
7331     \global\@firstcolumnfalse
7332     \global\setbox\@leftcolumn\copy\@outputbox
7333     \splitmaxdepth\maxdimen
7334     \vbadness\maxdimen
7335     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
7336     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
7337     \toks@\expandafter{\topmark}%
7338     \xdef\@firstcoltopmark{\the\toks@}%
7339     \toks@\expandafter{\splitfirstmark}%
7340     \xdef\@firstcolfirstmark{\the\toks@}%
7341     \ifx\@firstcolfirstmark\@empty
7342       \global\let\@setmarks\relax
7343     \else
7344       \gdef\@setmarks{%
7345         \let\firstmark\@firstcolfirstmark
7346         \let\topmark\@firstcoltopmark}%
7347     \fi
7348   \else
7349     \global\@firstcolumntrue
7350     \setbox\@outputbox\vbox{%
7351       \hb@xt@\textwidth{%
7352         \hskip \columnwidth
7353         \hfil
7354         {\normalcolor\vrule \@width\columnseprule}%
7355         \hfil
7356         \hb@xt@\columnwidth{%
7357           \bidi@firstcolumn@status@write%
7358           \box\@leftcolumn \hss}%
7359         \hskip -\textwidth
7360         \hb@xt@\columnwidth{%
7361           \bidi@lastcolumn@status@write%
7362           \box\@outputbox \hss}%
7363         \hskip \columnsep
7364         \hskip \columnwidth }}%
7365     \ifvoid\hold@viper
7366     \else
7367       \setbox\@outputbox \vbox to\textheight{%
7368         \box\hold@viper
7369         \box\@outputbox
7370         \vss

```



```

7371 }%
7372 \fi
7373 \@combinedblfloats
7374 \setmarks
7375 \@outputpage
7376 \beginngroup
7377 \dblfloatplacement
7378 \@startdblcolumn
7379 \@whiles\if@fcolmade \fi{\@outputpage
7380 \@startdblcolumn}%
7381 \ifvoid\@viper
7382 \else
7383 \global\setbox\@viper\vbox{%
7384 \vskip-\stripsep
7385 \unvbox\@viper
7386 }%
7387 \@viperoutput
7388 \fi
7389 \endgroup
7390 \fi}%
7391
7392 \def\LTR@outputdblcol{%
7393 \if@firstcolumn
7394 \global\@firstcolumnfalse
7395 \global\setbox\@leftcolumn\copy\@outputbox
7396 \splitmaxdepth\maxdimen
7397 \vbadness\maxdimen
7398 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
7399 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
7400 \toks@\expandafter{\topmark}%
7401 \xdef\@firstcoltopmark{\the\toks@}%
7402 \toks@\expandafter{\splitfirstmark}%
7403 \xdef\@firstcolfirstmark{\the\toks@}%
7404 \ifx\@firstcolfirstmark\@empty
7405 \global\let\@setmarks\relax
7406 \else
7407 \gdef\@setmarks{%
7408 \let\firstmark\@firstcolfirstmark
7409 \let\topmark\@firstcoltopmark}%
7410 \fi
7411 \else
7412 \global\@firstcolumntrue
7413 \setbox\@outputbox\vbox{%
7414 \hb@xt@\textwidth{%
7415 \hb@xt@\columnwidth{%
7416 \bidi@firstcolumn@status@write%
7417 \box\@leftcolumn \hss}%
7418 \hfil
7419 {\normalcolor\vrule \@width\columnseprule}%
7420 \hfil

```



```

7421      \hb@xt@\columnwidth{%
7422      \bidi@lastcolumn@status@write%
7423      \box\@outputbox \hss}}}%
7424 \ifvoid\hold@viper
7425 \else
7426   \setbox\@outputbox \vbox to\textheight{%
7427                       \box\hold@viper
7428                       \box\@outputbox
7429                       \vss
7430   }%
7431 \fi
7432 \@combinedblfloats
7433 \setmarks
7434 \@outputpage
7435 \beginingroup
7436   \@dblfloatplacement
7437   \@startdblcolumn
7438   \@whiles\if@fcolmade \fi{\@outputpage
7439   \@startdblcolumn}%
7440   \ifvoid\@viper
7441   \else
7442     \global\setbox\@viper\vbox{%
7443         \vskip-\stripsep
7444         \unvbox\@viper
7445     }%
7446     \@viperoutput
7447   \fi
7448 \endgroup
7449 \fi}%
7450
7451
7452 \def \@addviper {%
7453   \if@firstcolumn
7454     \insertfalse
7455     \@reqcolroom .5\@pageht
7456     \ht@viper\@reqcolroom
7457     \advance \@reqcolroom \ht\@viper
7458     \advance \@reqcolroom \stripsep
7459     \ifvoid\hold@viper\@tempdima=\z@\else\@tempdima\ht\hold@viper\fi
7460 %%
7461   \@tempdimb \ht@viper
7462   \loop
7463     \setbox\v@aaa\copy\@holdpg
7464     \setbox\v@ccc\vbox to\@tempdimb{%
7465         \vsplit\v@aaa to\@tempdimb\vss\vsplit\v@aaa to\@tempdimb}%
7466     \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
7467     \ifvoid\v@aaa \else \advance\@tempdimb 1pt \repeat
7468   \loop
7469     \setbox\v@aaa\copy\@holdpg
7470     \setbox\v@ccc\vbox to\@tempdimb{%

```



```

7471         \vsplit\v@aaa to\@tempdimb\vss}%
7472 \wlog{(2)Left:\the\ht\v@ccc\space Right:\the\ht\v@aaa\space Output:\the\@tempdimb}%
7473 \ifdim \ht\v@ccc<\ht\v@aaa \@tempdimb \the\ht\v@aaa \repeat
7474 \wlog{- LAST -^^JLeft:\the\ht\v@ccc^^JRight:\the\ht\v@aaa^^JOutput:\the\@tempdimb}%
7475 \setbox\v@ccc\vbox to\@tempdimb{%
7476     \vsplit\@holdpg to\@tempdimb\vss}%
7477 %%
7478 \setbox\@tempboxa \vbox {%
7479     \hb@xt@\textwidth {%
7480         \if@RTLmain%
7481             \hskip \columnwidth
7482             \hfil \vrule width\columnseprule \hfil
7483             \hb@xt@\columnwidth {%
7484                 \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7485             \hskip -\textwidth
7486             \hb@xt@\columnwidth {%
7487                 \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7488             \hskip \columnsep
7489             \hskip \columnwidth
7490             \else%
7491                 \hb@xt@\columnwidth {%
7492                     \vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7493                     \hfil
7494                     \vrule \@width\columnseprule
7495                     \hfil
7496                     \hb@xt@\columnwidth {%
7497                         \vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7498                         \fi}%
7499                 }%
7500 \ifvoid\hold@viper
7501     \global\setbox\hold@viper \vbox {%
7502         \unvbox\@tempboxa
7503         \penalty\interlinepenalty
7504         \vskip\stripsep
7505         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7506         \outputpenalty \z@
7507     }%
7508 \else
7509     \global\setbox\hold@viper \vbox {%
7510         \unvbox\hold@viper
7511         \unvbox\@tempboxa
7512         \penalty\interlinepenalty
7513         \vskip\stripsep
7514         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7515         \outputpenalty \z@
7516     }%
7517 \fi
7518 \ifdim \@colroom>\@reqcolroom
7519     \global\setbox\hold@viper \vbox {%
7520         \unvbox\hold@viper

```



```

7521         \box\@viper
7522         \penalty\interlinepenalty
7523         \vskip\stripsep
7524         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7525         \outputpenalty \z@
7526         }%
7527     \@inserttrue
7528     \advance\@tempdima by-\ht\hold@viper
7529     \global \advance \@colht \@tempdima
7530     \ifdim \@colht<2.5\baselineskip
7531         \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
7532             too tall on page \thepage (1 stulpelis)}}%
7533         \@emptycol
7534         \if@firstcolumn
7535         \else
7536             \@emptycol
7537         \fi
7538         \global\@lastvipertrue
7539     \else
7540         \global \vsize \@colht
7541         \global \@colroom \@colht
7542         \check@floats
7543         \ifdim\@tempdima>\z@
7544             \global\advance\@colroom by-\@tempdima
7545         \fi
7546         \ifdim\@colroom<\z@
7547             \global\@colroom 1pt
7548             \ifdim\@tempdima>\@colht
7549                 \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
7550                     netelpe lape \thepage (1 stulpelis)}}%
7551             \fi
7552             \@emptycol
7553             \if@firstcolumn
7554             \else
7555                 \@emptycol
7556             \fi
7557             \global\@lastvipertrue
7558         \fi
7559     \fi
7560 \fi
7561 \else
7562     \@insertfalse
7563     \@reqcolroom\@colht
7564     \advance\@reqcolroom \@pageht
7565     \ht@viper.5\@reqcolroom
7566     \@reqcolroom\ht@viper
7567     \advance \@reqcolroom \ht\@viper
7568     \advance \@reqcolroom \stripsep
7569     \if@flushend@auto@baselineskip
7570         \setbox\@tempboxa\vbox{\unvcopy\@leftcolumn

```



```

7571 \global\lastskip@d\lastskip
7572 \global\lastskip@b\lastskip
7573 \loop
7574 \global\lastskip@a\lastskip@b
7575 \unskip\unpenalty
7576 \global\lastskip@b\lastskip
7577 \global\advance\lastskip@d by\lastskip
7578 \ifdim\lastskip@b=-\lastskip@a
7579 \global\advance\lastskip@d by-\lastskip
7580 \else
7581 \repeat
7582 \ifdim\lastskip@b=-\lastskip@a
7583 \ifdim\lastskip@b=\z@
7584 \setbox\lastbox@a\lastbox
7585 \global\advance\lastskip@d by\ht\lastbox@a
7586 \global\advance\lastskip@d by\lastskip
7587 \unskip\unpenalty
7588 \setbox\lastbox@a\lastbox
7589 \global\advance\lastskip@d by\dp\lastbox@a
7590 \else
7591 \global\lastskip@d\lastskip
7592 \global\advance\lastskip@d by\topskip
7593 \fi
7594 \fi
7595 \global\advance\lastskip@d by-\topskip
7596 }%
7597 \ifdim\ht\@holdpg>\@colht
7598 \global\setbox\@holdpg\vbox{\unvbox\@leftcolumn\unskip\unpenalty
7599 \par\eject
7600 \vbox to \@colht{\unvbox\@holdpg\unskip}}%
7601 }%
7602 \else
7603 \global\setbox\@holdpg\vbox{%
7604 \unvbox\@leftcolumn\unskip\unpenalty
7605 \vskip\lastskip@d
7606 \the\At@ViperColsBreak
7607 \unvbox\@holdpg
7608 \unskip
7609 }%
7610 \fi
7611 \else
7612 \global\setbox\@holdpg\vbox{%
7613 \unvbox\@leftcolumn
7614 \setbox\@tempboxa\lastbox
7615 \on@stripcols@break
7616 \the\At@ViperColsBreak
7617 \unvbox\@holdpg
7618 }%
7619 \fi
7620 \global\At@ViperColsBreak{}%

```



```

7621 \ht@viper .5\ht\@holdpg
7622 \ifdim \ht@viper>\@colht
7623 \ht@viper \@colht
7624 \fi
7625 \ifvoid\hold@viper\@tempdima=z@\else\@tempdima\ht\hold@viper\fi
7626 %%
7627 \@tempdimb \ht@viper
7628 \loop
7629 \setbox\v@aaa\copy\@holdpg
7630 \setbox\v@ccc\vbox to\@tempdimb{%
7631 \vsplit\v@aaa to\@tempdimb
7632 \vss
7633 \vsplit\v@aaa to\@tempdimb
7634 }%
7635 \wlog{Extra height:\the\ht\v@aaa\space when \the\@tempdimb}%
7636 \ifvoid\v@aaa
7637 \else
7638 \advance\@tempdimb 1\p@
7639 \repeat
7640 \loop
7641 \setbox\v@aaa\copy\@holdpg
7642 \setbox\v@ccc\vbox to\@tempdimb{\vsplit\v@aaa to\@tempdimb\vss}%
7643 \wlog{(2)Left:\the\ht\v@ccc\space
7644 Right:\the\ht\v@aaa\space
7645 Output:\the\@tempdimb
7646 }%
7647 \ifdim\ht\v@ccc<\ht\v@aaa
7648 \@tempdimb \the\ht\v@aaa
7649 \repeat
7650 \wlog{- LAST -^^JLeft:\the\ht\v@ccc
7651 ^^JRight:\the\ht\v@aaa
7652 ^^JOutput:\the\@tempdimb
7653 }%
7654 \setbox\v@ccc\vbox to\@tempdimb{\vsplit\@holdpg to\@tempdimb\vss}%
7655 \setbox\@tempboxa\vbox{%
7656 \hb@xt@\textwidth {%
7657 \if@RTLmain%
7658 \hskip \columnwidth
7659 \hfil \vrule width\columnseprule \hfil
7660 \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7661 \hskip -\textwidth
7662 \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%
7663 \hskip \columnsep
7664 \hskip \columnwidth
7665 \else
7666 \hb@xt@\columnwidth{\vbox to\ht@viper{\box\v@ccc\vss} \hss}%
7667 \hfil
7668 \vrule \@width\columnseprule
7669 \hfil
7670 \hb@xt@\columnwidth {\vbox to\ht@viper{\box\@holdpg\vss} \hss}%

```




```

7671         \fi%
7672     }%
7673 }%
7674 \ifvoid\hold@viper
7675     \global\setbox\hold@viper \vbox {%
7676         \unvbox\@tempboxa
7677         \penalty\interlinepenalty
7678         \vskip\stripsep
7679         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7680         \outputpenalty \z@
7681     }%
7682 \else
7683     \global\setbox\hold@viper \vbox {%
7684         \unvbox\hold@viper
7685         \unvbox\@tempboxa
7686         \penalty\interlinepenalty
7687         \vskip\stripsep
7688         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7689         \outputpenalty \z@
7690     }%
7691 \fi
7692 \ifdim \@colht>\@reqcolroom
7693     \global\setbox\hold@viper \vbox {%
7694         \unvbox\hold@viper
7695         \box\@viper
7696         \penalty\interlinepenalty
7697         \vskip\stripsep
7698         \ifnum\outputpenalty <-\@Mii \vskip -\parskip\fi
7699         \outputpenalty \z@
7700     }%
7701 \@inserttrue
7702 \global\@firstcolumntrue
7703 \advance\@tempdima by-\ht\hold@viper
7704 \global \advance \@colht \@tempdima
7705 \ifdim \@colht<2.5\baselineskip
7706     \@latex@warning@no@line {Optional argument of \noexpand\twocolumn
7707                               too tall on page \thepage (2 stulpelis)}%
7708     \@emptycol
7709     \if@firstcolumn
7710     \else
7711         \@emptycol
7712     \fi
7713     \global\@lastvipertrue
7714 \else
7715     \global \vsize \@colht
7716     \global \@colroom \@colht
7717     \check@floats
7718     \ifdim\@tempdima>\z@
7719         \global\advance\@colroom by-\@tempdima
7720     \fi

```



```

7721         \ifdim\@colroom<\z@
7722             \global\@colroom 1pt
7723             \ifdim\@tempdima>\@colht
7724                 \@latex@warning@no@line {TOP ir/ar BOT FLOAT's
7725                     netelpe lape \thepage (2 stulpelis))}%
7726             \fi
7727             \@emptycol
7728             \if@firstcolumn
7729             \else
7730                 \@emptycol
7731             \fi
7732             \global\@lastvipertrue
7733         \fi
7734     \fi
7735 \fi
7736 \fi
7737 \if@insert
7738 \else
7739     \advance\@tempdima by-\ht\hold@viper
7740     \global \advance \@colht \@tempdima
7741     \global\setbox\hold@viper \vbox {%
7742                                     \unvbox\hold@viper
7743                                     \csname viper@top@hook\endcsname
7744                                     \vsplit\@viper to \@colht
7745                                     \vss
7746                                     }%
7747     \vbox{}}%
7748     \global\@firstcolumnfalse
7749     \newpage
7750 \fi
7751 }

```

45 File cvthemebidicasual.sty

```

7752 \NeedsTeXFormat{LaTeX2e}
7753 \ProvidesPackage{cvthemebidicasual}
7754 \DeclareOption{blue}{}
7755 \newif\if@colourorange\@colourorangefalse
7756 \DeclareOption{orange}{\@colourorangetrue}
7757 \newif\if@colourgreen\@colourgreenfalse
7758 \DeclareOption{green}{\@colourgreentrue}
7759 \newif\if@colourred\@colourredfalse
7760 \DeclareOption{red}{\@colourredtrue}
7761 \newif\if@colourgrey\@colourgreyfalse
7762 \DeclareOption{grey}{\@colourgreytrue}
7763 \DeclareOption*{
7764     \PackageWarning{cvthemebidicasual}{Unknown option '\CurrentOption'}}
7765 \ExecuteOptions{colour}
7766 \ProcessOptions\relax
7767 \renewcommand*{\listitemsymbol}{\textbullet}

```



```

7768 \definecolor{firstnamecolor}{rgb}{0.65,0.65,0.65}
7769 \familynamecolour{808080}
7770 \firstnamecolour{A9A9A9}
7771 \quotecolour{696969}
7772 \addresscolour{696969}
7773 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.50,0.75}
7774 \sectiontitlecolour{1E90FF}
7775 \subsectioncolour{4682B4}
7776 \definecolor{rulecolour}{gray}{0.6}
7777 \definecolor{footersymbolcolour}{rgb}{0.25,0.50,0.75}
7778 \definecolor{footersymbolcolor}{rgb}{0.25,0.50,0.75}
7779 \if@colouorange
7780 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.65,0.20}
7781 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
7782 \sectiontitlecolour{FF8C00}
7783 \subsectioncolour{FF8C00}
7784 \definecolor{footersymbolcolour}{rgb}{0.95,0.55,0.15}
7785 \definecolor{footersymbolcolor}{rgb}{0.95,0.55,0.15}\fi
7786 \if@colourgreen
7787 \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
7788 \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
7789 \sectiontitlecolour{008000}
7790 \subsectioncolour{008000}
7791 \definecolor{footersymbolcolour}{rgb}{0.30,0.65,0.15}
7792 \definecolor{footersymbolcolor}{rgb}{0.30,0.65,0.15}\fi
7793 \if@coloured
7794 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
7795 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
7796 \sectiontitlecolour{FF0000}
7797 \subsectioncolour{FF0000}
7798 \definecolor{footersymbolcolour}{rgb}{0.95,0.20,0.20}
7799 \definecolor{footersymbolcolor}{rgb}{0.95,0.20,0.20}\fi
7800 \if@colourgrey
7801 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
7802 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
7803 \sectiontitlecolour{808080}
7804 \subsectioncolour{808080}
7805 \definecolor{footersymbolcolour}{rgb}{0.35,0.35,0.35}
7806 \definecolor{footersymbolcolor}{rgb}{0.35,0.35,0.35}\fi
7807 \renewcommand*{\ttdefault}{pcr}
7808 \renewcommand*{\firstnamefont}{\fontsize{38}{40}\mdseries\upshape}
7809 \renewcommand*{\familynamefont}{\firstnamefont}
7810 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
7811 \renewcommand*{\quote font}{\large\slshape}
7812 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
7813 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
7814 \renewcommand*{\maketitle}{%
7815   {%
7816     \ifthenelse{\isundefined{\@photo}}{%
7817       {}%

```



```

7818      {{\color{firstnamecolor}\framebox{\includegraphics[width=\@photowidth]{\@photo}}}}%
7819      \hfill%
7820      \bidi@raggedleft{\firstnamestyle{\@firstname}~\familynamestyle{\@familyname}}\[-.35em]}%
7821      {\color{firstnamecolor}\rule{\textwidth}{.25ex}\[2.5em]}%
7822      \ifthenelse{\isundefined{\@quote}}%
7823      {%
7824      {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\[2.5em]}%
7825      }%
7826      \newif\if@firstfooterelement\@firstfooterelementtrue
7827      \providecommand*\footersymbol{}
7828      \renewcommand*\footersymbol{}
7829      \if@firstfooterelement%
7830      \else%
7831      {~~\color{footersymbolcolor}\textbullet~~}\fi}
7832      \providecommand*\makefooter{}
7833      \renewcommand*\makefooter{}
7834      \fancypagestyle{plain}{%
7835      \fancyfoot[c]{%
7836      \parbox{0.8\textwidth}{%
7837      \centering%
7838      \addressfont\@addresscolour%
7839      \ifthenelse{\isundefined{\@address}}{}{}%
7840      \addresssymbol~\@address\\%
7841      \@firstfooterelementfalse}%
7842      \ifthenelse{\isundefined{\@mobile}}{}{\mobilesymbol~\@mobile\@firstfooterelementfalse}%
7843      \ifthenelse{\isundefined{\@phone}}{}{\footersymbol\phonesymbol~\@phone\@firstfooterelementfalse}%
7844      \ifthenelse{\isundefined{\@fax}}{}{\footersymbol\faxsymbol~\@fax\@firstfooterelementfalse}%
7845      \ifthenelse{\isundefined{\@email}}{}{\footersymbol\emailsymbol~\email\@firstfooterelementfalse}%
7846      \ifthenelse{\isundefined{\@extrainfo}}{}{\footersymbol\@extrainfo\@firstfooterelementfalse}%
7847      }%
7848      \pagestyle{plain}}
7849      \AtBeginDocument{\makefooter}

```

46 File cvthemebidiclassic.sty

```

7850 \NeedsTeXFormat{LaTeX2e}
7851 \ProvidesPackage{cvthemebidiclassic}
7852 \DeclareOption{blue}{}
7853 \newif\if@colourorange\@colourorangefalse
7854 \DeclareOption{orange}{\@colourorange>true}
7855 \newif\if@colourgreen\@colourgreenfalse
7856 \DeclareOption{green}{\@colourgreentruer}
7857 \newif\if@colourred\@colourredfalse
7858 \DeclareOption{red}{\@colourredtrue}
7859 \newif\if@colourgrey\@colourgreyfalse
7860 \DeclareOption{grey}{\@colourgreytrue}
7861 \DeclareOption*{
7862   \PackageWarning{cvthemebidiclassic}{Unknown option ‘\CurrentOption’}}
7863 \ExecuteOptions{colour}
7864 \ProcessOptions\relax

```



```

7865 \renewcommand*{\listitemsymbol}{\textbullet}
7866 \firstnamecolour{}
7867 \familynamecolour{}
7868 \titlecolour{808080}
7869 \quotecolour{696969}
7870 \addresscolour{696969}
7871 \definecolor{sectionrectanglecolour}{rgb}{0.25,0.50,0.75}
7872 \definecolor{sectionrectanglecolor}{rgb}{0.25,0.5,0.75}
7873 \sectiontitlecolour{1E90FF}
7874 \subsectioncolour{4682B4}
7875 \if@colourorange
7876 \addresscolour{FF8C00}
7877 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.65,0.20}
7878 \definecolor{sectionrectanglecolor}{rgb}{1,0.65,0.20}
7879 \sectiontitlecolour{FF8C00}
7880 \subsectioncolour{FF8C00}\fi
7881 \if@colourgreen
7882 \addresscolour{008000}
7883 \definecolor{sectionrectanglecolour}{rgb}{0.55,0.85,0.35}
7884 \definecolor{sectionrectanglecolor}{rgb}{0.55,0.85,0.35}
7885 \sectiontitlecolour{008000}
7886 \subsectioncolour{008000}\fi
7887 \if@coloured
7888 \addresscolour{FF0000}
7889 \definecolor{sectionrectanglecolour}{rgb}{1.00,0.30,0.30}
7890 \definecolor{sectionrectanglecolor}{rgb}{1.00,0.30,0.30}
7891 \sectiontitlecolour{FF0000}
7892 \subsectioncolour{FF0000}\fi
7893 \if@colourgrey
7894 \addresscolour{808080}
7895 \definecolor{sectionrectanglecolour}{rgb}{0.75,0.75,0.75}
7896 \definecolor{sectionrectanglecolor}{rgb}{0.75,0.75,0.75}
7897 \sectiontitlecolour{808080}
7898 \subsectioncolour{808080}\fi
7899 \renewcommand*{\ttdefault}{pcr}
7900 \renewcommand*{\firstnamefont}{\fontsize{34}{36}\mdseries\upshape}
7901 \renewcommand*{\titlefont}{\LARGE\mdseries\slshape}
7902 \renewcommand*{\addressfont}{\normalsize\mdseries\slshape}
7903 \renewcommand*{\familynamefont}{\firstnamefont}
7904 \renewcommand*{\quotefont}{\large\slshape}
7905 \renewcommand*{\sectionfont}{\Large\mdseries\upshape}
7906 \renewcommand*{\subsectionfont}{\large\mdseries\upshape}
7907 \newlength{\maketitlenamemaxwidth}
7908 \setlength{\maketitlenamemaxwidth}{.525\textwidth}
7909 \newlength{\maketitlenamefullwidth}
7910 \settowidth{\maketitlenamefullwidth}{\firstnamestyle{\@firstname-}\familynamestyle{\@familyname}}
7911 \newlength{\maketitlenamewidth}
7912 \ifnum\maketitlenamemaxwidth<\maketitlenamefullwidth\setlength{\maketitlenamewidth}{\maketitlenamemaxwidth}\fi
7913 \newlength{\maketitlepicturewidth}
7914 \setlength{\maketitlepicturewidth}{\@photowidth}

```



```

7915 \newlength{\maketitledetailswidth}
7916 \renewcommand*{\recomputethemelengths}{%
7917   \setlength{\maketitledetailswidth}{\textwidth}%
7918   \addtolength{\maketitledetailswidth}{-\maketitlenamewidth}%
7919   \addtolength{\maketitledetailswidth}{-\separatorcolumnwidth}%
7920   \addtolength{\maketitledetailswidth}{-\maketitlepicturewidth}}
7921 \recomputethemelengths
7922 \newif\if@firstdetailselement\@firstdetailselementtrue
7923 \newcommand*{\maketitledetailsnewline}{
7924   \if@firstdetailselement%
7925     \@firstdetailselementfalse%
7926   \else%
7927     \[.2em]\fi}
7928 \renewcommand*{\maketitle}{%
7929   % name and title
7930   \begin{minipage}[b]{\maketitlenamewidth}%
7931     \firstnamestyle{\@firstname~}\familynamestyle{\@familyname}%
7932     \ifthenelse{\equal{\@title}{}}{\}[1.25em]\titlestyle{\@title}}%
7933   \end{minipage}%
7934   % optional data
7935   \begin{minipage}[b]{\maketitledetailswidth}%
7936     \bidi@raggedleft\addressfont\@addresscolour%
7937     \ifthenelse{\isundefined{\@address}}{\}%
7938     \maketitledetailsnewline%
7939     \addresssymbol~\@address}%
7940     \ifthenelse{\isundefined{\@mobile}}{\}\maketitledetailsnewline\mobilesymbol~\@mobile}%
7941     \ifthenelse{\isundefined{\@phone}}{\}\maketitledetailsnewline\phonesymbol~\@phone}%
7942     \ifthenelse{\isundefined{\@fax}}{\}\maketitledetailsnewline\faxsymbol~\@fax}%
7943     \ifthenelse{\isundefined{\@email}}{\}\maketitledetailsnewline\emailsymbol~\emailink{\@email}}%
7944     \ifthenelse{\isundefined{\@extrainfo}}{\}\maketitledetailsnewline\@extrainfo}%
7945   \end{minipage}%
7946   % optional photo
7947   \ifthenelse{\isundefined{\@photo}}{\}%
7948   {\hspace*{\separatorcolumnwidth}\color{firstnamecolor}\framebox{\includegraphics[width=\maketitlephoto]{\@photo}}}%
7949   % optional quote
7950   \ifthenelse{\isundefined{\@quote}}{\}%
7951   {\}%
7952   {\centering{\begin{minipage}{\quotewidth}\centering\quotestyle{\@quote}\end{minipage}}\}[1.25em]}
7953 }
7954 }

```

47 File dblfnote-xetex-bidi.def

```

7955 \ProvidesFile{dblfnote-xetex-bidi.def}[2012/12/12 v0.3 bidi adaptations for dblfnote package]
7956 \let\autofooterule\relax
7957 \let\rightfootnoterule\relax
7958 \let\leftfootnoterule\relax
7959 \let\textwidthfootnoterule\relax
7960 \let\LRfootnoterule\relax
7961 \def\footnoterule{\kern-3\p@

```



```

7962 \hrule \@width \DFNcolumnwidth \kern 2.6\p@}%
7963 \AtBeginDocument{\let\dfn@latex@footnotetext\@footnotetext
7964 \let\@footnotetext\dfn@footnotetext}
7965 \long\def\dfn@LTRfootnotetext#1{\setbox\dfn@boxa\vbox{
7966   \let\insert\dfn@gobble
7967   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7968   \def\@makefnmark{\smash{\dfn@makefnmark}}
7969   \dfn@latex@LTRfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
7970   \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7971   \ifdim\dfn@dima>\z@\else
7972     \dfn@dima1sp\relax
7973     \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
7974   \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7975     \ifvoid\dfn@ins\else
7976       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7977     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7978   \setbox\dfn@boxa\copy\dfn@ins
7979   \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
7980   \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
7981   \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
7982   \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
7983   \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
7984 \AtBeginDocument{\let\dfn@latex@LTRfootnotetext\@LTRfootnotetext
7985 \let\@LTRfootnotetext\dfn@LTRfootnotetext}
7986 \long\def\dfn@RTLfootnotetext#1{\setbox\dfn@boxa\vbox{
7987   \let\insert\dfn@gobble
7988   \columnwidth\DFNcolumnwidth \hbadness\c@DFNsloppiness
7989   \def\@makefnmark{\smash{\dfn@makefnmark}}
7990   \dfn@latex@RTLfootnotetext{#1}\par \boxmaxdepth\dfn@fnmaxdp}%
7991   \dfn@dima\ht\dfn@boxa \advance\dfn@dima\dp\dfn@boxa
7992   \ifdim\dfn@dima>\z@\else
7993     \dfn@dima1sp\relax
7994     \setbox\dfn@boxa\vbox{\vbox to1sp{\unvbox\dfn@boxa\vfil}}\fi
7995   \global\setbox\dfn@ins\vbox{\boxmaxdepth\dfn@fnmaxdp
7996     \ifvoid\dfn@ins\else
7997       \unvbox\dfn@ins \allowbreak \nointerlineskip \fi
7998     \ifdfn@allowcbreak \unvbox \else \box \fi \dfn@boxa}%
7999   \setbox\dfn@boxa\copy\dfn@ins
8000   \dfn@split{.5\ht\dfn@boxa}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
8001   \advance\@tempdima\@tempdimb \@tempdimb\@tempdima
8002   \advance\@tempdima-\dfn@fnht \global\dfn@fnht\@tempdimb
8003   \insert\footins{\floatingpenalty\@MM \vbox to\@tempdima{}}%
8004   \xdef\dfn@list{\dfn@list\@elt{\number\dfn@dima}{\number\@tempdima}}}}
8005 \AtBeginDocument{\let\dfn@latex@RTLfootnotetext\@RTLfootnotetext
8006 \let\@RTLfootnotetext\dfn@RTLfootnotetext}
8007 \def\dfn@RTLmakecol{\ifvoid\footins\else
8008   \dfn@dima\ht\footins
8009   \@tempcnta\z@ \dfn@countins
8010   \@tempdima\z@ \let\@elt\dfn@elt@getht
8011   \dfn@list\@nil

```



```

8012 \ifdim\@tempdima=\z@\else
8013 \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
8014 \global\setbox\dfn@ins\box\dfn@ins
8015 \@tempswatrue
8016 \ifdfn@trysingle
8017 \setbox\dfn@boxb\ vbox{\unvcopy\@cclv}\@tempdima\@colroom
8018 \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
8019 \advance\@tempdima-\skip\footins
8020 \advance\@tempdima-\ht\dfn@boxa
8021 \ifdim\@tempdima<\z@\else \@tempswafalse
8022 \global\setbox\footins\ vbox{\boxmaxdepth\dfn@fnmaxdp
8023 \footnoterule \unvbox\dfn@boxa}\fi\fi
8024 \if@tempswa
8025 \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
8026 \global\setbox\footins\ vbox{\hbox{%
8027 \hskip \DFNcolumnwidth
8028 \hskip\DFNcolumnsep
8029 \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
8030 \unvbox\dfn@boxb\vss}\hss}
8031 \hskip -\textwidth
8032 \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
8033 \vbox to\@tempdima{
8034 \setbox\@tempboxa\ vbox{\footnoterule}
8035 \ifdfn@ruleboth \unvbox\@tempboxa
8036 \else \@tempdima\ht\@tempboxa
8037 \advance\@tempdima\dp\@tempboxa
8038 \vskip\@tempdima
8039 \prevdepth\dp\@tempboxa \fi
8040 \unvbox\dfn@boxa\vss}\fi\hss}
8041 \hskip \DFNcolumnsep
8042 \hskip \DFNcolumnwidth}}}\fi\fi
8043 \global\dfn@fnht\z@
8044 \ifx\dfn@list\@empty\else
8045 \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
8046 \dfn@list \global\advance\dfn@fnht\dfn@dimb
8047 \let\@elt\relax
8048 \ifdim\dfn@dimb>\z@
8049 \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
8050 \insert\footins{\floatingpenalty\@MM
8051 \vbox to\dfn@dimb{}}\fi
8052 \ifdim\dfn@fnht>\@tempdima
8053 \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
8054 \global\dfn@fnht\@tempdima
8055 \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
8056 \xdef\dfn@afteroutput{\insert\footins{
8057 \floatingpenalty\@MM
8058 \vbox to\number\@tempdimb sp{}}}%
8059 \global\let\noexpand\dfn@afteroutput\relax}%
8060 \fi\fi
8061 \fi}%

```




```

8062      \let\footnoterule\relax \dfn@latex@makecol
8063      \let\footnoterule\dfn@footnoterule}
8064 \def\dfn@LTRmakecol{\ifvoid\footins\else
8065     \dfn@dima\ht\footins
8066     \@tempcnta\z@ \dfn@countins
8067     \@tempdima\z@ \let\@elt\dfn@elt@getht
8068     \dfn@list\@nil
8069     \ifdim\@tempdima=\z@\else
8070     \dfn@split\@tempdima\dfn@ins\dfn@boxa\z@\z@
8071     \global\setbox\dfn@ins\box\dfn@ins
8072     \@tempswatrue
8073     \ifdfn@trysingle
8074         \setbox\dfn@boxb\vbox{\unvcopy\@cclv}\@tempdima\@colroom
8075         \advance\@tempdima-\ht\dfn@boxb \advance\@tempdima-\dp\dfn@boxb
8076         \advance\@tempdima-\skip\footins
8077         \advance\@tempdima-\ht\dfn@boxa
8078         \ifdim\@tempdima<\z@\else \@tempswafalse
8079             \global\setbox\footins\vbox{\boxmaxdepth\dfn@fnmaxdp
8080                 \footnoterule \unvbox\dfn@boxa}\fi\fi
8081     \if@tempswa
8082     \dfn@split{\dfn@dima}\dfn@boxa\dfn@boxb\dfn@fnmaxdp\footnotesep
8083     \global\setbox\footins\vbox{\hbox{%
8084         \hbox to\DFNcolumnwidth{\vbox to\@tempdima{\footnoterule
8085             \unvbox\dfn@boxb\vss}\hss}\hskip\DFNcolumnsep
8086         \hbox to\DFNcolumnwidth{\ifvoid\dfn@boxa\else
8087             \vbox to\@tempdima{
8088                 \setbox\@tempboxa\vbox{\footnoterule}
8089                 \ifdfn@ruleboth \unvbox\@tempboxa
8090                 \else \@tempdima\ht\@tempboxa
8091                     \advance\@tempdima\dp\@tempboxa
8092                     \vskip\@tempdima
8093                     \prevdepth\dp\@tempboxa \fi
8094                 \unvbox\dfn@boxa\vss}\fi\hss}}}\fi\fi
8095     \global\dfn@fnht\z@
8096     \ifx\dfn@list\@empty\else
8097         \let\@elt\dfn@elt@adjust \dfn@dima\z@ \dfn@dimb\z@
8098         \dfn@list \global\advance\dfn@fnht\dfn@dimb
8099         \let\@elt\relax
8100         \ifdim\dfn@dimb>\z@
8101             \xdef\dfn@list{\@elt{0}{\number\dfn@dimb}\dfn@list}%
8102             \insert\footins{\floatingpenalty\@MM
8103                 \vbox to\dfn@dimb{}}\fi
8104         \ifdim\dfn@fnht>\@tempdima
8105             \@tempdimb\@tempdima \advance\@tempdimb-\dfn@fnht
8106             \global\dfn@fnht\@tempdima
8107             \xdef\dfn@list{\dfn@list\@elt{0}{\number\@tempdimb}}%
8108             \xdef\dfn@afteroutput{\insert\footins{
8109                 \floatingpenalty\@MM
8110                 \vbox to\number\@tempdimb sp{}}}%
8111             \global\let\noexpand\dfn@afteroutput\relax}%

```



```

8112          \fi\fi
8113          \fi}%
8114          \let\footnoterule\relax \dfn@latex@makecol
8115          \let\footnoterule\dfn@footnoterule}
8116 \renewcommand{\dfn@makecol}{\if@RTLmain\dfn@RTLmakecol\else\dfn@LTRmakecol\fi}
8117 \newcommand{\RTLdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@RTLmakecol}}
8118 \newcommand{\LTRdfnmakecol}{\renewcommand{\dfn@makecol}{\dfn@LTRmakecol}}
8119 \DFNalwaysdouble

```

48 File diagbox-xetex-bidi.def

```

8120 \ProvidesFile{diagbox-xetex-bidi.def}[2017/12/30 v0.2 bidi adaptations for diagbox package for
8121 \bidi@patchcmd{\diagbox@double}{%
8122   \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
8123 }{\bidi@@diagbox@double@ii}{%}
8124 \bidi@patchcmd{\diagbox@double}{%
8125   \begin{tabular}{@{}}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}
8126 }{\bidi@@diagbox@double@iii}{%}
8127 \newcommand*{\bidi@@diagbox@double@ii}{%
8128   \if@RTL
8129     \begin{tabular}{@{}}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}
8130   \else
8131     \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
8132   \fi
8133 }
8134 \newcommand*{\bidi@@diagbox@double@iii}{%
8135   \if@RTL
8136     \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
8137   \else
8138     \begin{tabular}{@{}}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}
8139   \fi
8140 }
8141 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
8142   \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
8143 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%}
8144 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
8145   \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
8146 }{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%}
8147 \bidi@patchcmd{\diagbox@triple@setbox@NW}{%
8148   \begin{tabular}{@{}}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}
8149 }{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{%}
8150 \newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@i@ii}{%
8151   \if@RTL
8152     \begin{tabular}{@{}}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}
8153   \else
8154     \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}
8155   \fi
8156 \newcommand*{\bidi@@diagbox@triple@setbox@NW@tabular@iii}{%
8157   \if@RTL
8158     \begin{tabular}{@{\hspace{\diagbox@insepr}}>{\diagbox@font}l@{}}

```



```

8159 \else
8160 \begin{tabular}{@{}>{\diagbox@font}r@{\hspace{\diagbox@insepr}}}%
8161 \fi}
8162 \let\diagbox@triple@setbox@SW\diagbox@triple@setbox@NW
8163 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
8164 \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}%
8165 }{\bidi@@diagbox@triple@setbox@SE@tabular@i}{-}{-}
8166 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
8167 \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
8168 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{-}{-}
8169 \bidi@patchcmd{\diagbox@triple@setbox@SE}{%
8170 \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
8171 }{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{-}{-}
8172 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@i}{%
8173 \if@RTL
8174 \begin{tabular}{@{}r@{\hspace{\diagbox@insepl}}}%
8175 \else
8176 \begin{tabular}{@{\hspace{\diagbox@insepl}}l@{}}
8177 \fi
8178 }
8179 \newcommand*{\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii}{%
8180 \if@RTL
8181 \begin{tabular}{@{\hspace{\diagbox@insepr}}l@{}}
8182 \else
8183 \begin{tabular}{@{}r@{\hspace{\diagbox@insepr}}}%
8184 \fi
8185 }
8186 \let\diagbox@triple@setbox@NE\diagbox@triple@setbox@SE
8187 \bidi@patchcmd{\diagbox@double@pict@SE}{%
8188 \diagbox@setlinecolor
8189 \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)%
8190 }{%
8191 {\diagbox@setlinecolor
8192 \Line(0,\strip@pt\diagbox@ht)(\strip@pt\diagbox@wd,0)}%
8193 }{}{}
8194 \let\diagbox@double@pict@NW\diagbox@double@pict@SE
8195 \bidi@patchcmd{\diagbox@double@pict@NE}{%
8196 \diagbox@setlinecolor
8197 \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)%
8198 }{%
8199 {\diagbox@setlinecolor
8200 \Line(0,0)(\strip@pt\diagbox@wd,\strip@pt\diagbox@ht)}%
8201 }{}{}
8202 \let\diagbox@double@pict@SW\diagbox@double@pict@NE
8203 \bidi@patchcmd{\diagbox@triple@pict@NW}{%
8204 \diagbox@setlinecolor
8205 \Line(0,\yym)(\x,0)
8206 \Line(\xm,\y)(\x,0)%
8207 }{%
8208 {\diagbox@setlinecolor

```



```

8209 \Line(0,\yym)(\x,0)
8210 \Line(\xm,\y)(\x,0)}%
8211 }{}{}
8212 \bidi@patchcmd{\diagbox@triple@pict@NE}{%
8213 \diagbox@setlinecolor
8214 \Line(0,0)(\xxm,\y)
8215 \Line(0,0)(\x,\yym)%
8216 }{%
8217 {\diagbox@setlinecolor
8218 \Line(0,0)(\xxm,\y)
8219 \Line(0,0)(\x,\yym)}%
8220 }{}{}
8221 \bidi@patchcmd{\diagbox@triple@pict@SW}{%
8222 \diagbox@setlinecolor
8223 \Line(0,\ym)(\x,\y)
8224 \Line(\xm,0)(\x,\y)%
8225 }{%
8226 {\diagbox@setlinecolor
8227 \Line(0,\ym)(\x,\y)
8228 \Line(\xm,0)(\x,\y)}%
8229 }{}{}
8230 \bidi@patchcmd{\diagbox@triple@pict@SE}{%
8231 \diagbox@setlinecolor
8232 \Line(0,\y)(\xxm,0)
8233 \Line(0,\y)(\x,\ym)%
8234 }{%
8235 {\diagbox@setlinecolor
8236 \Line(0,\y)(\xxm,0)
8237 \Line(0,\y)(\x,\ym)}%
8238 }{}{}

```

49 File draftwatermark-xetex-bidi.def

```

8239 \ProvidesFile{draftwatermark-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for draftwatermark]
8240 \renewcommand\SetWatermarkText[1]{%
8241 \def\sc@wm@text{\if@RTLmain\beginR\fi#1\if@RTLmain\endR\fi}}

```

50 File eso-pic-xetex-bidi.def

```

8242 \ProvidesFile{eso-pic-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for eso-pic package]
8243 \renewcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
8244 \put(\LenToUnit{\if@RTLmain\paperwidth\else0pt\fi},\LenToUnit{-\paperheight}){#1}}}
8245
8246 \ESO@isMEMOIR{%
8247 \renewcommand\AtTextUpperLeft[1]{%
8248 \begingroup
8249 \ifodd\c@page
8250 \@tempdima=\spinemargin
8251 \else
8252 \@tempdima=\paperwidth

```



```

8253      \advance\@tempdima-\textwidth
8254      \advance\@tempdima-\spinemargin
8255      \fi
8256      \@tempdimb=-\uppermargin
8257      \AtPageUpperLeft{%
8258        \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
8259      }%
8260      \endgroup
8261    }
8262  }{%
8263    \renewcommand\AtTextUpperLeft[1]{%
8264      \begingroup
8265        \@tempdima=1in\relax
8266        \ifodd\c@page
8267          \advance\@tempdima\oddsidemargin
8268        \else
8269          \advance\@tempdima\evensidemargin
8270        \fi
8271        \@tempdimb=-1in\relax
8272        \advance\@tempdimb-\topmargin
8273        \advance\@tempdimb-\headheight
8274        \advance\@tempdimb-\headsep
8275        \AtPageUpperLeft{%
8276          \put(\LenToUnit{\if@RTLmain-\fi\@tempdima},\LenToUnit{\@tempdimb}){#1}%
8277        }%
8278        \endgroup
8279      }
8280    }

```

51 File empheq-xetex-bidi.def

```

8281 \ProvidesFile{empheq-xetex-bidi.def}[2018/01/08 v0.2 bidi adaptations for empheq package for X
8282 \MHInternalSyntaxOn
8283 \def\EQ_tag_plus_endmark:{%
8284   \iftagsleft@
8285     \gdef\maketag@@@##1{%
8286       \hfuzz\displaywidth
8287       \if@RTL\makebox[\widthof{##1}][r]{%
8288         \hbox to \displaywidth{\m@th\normalfont##1\hss
8289           \raisebox{-\dp\EQ_mathdisplay_box
8290             -\depthof{\EQ_outerbox:}}{
8291               {\PotEndMark{\hss}}}}
8292       \else\makebox[\widthof{##1}][l]{%
8293         \hbox to \displaywidth{\m@th\normalfont##1\hss
8294           \raisebox{-\dp\EQ_mathdisplay_box
8295             -\depthof{\EQ_outerbox:}}{
8296               {\PotEndMark{\hss}}}}\fi}%
8297   \MH_else:
8298     \gdef\maketag@@@##1{%
8299       \hbox{\m@th\normalfont##1\llap{\hss\PotEndMark{

```



```

8300 \settoheight{\@tempdima}{\@nameuse{InTheoType Symbol}}%
8301 \MH_addtolength:dn \@tempdima
8302 {\g_EQ_bottomtag_depth_dim+\mintagvsep}
8303 \setlength{\@tempdimb}
8304 {\g_EQ_bottomrow_depth_dim+\depthof{EQ_outerbox:}}
8305 +\depthof{EQ_innerbox:}}
8306 \MH_if_dim:w \@tempdima>\@tempdimb
8307 \MH_setlength:dn \@tempdima{-\dp\EQ_mathdisplay_box
8308 -\@tempdima+\g_EQ_bottomrow_depth_dim}
8309 \addtolength{\@tempdima}{\depthof{EQ_innerbox:}}%
8310 \def\EQ_next:{\raisebox{\@tempdima}}%
8311 \MH_else:
8312 \def\EQ_next:{
8313 \raisebox{-\dp\EQ_mathdisplay_box
8314 -\depthof{EQ_outerbox:}}}%
8315 \MH_fi:\EQ_next:}}%
8316 \MH_fi:}
8317 \def\EQ_post_process:{%
8318 \EQ_initialize:
8319 \EQ_begin_equation:
8320 \MH_if_boolean:nT {outer_mult}{
8321 \setkeys{MT_options_name}{
8322 firstline-afterskip=0pt,
8323 lastline-preskip=0pt,
8324 multlined-width=0pt,
8325 }
8326 \ifodd \l_EQ_alignmentmode_int
8327 \setkeys{MT_options_name}{multlined-pos=b}
8328 \MH_else:
8329 \setkeys{MT_options_name}{multlined-pos=t}
8330 \MH_fi:
8331 \g@addto@macro\EQ_complete_mathdisplay:{
8332 \begin{MTmultlined}\relax}
8333 }
8334 \g@addto@macro\EQ_complete_mathdisplay:\EQ_mathbody:
8335 \MH_if_boolean:nT {outer_mult}{
8336 \g@addto@macro\EQ_complete_mathdisplay:{\end{MTmultlined}}
8337 }
8338 \EQ_end_equation:
8339 \edef\EQ_hyperref_link_fint{\number\Hy@linkcounter}
8340 \savecounters@
8341 \EQ_typeset_tags:
8342 \edef\l_EQ_equation_fint{\number\c@equation}
8343 \restorecounters@
8344 \Hy@linkcounter=\EQ_hyperref_link_fint
8345 \settowidth\l_EQ_totalwidth_dim{%
8346 $\EQ_left_side:EQ_innerbox:}\EQ_right_side:$}%
8347 \MH_if_boolean:nTF {outer_mult}
8348 { \def\EQ_next:{_mult} }
8349 { \def\EQ_next:{} }

```



```

8350 \@nameuse{EQ_modify_linewidth_
8351         \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
8352 \EQ_typeset_display:
8353 \@nameuse{EQ_find_displaywidth_
8354         \romannumeral\l_EQ_equationtype_int\EQ_next: :}%
8355 \MH_addtolength:dn
8356   \l_EQ_totalwidth_dim{\l_EQ_displaywidth_dim}
8357 \savebox\EQ_mathdisplay_box[\l_EQ_totalwidth_dim][c]{%
8358   $\EQ_left_side:
8359   \EQ_innerbox:{%
8360     \MH_if_case:w \l_EQ_alignmentmode_int\MH_or:
8361     \makebox[\l_EQ_displaywidth_dim][c]
8362     {\usebox{\EQ_mathdisplay_box}}}%
8363   \MH_or:
8364     \makebox[\l_EQ_displaywidth_dim][c]
8365     {\usebox{\EQ_mathdisplay_box}}}%
8366   \MH_or:
8367   \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
8368     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8369     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8370     \kern-\@mathmargin
8371     \MH_fi:
8372     \MH_fi:
8373     \usebox{\EQ_mathdisplay_box}}}%
8374   \else\makebox[\l_EQ_displaywidth_dim][l]{%
8375     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8376     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8377     \kern-\@mathmargin
8378     \MH_fi:
8379     \MH_fi:
8380     \usebox{\EQ_mathdisplay_box}}\fi%
8381   \MH_or:
8382   \if@RTL\makebox[\l_EQ_displaywidth_dim][r]{%
8383     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8384     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8385     \kern-\@mathmargin
8386     \MH_fi:
8387     \MH_fi:
8388     \usebox{\EQ_mathdisplay_box}}
8389   \else\makebox[\l_EQ_displaywidth_dim][l]{%
8390     \MH_if_num:w \l_EQ_equationtype_int=5 \MH_else:
8391     \MH_if_num:w \l_EQ_equationtype_int=6 \MH_else:
8392     \kern-\@mathmargin
8393     \MH_fi:
8394     \MH_fi:
8395     \usebox{\EQ_mathdisplay_box}}\fi%
8396   \MH_fi:}%
8397   \EQ_right_side:$}%
8398 \begin{AmSequation*}
8399 \@nameuse{EQ_place_display_

```



```

8400      \romannumeral\l_EQ_equationtype_int\EQ_next: :}
8401 \MH_if_dim:w \g_EQ_widesttag_dim>\z@
8402 \MH_set_boolean_T:n {show_manual_tags}
8403   \MH_if_case:w \l_EQ_alignmentmode_int
8404   \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#1
8405   \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#2
8406   \MH_or: \if@RTL\EQ_place_tag:N l\else\EQ_place_tag:N r\fi %#3
8407   \MH_or: \if@RTL\EQ_place_tag:N r\else\EQ_place_tag:N l\fi %#4
8408   \MH_fi:
8409 \MH_fi:
8410 \end{AmSequation*}
8411 \global\c@equation=\l_EQ_equation_fint\relax
8412 }
8413 \AtBeginDocument{%
8414   \@ifpackageloaded{fancybox}{%
8415     \@ifpackageloaded{color}{\definecolor{shadowcolor}{rgb}{0,0,0}}%
8416     {\renewcommand*{\textcolor[2]{\normalcolor{#2}}}%
8417       \renewcommand*{\shadowbox{%
8418         \@ifstar{\MH_set_boolean_T:n {shadowbox_star}
8419           \VerbBox\EQ_shadowbox:n}
8420         {\MH_set_boolean_F:n {shadowbox_star}
8421           \VerbBox\EQ_shadowbox:n}}
8422       \def\EQ_shadowbox:n #1{%
8423         \sbox{\z@}{\fbox{#1}}%
8424         \MH_if_boolean:nTF {shadowbox_star}{
8425           \MH_setlength:dn \@tempdima{\z@}%
8426         }{
8427           \MH_setlength:dn \@tempdima{\dp\z@+\shadowsize}%
8428         }
8429         \raisebox{\@tempdima}{%
8430           \if@RTL\makebox[\z@][r]{%
8431             \kern\shadowsize \textcolor{shadowcolor}{%
8432               \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
8433           }%
8434           \else\makebox[\z@][l]{%
8435             \kern\shadowsize \textcolor{shadowcolor}{%
8436               \rule[-\dp\z@-\shadowsize]{\wd\z@}{\shadowsize}}%
8437           }\fi%
8438           \usebox\z@\textcolor{shadowcolor}{%
8439             \rule[-\dp\z@-\shadowsize]{\shadowsize}{\ht\z@+\dp\z@}}}%
8440         }{}%
8441       }
8442 \MHInternalSyntaxOff

```

52 File extarticle-xetex-bidi.def

```

8443 \ProvidesFile{extarticle-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extarticle class]
8444 \renewcommand*{\l@section[2]{%
8445   \ifnum \c@tocdepth >\z@
8446     \addpenalty\@secpenalty

```




```

8447 \addvspace{1.0em \@plus\p@}%
8448 \setlength\@tempdima{1.5em}%
8449 \beginingroup
8450 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
8451 \parfillskip -\@pnumwidth
8452 \leavevmode \bfseries
8453 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
8454 \hskip -\if@RTL\rightskip\else\leftskip\fi
8455 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
8456 \endgroup
8457 \fi}
8458 \renewcommand*\l@part[2]{%
8459 \ifnum \c@tocdepth >-2\relax
8460 \addpenalty\@secpenalty
8461 \addvspace{2.25em \@plus\p@}%
8462 \beginingroup
8463 \setlength\@tempdima{3em}%
8464 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
8465 \parfillskip -\@pnumwidth
8466 {\leavevmode
8467 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
8468 \nobreak
8469 \endgroup
8470 \fi}
8471 \def\@part[#1]#2{%
8472 \ifnum \c@secnumdepth >\m@ne
8473 \refstepcounter{part}%
8474 \addcontentsline{toc}{part}{\thepart\hspace{1em}#1}%
8475 \else
8476 \addcontentsline{toc}{part}{#1}%
8477 \fi
8478 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8479 \interlinepenalty \@M
8480 \normalfont
8481 \ifnum \c@secnumdepth >\m@ne
8482 \Large\bfseries \partname~\thepart
8483 \par\nobreak
8484 \fi
8485 \huge \bfseries #2%
8486 \markboth{}{}\par}%
8487 \nobreak
8488 \vskip 3ex
8489 \@afterheading}
8490 \def\@spart#1{%
8491 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8492 \interlinepenalty \@M
8493 \normalfont
8494 \huge \bfseries #1\par}%
8495 \nobreak
8496 \vskip 3ex

```



```

8497 \afterheading}
8498 \renewenvironment{thebibliography}[1]
8499   {\section*{\refname
8500     \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
8501     \ifRTL\ifLTRbibitems\@RTLfalse\else\fi\else\ifRTLbibitems\@RTLtrue\else\fi\fi
8502     \bidi@thebibliography@font@hook%
8503     \list{\@biblabel{\@arabic\c@enumiv}}%
8504     {\settowidth\labelwidth{\@biblabel{#1}}%
8505      \leftmargin\labelwidth
8506      \advance\leftmargin\labelsep
8507      \@openbib@code
8508      \usecounter{enumiv}%
8509      \let\p@enumiv\@empty
8510      \renewcommand\theenumiv{\@arabic\c@enumiv}}%
8511     \sloppy\clubpenalty4000\widowpenalty4000%
8512     \sfcode`.\@m}
8513   {\def\@noitemerr
8514     {\@latex@warning{Empty `thebibliography' environment}}%
8515     \endlist}
8516 \renewcommand\left@footnoterule{%
8517   \kern-3\p@
8518   \hrule\@width.4\columnwidth
8519   \kern2.6\p@}
8520 \renewcommand\right@footnoterule{%
8521   \kern-3\p@
8522   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
8523   \kern2.6\p@}
8524   \if@titlepage
8525 \renewcommand\maketitle{\begin{titlepage}%
8526 \let\footnotesize\small
8527 \let\right@footnoterule\relax
8528 \let\left@footnoterule\relax
8529 \let\textwidth\footnoterule\relax
8530 \let \footnote \thanks
8531 \null\vfil
8532 \vskip 60\p@
8533 \begin{center}%
8534   {\LARGE \@title \par}%
8535   \vskip 3em%
8536   {\large
8537     \lineskip .75em%
8538     \begin{tabular}[t]{c}%
8539       \@author
8540     \end{tabular}\par}%
8541     \vskip 1.5em%
8542     {\large \@date \par}%           % Set date in \large size.
8543 \end{center}\par
8544 \@thanks
8545 \vfil\null
8546 \end{titlepage}%

```



```

8547 \setcounter{footnote}{0}%
8548 \global\let\thanks\relax
8549 \global\let\maketitle\relax
8550 \global\let\@thanks\@empty
8551 \global\let\@author\@empty
8552 \global\let\@date\@empty
8553 \global\let\@title\@empty
8554 \global\let\title\relax
8555 \global\let\author\relax
8556 \global\let\date\relax
8557 \global\let\and\relax
8558 }
8559 \else
8560 \renewcommand\maketitle{\par
8561 \begingroup
8562 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
8563 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8564 \long\def\@makefntext##1{\parindent 1em\noindent
8565 \hb@xt@1.8em{%
8566 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
8567 \if@twocolumn
8568 \ifnum \col@number=\@ne
8569 \@maketitle
8570 \else
8571 \twocolumn[\@maketitle]%
8572 \fi
8573 \else
8574 \newpage
8575 \global\@topnum\z@ % Prevents figures from going at top of page.
8576 \@maketitle
8577 \fi
8578 \thispagestyle{plain}\@thanks
8579 \endgroup
8580 \setcounter{footnote}{0}%
8581 \global\let\thanks\relax
8582 \global\let\maketitle\relax
8583 \global\let\@maketitle\relax
8584 \global\let\@thanks\@empty
8585 \global\let\@author\@empty
8586 \global\let\@date\@empty
8587 \global\let\@title\@empty
8588 \global\let\title\relax
8589 \global\let\author\relax
8590 \global\let\date\relax
8591 \global\let\and\relax
8592 }
8593 \def\@maketitle{%
8594 \newpage
8595 \null
8596 \vskip 2em%

```



```

8597 \begin{center}%
8598 \let \footnote \thanks
8599   {\LARGE \@title \par}%
8600   \vskip 1.5em%
8601   {\large
8602     \lineskip .5em%
8603     \begin{tabular}[t]{c}%
8604       \@author
8605     \end{tabular}\par}%
8606   \vskip 1em%
8607   {\large \@date}%
8608 \end{center}%
8609 \par
8610 \vskip 1.5em}
8611 \fi
8612 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@section}
8613 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
8614 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
8615 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}%%

```

53 File extbook-xetex-bidi.def

```

8616 \ProvidesFile{extbook-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for extbook class for X
8617 \if@titlepage
8618 \renewcommand\maketitle{\begin{titlepage}%
8619 \let\footnotesize\small
8620 \let\right@footnoterule\relax
8621 \let\left@footnoterule\relax
8622 \let\textwidth@footnoterule\relax
8623 \let \footnote \thanks
8624 \let \LTRfootnote \LTRthanks
8625 \let \RTLfootnote \RTLthanks
8626 \null\vfil
8627 \vskip 60\p@
8628 \begin{center}%
8629   {\LARGE \@title \par}%
8630   \vskip 3em%
8631   {\large
8632     \lineskip .75em%
8633     \begin{tabular}[t]{c}%
8634       \@author
8635     \end{tabular}\par}%
8636   \vskip 1.5em%
8637   {\large \@date \par}%           % Set date in \large size.
8638 \end{center}\par
8639 \@thanks
8640 \vfil\null
8641 \end{titlepage}%
8642 \setcounter{footnote}{0}%
8643 \global\let\thanks\relax

```



```

8644 \global\let\LTRthanks\relax
8645 \global\let\RTLthanks\relax
8646 \global\let\maketitle\relax
8647 \global\let\@thanks\@empty
8648 \global\let\@author\@empty
8649 \global\let\@date\@empty
8650 \global\let\@title\@empty
8651 \global\let\title\relax
8652 \global\let\author\relax
8653 \global\let\date\relax
8654 \global\let\and\relax
8655 }
8656 \else
8657 \renewcommand\maketitle{\par
8658   \begin{group}
8659     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
8660     \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
8661     \long\def\@makefntext##1{\parindent 1em\noindent
8662       \hb@xt@1.8em{%
8663         \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
8664     \if@twocolumn
8665       \ifnum \col@number=\@ne
8666         \@maketitle
8667       \else
8668         \twocolumn[\@maketitle]%
8669       \fi
8670     \else
8671       \newpage
8672       \global\@topnum\z@ % Prevents figures from going at top of page.
8673       \@maketitle
8674     \fi
8675     \thispagestyle{plain}\@thanks
8676   \end{group}
8677   \setcounter{footnote}{0}%
8678   \global\let\thanks\relax
8679   \global\let\LTRthanks\relax
8680   \global\let\RTLthanks\relax
8681   \global\let\maketitle\relax
8682   \global\let\@maketitle\relax
8683   \global\let\@thanks\@empty
8684   \global\let\@author\@empty
8685   \global\let\@date\@empty
8686   \global\let\@title\@empty
8687   \global\let\title\relax
8688   \global\let\author\relax
8689   \global\let\date\relax
8690   \global\let\and\relax
8691 }
8692 \def\@maketitle{%
8693   \newpage

```



```

8694 \null
8695 \vskip 2em%
8696 \begin{center}%
8697 \let \footnote \thanks
8698 \let \LTRfootnote \LTRthanks
8699 \let \RTLfootnote \RTLthanks
8700 {\LARGE \@title \par}%
8701 \vskip 1.5em%
8702 {\large
8703 \lineskip .5em%
8704 \begin{tabular}[t]{c}%
8705 \@author
8706 \end{tabular}\par}%
8707 \vskip 1em%
8708 {\large \@date}%
8709 \end{center}%
8710 \par
8711 \vskip 1.5em}
8712 \fi
8713 \renewcommand*\l@part[2]{%
8714 \ifnum \c@tocdepth >-2\relax
8715 \addpenalty{-\@highpenalty}%
8716 \addvspace{2.25em \@plus\p@}%
8717 \begingroup
8718 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \pnumwidth
8719 \parfillskip -\pnumwidth
8720 {\leavevmode
8721 \large \bfseries #1\hfil \hb@xt@\pnumwidth{\hss #2}}\par
8722 \nobreak
8723 \global\@nobreaktrue
8724 \everypar{\global\@nobreakfalse\everypar{}}%
8725 \endgroup
8726 \fi}
8727 \renewcommand\theequation
8728 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
8729 \renewcommand \thefigure
8730 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
8731 \renewcommand \thetable
8732 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
8733 \renewcommand \thechapter {\@arabic\c@chapter}
8734 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
8735 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
8736 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
8737 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
8738 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
8739 \def\@makechapterhead#1{%
8740 \vspace*{50\p@}%
8741 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
8742 \ifnum \c@secnumdepth >\m@ne
8743 \if@mainmatter

```



```

8744         \huge\bfseries \@chapapp\space \thechapter
8745         \par\nobreak
8746         \vskip 20\p@
8747     \fi
8748 \fi
8749 \interlinepenalty\@M
8750 \Huge \bfseries #1\par\nobreak
8751 \vskip 40\p@
8752 }}
8753
8754 \def\@makeschapterhead#1{%
8755     \vspace*{50\p@}%
8756     {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
8757     \normalfont
8758     \interlinepenalty\@M
8759     \Huge \bfseries #1\par\nobreak
8760     \vskip 40\p@
8761     }}
8762 \renewcommand\backmatter{%
8763     \if@openright
8764         \cleardoublepage
8765     \else
8766         \clearpage
8767     \fi
8768     \@mainmatterfalse}
8769 \renewenvironment{thebibliography}[1]
8770     {\chapter*{\bibname
8771         \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
8772     \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
8773     \bidi@thebibliography@font@hook%
8774     \list{\@biblabel{\@arabic\c@enumiv}}%
8775         {\settowidth\labelwidth{\@biblabel{#1}}%
8776         \leftmargin\labelwidth
8777         \advance\leftmargin\labelsep
8778         \@openbib@code
8779         \usecounter{enumiv}%
8780         \let\p@enumiv\@empty
8781         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
8782     \sloppy
8783     \clubpenalty4000
8784     \@clubpenalty \clubpenalty
8785     \widowpenalty4000%
8786     \sfcode`\.\@m}
8787 {\def\@noitemerr
8788     {\@latex@warning{Empty `thebibliography' environment}}}%
8789 \endlist}

```

54 File extletter-xetex-bidi.def

8790 \ProvidesFile{extletter-xetex-bidi.def}[2015/11/14 v0.2 bidi adaptations for extletter class]



```

8791 \renewcommand*{\opening}[1]{\ifx\@empty\fromaddress
8792 \thispagestyle{firstpage}%
8793 {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
8794 \else % home address
8795 \thispagestyle{empty}%
8796 {\if@RTL\raggedright\begin{tabular}{r@{}}\else\raggedleft\begin{tabular}{l@{}}\fi\ignorespaces
8797 \fromaddress \*[2\parskip]%
8798 \@date \end{tabular}\par}%
8799 \fi
8800 \vspace{2\parskip}%
8801 {\if@RTL\raggedleft\else\raggedright\fi \toname \\\ toaddress \par}%
8802 \vspace{2\parskip}%
8803 #1\par\nobreak}
8804 \renewcommand{\closing}[1]{\par\nobreak\vspace{\parskip}%
8805 \stopbreaks
8806 \noindent
8807 \ifx\@empty\fromaddress\else
8808 \hspace*{\longindentation}\fi
8809 \parbox{\indentedwidth}{\if@RTL\raggedleft\else\raggedright\fi
8810 \ignorespaces #1\[[6\medskipamount]%
8811 \ifx\@empty\fromsig
8812 \fromname
8813 \else \fromsig \fi\strut}%
8814 \par}
8815 \renewcommand\left@footnoterule{%
8816 \kern-\p@
8817 \hrule \@width .4\columnwidth
8818 \kern .6\p@}
8819 \renewcommand\right@footnoterule{%
8820 \kern-\p@
8821 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
8822 \kern .6\p@}

```

55 File extrafootnotefeatures-xetex-bidi.def

```

8823 \ProvidesFile{extrafootnotefeatures-xetex-bidi.def}[2018/10/11 v1.7 bidi extra footnote features]
8824 \newif\if@bidi@void@footins
8825 \newif\if@bidi@void@mpfootins
8826 \newcommand*{\@bidi@before@Hy@hyperfootnotes}{%
8827 \if@bidi@csundef{ifHy@hyperfootnotes}{}{%
8828 \if@bidi@csundef{HLTR@LTRfootnotetext}{}{%
8829 \ifHy@hyperfootnotes
8830 \let\@H@footnotetext\@footnotetext
8831 \let\@HLTR@LTRfootnotetext\@LTRfootnotetext
8832 \let\@HRTL@RTLfootnotetext\@RTLfootnotetext
8833 \let\@H@mpfootnotetext\@mpfootnotetext
8834 \let\@HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
8835 \let\@HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
8836 \fi
8837 }%

```




```

8838 }%
8839 }
8840 \newcommand*{\@bidi@after@Hy@hyperfootnotes}{%
8841 \if@bidi@csundef{ifHy@hyperfootnotes}{}%
8842 \if@bidi@csundef{HLTR@LTRfootnotetext}{}%
8843 \ifHy@hyperfootnotes
8844 \let\H@@footnotetext\@footnotetext
8845 \let\@footnotetext\@H@@footnotetext
8846 \let\HLTR@LTRfootnotetext\@LTRfootnotetext
8847 \let\@LTRfootnotetext\@HLTR@LTRfootnotetext
8848 \let\HRTL@RTLfootnotetext\@RTLfootnotetext
8849 \let\@RTLfootnotetext\@HRTL@RTLfootnotetext
8850 \let\H@mpfootnotetext\@mpfootnotetext
8851 \let\@mpfootnotetext\@H@mpfootnotetext
8852 \let\HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
8853 \let\@mpLTRfootnotetext\@HLTR@mpLTRfootnotetext
8854 \let\HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
8855 \let\@mpRTLfootnotetext\@HRTL@mpRTLfootnotetext
8856 \fi
8857 }%
8858 }%
8859 }
8860 \let\autofootnoterule\relax
8861 \let\rightfootnoterule\relax
8862 \let\leftfootnoterule\relax
8863 \let\textwidthfootnoterule\relax
8864 \let\LRfootnoterule\relax
8865 \def\footnoterule{\kern-3\p@
8866 \hrule \@width \columnwidth \kern 2.6\p@}
8867 \newcommand{\@preamnormalfmt}{%
8868 \parindent 1em%
8869 \noindent
8870 }
8871 \newcommand{\@normalfootfmt}[1]{%
8872 \@preamnormalfmt
8873 \footfootmark
8874 \rule{z@footnotesep}{\ignorespaces{\foottextfont #1}%
8875 \@finalstrut\strutbox
8876 }
8877 \newcommand{\@normalRTLfootfmt}[1]{%
8878 \@preamnormalfmt
8879 \RTLfootfootmark
8880 \rule{z@footnotesep}{\ignorespaces{\RTLfoottextfont #1}%
8881 \@finalstrut\strutbox
8882 }
8883 \newcommand{\@normalLTRfootfmt}[1]{%
8884 \@preamnormalfmt
8885 \LTRfootfootmark
8886 \rule{z@footnotesep}{\ignorespaces{\LTRfoottextfont #1}%
8887 \@finalstrut\strutbox

```



```

8888 }
8889 \renewcommand{\@footnotetext}[1]{%
8890     \insert\footins{%
8891         \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8892         \def\baselinestretch{\m@m@footnote@spacing}%
8893         \reset@font
8894         \foottextfont
8895         \@preamfntext
8896         \hsize\columnwidth
8897         \protected@edef\@currentlabel{%
8898             \csname p@footnote\endcsname\@thefnmark}%
8899         \color@begingroup
8900         \@normalfootfmt{#1}%
8901         \color@endgroup}%
8902     \m@mmf@prepare}
8903 \renewcommand{\@RTLfootnotetext}[1]{%
8904     \insert\footins{%
8905         \@RTLtrue%
8906         \def\baselinestretch{\m@m@footnote@spacing}%
8907         \reset@font
8908         \RTLfoottextfont
8909         \@preamfntext
8910         \hsize\columnwidth
8911         \protected@edef\@currentlabel{%
8912             \csname p@footnote\endcsname\@thefnmark}%
8913         \color@begingroup
8914         \@normalRTLfootfmt{#1}%
8915         \color@endgroup}%
8916     \m@mmf@prepare}
8917 \renewcommand{\@LTRfootnotetext}[1]{%
8918     \insert\footins{%
8919         \@RTLfalse%
8920         \def\baselinestretch{\m@m@footnote@spacing}%
8921         \reset@font
8922         \LTRfoottextfont
8923         \@preamfntext
8924         \hsize\columnwidth
8925         \protected@edef\@currentlabel{%
8926             \csname p@footnote\endcsname\@thefnmark}%
8927         \color@begingroup
8928         \@normalLTRfootfmt{#1}%
8929         \color@endgroup}%
8930     \m@mmf@prepare}
8931 \renewcommand{\@mpfootnotetext}[1]{%
8932     \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
8933         \unvbox\@mpfootins
8934         \def\baselinestretch{\m@m@footnote@spacing}%
8935         \reset@font%
8936         \foottextfont \hsize\columnwidth \@parboxrestore
8937         \protected@edef\@currentlabel{%

```



```

8938      \csname p@mpfootnote\endcsname\@thefnmark}%
8939      \color@begingroup
8940      \@normalfootfmt{#1}%
8941      \color@endgroup}}
8942 \renewcommand{\@mpLTRfootnotetext}[1]{%
8943   \global\setbox\@mpfootins\vbox{\@RTLfalse%
8944     \unvbox\@mpfootins
8945     \def\baselinestretch{\m@m@footnote@spacing}%
8946     \reset@font%
8947     \LTRfoottextfont \hsize\columnwidth \@parboxrestore
8948     \protected@edef\@currentlabel{%
8949       \csname p@mpfootnote\endcsname\@thefnmark}%
8950     \color@begingroup
8951     \@normalLTRfootfmt{#1}%
8952     \color@endgroup}}
8953 \renewcommand{\@mpRTLfootnotetext}[1]{%
8954   \global\setbox\@mpfootins\vbox{\@RTLtrue%
8955     \unvbox\@mpfootins
8956     \def\baselinestretch{\m@m@footnote@spacing}%
8957     \reset@font%
8958     \RTLfoottextfont \hsize\columnwidth \@parboxrestore
8959     \protected@edef\@currentlabel{%
8960       \csname p@mpfootnote\endcsname\@thefnmark}%
8961     \color@begingroup
8962     \@normalRTLfootfmt{#1}%
8963     \color@endgroup}}
8964 \let\m@mold@footnotetext\@footnotetext
8965 \let\m@mold@LTRfootnotetext\@LTRfootnotetext
8966 \let\m@mold@RTLfootnotetext\@RTLfootnotetext
8967 \let\m@mold@mpfootnotetext\@mpfootnotetext
8968 \let\m@mold@mpLTRfootnotetext\@mpLTRfootnotetext
8969 \let\m@mold@mpRTLfootnotetext\@mpRTLfootnotetext
8970 \bidi@ensure@newcommand{\normalfootnotes}{%
8971   \@bidi@before@Hy@hyperfootnotes
8972   \let\@footnotetext\m@mold@footnotetext
8973   \let\@LTRfootnotetext\m@mold@LTRfootnotetext
8974   \let\@RTLfootnotetext\m@mold@RTLfootnotetext
8975   \let\@mpfootnotetext\m@mold@mpfootnotetext
8976   \let\@mpLTRfootnotetext\m@mold@mpLTRfootnotetext
8977   \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
8978   \@bidi@after@Hy@hyperfootnotes
8979   \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
8980 }
8981 \ifclassloaded{memoir}{\let\plainfootnotes\normalfootnotes}{%
8982 \bidi@ensure@newcommand*{\RTLcolumnfootnotes}{\@RTLcolumnfootnotestruer}
8983 \bidi@ensure@newcommand*{\LTRcolumnfootnotes}{\@RTLcolumnfootnotesfalse}
8984 \bidi@ensure@newcommand*{\setSingleSpace}[1]{%
8985   \def\m@m@singlespace{#1}%
8986   \def\m@m@footnote@spacing{#1}%
8987   \def\m@m@float@spacing{#1} %

```



```

8988 }
8989 \setSingleSpace{1}
8990 \bidi@ensure@newcommand*{\multiplefootnotemarker}{3sp}
8991 \bidi@ensure@newcommand*{\m@mmf@prepare}{%
8992   \kern-\multiplefootnotemarker
8993   \kern\multiplefootnotemarker\relax}
8994 \bidi@ensure@newlength{\footmarkwidth}
8995 \bidi@ensure@newcommand*{\footmarkstyle}[1]{\def\footscript##1{#1}}
8996 \bidi@ensure@newcommand*{\LTRfootmarkstyle}[1]{\def\LTRfootscript##1{#1}}
8997 \bidi@ensure@newcommand*{\RTLfootmarkstyle}[1]{\def\RTLfootscript##1{#1}}
8998 \bidi@ensure@newcommand{\footfootmark}{%
8999   \ifdim\footmarkwidth < \z@
9000     \llap{\hb@xt@ -\footmarkwidth{%
9001       \hss\normalfont\footscript{\@thefnmark}}}%
9002     \hspace*{-\footmarkwidth}}%
9003   \else
9004     \ifdim\footmarkwidth = \z@
9005       {\normalfont\footscript{\@thefnmark}}%
9006     \else
9007       \hb@xt@\footmarkwidth{\hss\normalfont\footscript{\@thefnmark}}%
9008     \fi
9009   \fi}
9010 \bidi@ensure@newcommand{\LTRfootfootmark}{%
9011   \ifdim\footmarkwidth < \z@
9012     \llap{\hb@xt@ -\footmarkwidth{%
9013       \hss\normalfont\LTRfootscript{\@thefnmark}}}%
9014     \hspace*{-\footmarkwidth}}%
9015   \else
9016     \ifdim\footmarkwidth = \z@
9017       {\normalfont\LTRfootscript{\@thefnmark}}%
9018     \else
9019       \hb@xt@\footmarkwidth{\hss\normalfont\LTRfootscript{\@thefnmark}}%
9020     \fi
9021   \fi}
9022 \bidi@ensure@newcommand{\RTLfootfootmark}{%
9023   \ifdim\footmarkwidth < \z@
9024     \llap{\hb@xt@ -\footmarkwidth{%
9025       \hss\normalfont\RTLfootscript{\@thefnmark}}}%
9026     \hspace*{-\footmarkwidth}}%
9027   \else
9028     \ifdim\footmarkwidth = \z@
9029       {\normalfont\RTLfootscript{\@thefnmark}}%
9030     \else
9031       \hb@xt@\footmarkwidth{\hss\normalfont\RTLfootscript{\@thefnmark}}%
9032     \fi
9033   \fi}
9034 \footmarkstyle{\textsuperscript{#1}}
9035 \LTRfootmarkstyle{\textsuperscript{#1}}
9036 \RTLfootmarkstyle{\textsuperscript{#1}}
9037 \newcommand*{\bidi@normal@footmarkwidth}{%

```



```

9038 \setlength{\footmarkwidth}{1em plus.4em minus.4em}%
9039 }
9040 \newcommand*{\bidi@star@footmarkwidth}{%
9041 \setlength{\footmarkwidth}{0em plus.4em minus.4em}%
9042 }
9043 \bidi@normal@footmarkwidth
9044 \bidi@ensure@newcommand{\m@mdoextrafeet}{\extrafeetins}
9045 \bidi@ensure@newcommand*{\extrafeetins}{%
9046 \setbox\@outputbox \vbox{%
9047 \boxmaxdepth \@maxdepth
9048 \unvbox\@outputbox
9049 \ifvoid\footinsv@r
9050 \ifvoid\footinsv@l
9051 \else
9052 \footstartv@l
9053 \LTRfootgroupv@l
9054 \fi
9055 \else
9056 \footstartv@r
9057 \footgroupv@r
9058 \ifvoid\footinsv@l
9059 \else
9060 \footstart@v@l
9061 \LTRfootgroupv@l
9062 \fi
9063 \fi
9064 \ifvoid\@bidi@copyins@
9065 \else
9066 \vskip \skip\@bidi@copyins@
9067 \color@begingroup
9068 \normalcolor
9069 \unvbox \@bidi@copyins@
9070 \color@endgroup
9071 \fi
9072 \extrafeetinshook}}
9073 \bidi@ensure@newcommand{\extrafeetinshook}{%
9074 \bidi@ensure@newcommand{\foottextfont}{\footnotesize}
9075 \bidi@ensure@newcommand{\LTRfoottextfont}{\footnotesize}
9076 \bidi@ensure@newcommand{\RTLfoottextfont}{\footnotesize}
9077 \bidi@ensure@newlength{\footinsdim}
9078 \setlength{\footinsdim}{8in} % standard for \dimen\footins
9079 \bidi@ensure@newcommand{\@preamfntext}{%
9080 \interlinepenalty\interfootnotelinepenalty
9081 \floatingpenalty \@MM
9082 \splittopskip=\footnotesep
9083 \splitmaxdepth=\dp\strutbox
9084 \@parboxrestore}
9085 \bidi@ensure@newcommand{\m@mdoextrafeetmini}{%
9086 \extrafeetminihook}
9087 \bidi@ensure@newcommand{\extrafeetendmini}{%

```



```

9088 \ifvoid\@mpfootinsv@r
9089 \ifvoid\@mpfootinsv@l
9090 \else
9091 \vskip\skip\@mpfootins
9092 \normalcolor
9093 \if@bidi@void\@mpfootins
9094 \footnoterule
9095 \fi
9096 \mp@LTRfootgroupv@l
9097 \fi
9098 \else
9099 \vskip\skip\@mpfootins
9100 \normalcolor
9101 \if@bidi@void\@mpfootins
9102 \footnoterule
9103 \fi
9104 \mp@footgroupv@r
9105 \ifvoid\@mpfootinsv@l
9106 \else
9107 \vskip\skip\@mpfootins
9108 \normalcolor\mp@LTRfootgroupv@l
9109 \fi
9110 \fi
9111 \extrafeetendminihook}
9112 \bidi@ensure@newcommand{\extrafeetendminihook}{\}
9113 \bidi@ensure@newcommand{\m@mdoextrafeetendmini}{\extrafeetendmini}
9114 \def\endminipage{%
9115 \par
9116 \unskip
9117 \ifvoid\@mpfootins
9118 \global\@bidi@void\@mpfootinstrue
9119 \else
9120 \global\@bidi@void\@mpfootinsfalse
9121 \vskip\skip\@mpfootins
9122 \normalcolor
9123 \footnoterule
9124 \unvbox\@mpfootins
9125 \fi
9126 \m@mdoextrafeetendmini
9127 \@minipagefalse
9128 \color@endgroup
9129 \egroup
9130 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
9131 \bidi@ensure@newcommand{\m@make@footstart}[1]{%
9132 \namedef{\footstart#1}{%
9133 \bidi@mopfn@bottom
9134 \leftskip=\z@
9135 \rightskip=\z@
9136 \parindent=\z@
9137 \vskip\skip\footins

```



```

9138 \footnoterule}}
9139 \newinsert\footinsv@r
9140 \skip\footinsv@r\bigskipamount
9141 \count\footinsv@r=1000 % no magnification
9142 \dimen\footinsv@r=\footinsdim
9143 \m@make@footstart{v@r}
9144 \newinsert\footinsv@l
9145 \skip\footinsv@l\bigskipamount
9146 \bidi@ensure@newcommand{\@footgroupv@r}{}
9147 \newinsert\@mpfootinsv@r
9148 \newinsert\@mpfootinsv@l
9149 \bidi@ensure@newcommand{\mp@footgroupv@r}{}
9150 \newcount\m@m@k \newdimen\m@m@h
9151 \@ifpackageloaded{multicol}{%
9152 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
9153 \hsize\textwidth
9154 @@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
9155 \valign{##\vfill\cr\m@m@dosplits}\if@RTLcolumnfootnotes\endR\fi}}
9156 }{%
9157 \bidi@ensure@newcommand*{\m@mrigidbalance}[3]{\setbox0=\box#1 \m@m@k=#2 \m@m@h=#3
9158 @@line{\if@RTLcolumnfootnotes\beginR\fi\splittopskip=\m@m@h \vbadness=\@M \hfilneg
9159 \valign{##\vfill\cr\m@m@dosplits}\if@RTLcolumnfootnotes\endR\fi}}
9160 \bidi@ensure@newcommand*{\m@m@dosplits}{\ifnum\m@m@k>0 \noalign{\hfil}\m@m@splitoff
9161 \global\advance\m@m@k-1\cr\m@m@dosplits\fi}
9162 \bidi@ensure@newcommand*{\m@m@splitoff}{\dimen0=\ht0
9163 \divide\dimen0 by\m@m@k \advance\dimen0 by\m@m@h
9164 \setbox2 \vsplit0 to \dimen0
9165 \unvbox2 }
9166 \bidi@ensure@newcommand{\twocolumnfootnotes}{%
9167 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9168 \@bidi@before@Hy@hyperfootnotes
9169 \let\@footnotetext\@twocolfootnotetext
9170 \let\@LTRfootnotetext\@twocolLTRfootnotetext
9171 \let\@RTLfootnotetext\@twocolRTLfootnotetext
9172 \dimen\footinsv@r=2\footinsdim
9173 \count\footinsv@r=500\relax
9174 \m@make@twocol@footgroup{v@r}%
9175 \let\@footgroupv@r\@twocol@footgroupv@r
9176 \let\@mpfootnotetext\@mptwocolfootnotetext
9177 \let\@mpLTRfootnotetext\@mptwocolLTRfootnotetext
9178 \let\@mpRTLfootnotetext\@mptwocolRTLfootnotetext
9179 \@bidi@after@Hy@hyperfootnotes
9180 \m@make@mptwocol@footgroup{v@r}%
9181 \let\mp@footgroupv@r\@mptwocol@footgroupv@r
9182 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9183 }
9184 \bidi@ensure@newcommand{\@twocolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue
9185 \def\baselinestretch{\m@m@footnote@spacing}%
9186 \reset@font\foottextfont
9187 \@preamfntext

```



```

9188 \protected@edef\@currentlabel{%
9189   \csname p@footnote\endcsname\@thefnmark}%
9190 \color@begingroup
9191   \@twocolfootfmt{#1}%
9192 \color@endgroup}%
9193 \m@mmf@prepare}
9194 \bidi@ensure@newcommand{\@twocolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes
9195   \def\baselinestretch{\m@m@footnote@spacing}%
9196   \reset@font\LTRfoottextfont
9197   \@preamfntext
9198   \protected@edef\@currentlabel{%
9199     \csname p@footnote\endcsname\@thefnmark}%
9200   \color@begingroup
9201     \@twocolLTRfootfmt{#1}%
9202   \color@endgroup}%
9203   \m@mmf@prepare}
9204 \bidi@ensure@newcommand{\@twocolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9205   \def\baselinestretch{\m@m@footnote@spacing}%
9206   \reset@font\RTLfoottextfont
9207   \@preamfntext
9208   \protected@edef\@currentlabel{%
9209     \csname p@footnote\endcsname\@thefnmark}%
9210   \color@begingroup
9211     \@twocolRTLfootfmt{#1}%
9212   \color@endgroup}%
9213   \m@mmf@prepare}
9214 \bidi@ensure@newcommand{\@preamtwofmt}{%
9215   \hsize .45\hsize
9216   \parindent=\z@
9217   \tolerance=5000\relax
9218   \leavevmode}
9219 \bidi@ensure@newcommand{\@twocolfootfmt}[1]{%
9220   \@preamtwofmt
9221   {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9222 \bidi@ensure@newcommand{\@twocolLTRfootfmt}[1]{%
9223   \@preamtwofmt
9224   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9225 \bidi@ensure@newcommand{\@twocolRTLfootfmt}[1]{%
9226   \@preamtwofmt
9227   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9228 \bidi@ensure@newcommand{\@mptwocolfootnotetext}[1]{%
9229   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9230     \unvbox\@mpfootinsv@r
9231     \def\baselinestretch{\m@m@footnote@spacing}%
9232     \reset@font\foottextfont
9233     \hsize\columnwidth \@parboxrestore
9234     \protected@edef\@currentlabel{%
9235       \csname p@mpfootnote\endcsname\@thefnmark}%
9236     \color@begingroup
9237     \@twocolfootfmt{#1}%

```




```

9238 \color@endgroup}%
9239 \m@mmf@prepare}
9240 \bidi@ensure@newcommand{\@mptwocolLTRfootnotetext}[1]{%
9241 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9242 \unvbox\@mpfootinsv@r
9243 \def\baselinestretch{\m@m@footnote@spacing}%
9244 \reset@font\LTRfoottextfont
9245 \hsize\columnwidth \@parboxrestore
9246 \if@RTLcolumnfootnotes\beginL\fi
9247 \protected@edef\@currentlabel{%
9248 \csname p@mpfootnote\endcsname\@thefnmark}%
9249 \color@begingroup
9250 \@twocolLTRfootfmt{#1}%
9251 \color@endgroup}%
9252 \m@mmf@prepare}
9253 \bidi@ensure@newcommand{\@mptwocolRTLfootnotetext}[1]{%
9254 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9255 \unvbox\@mpfootinsv@r
9256 \def\baselinestretch{\m@m@footnote@spacing}%
9257 \reset@font\RTLfoottextfont
9258 \hsize\columnwidth \@parboxrestore
9259 \protected@edef\@currentlabel{%
9260 \csname p@mpfootnote\endcsname\@thefnmark}%
9261 \color@begingroup
9262 \@twocolRTLfootfmt{#1}%
9263 \color@endgroup}%
9264 \m@mmf@prepare}
9265 \bidi@ensure@newcommand{\m@make@twocol@footgroup}[1]{%
9266 \@namedef{@twocol@footgroup#1}{%
9267 \def\baselinestretch{\m@m@footnote@spacing}%
9268 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9269 \m@mrigidbalance{\@nameuse{footins#1}}{\tw@}{\splittopskip}}}%
9270 \bidi@ensure@newcommand{\m@make@mptwocol@footgroup}[1]{%
9271 \@namedef{@mptwocol@footgroup#1}{%
9272 \def\baselinestretch{\m@m@footnote@spacing}%
9273 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9274 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\tw@}{\splittopskip}}}%
9275 \bidi@ensure@newcommand{\threecolumnfootnotes}{%
9276 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9277 \@bidi@before@Hy@hyperfootnotes
9278 \let\@footnotetext\@threecolfootnotetext
9279 \let\@LTRfootnotetext\@threecolLTRfootnotetext
9280 \let\@RTLfootnotetext\@threecolRTLfootnotetext
9281 \dimen\footinsv@r=3\footinsdim
9282 \count\footinsv@r=333\relax
9283 \m@make@threecol@footgroup{v@r}%
9284 \let\@footgroupv@r\@threecol@footgroupv@r
9285 \let\@mpfootnotetext\@mpthreecolfootnotetext
9286 \let\@mpLTRfootnotetext\@mpthreecolLTRfootnotetext
9287 \let\@mpRTLfootnotetext\@mpthreecolRTLfootnotetext

```



```

9288 \@bidi@after@Hy@hyperfootnotes
9289 \m@make@mpthreecol@footgroup{v@r}%
9290 \let\mp@footgroupv@r\@mpthreecol@footgroupv@r
9291 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9292 }
9293 \bidi@ensure@newcommand{\@threecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9294 \def\baselinestretch{\m@m@footnote@spacing}%
9295 \reset@font\foottextfont
9296 \@preamfntext
9297 \protected@edef\@currentlabel{%
9298 \csname p@footnote\endcsname\@thefnmark}%
9299 \color@begingroup
9300 \@threecolfootfmt{#1}%
9301 \color@endgroup}\m@mmf@prepare}
9302 \bidi@ensure@newcommand{\@threecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnote%
9303 \def\baselinestretch{\m@m@footnote@spacing}%
9304 \reset@font\LTRfoottextfont
9305 \@preamfntext
9306 \protected@edef\@currentlabel{%
9307 \csname p@footnote\endcsname\@thefnmark}%
9308 \color@begingroup
9309 \@threecolLTRfootfmt{#1}%
9310 \color@endgroup}\m@mmf@prepare}
9311 \bidi@ensure@newcommand{\@threecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9312 \def\baselinestretch{\m@m@footnote@spacing}%
9313 \reset@font\RTLfoottextfont
9314 \@preamfntext
9315 \protected@edef\@currentlabel{%
9316 \csname p@footnote\endcsname\@thefnmark}%
9317 \color@begingroup
9318 \@threecolRTLfootfmt{#1}%
9319 \color@endgroup}\m@mmf@prepare}
9320 \bidi@ensure@newcommand{\@preamthreefmt}{%
9321 \hsize .3\hsize
9322 \parindent=\z@
9323 \tolerance=5000\relax
9324 \leavevmode}
9325 \bidi@ensure@newcommand{\@threecolfootfmt}[1]{%
9326 \@preamthreefmt
9327 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9328 \bidi@ensure@newcommand{\@threecolLTRfootfmt}[1]{%
9329 \@preamthreefmt
9330 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9331 \bidi@ensure@newcommand{\@threecolRTLfootfmt}[1]{%
9332 \@preamthreefmt
9333 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9334 \bidi@ensure@newcommand{\@mpthreecolfootnotetext}[1]{%
9335 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9336 \unvbox\@mpfootinsv@r
9337 \def\baselinestretch{\m@m@footnote@spacing}%

```



```

9338 \reset@font\foottextfont
9339 \hsize\columnwidth \@parboxrestore
9340 \protected@edef\@currentlabel{%
9341 \csname p@mpfootnote\endcsname\@thefnmark}%
9342 \color@begingroup
9343 \@threecolfootfmt{#1}%
9344 \color@endgroup}\m@mmf@prepare}
9345 \bidi@ensure@newcommand{\@mpthreecolLTRfootnotetext}[1]{%
9346 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9347 \unvbox\@mpfootinsv@r
9348 \def\baselinestretch{\m@m@footnote@spacing}%
9349 \reset@font\LTRfoottextfont
9350 \hsize\columnwidth \@parboxrestore
9351 \if@RTLcolumnfootnotes\beginL\fi
9352 \protected@edef\@currentlabel{%
9353 \csname p@mpfootnote\endcsname\@thefnmark}%
9354 \color@begingroup
9355 \@threecolLTRfootfmt{#1}%
9356 \color@endgroup}\m@mmf@prepare}
9357 \bidi@ensure@newcommand{\@mpthreecolRTLfootnotetext}[1]{%
9358 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9359 \unvbox\@mpfootinsv@r
9360 \def\baselinestretch{\m@m@footnote@spacing}%
9361 \reset@font\RTLfoottextfont
9362 \hsize\columnwidth \@parboxrestore
9363 \protected@edef\@currentlabel{%
9364 \csname p@mpfootnote\endcsname\@thefnmark}%
9365 \color@begingroup
9366 \@threecolRTLfootfmt{#1}%
9367 \color@endgroup}\m@mmf@prepare}
9368 \bidi@ensure@newcommand{\m@make@threecol@footgroup}[1]{%
9369 \@namedef{@threecol@footgroup#1}{%
9370 \def\baselinestretch{\m@m@footnote@spacing}%
9371 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9372 \m@mrigidbalance{\@nameuse{footins#1}}{\thr@@}{\splittopskip}}}%
9373 \bidi@ensure@newcommand{\m@make@mpthreecol@footgroup}[1]{%
9374 \@namedef{@mpthreecol@footgroup#1}{%
9375 \def\baselinestretch{\m@m@footnote@spacing}%
9376 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9377 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{\thr@@}{\splittopskip}}}%
9378 \bidi@ensure@newcommand{\fourcolumnfootnotes}{%
9379 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9380 \@bidi@before@Hy@hyperfootnotes
9381 \let\@footnotetext\@fourcolfootnotetext
9382 \let\@LTRfootnotetext\@fourcolLTRfootnotetext
9383 \let\@RTLfootnotetext\@fourcolRTLfootnotetext
9384 \dimen\footinsv@r=4\footinsdim
9385 \count\footinsv@r=250\relax
9386 \m@make@fourcol@footgroup{v@r}%
9387 \let\@footgroupv@r\@fourcol@footgroupv@r

```



```

9388 \let\@mpfootnotetext\@mpfourcolfootnotetext
9389 \let\@mpLTRfootnotetext\@mpfourcolLTRfootnotetext
9390 \let\@mpRTLfootnotetext\@mpfourcolRTLfootnotetext
9391 \@bidi@after@Hy@hyperfootnotes
9392 \m@make@mpfourcol@footgroup{v@r}%
9393 \let\mp@footgroupv@r\@mpfourcol@footgroupv@r
9394 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9395 }
9396 \bidi@ensure@newcommand{\@fourcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9397 \def\baselinestretch{\m@m@footnote@spacing}%
9398 \reset@font\foottextfont
9399 \@preamfntext
9400 \protected@edef\@currentlabel{%
9401 \csname p@footnote\endcsname\@thefnmark}%
9402 \color@begingroup
9403 \@fourcolfootfmt{#1}%
9404 \color@endgroup}%
9405 \m@mmf@prepare}
9406 \bidi@ensure@newcommand{\@fourcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
9407 \def\baselinestretch{\m@m@footnote@spacing}%
9408 \reset@font\LTRfoottextfont
9409 \@preamfntext
9410 \protected@edef\@currentlabel{%
9411 \csname p@footnote\endcsname\@thefnmark}%
9412 \color@begingroup
9413 \@fourcolLTRfootfmt{#1}%
9414 \color@endgroup}%
9415 \m@mmf@prepare}
9416 \bidi@ensure@newcommand{\@fourcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9417 \def\baselinestretch{\m@m@footnote@spacing}%
9418 \reset@font\RTLfoottextfont
9419 \@preamfntext
9420 \protected@edef\@currentlabel{%
9421 \csname p@footnote\endcsname\@thefnmark}%
9422 \color@begingroup
9423 \@fourcolRTLfootfmt{#1}%
9424 \color@endgroup}%
9425 \m@mmf@prepare}
9426 \bidi@ensure@newcommand{\@preamfourfmt}{%
9427 \hspace{.25\hsize}
9428 \parindent=\z@
9429 \tolerance=5000\relax
9430 \leavevmode}
9431 \bidi@ensure@newcommand{\@fourcolfootfmt}[1]{%
9432 \@preamfourfmt
9433 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9434 \bidi@ensure@newcommand{\@fourcolLTRfootfmt}[1]{%
9435 \@preamfourfmt
9436 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9437 \bidi@ensure@newcommand{\@fourcolRTLfootfmt}[1]{%

```



```

9438 \@preamfourfmt
9439 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9440 \bidi@ensure@newcommand{\@mpfourcolfootnotetext}[1]{%
9441   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9442     \unvbox\@mpfootinsv@r
9443     \def\baselinestretch{\m@m@footnote@spacing}%
9444     \reset@font\foottextfont
9445     \hsize\columnwidth \@parboxrestore
9446     \protected@edef\@currentlabel{%
9447       \csname p@mpfootnote\endcsname\@thefnmark}%
9448     \color@begingroup
9449       \@fourcolfootfmt{#1}%
9450     \color@endgroup}%
9451   \m@mmf@prepare}
9452 \bidi@ensure@newcommand{\@mpfourcolLTRfootnotetext}[1]{%
9453   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9454     \unvbox\@mpfootinsv@r
9455     \def\baselinestretch{\m@m@footnote@spacing}%
9456     \reset@font\LTRfoottextfont
9457     \hsize\columnwidth \@parboxrestore
9458     \if@RTLcolumnfootnotes\beginL\fi
9459     \protected@edef\@currentlabel{%
9460       \csname p@mpfootnote\endcsname\@thefnmark}%
9461     \color@begingroup
9462       \@fourcolLTRfootfmt{#1}%
9463     \color@endgroup}%
9464   \m@mmf@prepare}
9465 \bidi@ensure@newcommand{\@mpfourcolRTLfootnotetext}[1]{%
9466   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9467     \unvbox\@mpfootinsv@r
9468     \def\baselinestretch{\m@m@footnote@spacing}%
9469     \reset@font\RTLfoottextfont
9470     \hsize\columnwidth \@parboxrestore
9471     \protected@edef\@currentlabel{%
9472       \csname p@mpfootnote\endcsname\@thefnmark}%
9473     \color@begingroup
9474       \@fourcolRTLfootfmt{#1}%
9475     \color@endgroup}%
9476   \m@mmf@prepare}
9477 \bidi@ensure@newcommand{\m@make@fourcol@footgroup}[1]{%
9478   \@namedef{@fourcol@footgroup#1}{%
9479     \def\baselinestretch{\m@m@footnote@spacing}%
9480     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9481     \m@mrigidbalance{\@nameuse{footins#1}}{4}{\splittopskip}}}%
9482 \bidi@ensure@newcommand{\m@make@mpfourcol@footgroup}[1]{%
9483   \@namedef{@mpfourcol@footgroup#1}{%
9484     \def\baselinestretch{\m@m@footnote@spacing}%
9485     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9486     \m@mrigidbalance{\@nameuse{@mpfootins#1}}{4}{\splittopskip}}}%
9487 \bidi@ensure@newcommand{\fivecolumnfootnotes}{%

```



```

9488 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9489 \@bidi@before@Hy@hyperfootnotes
9490 \let\@footnotetext\@fivecolfootnotetext
9491 \let\@LTRfootnotetext\@fivecolLTRfootnotetext
9492 \let\@RTLfootnotetext\@fivecolRTLfootnotetext
9493 \dimen\footinsv@r=5\footinsdim
9494 \count\footinsv@r=200\relax
9495 \m@make@fivecol@footgroup{v@r}%
9496 \let\@footgroupv@r\@fivecol@footgroupv@r
9497 \let\@mpfootnotetext\@mpfivecolfootnotetext
9498 \let\@mpLTRfootnotetext\@mpfivecolLTRfootnotetext
9499 \let\@mpRTLfootnotetext\@mpfivecolRTLfootnotetext
9500 \@bidi@after@Hy@hyperfootnotes
9501 \m@make@mpfivecol@footgroup{v@r}%
9502 \let\mp@footgroupv@r\@mpfivecol@footgroupv@r
9503 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9504 }
9505 \bidi@ensure@newcommand{\@fivecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9506 \def\baselinestretch{\m@m@footnote@spacing}%
9507 \reset@font\foottextfont
9508 \@preamfntext
9509 \protected@edef\@currentlabel{%
9510 \csname p@footnote\endcsname\@thefnmark}%
9511 \color@begingroup
9512 \@fivecolfootfmt{#1}%
9513 \color@endgroup}%
9514 \m@mmf@prepare}
9515 \bidi@ensure@newcommand{\@fivecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
9516 \def\baselinestretch{\m@m@footnote@spacing}%
9517 \reset@font\LTRfoottextfont
9518 \@preamfntext
9519 \protected@edef\@currentlabel{%
9520 \csname p@footnote\endcsname\@thefnmark}%
9521 \color@begingroup
9522 \@fivecolLTRfootfmt{#1}%
9523 \color@endgroup}%
9524 \m@mmf@prepare}
9525 \bidi@ensure@newcommand{\@fivecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9526 \def\baselinestretch{\m@m@footnote@spacing}%
9527 \reset@font\RTLfoottextfont
9528 \@preamfntext
9529 \protected@edef\@currentlabel{%
9530 \csname p@footnote\endcsname\@thefnmark}%
9531 \color@begingroup
9532 \@fivecolRTLfootfmt{#1}%
9533 \color@endgroup}%
9534 \m@mmf@prepare}
9535 \bidi@ensure@newcommand{\@preamfivefmt}{%
9536 \hsize .2\hsize
9537 \parindent=\z@

```



```

9538 \tolerance=5000\relax
9539 \leavevmode}
9540 \bidi@ensure@newcommand{\@fivecolfootfmt}[1]{%
9541 \@preamfivefmt
9542 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9543 \bidi@ensure@newcommand{\@fivecolLTRfootfmt}[1]{%
9544 \@preamfivefmt
9545 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9546 \bidi@ensure@newcommand{\@fivecolRTLfootfmt}[1]{%
9547 \@preamfivefmt
9548 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9549 \bidi@ensure@newcommand{\@mpfivecolfootnotetext}[1]{%
9550 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9551 \unvbox\@mpfootinsv@r
9552 \def\baselinestretch{\m@m@footnote@spacing}%
9553 \reset@font\foottextfont
9554 \hsize\columnwidth \@parboxrestore
9555 \protected@edef\@currentlabel{%
9556 \csname p@mpfootnote\endcsname\@thefnmark}%
9557 \color@begingroup
9558 \@fivecolfootfmt{#1}%
9559 \color@endgroup}%
9560 \m@m@mmf@prepare}
9561 \bidi@ensure@newcommand{\@mpfivecolLTRfootnotetext}[1]{%
9562 \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9563 \unvbox\@mpfootinsv@r
9564 \def\baselinestretch{\m@m@footnote@spacing}%
9565 \reset@font\LTRfoottextfont
9566 \hsize\columnwidth \@parboxrestore
9567 \if@RTLcolumnfootnotes\beginL\fi
9568 \protected@edef\@currentlabel{%
9569 \csname p@mpfootnote\endcsname\@thefnmark}%
9570 \color@begingroup
9571 \@fivecolLTRfootfmt{#1}%
9572 \color@endgroup}%
9573 \m@m@mmf@prepare}
9574 \bidi@ensure@newcommand{\@mpfivecolRTLfootnotetext}[1]{%
9575 \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9576 \unvbox\@mpfootinsv@r
9577 \def\baselinestretch{\m@m@footnote@spacing}%
9578 \reset@font\RTLfoottextfont
9579 \hsize\columnwidth \@parboxrestore
9580 \protected@edef\@currentlabel{%
9581 \csname p@mpfootnote\endcsname\@thefnmark}%
9582 \color@begingroup
9583 \@fivecolRTLfootfmt{#1}%
9584 \color@endgroup}%
9585 \m@m@mmf@prepare}
9586 \bidi@ensure@newcommand{\m@make@fivecol@footgroup}[1]{%
9587 \@namedef{\@fivecol@footgroup#1}{%

```



```

9588 \def\baselinestretch{\m@m@footnote@spacing}%
9589 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9590 \m@mrigidbalance{\nameuse{footins#1}}{5}{\splittopskip}}}}
9591 \bidi@ensure@newcommand{\m@make@mpfivecol@footgroup}[1]{%
9592 \namedef{@mpfivecol@footgroup#1}{%
9593 \def\baselinestretch{\m@m@footnote@spacing}%
9594 \nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9595 \m@mrigidbalance{\nameuse{@mpfootins#1}}{5}{\splittopskip}}}}
9596 \bidi@ensure@newcommand{\sixcolumnfootnotes}{%
9597 \namedef{foottextfontv@r}{\foottextfont}% % [RS]
9598 \@bidi@before@Hy@hyperfootnotes
9599 \let\@footnotetext\@sixcolfootnotetext
9600 \let\@LTRfootnotetext\@sixcolLTRfootnotetext
9601 \let\@RTLfootnotetext\@sixcolRTLfootnotetext
9602 \dimen\footinsv@r=6\footinsdim
9603 \count\footinsv@r=166\relax
9604 \m@make@sixcol@footgroup{v@r}%
9605 \let\@footgroupv@r\@sixcol@footgroupv@r
9606 \let\@mpfootnotetext\@mpsixcolfootnotetext
9607 \let\@mpLTRfootnotetext\@mpsixcolLTRfootnotetext
9608 \let\@mpRTLfootnotetext\@mpsixcolRTLfootnotetext
9609 \@bidi@after@Hy@hyperfootnotes
9610 \m@make@mpsixcol@footgroup{v@r}%
9611 \let\mp@footgroupv@r\@mpsixcol@footgroupv@r
9612 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9613 }
9614 \bidi@ensure@newcommand{\@sixcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9615 \def\baselinestretch{\m@m@footnote@spacing}%
9616 \reset@font\foottextfont
9617 \@preamfntext
9618 \protected@edef\@currentlabel{%
9619 \csname p@footnote\endcsname\@thefnmark}%
9620 \color@begingroup
9621 \@sixcolfootfmt{#1}%
9622 \color@endgroup}%
9623 \m@mmf@prepare}
9624 \bidi@ensure@newcommand{\@sixcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
9625 \def\baselinestretch{\m@m@footnote@spacing}%
9626 \reset@font\LTRfoottextfont
9627 \@preamfntext
9628 \protected@edef\@currentlabel{%
9629 \csname p@footnote\endcsname\@thefnmark}%
9630 \color@begingroup
9631 \@sixcolLTRfootfmt{#1}%
9632 \color@endgroup}%
9633 \m@mmf@prepare}
9634 \bidi@ensure@newcommand{\@sixcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9635 \def\baselinestretch{\m@m@footnote@spacing}%
9636 \reset@font\RTLfoottextfont
9637 \@preamfntext

```




```

9638 \protected@edef\@currentlabel{%
9639   \csname p@footnote\endcsname\@thefnmark}%
9640 \color@begingroup
9641   \@sixcolRTLfootfmt{#1}%
9642 \color@endgroup}%
9643 \m@mmf@prepare}
9644 \bidi@ensure@newcommand{\@preamsixfmt}{%
9645   \hspace{.16\hspace}
9646   \parindent=\z@
9647   \tolerance=5000\relax
9648   \leavevmode}
9649 \bidi@ensure@newcommand{\@sixcolfootfmt}[1]{%
9650   \@preamsixfmt
9651   {\footnote\strut {\foottextfont #1}\strut\par}\allowbreak}
9652 \bidi@ensure@newcommand{\@sixcolLTRfootfmt}[1]{%
9653   \@preamsixfmt
9654   {\LTRfootnote\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9655 \bidi@ensure@newcommand{\@sixcolRTLfootfmt}[1]{%
9656   \@preamsixfmt
9657   {\RTLfootnote\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9658 \bidi@ensure@newcommand{\@mpsixcolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}
9659 \global\setbox\@mpfootins\@vbox{%
9660   \unvbox\@mpfootins}
9661 \def\baselinestretch{\m@mm@footnote@spacing}%
9662 \reset@font\foottextfont
9663 \hspace\columnwidth \@parboxrestore
9664 \protected@edef\@currentlabel{%
9665   \csname p@mpfootnote\endcsname\@thefnmark}%
9666 \color@begingroup
9667   \@sixcolfootfmt{#1}%
9668 \color@endgroup}%
9669 \m@mmf@prepare}
9670 \bidi@ensure@newcommand{\@mpsixcolLTRfootnotetext}[1]{\@RTLfalse}
9671 \global\setbox\@mpfootins\@vbox{%
9672   \unvbox\@mpfootins}
9673 \def\baselinestretch{\m@mm@footnote@spacing}%
9674 \reset@font\LTRfoottextfont
9675 \hspace\columnwidth \@parboxrestore
9676 \if@RTLcolumnfootnotes\beginL\fi
9677 \protected@edef\@currentlabel{%
9678   \csname p@mpfootnote\endcsname\@thefnmark}%
9679 \color@begingroup
9680   \@sixcolLTRfootfmt{#1}%
9681 \color@endgroup}%
9682 \m@mmf@prepare}
9683 \bidi@ensure@newcommand{\@mpsixcolRTLfootnotetext}[1]{\@RTLtrue}
9684 \global\setbox\@mpfootins\@vbox{%
9685   \unvbox\@mpfootins}
9686 \def\baselinestretch{\m@mm@footnote@spacing}%
9687 \reset@font\RTLfoottextfont

```



```

9688 \hspace\columnwidth \@parboxrestore
9689 \protected@edef\@currentlabel{%
9690 \csname p@mpfootnote\endcsname\@thefnmark}%
9691 \color@begingroup
9692 \@sixcolRTLfootfmt{#1}%
9693 \color@endgroup}%
9694 \m@mmf@prepare}
9695 \bidi@ensure@newcommand{\m@make@sixcol@footgroup}[1]{%
9696 \@namedef{@sixcol@footgroup#1}{%
9697 \def\baselinestretch{\m@m@footnote@spacing}%
9698 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9699 \m@r@rigidbalance{\@nameuse{footins#1}}{6}{\splittopskip}}}%
9700 \bidi@ensure@newcommand{\m@make@mpsixcol@footgroup}[1]{%
9701 \@namedef{@mpsixcol@footgroup#1}{%
9702 \def\baselinestretch{\m@m@footnote@spacing}%
9703 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9704 \m@r@rigidbalance{\@nameuse{@mpfootins#1}}{6}{\splittopskip}}}%
9705 \bidi@ensure@newcommand{\sevendcolumnfootnotes}{%
9706 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9707 \@bidi@before@Hy@hyperfootnotes
9708 \let\@footnotetext\@sevendcolfootnotetext
9709 \let\@LTRfootnotetext\@sevendcolLTRfootnotetext
9710 \let\@RTLfootnotetext\@sevendcolRTLfootnotetext
9711 \dimen\footinsv@r=7\footinsdim
9712 \count\footinsv@r=142\relax
9713 \m@make@sevendcol@footgroup{v@r}%
9714 \let\@footgroupv@r\@sevendcol@footgroupv@r
9715 \let\@mpfootnotetext\@mpsevendcolfootnotetext
9716 \let\@mpLTRfootnotetext\@mpsevendcolLTRfootnotetext
9717 \let\@mpRTLfootnotetext\@mpsevendcolRTLfootnotetext
9718 \@bidi@after@Hy@hyperfootnotes
9719 \m@make@mpsevendcol@footgroup{v@r}%
9720 \let\mp@footgroupv@r\@mpsevendcol@footgroupv@r
9721 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9722 }
9723 \bidi@ensure@newcommand{\@sevendcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtru
9724 \def\baselinestretch{\m@m@footnote@spacing}%
9725 \reset@font\foottextfont
9726 \@preamfntext
9727 \protected@edef\@currentlabel{%
9728 \csname p@footnote\endcsname\@thefnmark}%
9729 \color@begingroup
9730 \@sevendcolfootfmt{#1}%
9731 \color@endgroup}%
9732 \m@mmf@prepare}
9733 \bidi@ensure@newcommand{\@sevendcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnot
9734 \def\baselinestretch{\m@m@footnote@spacing}%
9735 \reset@font\LTRfoottextfont
9736 \@preamfntext
9737 \protected@edef\@currentlabel{%

```



```

9738 \csname p@footnote\endcsname\@thefnmark}%
9739 \color@begingroup
9740 \sevenscolLTRfootfmt{#1}%
9741 \color@endgroup}%
9742 \m@mmf@prepare}
9743 \bidi@ensure@newcommand{\@sevenscolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9744 \def\baselinestretch{\m@m@footnote@spacing}%
9745 \reset@font\RTLfoottextfont
9746 \@preamfntext
9747 \protected@edef\@currentlabel{%
9748 \csname p@footnote\endcsname\@thefnmark}%
9749 \color@begingroup
9750 \sevenscolRTLfootfmt{#1}%
9751 \color@endgroup}%
9752 \m@mmf@prepare}
9753 \bidi@ensure@newcommand{\@preamsevenfmt}{%
9754 \hsize .142\hsize
9755 \parindent=\z@
9756 \tolerance=5000\relax
9757 \leavevmode}
9758 \bidi@ensure@newcommand{\@sevenscolfootfmt}[1]{%
9759 \@preamsevenfmt
9760 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9761 \bidi@ensure@newcommand{\@sevenscolLTRfootfmt}[1]{%
9762 \@preamsevenfmt
9763 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9764 \bidi@ensure@newcommand{\@sevenscolRTLfootfmt}[1]{%
9765 \@preamsevenfmt
9766 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9767 \bidi@ensure@newcommand{\@mpsevenscolfootnotetext}[1]{\if@RTL@footnote\@RTLtrue\else\@RTLfalse%
9768 \global\setbox\@mpfootinsv@r\vbox{%
9769 \unvbox\@mpfootinsv@r
9770 \def\baselinestretch{\m@m@footnote@spacing}%
9771 \reset@font\foottextfont
9772 \hsize\columnwidth \@parboxrestore
9773 \protected@edef\@currentlabel{%
9774 \csname p@mpfootnote\endcsname\@thefnmark}%
9775 \color@begingroup
9776 \sevenscolfootfmt{#1}%
9777 \color@endgroup}%
9778 \m@mmf@prepare}
9779 \bidi@ensure@newcommand{\@mpsevenscolLTRfootnotetext}[1]{\@RTLfalse%
9780 \global\setbox\@mpfootinsv@r\vbox{%
9781 \unvbox\@mpfootinsv@r
9782 \def\baselinestretch{\m@m@footnote@spacing}%
9783 \reset@font\LTRfoottextfont
9784 \hsize\columnwidth \@parboxrestore
9785 \if@RTLcolumnfootnotes\beginLfi
9786 \protected@edef\@currentlabel{%
9787 \csname p@mpfootnote\endcsname\@thefnmark}%

```



```

9788 \color@begingroup
9789 \sevendcolLTRfootfmt{#1}%
9790 \color@endgroup}%
9791 \m@mmf@prepare}
9792 \bidi@ensure@newcommand{\@mpsevendcolRTLfootnotetext}[1]{\@RTLtrue%
9793 \global\setbox\@mpfootinsv@r\vbox{%
9794 \unvbox\@mpfootinsv@r
9795 \def\baselinestretch{\m@m@footnote@spacing}%
9796 \reset@font\RTLfoottextfont
9797 \hsize\columnwidth \@parboxrestore
9798 \protected@edef\@currentlabel{%
9799 \csname p@mpfootnote\endcsname\@thefnmark}%
9800 \color@begingroup
9801 \sevendcolRTLfootfmt{#1}%
9802 \color@endgroup}%
9803 \m@mmf@prepare}
9804 \bidi@ensure@newcommand{\m@make@sevendcol@footgroup}[1]{%
9805 \@namedef{\sevendcol@footgroup#1}{%
9806 \def\baselinestretch{\m@m@footnote@spacing}%
9807 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9808 \m@mrigidbalance{\@nameuse{footins#1}}{7}{\splittopskip}}}%
9809 \bidi@ensure@newcommand{\m@make@mpsevendcol@footgroup}[1]{%
9810 \@namedef{\mpsevendcol@footgroup#1}{%
9811 \def\baselinestretch{\m@m@footnote@spacing}%
9812 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9813 \m@mrigidbalance{\@nameuse{\mpfootins#1}}{7}{\splittopskip}}}%
9814 \bidi@ensure@newcommand{\eightcolumnfootnotes}{%
9815 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9816 \@bidi@before@Hy@hyperfootnotes
9817 \let\@footnotetext\@eightcolfootnotetext
9818 \let\@LTRfootnotetext\@eightcolLTRfootnotetext
9819 \let\@RTLfootnotetext\@eightcolRTLfootnotetext
9820 \dimen\footinsv@r=8\footinsdim
9821 \count\footinsv@r=125\relax
9822 \m@make@eightcol@footgroup{v@r}%
9823 \let\@footgroupv@r\@eightcol@footgroupv@r
9824 \let\@mpfootnotetext\@mpeightcolfootnotetext
9825 \let\@mpLTRfootnotetext\@mpeightcolLTRfootnotetext
9826 \let\@mpRTLfootnotetext\@mpeightcolRTLfootnotetext
9827 \@bidi@after@Hy@hyperfootnotes
9828 \m@make@mpeightcol@footgroup{v@r}%
9829 \let\mp@footgroupv@r\@mpeightcol@footgroupv@r
9830 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
9831 }
9832 \bidi@ensure@newcommand{\@eightcolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtr
9833 \def\baselinestretch{\m@m@footnote@spacing}%
9834 \reset@font\foottextfont
9835 \@preamfntext
9836 \protected@edef\@currentlabel{%
9837 \csname p@footnote\endcsname\@thefnmark}%

```



```

9838 \color@begingroup
9839 \@eightcolfootfmt{#1}%
9840 \color@endgroup}%
9841 \m@mmf@prepare}
9842 \bidi@ensure@newcommand{\@eightcolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotetext}%
9843 \def\baselinestretch{\m@m@footnote@spacing}%
9844 \reset@font\LTRfoottextfont
9845 \@preamfntext
9846 \protected@edef\@currentlabel{%
9847 \csname p@footnote\endcsname\@thefnmark}%
9848 \color@begingroup
9849 \@eightcolLTRfootfmt{#1}%
9850 \color@endgroup}%
9851 \m@mmf@prepare}
9852 \bidi@ensure@newcommand{\@eightcolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue}%
9853 \def\baselinestretch{\m@m@footnote@spacing}%
9854 \reset@font\RTLfoottextfont
9855 \@preamfntext
9856 \protected@edef\@currentlabel{%
9857 \csname p@footnote\endcsname\@thefnmark}%
9858 \color@begingroup
9859 \@eightcolRTLfootfmt{#1}%
9860 \color@endgroup}%
9861 \m@mmf@prepare}
9862 \bidi@ensure@newcommand{\@preameightfmt}{%
9863 \hspace{.125\hsize}
9864 \parindent=\z@
9865 \tolerance=5000\relax
9866 \leavevmode}
9867 \bidi@ensure@newcommand{\@eightcolfootfmt}[1]{%
9868 \@preameightfmt
9869 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9870 \bidi@ensure@newcommand{\@eightcolLTRfootfmt}[1]{%
9871 \@preameightfmt
9872 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9873 \bidi@ensure@newcommand{\@eightcolRTLfootfmt}[1]{%
9874 \@preameightfmt
9875 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9876 \bidi@ensure@newcommand{\@mpeightcolfootnotetext}[1]{%
9877 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi}%
9878 \unvbox\@mpfootinsv@r
9879 \def\baselinestretch{\m@m@footnote@spacing}%
9880 \reset@font\foottextfont
9881 \hspace\columnwidth \@parboxrestore
9882 \protected@edef\@currentlabel{%
9883 \csname p@mpfootnote\endcsname\@thefnmark}%
9884 \color@begingroup
9885 \@eightcolfootfmt{#1}%
9886 \color@endgroup}%
9887 \m@mmf@prepare}

```



```

9888 \bidi@ensure@newcommand{\@mpeightcolLTRfootnotetext}[1]{%
9889   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9890     \unvbox\@mpfootinsv@r
9891     \def\baselinestretch{\m@m@footnote@spacing}%
9892     \reset@font\LTRfoottextfont
9893     \hsize\columnwidth \@parboxrestore
9894     \ifRTLcolumnfootnotes\beginL\fi
9895     \protected@edef\@currentlabel{%
9896       \csname p@mpfootnote\endcsname\@thefnmark}%
9897     \color@begingroup
9898       \@eightcolLTRfootfmt{#1}%
9899     \color@endgroup}%
9900   \m@m@mmf@prepare}
9901 \bidi@ensure@newcommand{\@mpeightcolRTLfootnotetext}[1]{%
9902   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
9903     \unvbox\@mpfootinsv@r
9904     \def\baselinestretch{\m@m@footnote@spacing}%
9905     \reset@font\RTLfoottextfont
9906     \hsize\columnwidth \@parboxrestore
9907     \protected@edef\@currentlabel{%
9908       \csname p@mpfootnote\endcsname\@thefnmark}%
9909     \color@begingroup
9910       \@eightcolRTLfootfmt{#1}%
9911     \color@endgroup}%
9912   \m@m@mmf@prepare}
9913 \bidi@ensure@newcommand{\m@make@eightcol@footgroup}[1]{%
9914   \@namedef{@eightcol@footgroup#1}{%
9915     \def\baselinestretch{\m@m@footnote@spacing}%
9916     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9917     \m@m@rigidbalance{\@nameuse{footins#1}}{8}{\splittopskip}}}%
9918 \bidi@ensure@newcommand{\m@make@mpeightcol@footgroup}[1]{%
9919   \@namedef{@mpeightcol@footgroup#1}{%
9920     \def\baselinestretch{\m@m@footnote@spacing}%
9921     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
9922     \m@m@rigidbalance{\@nameuse{@mpfootins#1}}{8}{\splittopskip}}}%
9923 \bidi@ensure@newcommand{\@ninecolumnfootnotes}{%
9924   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
9925   \@bidi@before@Hy@hyperfootnotes
9926   \let\@footnotetext\@ninecolfootnotetext
9927   \let\@LTRfootnotetext\@ninecolLTRfootnotetext
9928   \let\@RTLfootnotetext\@ninecolRTLfootnotetext
9929   \dimen\footinsv@r=9\footinsdim
9930   \count\footinsv@r=111\relax
9931   \m@make@ninecol@footgroup{v@r}%
9932   \let\@footgroupv@r\@ninecol@footgroupv@r
9933   \let\@mpfootnotetext\@mpninecolfootnotetext
9934   \let\@mpLTRfootnotetext\@mpninecolLTRfootnotetext
9935   \let\@mpRTLfootnotetext\@mpninecolRTLfootnotetext
9936   \@bidi@after@Hy@hyperfootnotes
9937   \m@make@mpninecol@footgroup{v@r}%

```



```

9938 \let\mp@footgroupv@r\@mpninecol@footgroupv@r
9939 \@ifstar\bidistar@footmarkwidth\bidinormal@footmarkwidth
9940 }
9941 \bidi@ensure@newcommand{\@ninecolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
9942 \def\baselinestretch{\m@m@footnote@spacing}%
9943 \reset@font\foottextfont
9944 \@preamfntext
9945 \protected@edef\@currentlabel{%
9946 \csname p@footnote\endcsname\@thefnmark}%
9947 \color@begingroup
9948 \@ninecolfootfmt{#1}%
9949 \color@endgroup}%
9950 \m@mmf@prepare}
9951 \bidi@ensure@newcommand{\@ninecolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTLcolumnfootnotes%
9952 \def\baselinestretch{\m@m@footnote@spacing}%
9953 \reset@font\LTRfoottextfont
9954 \@preamfntext
9955 \protected@edef\@currentlabel{%
9956 \csname p@footnote\endcsname\@thefnmark}%
9957 \color@begingroup
9958 \@ninecolLTRfootfmt{#1}%
9959 \color@endgroup}%
9960 \m@mmf@prepare}
9961 \bidi@ensure@newcommand{\@ninecolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
9962 \def\baselinestretch{\m@m@footnote@spacing}%
9963 \reset@font\RTLfoottextfont
9964 \@preamfntext
9965 \protected@edef\@currentlabel{%
9966 \csname p@footnote\endcsname\@thefnmark}%
9967 \color@begingroup
9968 \@ninecolRTLfootfmt{#1}%
9969 \color@endgroup}%
9970 \m@mmf@prepare}
9971 \bidi@ensure@newcommand{\@preamninefmt}{%
9972 \hsize .1\hsize
9973 \parindent=\z@
9974 \tolerance=5000\relax
9975 \leavevmode}
9976 \bidi@ensure@newcommand{\@ninecolfootfmt}[1]{%
9977 \@preamninefmt
9978 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}
9979 \bidi@ensure@newcommand{\@ninecolLTRfootfmt}[1]{%
9980 \@preamninefmt
9981 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
9982 \bidi@ensure@newcommand{\@ninecolRTLfootfmt}[1]{%
9983 \@preamninefmt
9984 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
9985 \bidi@ensure@newcommand{\@mpninecolfootnotetext}[1]{%
9986 \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
9987 \unvbox\@mpfootinsv@r

```



```

9988 \def\baselinestretch{\m@m@footnote@spacing}%
9989 \reset@font\foottextfont
9990 \hsize\columnwidth \@parboxrestore
9991 \protected@edef\@currentlabel{%
9992   \csname p@mpfootnote\endcsname\@thefnmark}%
9993 \color@begingroup
9994   \@ninecolfootfmt{#1}%
9995 \color@endgroup}%
9996 \m@mmf@prepare}
9997 \bidi@ensure@newcommand{\@mpninecolLTRfootnotetext}[1]{%
9998   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
9999     \unvbox\@mpfootinsv@r
10000   \def\baselinestretch{\m@m@footnote@spacing}%
10001   \reset@font\LTRfoottextfont
10002   \hsize\columnwidth \@parboxrestore
10003   \if@RTLcolumnfootnotes\beginL\fi
10004   \protected@edef\@currentlabel{%
10005     \csname p@mpfootnote\endcsname\@thefnmark}%
10006   \color@begingroup
10007     \@ninecolLTRfootfmt{#1}%
10008   \color@endgroup}%
10009   \m@mmf@prepare}
10010 \bidi@ensure@newcommand{\@mpninecolRTLfootnotetext}[1]{%
10011   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
10012     \unvbox\@mpfootinsv@r
10013   \def\baselinestretch{\m@m@footnote@spacing}%
10014   \reset@font\RTLfoottextfont
10015   \hsize\columnwidth \@parboxrestore
10016   \protected@edef\@currentlabel{%
10017     \csname p@mpfootnote\endcsname\@thefnmark}%
10018   \color@begingroup
10019     \@ninecolRTLfootfmt{#1}%
10020   \color@endgroup}%
10021   \m@mmf@prepare}
10022 \bidi@ensure@newcommand{\m@make@ninecol@footgroup}[1]{%
10023   \@namedef{@ninecol@footgroup#1}{%
10024     \def\baselinestretch{\m@m@footnote@spacing}%
10025     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10026     \m@mrigidbodybalance{\@nameuse{footins#1}}{9}{\splittopskip}}}%
10027 \bidi@ensure@newcommand{\m@make@mpninecol@footgroup}[1]{%
10028   \@namedef{@mpninecol@footgroup#1}{%
10029     \def\baselinestretch{\m@m@footnote@spacing}%
10030     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10031     \m@mrigidbodybalance{\@nameuse{@mpfootins#1}}{9}{\splittopskip}}}%
10032 \bidi@ensure@newcommand{\tencolumnfootnotes}{%
10033   \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
10034   \@bidi@before@Hy@hyperfootnotes
10035   \let\@footnotetext\@tencolfootnotetext
10036   \let\@LTRfootnotetext\@tencolLTRfootnotetext
10037   \let\@RTLfootnotetext\@tencolRTLfootnotetext

```




```

10038 \dimen\footinsv@r=10\footinsdim
10039 \count\footinsv@r=100\relax
10040 \m@make@tencol@footgroup{v@r}%
10041 \let\@footgroupv@r\@tencol@footgroupv@r
10042 \let\@mpfootnotetext\@mptencolfootnotetext
10043 \let\@mpLTRfootnotetext\@mptencolLTRfootnotetext
10044 \let\@mpRTLfootnotetext\@mptencolRTLfootnotetext
10045 \@bidi@after@Hy@hyperfootnotes
10046 \m@make@mptencol@footgroup{v@r}%
10047 \let\mp@footgroupv@r\@mptencol@footgroupv@r
10048 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
10049 }
10050 \bidi@ensure@newcommand{\@tencolfootnotetext}[1]{\insert\footinsv@r{\if@RTL@footnote\@RTLtrue%
10051 \def\baselinestretch{\m@m@footnote@spacing}%
10052 \reset@font\foottextfont
10053 \@preamfntext
10054 \protected@edef\@currentlabel{%
10055 \csname p@footnote\endcsname\@thefnmark}%
10056 \color@begingroup
10057 \@tencolfootfmt{#1}%
10058 \color@endgroup}%
10059 \m@mmf@prepare}
10060 \bidi@ensure@newcommand{\@tencolLTRfootnotetext}[1]{\insert\footinsv@r{\if@RTL@columnfootnotes%
10061 \def\baselinestretch{\m@m@footnote@spacing}%
10062 \reset@font\LTRfoottextfont
10063 \@preamfntext
10064 \protected@edef\@currentlabel{%
10065 \csname p@footnote\endcsname\@thefnmark}%
10066 \color@begingroup
10067 \@tencolLTRfootfmt{#1}%
10068 \color@endgroup}%
10069 \m@mmf@prepare}
10070 \bidi@ensure@newcommand{\@tencolRTLfootnotetext}[1]{\insert\footinsv@r{\@RTLtrue%
10071 \def\baselinestretch{\m@m@footnote@spacing}%
10072 \reset@font\RTLfoottextfont
10073 \@preamfntext
10074 \protected@edef\@currentlabel{%
10075 \csname p@footnote\endcsname\@thefnmark}%
10076 \color@begingroup
10077 \@tencolRTLfootfmt{#1}%
10078 \color@endgroup}%
10079 \m@mmf@prepare}
10080 \bidi@ensure@newcommand{\@preamtenfmt}{%
10081 \hsize .1\hsize
10082 \parindent=\z@
10083 \tolerance=5000\relax
10084 \leavevmode}
10085 \bidi@ensure@newcommand{\@tencolfootfmt}[1]{%
10086 \@preamtenfmt
10087 {\footfootmark\strut {\foottextfont #1}\strut\par}\allowbreak}

```



```

10088 \bidi@ensure@newcommand{\@tencolLTRfootfmt}[1]{%
10089   \@preamtenfmt
10090   {\LTRfootfootmark\strut {\LTRfoottextfont #1}\strut\par}\allowbreak}
10091 \bidi@ensure@newcommand{\@tencolRTLfootfmt}[1]{%
10092   \@preamtenfmt
10093   {\RTLfootfootmark\strut {\RTLfoottextfont #1}\strut\par}\allowbreak}
10094 \bidi@ensure@newcommand{\@mptencolfootnotetext}[1]{%
10095   \global\setbox\@mpfootinsv@r\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
10096     \unvbox\@mpfootinsv@r
10097     \def\baselinestretch{\m@m@footnote@spacing}%
10098     \reset@font\foottextfont
10099     \hsize\columnwidth \@parboxrestore
10100     \protected@edef\@currentlabel{%
10101       \csname p@mpfootnote\endcsname\@thefnmark}%
10102   \color@begingroup
10103     \@tencolfootfmt{#1}%
10104   \color@endgroup}%
10105   \m@m@mmf@prepare}
10106 \bidi@ensure@newcommand{\@mptencolLTRfootnotetext}[1]{%
10107   \global\setbox\@mpfootinsv@r\vbox{\@RTLfalse%
10108     \unvbox\@mpfootinsv@r
10109     \def\baselinestretch{\m@m@footnote@spacing}%
10110     \reset@font\LTRfoottextfont
10111     \hsize\columnwidth \@parboxrestore
10112     \if@RTLcolumnfootnotes\beginL\fi
10113     \protected@edef\@currentlabel{%
10114       \csname p@mpfootnote\endcsname\@thefnmark}%
10115   \color@begingroup
10116     \@tencolLTRfootfmt{#1}%
10117   \color@endgroup}%
10118   \m@m@mmf@prepare}
10119 \bidi@ensure@newcommand{\@mptencolRTLfootnotetext}[1]{%
10120   \global\setbox\@mpfootinsv@r\vbox{\@RTLtrue%
10121     \unvbox\@mpfootinsv@r
10122     \def\baselinestretch{\m@m@footnote@spacing}%
10123     \reset@font\RTLfoottextfont
10124     \hsize\columnwidth \@parboxrestore
10125     \protected@edef\@currentlabel{%
10126       \csname p@mpfootnote\endcsname\@thefnmark}%
10127   \color@begingroup
10128     \@tencolRTLfootfmt{#1}%
10129   \color@endgroup}%
10130   \m@m@mmf@prepare}
10131 \bidi@ensure@newcommand{\m@make@tencol@footgroup}[1]{%
10132   \@namedef{@tencol@footgroup#1}{%
10133     \def\baselinestretch{\m@m@footnote@spacing}%
10134     \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10135     \m@m@rigidbalance{\@nameuse{footins#1}}{10}{\splittopskip}}}%
10136 \bidi@ensure@newcommand{\m@make@mptencol@footgroup}[1]{%
10137   \@namedef{@mptencol@footgroup#1}{%

```



```

10138 \def\baselinestretch{\m@m@footnote@spacing}%
10139 \@nameuse{foottextfont#1} \splittopskip=\ht\strutbox
10140 \m@mrigidbalance{\@nameuse{@mpfootins#1}}{10}{\splittopskip}}}}
10141 \bidi@ensure@newcommand{\m@munvxh}[1]{%
10142   \setbox0=\vbox{\unvbox#1%
10143     \global\setbox1=\lastbox}%
10144   \unhbox1
10145   \unskip
10146   \unskip
10147   \unpenalty
10148   \hskip\m@mipn@skip}
10149 \bidi@ensure@newcommand{\m@mungebox}{%
10150   \setbox0=\hbox{\m@munvxh0}%
10151   \dp0=\z@
10152   \ht0=\footfudgefactor\wd0
10153   \box0
10154   \penalty0}
10155 \newskip\m@mipn@skip
10156 \bidi@ensure@newcommand*{\m@minterparanoteglue}[1]{%
10157   {\foottextfont\global\m@mipn@skip=#1\relax}}
10158 \m@minterparanoteglue{1em plus.4em minus.4em}
10159 \@ifpackageloaded{multicol}{%
10160 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
10161   \hsize\textwidth%
10162   \setbox0=\hbox{}%
10163   \loop
10164     \unpenalty
10165     \setbox2=\lastbox
10166     \ifhbox2
10167       \setbox0=\hbox{\box2\unhbox0}
10168     \repeat}%
10169 }{%
10170 \bidi@ensure@newcommand*{\m@mmakehboxofhboxes}{%
10171   \setbox0=\hbox{}%
10172   \loop
10173     \unpenalty
10174     \setbox2=\lastbox
10175     \ifhbox2
10176       \setbox0=\hbox{\box2\unhbox0}
10177     \repeat}}
10178 \bidi@ensure@newcommand*{\m@mremovehboxes}{\setbox0=\lastbox
10179   \ifhbox0{\m@mremovehboxes}\unhbox0 \fi}
10180 \newcommand*{\AddExtraParaSkip}[1]{%
10181   \if@bidi@csdef{footfudgefactor}{%
10182     \PackageError{bidi}{%
10183       The control sequence `\'string\AddExtraParaSkip`
10184       must be used before the control sequence
10185       `\'string\paragraphfootnotes' in the preamble%
10186     }\@ehc
10187   }{%

```



```

10188 \def\bidixparaskip{\advance\@tempdima#1\relax}%
10189 }%
10190 }
10191 \bidi@ensure@newcommand{\paragraphfootnotes}{%
10192 \@namedef{foottextfontv@r}{\foottextfont}% % [RS]
10193 \@bidi@before@Hy@hyperfootnotes
10194 \let\@footnotetext\@parafootnotetext
10195 \let\@LTRfootnotetext\@paraLTRfootnotetext
10196 \let\@RTLfootnotetext\@paraRTLfootnotetext
10197 \dimen\footinsv@r=\footinsdim
10198 \count\footinsv@r=1000\relax
10199 \m@make@para@footgroup{v@r}%
10200 \m@make@para@footstart{v@r}%
10201 \let\@footgroupv@r\@para@footgroupv@r
10202 \let\@footstartv@r\@para@footstartv@r
10203 \dimen\footinsv@l=\footinsdim
10204 \count\footinsv@l=1000\relax
10205 \bidi@make@para@LTRfootgroup{v@l}%
10206 \m@make@para@footstart{v@l}%
10207 \bidi@make@para@footstart@@{v@l}%
10208 \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
10209 \let\@footstartv@l\@para@footstartv@l
10210 \let\@@footstart@@v@l\@@para@footstart@@v@l
10211 \let\@mpfootnotetext\@mpparafootnotetext
10212 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
10213 \let\@mpRTLfootnotetext\@mpparaRTLfootnotetext
10214 \@bidi@after@Hy@hyperfootnotes
10215 \m@make@mppara@footgroup{v@r}%
10216 \bidi@make@mppara@LTRfootgroup{v@l}%
10217 \let\mp@footgroupv@r\@mppara@footgroupv@r
10218 \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
10219 \begingroup
10220 \def\baselinestretch{\m@f@footnote@spacing}%
10221 \foottextfont
10222 \@tempdima\footnotesep
10223 \advance\@tempdima -\ht\strutbox
10224 \ifdim\@tempdima<z@ \@tempdima\z@ \fi
10225 \advance\@tempdima.5\normalbaselineskip
10226 \bidi@xparaskip
10227 \xdef\bidi@paraskip{\the\@tempdima\relax}%
10228 \ifdim\skip\footinsv@r>\bigskipamount
10229 \else
10230 \global\advance\skip\footinsv@r\bidi@paraskip
10231 \fi
10232 \ifdim\skip\footinsv@l>\bigskipamount
10233 \else
10234 \global\advance\skip\footinsv@l\bidi@paraskip
10235 \fi
10236 \@tempdima\normalbaselineskip
10237 \multiply \@tempdima \@cclvi

```



```

10238 \@tempdimb \columnwidth
10239 \divide \@tempdimb \@cclvi
10240 \divide \@tempdima \@tempdimb
10241 \xdef\footfudgefactor{\strip@pt\@tempdima}%
10242 \endgroup
10243 \@ifstar\ bidi@star@footmarkwidth\ bidi@normal@footmarkwidth
10244 }
10245 \newcommand{\normalRTLparaLTRfootnotes}{%
10246 \@namedef{foottextfontv@r}{\foottextfont}%
10247 \@bidi@before@Hy@hyperfootnotes
10248 \if@RTL@footnote
10249 \let\@footnotetext\m@mold@footnotetext
10250 \else
10251 \let\@footnotetext\@parafootnotetext
10252 \fi
10253 \let\@LTRfootnotetext\@paraLTRfootnotetext
10254 \let\@RTLfootnotetext\m@mold@RTLfootnotetext
10255 \dimen\footinsv@r=\footinsdim
10256 \count\footinsv@r=1000\relax
10257 \m@make@para@footgroup{v@r}%
10258 \m@make@para@footstart{v@r}%
10259 \let\@footgroupv@r\@para@footgroupv@r
10260 \let\@footstartv@r\@para@footstartv@r
10261 \dimen\footinsv@l=\footinsdim
10262 \count\footinsv@l=1000\relax
10263 \bidi@make@para@LTRfootgroup{v@l}%
10264 \m@make@para@footstart{v@l}%
10265 \bidi@make@para@footstart@@{v@l}%
10266 \let\@LTRfootgroupv@l\@para@LTRfootgroupv@l
10267 \let\@footstartv@l\@para@footstartv@l
10268 \let\@@footstart@@v@l\@para@footstart@@v@l
10269 \if@RTL@footnote
10270 \let\@mpfootnotetext\m@mold@mpfootnotetext
10271 \else
10272 \let\@mpfootnotetext\@mpparafootnotetext
10273 \fi
10274 \let\@mpLTRfootnotetext\@mpparaLTRfootnotetext
10275 \let\@mpRTLfootnotetext\m@mold@mpRTLfootnotetext
10276 \@bidi@after@Hy@hyperfootnotes
10277 \m@make@mppara@footgroup{v@r}%
10278 \bidi@make@mppara@LTRfootgroup{v@l}%
10279 \let\mp@footgroupv@r\@mppara@footgroupv@r
10280 \let\mp@LTRfootgroupv@l\@mppara@LTRfootgroupv@l
10281 \begingroup
10282 \def\baselinestretch{\m@m@footnote@spacing}%
10283 \foottextfont
10284 \@tempdima\footnotesep
10285 \advance\@tempdima -\ht\strutbox
10286 \ifdim\@tempdima<\z@ \@tempdima\z@ \fi
10287 \advance\@tempdima.5\normalbaselineskip

```



```

10288 \bidi@xparaskip
10289 \xdef\bidi@paraskip{\the\@tempdima\relax}%
10290 \ifdim\skip\footinsv@r>\bigskipamount
10291 \else
10292   \global\advance\skip\footinsv@r\bidi@paraskip
10293 \fi
10294 \ifdim\skip\footinsv@l>\bigskipamount
10295 \else
10296   \global\advance\skip\footinsv@l\bidi@paraskip
10297 \fi
10298 \@tempdima\normalbaselineskip
10299 \multiply \@tempdima \ccclvi
10300 \@tempdimb \columnwidth
10301 \divide \@tempdimb \ccclvi
10302 \divide \@tempdima \@tempdimb
10303 \xdef\footfudgefactor{\strip@pt\@tempdima}%
10304 \endgroup
10305 \@ifstar\bidi@star@footmarkwidth\bidi@normal@footmarkwidth
10306 }
10307 \let\bidi@xparaskip\relax
10308 \@onlypreamble\AddExtraParaSkip
10309 \bidi@ensure@newcommand{\@parafootnotetext}[1]{\insert
10310   \if@RTL@footnote
10311     \footinsv@r
10312   \else
10313     \footinsv@l
10314   \fi
10315   {%
10316     \let\bidi@RTL@everypar\@empty%
10317     \def\baselinestretch{\m@m@footnote@spacing}%
10318     \reset@font\foottextfont
10319     \@preamfntext
10320     \protected@edef\@currentlabel{%
10321       \csname p@footnote\endcsname\@thefnmark}%
10322     \setbox0=\vbox{\hsize=\maxdimen
10323       \color@begingroup
10324         \noindent \@parafootfmt{#1}%
10325       \color@endgroup}%
10326     \m@mungebox\m@mmf@prepare}
10327 \bidi@ensure@newcommand{\@paraLTRfootnotetext}[1]{\insert\footinsv@l{%
10328   \let\bidi@RTL@everypar\@empty%
10329   \def\baselinestretch{\m@m@footnote@spacing}%
10330   \reset@font\LTRfoottextfont
10331   \@preamfntext
10332   \protected@edef\@currentlabel{%
10333     \csname p@footnote\endcsname\@thefnmark}%
10334   \setbox0=\vbox{\hsize=\maxdimen
10335     \color@begingroup
10336       \noindent \@paraLTRfootfmt{#1}%
10337     \color@endgroup}%

```



```

10338 \m@mungebox}\m@mmf@prepare}
10339 \bidi@ensure@newcommand{\@paraRTLfootnotetext}[1]{\insert\footinsv@r{%
10340 \let\bidi@RTL@everypar\@empty%
10341 \def\baselinestretch{\m@m@footnote@spacing}%
10342 \reset@font\RTLfoottextfont
10343 \@preamfntext
10344 \protected@edef\@currentlabel{%
10345 \csname p@footnote\endcsname\@thefnmark}%
10346 \setbox0=\vbox{\hsize=\maxdimen
10347 \color@begingroup
10348 \noindent \@paraRTLfootfmt{#1}%
10349 \color@endgroup}%
10350 \m@mungebox}\m@mmf@prepare}
10351 \bidi@ensure@newcommand{\@parafootfmt}[1]{%
10352 \parindent=\z@
10353 \parfillskip=0pt \@plus 1fil
10354 {\footfootmark\strut {\foottextfont #1}\penalty-10}}
10355 \bidi@ensure@newcommand{\@paraLTRfootfmt}[1]{%
10356 \parindent=\z@
10357 \parfillskip=0pt \@plus 1fil
10358 {\LTRfootfootmark\strut {\LTRfoottextfont #1}\penalty-10}}
10359 \bidi@ensure@newcommand{\@paraRTLfootfmt}[1]{%
10360 \parindent=\z@
10361 \parfillskip=0pt \@plus 1fil
10362 {\RTLfootfootmark\strut {\RTLfoottextfont #1}\penalty-10}}
10363 \bidi@ensure@newcommand{\@mpparafootnotetext}[1]{%
10364 \global\setbox
10365 \if@RTL@footnote
10366 \@mpfootinsv@r
10367 \else
10368 \@mpfootinsv@l
10369 \fi
10370 \vbox{%
10371 \let\bidi@RTL@everypar\@empty%
10372 \def\baselinestretch{\m@m@footnote@spacing}%
10373 \unvbox
10374 \if@RTL@footnote
10375 \@mpfootinsv@r
10376 \else
10377 \@mpfootinsv@l
10378 \fi
10379 \reset@font\foottextfont
10380 \hsize\columnwidth \@parboxrestore
10381 \protected@edef\@currentlabel{%
10382 \csname p@mpfootnote\endcsname\@thefnmark}%
10383 \setbox0=\vbox{\hsize=\maxdimen
10384 \color@begingroup
10385 \noindent \@parafootfmt{#1}%
10386 \color@endgroup}%
10387 \m@mungebox}\m@mmf@prepare}

```



```

10388 \bidi@ensure@newcommand{\@mpparaLTRfootnotetext}[1]{%
10389   \global\setbox\@mpfootinsv@1\vbox{%
10390     \let\bidi@RTL@everypar\@empty%
10391     \def\baselinestretch{\m@m@footnote@spacing}%
10392     \unvbox\@mpfootinsv@1
10393     \reset@font\LTRfoottextfont
10394     \hsize\columnwidth \@parboxrestore
10395     \protected@edef\@currentlabel{%
10396       \csname p@mpfootnote\endcsname\@thefnmark}%
10397     \setbox0=\vbox{\hsize=\maxdimen
10398       \color@begingroup
10399       \noindent \@paraLTRfootfmt{#1}%
10400       \color@endgroup}%
10401     \m@mungebox}\m@mmf@prepare}
10402 \bidi@ensure@newcommand{\@mpparaRTLfootnotetext}[1]{%
10403   \global\setbox\@mpfootinsv@r\vbox{%
10404     \let\bidi@RTL@everypar\@empty%
10405     \def\baselinestretch{\m@m@footnote@spacing}%
10406     \unvbox\@mpfootinsv@r
10407     \reset@font\RTLfoottextfont
10408     \hsize\columnwidth \@parboxrestore
10409     \protected@edef\@currentlabel{%
10410       \csname p@mpfootnote\endcsname\@thefnmark}%
10411     \setbox0=\vbox{\hsize=\maxdimen
10412       \color@begingroup
10413       \noindent \@paraRTLfootfmt{#1}%
10414       \color@endgroup}%
10415     \m@mungebox}\m@mmf@prepare}
10416 \bidi@ensure@newcommand{\m@make@para@footgroup}[1]{%
10417   \@namedef{@para@footgroup#1}{%
10418     \unvbox\@nameuse{footins#1}
10419     \@RTLtrue
10420     \m@mmakehboxofhboxes
10421     \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10422     \@parboxrestore%
10423     \def\baselinestretch{\m@m@footnote@spacing}%
10424     \@nameuse{foottextfont#1}%
10425     \noindent\unhbox0\par}}
10426 \bidi@ensure@newcommand{\bidi@make@para@LTRfootgroup}[1]{%
10427   \@namedef{@para@LTRfootgroup#1}{%
10428     \unvbox\@nameuse{footins#1}
10429     \@RTLfalse
10430     \m@mmakehboxofhboxes
10431     \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10432     \@parboxrestore%
10433     \def\baselinestretch{\m@m@footnote@spacing}%
10434     \@nameuse{foottextfont#1}%
10435     \noindent\unhbox0\par}}
10436 \bidi@ensure@newcommand{\m@make@mppara@footgroup}[1]{%
10437   \@namedef{@mppara@footgroup#1}{%

```




```

10438 \unvbox\@nameuse{@mpfootins#1}
10439 \@RTLtrue
10440 \m@mmakehboxofhboxes
10441 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10442 \def\baselinestretch{\m@m@footnote@spacing}%
10443 \@nameuse{foottextfont#1}%
10444 \noindent\unhbox0\par}}
10445 \bidi@ensure@newcommand{\bidi@make@mppara@LTRfootgroup}[1]{%
10446 \@namedef{@mppara@LTRfootgroup#1}{%
10447 \unvbox\@nameuse{@mpfootins#1}
10448 \@RTLfalse
10449 \m@mmakehboxofhboxes
10450 \setbox0=\hbox{\unhbox0 \m@mremovehboxes}%
10451 \def\baselinestretch{\m@m@footnote@spacing}%
10452 \@nameuse{foottextfont#1}%
10453 \noindent\unhbox0\par}}
10454 \bidi@ensure@newcommand{\m@make@para@footstart}[1]{%
10455 \@namedef{@para@footstart#1}{%
10456 \if@bidi@void@footins
10457 \bidi@mopfn@bottom
10458 \fi
10459 \leftskip=\z@
10460 \rightskip=\z@
10461 \parindent=\z@
10462 \vskip\skip\footins
10463 \if@bidi@void@footins
10464 \footnoterule
10465 \fi}}
10466 \bidi@ensure@newcommand{\bidi@make@para@footstart@@}[1]{%
10467 \@namedef{@@para@footstart@@#1}{%
10468 \leftskip=\z@
10469 \rightskip=\z@
10470 \parindent=\z@
10471 \vskip\skip\footins}}
10472 \bidi@ensure@newcommand*{\m@m@makecolfloats}{%
10473 \xdef\@freelist{\@freelist\@midlist}%
10474 \global\let\@midlist\@empty
10475 \@combinefloats}
10476 \bidi@ensure@newcommand*{\m@m@makecoltext}{%
10477 \ifvbox\@kludgeins
10478 \@makespecialcolbox
10479 \else
10480 \setbox\@outputbox \vbox to\@colht{%
10481 \@texttop
10482 \dimen@ \dp\@outputbox
10483 \unvbox \@outputbox
10484 \vskip -\dimen@
10485 \@textbottom}%
10486 \fi}
10487 \bidi@ensure@newcommand*{\m@m@makecolintro}{%

```



```

10488 \bidi@ensure@newcommand*{\m@mopfootnote}{\setbox\@outputbox \vbox{%
10489   \boxmaxdepth\@maxdepth
10490   \@tempdima\dp\@cclv
10491   \unvbox\@cclv
10492   \vskip-\@tempdima
10493   \bidi@mopfn@bottom
10494   \vskip \skip\footins
10495   \color@begingroup
10496     \normalcolor
10497     \footnoterule
10498     \unvbox \footins
10499   \color@endgroup
10500 }%
10501 }
10502 \newcommand*{\bidi@mopfootnotebf}{%
10503   \setbox\@outputbox \vbox{%
10504     \boxmaxdepth\@maxdepth
10505     \unvbox\@outputbox
10506     \bidi@mopfn@bottom
10507     \vskip\skip\footins
10508     \color@begingroup
10509       \normalcolor
10510       \footnoterule
10511       \unvbox \footins
10512     \color@endgroup
10513   }%
10514 }
10515 \gdef\mem@makecol{%
10516   \m@m@makecolintro
10517   \ifvoid\footins
10518     \global\@bidi@void@footinstrue
10519     \setbox\@outputbox \box\@cclv
10520   \else
10521     \global\@bidi@void@footinsfalse
10522     \m@mopfootnote
10523   \fi
10524   \m@m@doextrafeet
10525   \m@m@makecolfloats
10526   \m@m@makecoltext
10527   \global \maxdepth \@maxdepth}
10528 \gdef\bidi@makecolbf{%
10529   \m@m@makecolintro
10530   \setbox\@outputbox \box\@cclv
10531   \m@m@makecolfloats
10532   \ifvoid\footins
10533     \global\@bidi@void@footinstrue
10534   \else
10535     \global\@bidi@void@footinsfalse
10536     \bidi@mopfootnotebf
10537   \fi

```



```

10538 \m@mndoextrafeet
10539 \m@m@makecoltext
10540 \global \maxdepth \@maxdepth}
10541 \newcommand{\FeetAboveFloat}{\gdef\@makecol{\mem@makecol}}
10542 \newcommand{\FeetBelowFloat}{\gdef\@makecol{\bidi@makecolbf}}
10543 \newcommand\FeetAtBottom{\def\bidi@mopfn@bottom{\vfill\relax}}
10544 \newcommand\FeetBelowRagged{\let\bidi@mopfn@bottom\relax}
10545 \FeetAboveFloat
10546 \FeetBelowRagged

```

56 File extreport-xetex-bidi.def

```

10547 \ProvidesFile{extreport-xetex-bidi.def}[2017/06/09 v0.3 bidi adaptations for extreport class]
10548 \renewcommand*\l@part[2]{%
10549   \ifnum \c@tocdepth >-2\relax
10550     \addpenalty{-\@highpenalty}%
10551     \addvspace{2.25em \@plus\p@}%
10552     \begingroup
10553       \setlength\@tempdima{3em}%
10554       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
10555       \parfillskip -\@pnumwidth
10556       {\leavevmode
10557         \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
10558       \nobreak
10559       \global\@nobreaktrue
10560       \everypar{\global\@nobreakfalse\everypar{}}%
10561     \endgroup
10562   \fi}
10563 \renewcommand*\l@chapter[2]{%
10564   \ifnum \c@tocdepth >\m@ne
10565     \addpenalty{-\@highpenalty}%
10566     \vskip 1.0em \@plus\p@
10567     \setlength\@tempdima{1.5em}%
10568     \begingroup
10569       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
10570       \parfillskip -\@pnumwidth
10571       \leavevmode \bfseries
10572       \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
10573       \hskip -\if@RTL\rightskip\else\leftskip\fi
10574       #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
10575       \penalty\@highpenalty
10576     \endgroup
10577   \fi}
10578 \def\@makechapterhead#1{%
10579   \vspace*{50\p@}%
10580   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
10581     \ifnum \c@secnumdepth >\m@ne
10582       \huge\bfseries \@chapapp\space \thechapter
10583       \par\nobreak
10584       \vskip 20\p@

```



```

10585 \fi
10586 \interlinepenalty\@M
10587 \Huge \bfseries #1\par\nobreak
10588 \vskip 40\p@
10589 }}
10590 \def\@makeschapterhead#1{%
10591 \vspace*{50\p@}%
10592 {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
10593 \normalfont
10594 \interlinepenalty\@M
10595 \Huge \bfseries #1\par\nobreak
10596 \vskip 40\p@
10597 }}
10598 \renewcommand\left@footnoterule{%
10599 \kern-3\p@
10600 \hrule\@width.4\columnwidth
10601 \kern2.6\p@}
10602 \renewcommand\right@footnoterule{%
10603 \kern-3\p@
10604 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
10605 \kern2.6\p@}
10606 \renewenvironment{thebibliography}[1]
10607 {\chapter*{\bibname
10608 \mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}}%
10609 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
10610 \bidi@thebibliography@font@hook%
10611 \list{\@biblabel{\@arabic\c@enumiv}}%
10612 {\settowidth\labelwidth{\@biblabel{#1}}%
10613 \leftmargin\labelwidth
10614 \advance\leftmargin\labelsep
10615 \@openbib@code
10616 \usecounter{enumiv}%
10617 \let\p@enumiv\@empty
10618 \renewcommand\theenumiv{\@arabic\c@enumiv}}%
10619 \sloppy\clubpenalty4000\widowpenalty4000%
10620 \sfcode`.\@m}
10621 {\def\@noitemerr
10622 {\@latex@warning{Empty `thebibliography' environment}}%
10623 \endlist}
10624 \if@titlepage
10625 \renewcommand\maketitle{\begin{titlepage}%
10626 \let\footnotesize\small
10627 \let\right@footnoterule\relax
10628 \let\left@footnoterule\relax
10629 \let\textwidth\footnoterule\relax
10630 \let\footnote\thanks
10631 \null\vfil
10632 \vskip 60\p@
10633 \begin{center}%
10634 {\LARGE \@title \par}%

```



```

10635 \vskip 3em%
10636 {\large
10637 \lineskip .75em%
10638 \begin{tabular}[t]{c}%
10639 \@author
10640 \end{tabular}\par}%
10641 \vskip 1.5em%
10642 {\large \@date \par}% % Set date in \large size.
10643 \end{center}\par
10644 \@thanks
10645 \vfil\null
10646 \end{titlepage}%
10647 \setcounter{footnote}{0}%
10648 \global\let\thanks\relax
10649 \global\let\maketitle\relax
10650 \global\let\@thanks\@empty
10651 \global\let\@author\@empty
10652 \global\let\@date\@empty
10653 \global\let\@title\@empty
10654 \global\let\title\relax
10655 \global\let\author\relax
10656 \global\let\date\relax
10657 \global\let\and\relax
10658 }
10659 \else
10660 \renewcommand\maketitle{\par
10661 \begingroup
10662 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
10663 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
10664 \long\def\@makefntext##1{\parindent 1em\noindent
10665 \hb@xt@1.8em{%
10666 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
10667 \if@twocolumn
10668 \ifnum \col@number=\@ne
10669 \@maketitle
10670 \else
10671 \twocolumn[\@maketitle]%
10672 \fi
10673 \else
10674 \newpage
10675 \global\@topnum\z@ % Prevents figures from going at top of page.
10676 \@maketitle
10677 \fi
10678 \thispagestyle{plain}\@thanks
10679 \endgroup
10680 \setcounter{footnote}{0}%
10681 \global\let\thanks\relax
10682 \global\let\maketitle\relax
10683 \global\let\@maketitle\relax
10684 \global\let\@thanks\@empty

```



```

10685 \global\let\@author\@empty
10686 \global\let\@date\@empty
10687 \global\let\@title\@empty
10688 \global\let\title\relax
10689 \global\let\author\relax
10690 \global\let\date\relax
10691 \global\let\and\relax
10692 }
10693 \def\@maketitle{%
10694   \newpage
10695   \null
10696   \vskip 2em%
10697   \begin{center}%
10698     \let \footnote \thanks
10699     {\LARGE \@title \par}%
10700     \vskip 1.5em%
10701     {\large
10702       \lineskip .5em%
10703       \begin{tabular}[t]{c}%
10704         \@author
10705       \end{tabular}\par}%
10706     \vskip 1em%
10707     {\large \@date}%
10708   \end{center}%
10709   \par
10710   \vskip 1.5em}
10711 \fi
10712 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
10713 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
10714 \renewcommand\thesubsubsection{\thesubsection \@SepMark\@arabic\c@subsubsection}
10715 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
10716 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
10717 \renewcommand\theequation{%
10718   \ifnum \c@chapter>z@ \thechapter\@SepMark\fi\@arabic\c@equation}
10719 \renewcommand\thefigure{%
10720   \ifnum \c@chapter>z@\thechapter\@SepMark\fi \@arabic\c@figure}
10721 \renewcommand\thetable{%
10722   \ifnum \c@chapter>z@\thechapter\@SepMark\fi\@arabic\c@table}

```

57 File fancybox-xetex-bidi.def

```

10723 \ProvidesFile{fancybox-xetex-bidi.def}[2013/05/01 v0.1 bidi adaptations for fancybox package]
10724 \def\fancy@oval#1#2#3{%
10725   \boxmaxdepth \maxdimen
10726   \@ovttrue \@ovbtrue \@ovltrue \@ovrtrue
10727   \@tfor\@tempa :=#3\do{\csname @ov\@tempa false\endcsname}%
10728   \@ovxx#1\relax
10729   \advance\@ovxx-\@wholewidth
10730   \@ovyy#2\relax
10731   \advance\@ovyy-\@wholewidth

```



```

10732 \@tempdimb \ifdim \@ovyy >\@ovxx \@ovxx\else \@ovyy \fi
10733 \advance\@tempdimb-2\p@
10734 \ifdim\@tempdimb>\the@cornersize\relax
10735   \@tempdimb=\the@cornersize
10736 \fi
10737 \@getcirc\@tempdimb
10738 \@ovro\ht\@tempboxa \@ovri\dp\@tempboxa
10739 \@ovdx\@ovxx \advance\@ovdx-\@tempdima \divide\@ovdx \tw@
10740 \@ovdy\@ovyy \advance\@ovdy-\@tempdima \divide\@ovdy \tw@
10741 \@circlefnt
10742 \setbox\@tempboxa\hbox{\beginL%
10743   \if@ovr \@ovvert32\kern -\@tempdima \fi
10744   \if@ovl \kern \@ovxx \@ovvert01\kern -\@tempdima \kern -\@ovxx \fi
10745   \if@ovt \@ovhorz \kern -\@ovxx \fi
10746   \if@ovb \raise \@ovyy \@ovhorz \fi\endL}%
10747 \advance\@ovdx\@ovro
10748 \advance\@ovdy\@ovro
10749 \advance\@ovxx\@wholewidth
10750 \wd\@tempboxa=\@ovxx
10751 \dp\@tempboxa=\z@}

```

58 File fancyhdr-xetex-bidi.def

```

10752 \ProvidesFile{fancyhdr-xetex-bidi.def}[2018/02/15 v0.7 bidi adaptations for fancyhdr package]
10753
10754 \let\f@nch@everypar\everypar
10755
10756 \def\f@nch@head#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
10757   \f@nch@vbox\headheight{\hbox
10758     {\rlap{\parbox[b]{\headwidth}{\bidi@raggedright#2}}\hfill
10759     \parbox[b]{\headwidth}{\centering#3}\hfill
10760     \llap{\parbox[b]{\headwidth}{\bidi@raggedleft#4}}}\headrule}}#5}
10761
10762 \def\f@nch@foot#1#2#3#4#5{#1\hbox to\headwidth{\f@nch@reset
10763   \f@nch@vbox\footskip{\footrule
10764     \hbox{\rlap{\parbox[t]{\headwidth}{\bidi@raggedright#2}}\hfill
10765     \parbox[t]{\headwidth}{\centering#3}\hfill
10766     \llap{\parbox[t]{\headwidth}{\bidi@raggedleft#4}}}\footrule}}#5}
10767

```

59 File fix2col-xetex-bidi.def

```

10768 \ProvidesFile{fix2col-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for fix2col package]
10769 \def\RTL@outputdblcol{%
10770   \if@firstcolumn
10771     \global\@firstcolumnfalse
10772     \global\setbox\@leftcolumn\copy\@outputbox
10773     \splitmaxdepth\maxdimen
10774     \vbadness\maxdimen
10775     \setbox\@outputbox\vsplit\@outputbox to\maxdimen

```



```

10776 \toks@expandafter{\topmark}%
10777 \xdef\@firstcoltopmark{\the\toks@}%
10778 \toks@expandafter{\splitfirstmark}%
10779 \xdef\@firstcolfirstmark{\the\toks@}%
10780 \ifx\@firstcolfirstmark\@empty
10781   \global\let\@setmarks\relax
10782 \else
10783   \gdef\@setmarks{%
10784     \let\firstmark\@firstcolfirstmark
10785     \let\topmark\@firstcoltopmark}%
10786 \fi
10787 \else \global\@firstcolumntrue
10788 \setbox\@outputbox \vbox {\hbox to\textwidth {%
10789 \hskip \columnwidth
10790 \hfil \vrule width\columnseprule \hfil
10791 \hbox to\columnwidth {%
10792 \bidi@firstcolumn@status@write%
10793 \box\@leftcolumn \hss}%
10794 \hskip -\textwidth
10795 \hbox to\columnwidth{%
10796 \bidi@lastcolumn@status@write%
10797 \box\@outputbox \hss}%
10798 \hskip \columnsep
10799 \hskip \columnwidth }}%
10800 \@combinedblfloats \setmarks \@outputpage
10801 \begingroup \@dblfloatplacement \startdblcolumn
10802 \@whilesw\if@fcolmade \fi
10803 {\@outputpage \startdblcolumn }\endgroup
10804 \fi}
10805 \def\LTR@outputdblcol{%
10806   \if@firstcolumn
10807     \global\@firstcolumnfalse
10808     \global\setbox\@leftcolumn\copy\@outputbox
10809     \splitmaxdepth\maxdimen
10810     \vbadness\maxdimen
10811     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
10812     \toks@expandafter{\topmark}%
10813     \xdef\@firstcoltopmark{\the\toks@}%
10814     \toks@expandafter{\splitfirstmark}%
10815     \xdef\@firstcolfirstmark{\the\toks@}%
10816     \ifx\@firstcolfirstmark\@empty
10817       \global\let\@setmarks\relax
10818     \else
10819       \gdef\@setmarks{%
10820         \let\firstmark\@firstcolfirstmark
10821         \let\topmark\@firstcoltopmark}%
10822     \fi
10823   \else
10824     \global\@firstcolumntrue
10825     \setbox\@outputbox\vbox{%

```




```

10826 \hb@xt@\textwidth{%
10827 \hb@xt@\columnwidth{%
10828 \bidi@firstcolumn@status@write%
10829 \box\@leftcolumn \hss}%
10830 \hfil
10831 \vrule \@width\columnseprule
10832 \hfil
10833 \hb@xt@\columnwidth{%
10834 \bidi@lastcolumn@status@write%
10835 \box\@outputbox \hss}}}%
10836 \@combinedblfloats
10837 \@setmarks
10838 \@outputpage
10839 \begingroup
10840 \@dblfloatplacement
10841 \@startdblcolumn
10842 \@whiles\if@fcolmade \fi{\@outputpage\@startdblcolumn}%
10843 \endgroup
10844 \fi}

```

60 File fleqn-xetex-bidi.def

```

10845 \ProvidesFile{fleqn-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for fleqn tag for XeTeX]
10846 \renewcommand\relax
10847 \ifmmode\@badmath
10848 \else
10849 \begin{trivlist}%
10850 \beginparpenalty\predisplaypenalty
10851 \endparpenalty\postdisplaypenalty
10852 \item[]\leavevmode
10853 \hb@xt@\linewidth\bgroup \beginL$\m@th\displaystyle %$
10854 \hskip\mathindent\bgroup
10855 \fi}
10856 \renewcommand\relax
10857 \ifmmode
10858 \egroup $\hfil% $
10859 \endL\egroup
10860 \end{trivlist}%
10861 \else \@badmath
10862 \fi}
10863 \renewenvironment{equation}%
10864 {\beginparpenalty\predisplaypenalty
10865 \endparpenalty\postdisplaypenalty
10866 \refstepcounter{equation}%
10867 \trivlist \item[]\leavevmode
10868 \hb@xt@\linewidth\bgroup\beginL $\m@th% $
10869 \displaystyle
10870 \hskip\mathindent}%
10871 {$\hfil % $
10872 \displaywidth\linewidth\hbox{\@eqnnum}%

```



```

10873     \endL\egroup
10874     \endtrivlist}

```

61 File float-xetex-bidi.def

```

10875 \ProvidesFile{float-xetex-bidi.def}[2013/04/04 v0.2 bidi adaptations for float package for Xe
10876 \renewcommand\floatc@plain[2]{\setbox\@tempboxa\hbox{\@fs@cfont #1:} #2}%
10877 \ifdim\wd\@tempboxa>\hsize {\@fs@cfont #1:} #2\par
10878 \else\hbox to\hsize{\ifRTL\beginR\fi\hfil\box\@tempboxa\hfil\ifRTL\endR\fi}\fi}
10879 \def\float@newx#1[#2]{\@ifundefined{c@#1}{\newcounter{#1}[#2]%
10880 \expandafter\edef\csname the#1\endcsname{%
10881 \expandafter\noexpand\csname
10882 the#2\endcsname\@SepMark\noexpand\arabic{#1}}}%
10883 {\PackageWarning{float}{Can't redefine counter variable for #1.}}}

```

62 File floatrow-xetex-bidi.def

```

10884 \ProvidesFile{floatrow-xetex-bidi.def}[2013/04/08 v0.1 bidi adaptations for floatrow package
10885 \renewcommand\flnew@within[1]{\@addtoreset{FB@capttype}{#1}%
10886 \expandafter\edef\csname the\FB@capttype\endcsname{%
10887 \expandafter\noexpand\csname
10888 the#1\endcsname\@SepMark\noexpand\arabic{FB@capttype}}}

```

63 File flowfram-xetex-bidi.def

```

10889 \ProvidesFile{flowfram-xetex-bidi.def}[2018/09/29 v0.5 bidi adaptations for flowfram package
10890 \def\@outputdblcol{%
10891 \@nxtcol=\c@thisframe
10892 \c@curpg=\c@page
10893 \@g@tnextcol{\@nxtcol}%
10894 \ifff@nwpg % next flow frame starts on new page
10895 \global\@firstcolumntrue
10896 \@setcolbox\c@thisframe
10897 \if@specialpage
10898 \global\@specialpagefalse
10899 \@nameuse{ps@\@specialstyle}\relax
10900 \fi
10901 \if@twoside
10902 \ifodd\count\z@
10903 \let\@thehead\@oddhead
10904 \let\@thefoot\@oddfoot
10905 \else
10906 \let\@thehead\@evenhead
10907 \let\@thefoot\@evenfoot
10908 \fi
10909 \else
10910 \let\@thehead\@oddhead
10911 \let\@thefoot\@oddfoot
10912 \fi
10913 \@begindvi

```



```

10914 \@dodynamicthehead\@dodynamicthefoot
10915 \vbadness=\@M
10916 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}}%
10917 \@combinedblfloats
10918 \@outputpage
10919 \advance\c@curpg by -\c@page\relax
10920 \whiledo{\c@curpg>0}{\advance\c@curpg by -1\relax
10921 \setbox\@outputbox\vbox{\hbox to \textwidth{\@ff@do@allframes}}}%
10922 \@outputpage}
10923 \begingroup
10924 \@dblfloatplacement
10925 \@startdblcolumn
10926 \@whilesw \if@colmade \fi
10927 {\@outputpage \@startdblcolumn }\endgroup
10928 \@resetst@tics
10929 \@resetdyn@tics
10930 \else % still on same page, save contents of box255
10931 \global\@firstcolumnfalse
10932 \setcolbox\c@thisframe
10933 \fi
10934 \global\c@thisframe=\@nxtcol
10935 \setcol{\c@thisframe}\relax
10936 \global\@colht\vsiz
10937 }
10938 \def\@outputpage{%
10939 \begingroup
10940 \let\protect\noexpand
10941 \@resetactivechars
10942 \global\let\@@if@newlist\if@newlist
10943 \global\@newlistfalse\@parboxrestore
10944 \global\let\@bidi@BeforeOutputPageShipOut\@firstofone
10945 \bidi@beforeoutputpageshipouthook
10946 \shipout\vbox{\set@typeset@protect
10947 \aftergroup
10948 \endgroup
10949 \aftergroup
10950 \set@typeset@protect
10951 \reset@font\normalsize
10952 \bidi@font\@outputpage
10953 \normalsfcodes
10954 \let\label\@gobble
10955 \let\index\@gobble
10956 \let\glossary\@gobble
10957 \baselineskip\z@skip
10958 \lineskip\z@skip
10959 \lineskiplimit\z@
10960 \vskip\topmargin\moveright\@themargin
10961 \vbox{%
10962 \global\let\@bidi@BeforeHeader\@firstofone
10963 \bidi@beforeheaderhook

```



```

10964 \vskip\headheight
10965 \vskip\headsep
10966 \global\let\bid@BeforeOutputBoxOutputPage\@firstofone
10967 \bid@beforeoutputboxoutputpagehook
10968 \box\@outputbox
10969 \global\let\bid@AfterOutputBoxOutputPage\@firstofone
10970 \bid@afteroutputboxoutputpagehook
10971 }}%
10972 \global\let\bid@AfterOutputPageShipOut\@firstofone
10973 \bid@afteroutputpageshipouthook
10974 \global\let\if@newlist\@if@newlist
10975 \stepcounter{page}%
10976 \setcounter{displayedframe}{0}%
10977 \let\firstmark\botmark
10978 \global\let\bid@AtEndOutputPage\@firstofone
10979 \bid@atendoutputpagehook
10980 }
10981
10982
10983 \newcommand*\bid@s@tfftextcol{\ifthenelse{\equal{\ff@txtcol}{}}{\}%
10984 \expandafter\bidicolor\ff@txtcol}}
10985
10986 \newcommand{\bid@ff@box}[3]{\@ffbackground{\vbox to#2
10987 {\hb@xt@ #1{\hss{\bid@s@tfftextcol #3}\hss}\vss\kern\z@}}}%
10988
10989
10990 \renewcommand*\@docolbox}[1]{%
10991 \edef\ff@frametype{%
10992 \csname @ff@frametype@\romannumeral#1\endcsname}%
10993 \edef\ff@col{\csname @ff@col@\romannumeral#1\endcsname}%
10994 \edef\ff@txtcol{\csname @ff@txtcol@\romannumeral#1\endcsname}%
10995 \edef\ff@backcol{\csname @ff@backcol@\romannumeral#1\endcsname}%
10996 \@ff@setoffset{#1}%
10997 \rotateframe{\csname @ff@angle@\romannumeral#1\endcsname}{%
10998 \ifthenelse{\boolean{columnframe}\romannumeral#1}}{%
10999 \@ff@fbox{\csname colwidth\romannumeral#1\endcsname}%
11000 {\csname colheight\romannumeral#1\endcsname}}{%
11001 \expandafter\box\csname column\romannumeral#1\endcsname}{%
11002 \csname\ff@frametype\endcsname}%
11003 }{%
11004 \bid@ff@box{\csname colwidth\romannumeral#1\endcsname}%
11005 {\csname colheight\romannumeral#1\endcsname}}{%
11006 \expandafter\box\csname column\romannumeral#1\endcsname}%
11007 }}}
11008 \ifclassloaded{book}{%
11009 \renewcommand\theequation
11010 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
11011 \renewcommand \thefigure
11012 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
11013 \renewcommand \thetable

```



```

11014      {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
11015 \renewcommand \thechapter {\@arabic\c@chapter}
11016 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
11017 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
11018 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
11019 \renewcommand \theparagraph {\thesubsubsection \@SepMark\@arabic\c@paragraph}
11020 \renewcommand \thesubparagraph {\theparagraph \@SepMark\@arabic\c@subparagraph}}{}
11021 \@ifclassloaded{report}{%
11022 \renewcommand \theequation
11023   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
11024 \renewcommand \thefigure
11025   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
11026 \renewcommand \thetable
11027   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
11028 \renewcommand \thechapter {\@arabic\c@chapter}
11029 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
11030 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
11031 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
11032 \renewcommand \theparagraph {\thesubsubsection \@SepMark\@arabic\c@paragraph}
11033 \renewcommand \thesubparagraph {\theparagraph \@SepMark\@arabic\c@subparagraph}}{}
11034 \renewcommand{\rotateframe}[2]{\if@ttb@rotate
11035 \rotatebox{#1}{\if@RTL\beginL\fi#2\if@RTL\endL\fi}}%
11036 \else
11037 #2\relax
11038 \fi}

```

64 File footnote-xetex-bidi.def

```

11039 \ProvidesFile{footnote-xetex-bidi.def}[2017/08/09 v1.1 bidi footnote macros for XeTeX engine]
11040 \if@RTLmain\@RTL@footnotetrue\else\@RTL@footnotefalse\fi
11041 \newif\ifbidi@autofooterule
11042 \def\bidi@mpfootnoterule{\footnoterule}
11043 \newcounter{footdir@label}
11044 \renewcommand*{\thefootdir@label}{footdir@the\value{footdir@label}}
11045 \newcommand*{\footdir@write}{%
11046   \stepcounter{footdir@label}%
11047   \zref@labelbyprops{\thefootdir@label}{abspage}%
11048 }
11049 \newif\iffootdir@debug
11050 \newcommand*{\debugfootnotedirection}{\footdir@debugtrue}
11051 \newtoks\footdir@toks
11052 \newcommand*{\footdir@debug}[1]{%
11053   \iffootdir@debug
11054     \typeout{[footdir] #1}%
11055   \fi
11056 }
11057 %\@ifpackagelater{zref-abspage}{2012/10/27}{%
11058 %  \newcommand*{\footdir@LeftRightElse}{%
11059 %    \ltx@ifundefined{footdir@the\value{zabspage}}{%
11060 %      \footdir@debug{abspage \the\value{zabspage}: else}%

```



```

11061 %      \ltx@thirdofthree
11062 %    }{%
11063 %      \if\csname footdir@\the\value{zabspage}\endcsname L%
11064 %        \footdir@debug{abspage \the\value{zabspage}: left}%
11065 %        \expandafter\ltx@firstofthree
11066 %      \else
11067 %        \footdir@debug{abspage \the\value{zabspage}: right}%
11068 %        \expandafter\ltx@secondofthree
11069 %      \fi
11070 %    }%
11071 %  }%
11072 %}{%
11073 \providecommand*{\c@zabspage}{\c@abspage}%
11074 \newcommand*{\footdir@LeftRightElse}{%
11075   \footdir@write
11076   \zifrefundefined{\thefootdir@label}{%
11077     \footdir@debug{abspage ??: else}%
11078     \ltx@thirdofthree
11079   }{%
11080     \edef\footdir@abspage{%
11081       \zref@extractdefault{\thefootdir@label}{abspage}{0}%
11082     }%
11083     \ltx@ifundefined{footdir@\footdir@abspage}{%
11084       \footdir@debug{\footdir@abspage: else}%
11085       \ltx@thirdofthree
11086     }{%
11087       \if\csname footdir@\footdir@abspage\endcsname L%
11088         \footdir@debug{\footdir@abspage: left}%
11089         \expandafter\ltx@firstofthree
11090       \else
11091         \footdir@debug{\footdir@abspage: right}%
11092         \expandafter\ltx@secondofthree
11093       \fi
11094     }%
11095   }%
11096 }%
11097 %}
11098 \newcommand*{\footdir@fntext}[1]{%
11099   \zifrefundefined{\thefootdir@label}{%
11100     }{%
11101       \edef\footdir@name{%
11102         footdir@\zref@extractdefault{\thefootdir@label}{abspage}{0}%
11103       }%
11104       \@ifundefined{footdir@name}{%
11105         \expandafter\gdef\csname\footdir@name\endcsname{#1}%
11106       }{%
11107         }%
11108     }%
11109   }%
11110 \newcommand*{\footdir@temp}[3]{%

```



```

11111 \@ifdefinable{#1}{%
11112   \let#1#2%
11113   \renewcommand{#2}[1]{%
11114     \footdir@write
11115     \footdir@fntext{#3}%
11116     \stepcounter{footdir@label}%
11117     \footdir@fntext{#3}%
11118     \footdir@toks{##1}%
11119     \footdir@toks\expandafter{%
11120       \the\expandafter\footdir@toks
11121       \expandafter
11122       \zref@labelbyprops\expandafter{\the\footdir@label}{abspage}%
11123     }%
11124     \expandafter#1\expandafter{\the\footdir@toks}%
11125   }%
11126 }%
11127 }
11128
11129 \def\right@footnoterule{%
11130   \kern-3\p@
11131   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
11132   \kern2.6\p@}
11133 \def\left@footnoterule{\kern-3\p@
11134   \hrule \@width .4\columnwidth \kern 2.6\p@}
11135 \def\textwidth@footnoterule{\kern-3\p@
11136   \hrule \@width \columnwidth \kern 2.6\p@}
11137 \def\leftfootnoterule{%
11138   \bidi@autofootnoterulefalse%
11139   \def\footnoterule{\left@footnoterule}}
11140 \let\LRfootnoterule=\leftfootnoterule
11141 \def\rightfootnoterule{%
11142   \bidi@autofootnoterulefalse%
11143   \def\footnoterule{\right@footnoterule}}
11144 \def\textwidthfootnoterule{%
11145   \bidi@autofootnoterulefalse%
11146   \def\footnoterule{\textwidth@footnoterule}}
11147
11148
11149
11150 \def\auto@footnoterule{%
11151   \footdir@LeftRightElse%
11152   \left@footnoterule%
11153   \right@footnoterule%
11154   \left@footnoterule%
11155 }
11156
11157
11158
11159 \def\autofootnoterule{%
11160   \bidi@autofootnoteruletrue%

```



```

11161 \def\footnoterule{\auto@footnoterule}%
11162 }
11163
11164 \newcommand*{\SplitFootnoteRule}{%
11165   \gdef\split@prev{0}
11166   \let\pagefootnoterule\footnoterule
11167   \let\mpfootnoterule\footnoterule
11168   \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
11169   \def\footnoterule{\relax
11170     \ifx \@listdepth\@mplistdepth
11171       \mpfootnoterule
11172     \else
11173       \ifnum\split@prev=\z@
11174         \pagefootnoterule
11175       \else
11176         \splitfootnoterule
11177       \fi
11178       \xdef\split@prev{\the\insertpenalties}%
11179     \fi
11180   }%
11181 }
11182
11183
11184
11185
11186 \def\RTLfootnote{\@ifnextchar[\@xRTLfootnote{\stepcounter\@mpfn
11187   \protected@xdef\@thefnmark{\thempfn}%
11188   \@footnotemark\@RTLfootnotetext}}
11189 \def\@xRTLfootnote[#1]{%
11190   \begingroup
11191     \csname c@\@mpfn\endcsname #1\relax
11192     \unrestored@protected@xdef\@thefnmark{\thempfn}%
11193   \endgroup
11194   \@footnotemark\@RTLfootnotetext}
11195 \def\LTRfootnote{\@ifnextchar[\@xLTRfootnote{\stepcounter\@mpfn
11196   \protected@xdef\@thefnmark{\thempfn}%
11197   \@footnotemark\@LTRfootnotetext}}
11198 \def\@xLTRfootnote[#1]{%
11199   \begingroup
11200     \csname c@\@mpfn\endcsname #1\relax
11201     \unrestored@protected@xdef\@thefnmark{\thempfn}%
11202   \endgroup
11203   \@footnotemark\@LTRfootnotetext}
11204
11205
11206 \def\setfootnoteRL{\@RTL@footnotetrue}
11207 \def\unsetfootnoteRL{\@RTL@footnotefalse}
11208 \def\setfootnoteLR{\unsetfootnoteRL}
11209
11210 \newcommand*{\bidi@footnotetext@font}{\footnotesize}

```




```

11211 \newcommand*{\bidi@LTRfootnotetext@font}{\footnotesize}
11212 \newcommand*{\bidi@RTLfootnotetext@font}{\footnotesize}
11213
11214 \long\def\@footnotetext#1{\insert\footins{%
11215   \if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11216   \reset@font%
11217   \bidi@@footnotetext@font% \reset@font\footnotesize
11218   \interlinepenalty\interfootnotelinepenalty
11219   \splittopskip\footnotesep
11220   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
11221   \hsize\columnwidth \@parboxrestore
11222   \protected@edef\@currentlabel{%
11223     \csname p@footnote\endcsname\@thefnmark
11224   }%
11225   \color@begingroup
11226     \@makefntext{%
11227       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11228   \color@endgroup}}%
11229
11230
11231 \long\def\@RTLfootnotetext#1{\insert\footins{%
11232   \@RTLtrue%
11233   \reset@font%
11234   \bidi@RTLfootnotetext@font% \reset@font\footnotesize
11235   \interlinepenalty\interfootnotelinepenalty
11236   \splittopskip\footnotesep
11237   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
11238   \hsize\columnwidth \@parboxrestore
11239   \protected@edef\@currentlabel{%
11240     \csname p@footnote\endcsname\@thefnmark
11241   }%
11242   \color@begingroup
11243     \@makefntext{%
11244       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11245   \color@endgroup}}%
11246
11247 \long\def\@LTRfootnotetext#1{\insert\footins{%
11248   \@RTLfalse%
11249   \reset@font%
11250   \bidi@LTRfootnotetext@font% \reset@font\footnotesize
11251   \interlinepenalty\interfootnotelinepenalty
11252   \splittopskip\footnotesep
11253   \splitmaxdepth \dp\strutbox \floatingpenalty \@MM
11254   \hsize\columnwidth \@parboxrestore
11255   \protected@edef\@currentlabel{%
11256     \csname p@footnote\endcsname\@thefnmark
11257   }%
11258   \color@begingroup
11259     \@makefntext{%
11260       \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%

```



```

11261 \color@endgroup}}%
11262
11263 \AtBeginDocument{%
11264 \if@RTL@footnote
11265 \newcommand*{\bidi@footdir@footnote}{R}
11266 \else
11267 \newcommand*{\bidi@footdir@footnote}{L}
11268 \fi%
11269 }
11270
11271 \footdir@temp\footdir@ORG@bidi@footnotetext\@footnotetext{\bidi@footdir@footnote}%
11272 \footdir@temp\footdir@ORG@bidi@RTLfootnotetext\@RTLfootnotetext{R}%
11273 \footdir@temp\footdir@ORG@bidi@LTRfootnotetext\@LTRfootnotetext{L}%
11274
11275 \long\def\@mpRTLfootnotetext#1{%
11276 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\right@footnot
11277 \global\setbox\@mpfootins\vbox{\@RTLtrue%
11278 \unvbox\@mpfootins
11279 \reset@font%
11280 \bidi@RTLfootnotetext@font% \reset@font\footnotesize
11281 \hsize\columnwidth
11282 \@parboxrestore
11283 \protected@edef\@currentlabel
11284 {\csname p@mpfootnote\endcsname\@thefnmark}%
11285 \color@begingroup
11286 \@makefntext{%
11287 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11288 \color@endgroup}}
11289 \long\def\@mpLTRfootnotetext#1{%
11290 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\global\let\bidi@mpfootnoterule\left@footnot
11291 \global\setbox\@mpfootins\vbox{\@RTLfalse%
11292 \unvbox\@mpfootins
11293 \reset@font%
11294 \bidi@LTRfootnotetext@font% \reset@font\footnotesize
11295 \hsize\columnwidth
11296 \@parboxrestore
11297 \protected@edef\@currentlabel
11298 {\csname p@mpfootnote\endcsname\@thefnmark}%
11299 \color@begingroup
11300 \@makefntext{%
11301 \rule\z@\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11302 \color@endgroup}}
11303 \long\def\@mpfootnotetext#1{%
11304 \ifbidi@autofootnoterule\ifnum\c@mpfootnote=\@ne\if@RTL@footnote\global\let\bidi@mpfootnoterule
11305 \global\setbox\@mpfootins\vbox{\if@RTL@footnote\@RTLtrue\else\@RTLfalse\fi%
11306 \unvbox\@mpfootins
11307 \reset@font%
11308 \bidi@footnotetext@font% \reset@font\footnotesize
11309 \hsize\columnwidth
11310 \@parboxrestore

```



```

11311 \protected@edef\@currentlabel
11312 {\csname p@mpfootnote\endcsname\@thefnmark}%
11313 \color@begingroup
11314 \makefnmark{%
11315 \rule\z@{\footnotesep\ignorespaces#1\@finalstrut\strutbox}%
11316 \color@endgroup}}
11317 \def\@iiiminipage#1#2[#3]#4{%
11318 \leavevmode
11319 \@pboxswfalse
11320 \if@hboxRconstruct\@bidi@list@minipage@parbox@not@nobtrue\fi
11321 \if@RTL\if#1t\@bidi@list@minipage@parboxtrue\else\if#1b\@bidi@list@minipage@parboxtrue\fi\fi
11322 \setlength\@tempdima{#4}%
11323 \def\@mpargs{#{1}{#2}[#3]{#4}}%
11324 \setbox\@tempboxa\vbox\bgroup
11325 \color@begingroup
11326 \hsize\@tempdima
11327 \textwidth\hsize \columnwidth\hsize
11328 \@parboxrestore
11329 \def\@mpfn{mpfootnote}\def\thempfn{\thempfootnote}\c@mpfootnote\z@
11330 \let\@footnotetext\@mpfootnotetext
11331 \let\@LTRfootnotetext\@mpLTRfootnotetext
11332 \let\@RTLfootnotetext\@mpRTLfootnotetext
11333 \let\@listdepth\@mplistdepth \@mplistdepth\z@
11334 \@minipagerestore
11335 \@setminipage}
11336 \def\endminipage{%
11337 \par
11338 \unskip
11339 \ifvoid\@mpfootins\else
11340 \vskip\skip\@mpfootins
11341 \normalcolor
11342 \bidi@mpfootnoterule
11343 \unvbox\@mpfootins
11344 \fi
11345 \@minipagefalse %% added 24 May 89
11346 \color@endgroup
11347 \egroup
11348 \expandafter\@iiiparbox\@mpargs{\unvbox\@tempboxa}}
11349 \def\LTRthanks#1{\footnotemark
11350 \protected@xdef\@thanks{\@thanks
11351 \protect\LTRfootnotetext[\the\c@footnote]{#1}}%
11352 }
11353 \def\LTRfootnotetext{%
11354 \@ifnextchar [\@xLTRfootnotenext
11355 {\protected@xdef\@thefnmark{\thempfn}%
11356 \@LTRfootnotetext}}
11357 \def\@xLTRfootnotenext[#1]{%
11358 \begingroup
11359 \csname c@\@mpfn\endcsname #1\relax
11360 \unrestored@protected@xdef\@thefnmark{\thempfn}%

```



```

11361 \endgroup
11362 \@LTRfootnotetext}
11363 \def\RTLthanks#1{\footnotemark
11364     \protected@xdef\@thanks{\@thanks
11365         \protect\RTLfootnotetext[\the\c@footnote]{#1}}%
11366 }
11367 \let\@thanks\@empty
11368 \def\RTLfootnotetext{%
11369     \ifnextchar [\@xRTLfootnotenext
11370         {\protected@xdef\@thefnmark{\thempfn}%
11371         \@RTLfootnotetext}}
11372 \def\@xRTLfootnotenext[#1]{%
11373     \begingroup
11374         \csname c@\@mpfn\endcsname #1\relax
11375         \unrestored@protected@xdef\@thefnmark{\thempfn}%
11376     \endgroup
11377     \@RTLfootnotetext}
11378 \leftfootnoterule

```

65 File framed-xetex-bidi.def

```

11379 \ProvidesFile{framed-xetex-bidi.def}[2012/06/05 v0.3 bidi adaptations for framed package for ]
11380 \renewcommand\TitleBarFrame[3][\begingroup
11381     \ifx\delimiter#1\delimiter
11382         \let\TF@conlab\@empty
11383     \else
11384         \def\TF@conlab{% continuation label
11385             \nointerlineskip
11386             \smash{\rlap{\kern\wd\@tempboxa\kern\fboxrule\kern\fboxsep #1}}}%
11387     \fi
11388     \let\TF@savecolor\current@color
11389     \textcolor{TFFrameColor}{%
11390         \CustomFBox
11391             {\TF@Title{#2}}{\TF@conlab}%
11392             \fboxrule\fboxrule\fboxrule\fboxrule
11393             %{\let\current@color\TF@savecolor\set@color #3}%
11394             {\normalcolor #3}%
11395     }\endgroup
11396 }
11397 \renewenvironment{titled-frame}[1]{%
11398     \def\FrameCommand{\fboxsep8pt\fboxrule2pt
11399         \TitleBarFrame{\textbf{#1}}}%
11400     \def\FirstFrameCommand{\fboxsep8pt\fboxrule2pt
11401         \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1}}}%
11402     \def\MidFrameCommand{\fboxsep8pt\fboxrule2pt
11403         \TitleBarFrame[$\if@RTL\blacktriangleleft\else\blacktriangleright\fi$]{\textbf{#1} \ (cont)}%
11404     \def\LastFrameCommand{\fboxsep8pt\fboxrule2pt
11405         \TitleBarFrame{\textbf{#1} \ (cont)}}}%
11406     \MakeFramed{\advance\hsize-20pt \FrameRestore}}%
11407 % note: 8 + 2 + 8 + 2 = 20. Don't use \width because the frame title

```



```

11408% could interfere with the width measurement.
11409 {\endMakeFramed}
11410 \chardef\FrameRestore=\catcode`\| % for debug
11411 \catcode`\|=\catcode`\% % (debug: insert space after backslash)
11412 \def\fb@put@frame#1#2{\relax
11413 \ifdim\pagegoal=\maxdimen \pagegoal\vsizelimit \fi
11414 | \message{===== Entering putframe =====^J
11415 | \pagegoal=\the\pagegoal, \pagetotal=\the\pagetotal.}%
11416 \ifinner
11417 \fb@putboxa#1%
11418 \fb@afterframe
11419 \else
11420 \dimen@=\pagegoal \advance\dimen@-\pagetotal % natural space left on page
11421 \ifdim\dimen@<2\baselineskip % Too little room on page
11422 | \message{Page has only \the\dimen@space room left; eject.}%
11423 \eject \fb@adjheight \fb@put@frame#1#2%
11424 \else % there's appreciable room left on the page
11425 \fb@sizeofframe#1%
11426 | \message{\string\pagetotal=\the\pagetotal,
11427 | \string\pagegoal=\the\pagegoal,
11428 | \string\pagestretch=\the\pagestretch,
11429 | \string\pageshrink=\the\pageshrink,
11430 | \string\fb@frh=\the\fb@frh. \space}
11431 | \message{^^JBox of size \the\ht@tempboxa\space}%
11432 \begingroup % temporarily set \dimen@ to be...
11433 \advance\dimen@.8\pageshrink % maximum space available on page
11434 \advance\dimen@-\fb@frh\relax % max space available for frame's contents
11435%% LOOKS SUBTRACTED AND ADDED, SO DOUBLE ACCOUNTING!
11436 \expandafter\endgroup
11437 % expand \ifdim, then restore \dimen@ to real room left on page
11438 \ifdim\dimen@>\ht@tempboxa % whole box does fit
11439 | \message{fits in \the\dimen@.}%
11440 % ToDo: Change this to use vsplit anyway to capture the marks
11441 % MERGE THIS WITH THE else CLAUSE!!!
11442 \fb@putboxa#1%
11443 \fb@afterframe
11444 \else % box must be split
11445 | \message{must be split to fit in \the\dimen@.}%
11446 % update frame measurement to use \FirstFrameCommand or \MidFrameCommand
11447 \fb@sizeofframe#2%
11448 \setbox\@tempboxa\vbox{% simulate frame and flexibility of the page:
11449 \vskip \fb@frh \@plus\pagestretch \@minus.8\pageshrink
11450 \kern137sp\kern-137sp\penalty-30
11451 \unvbox\@tempboxa}%
11452 \edef\fb@resto@set{\boxmaxdepth\the\boxmaxdepth
11453 \splittopskip\the\splittopskip}%
11454 \boxmaxdepth\z@ \splittopskip\z@
11455 | \message{^^JPadded box of size \the\ht@tempboxa\space split to \the\dimen@}%
11456 % Split box here
11457 \setbox\tw@vsplit\@tempboxa to\dimen@

```



```

11458 | \toks99\expandafter{\splitfirstmark}%
11459 | \toks98\expandafter{\splitbotmark}%
11460 | \message{Marks are: \the\toks99, \the\toks98. }%
11461 | \setbox\tw@\vbox{\unvbox\tw@}% natural-sized
11462 | \message{Natural height of split box is \the\ht\tw@, leaving
11463 | \the\ht\@tempboxa\space remainder. }%
11464 | % If the split-to size > (\vsize-\topskip), then set box to full size.
11465 | \begingroup
11466 | \advance\dimen@ \topskip
11467 | \expandafter\endgroup
11468 | \ifdim\dimen@>\pagegoal
11469 | \message{Frame is big -- Use up the full column. }%
11470 | \dimen@ii\pagegoal
11471 | \advance\dimen@ii -\topskip
11472 | \advance\dimen@ii \FrameHeightAdjust\relax
11473 | \else % suspect this is implemented incorrectly:
11474 | % If the split-to size > feasible room_on_page, rebox it smaller.
11475 | \advance\dimen@.8\pageshrink
11476 | \ifdim\ht\tw@>\dimen@
11477 | \message{Box too tall; rebox it to \the\dimen@. }%
11478 | \dimen@ii\dimen@
11479 | \else % use natural size
11480 | \dimen@ii\ht\tw@
11481 | \fi
11482 | \fi
11483 | % Re-box contents to desired size \dimen@ii
11484 | \advance\dimen@ii -\fb@frh
11485 | \setbox\tw@\vbox to\dimen@ii \bgroup
11486 | % remove simulated frame and page flexibility:
11487 | \vskip -\fb@frh \@plus-\pagestretch \@minus-.8\pageshrink
11488 | \unvbox\tw@ \unpenalty\unpenalty
11489 | \ifdim\lastkern=-137sp % whole box went to next page
11490 | \message{box split at beginning! }%
11491 | % need work here???
11492 | \egroup \fb@resto@set \eject % (\vskip for frame size was discarded)
11493 | \fb@adjheight
11494 | \fb@put@frame#1#2% INSERTED ???
11495 | \else % Got material split off at the head
11496 | \egroup \fb@resto@set
11497 | \ifvoid\@tempboxa % it all fit after all
11498 | \message{box split at end! }%
11499 | \setbox\@tempboxa\box\tw@
11500 | \fb@putboxa#1%
11501 | \fb@afterframe
11502 | \else % it really did split
11503 | \message{box split as expected. Its reboxed height is \the\ht\tw@. }%
11504 | \ifdim\wd\tw@>\z@
11505 | \wd\tw@\wd\@tempboxa
11506 | \centerline{#2{\hboxL{\box\tw@}}}% ??? \centerline bad idea
11507 | \else

```



```

11508 |          \message{Zero width means likely blank. Don't frame it (guess)}%
11509          \box\tw@
11510          \fi
11511          \hrule \@height\z@ \@width\hsize
11512          \eject
11513          \fb@adjheight
11514          \fb@put@frame\LastFrameCommand\MidFrameCommand
11515 \fi\fi\fi\fi\fi
11516 }
11517 \def\fb@putboxa#1{%
11518 \ifvoid\@tempboxa
11519 \PackageWarning{framed}{Boxa is void -- discard it. }%
11520 \else
11521 | \message{Frame and place boxa. }%
11522 | %{\showoutput\showbox\@tempboxa}%
11523 \centerline{#1{\hboxL{\box\@tempboxa}}}%
11524 \fi
11525 }
11526 \catcode`\|=\FrameRestore
11527 \def\FrameRestore{%
11528 \let\if@nobreak\iffalse
11529 \let\if@noskipsec\iffalse
11530 \let\-\@dischypn
11531 \let'\@acci\let'\@accii\let\=\@acciii
11532 % \message{FrameRestore:
11533 %   \@totalleftmargin=\the \@totalleftmargin,
11534 %   \rightmargin=\the\rightmargin,
11535 %   \@listdepth=\the\@listdepth. }%
11536 % Test if we are in a list (or list-like paragraph)
11537 \ifnum \ifdim\@totalleftmargin>\z@ 1\fi
11538 \ifdim\rightmargin>\z@ 1\fi
11539 \ifnum\@listdepth>\z@ 1\fi 0>\z@
11540 %   \message{In a list: \linewidth=\the\linewidth, \@totalleftmargin=\the\@totalleftmargin,
11541 %   \parshape=\the\parshape, \columnwidth=\the\columnwidth, \hsize=\the\hsize,
11542 %   \labelwidth=\the\labelwidth. }%
11543 \@setminipage % snug fit around the item
11544 % Now try to propagate changes of width from \hsize to list parameters.
11545 % This is deficient, but a more advanced way to indicate modification to text
11546 % dimensions is not (yet) provided; in particular, no separate left/right
11547 % adjustment.
11548 \advance\linewidth-\columnwidth \advance\linewidth\hsize
11549 \parshape\@ne \@totalleftmargin \linewidth
11550 \else % Not in list
11551 \linewidth=\hsize
11552 %\message{No list, set \string\linewidth=\the\hsize. }%
11553 \fi
11554 \sloppy
11555 }

```



66 File ftnright-xetex-bidi.def

```
11556 \ProvidesFile{ftnright-xetex-bidi.def}[2018/09/29 v0.6 bidi adaptations for ftnright package]
11557
11558 \def\prepare@bidi@copyins{%
11559   \global\bidi@rcol@copyinsskip\skip\@bidi@copyins@
11560   \global\skip\@bidi@copyins@\z@
11561   \global\count\@bidi@copyins@\z@
11562   \global\dimen\@bidi@copyins@\textheight}
11563
11564 \newskip\bidi@rcol@copyinsskip
11565
11566 \def\LTR@outputdblcol{%
11567   \if@firstcolumn
11568     \global\@firstcolumnfalse
11569     \global\setbox\@leftcolumn\copy\@outputbox
11570     \global\count\footins\@m
11571     \global\skip\footins\rcol@footinsskip
11572     \global\count\@bidi@copyins@\@m
11573     \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
11574     \splitmaxdepth\maxdimen
11575     \vbadness\maxdimen
11576     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
11577     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
11578     \toks@\expandafter{\topmark}%
11579     \xdef\@firstcoltopmark{\the\toks@}%
11580     \toks@\expandafter{\splitfirstmark}%
11581     \xdef\@firstcolfirstmark{\the\toks@}%
11582     \ifx\@firstcolfirstmark\@empty
11583       \global\let\@setmarks\relax
11584     \else
11585       \gdef\@setmarks{%
11586         \let\firstmark\@firstcolfirstmark
11587         \let\topmark\@firstcoltopmark}%
11588     \fi
11589   \else
11590     \preparefootins
11591     \prepare@bidi@copyins
11592     \global\@firstcolumntrue
11593     \setbox\@outputbox\vbox{%
11594       \hb@xt@\textwidth{%
11595         \hb@xt@\columnwidth{%
11596           \bidi@firstcolumn@status@write%
11597           \box\@leftcolumn \hss}%
11598       \hfil
11599       {\normalcolor\vrule \@width\columnseprule}%
11600       \hfil
11601       \hb@xt@\columnwidth{%
11602         \bidi@lastcolumn@status@write%
11603         \box\@outputbox \hss}}}%

```




```

11604 \@combinedblfloats
11605   \@setmarks
11606   \@outputpage
11607   \beginngroup
11608     \@dblfloatplacement
11609     \@startdblcolumn
11610     \@whiles\if@fcolmade \fi{\@outputpage
11611       \@startdblcolumn}%
11612   \endgroup
11613 \fi}%
11614
11615 \def\RTL@outputdblcol{%
11616   \if@firstcolumn
11617     \global@firstcolumnfalse
11618     \global\setbox\@leftcolumn\copy\@outputbox
11619     \global\count\footins\@m
11620     \global\skip\footins\rcol@footinsskip
11621     \global\count\@bidi@copyins@\@m
11622     \global\skip\@bidi@copyins@\bidi@rcol@copyinsskip
11623     \splitmaxdepth\maxdimen
11624     \vbadness\maxdimen
11625     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
11626     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
11627     \toks@{\expandafter{\topmark}}%
11628     \xdef\@firstcoltopmark{\the\toks@}%
11629     \toks@{\expandafter{\splitfirstmark}}%
11630     \xdef\@firstcolfirstmark{\the\toks@}%
11631     \ifx\@firstcolfirstmark\@empty
11632       \global\let\@setmarks\relax
11633     \else
11634       \gdef\@setmarks{%
11635         \let\firstmark\@firstcolfirstmark
11636         \let\topmark\@firstcoltopmark}%
11637     \fi
11638   \else
11639     \preparefootins
11640     \prepare@bidi@copyins
11641     \global@firstcolumntrue
11642     \setbox\@outputbox\vbox{%
11643       \hb@xt@\textwidth{%
11644         \hskip \columnwidth
11645         \hfil
11646         {\normalcolor\vrule \@width\columnseprule}%
11647         \hfil
11648         \hb@xt@\columnwidth{%
11649           \bidi@firstcolumn@status@write%
11650           \box\@leftcolumn \hss}%
11651         \hskip -\textwidth
11652         \hb@xt@\columnwidth{%
11653           \bidi@lastcolumn@status@write%

```



```

11654      \box\@outputbox \hss}%
11655      \hskip \columnsep
11656      \hskip \columnwidth }}%
11657 \@combinedblfloats
11658 \setmarks
11659 \outputpage
11660 \begingroup
11661 \dblfloatplacement
11662 \startdblcolumn
11663 \whiles\if@colmade \fi{\@outputpage
11664 \startdblcolumn}%
11665 \endgroup
11666 \fi}%
11667
11668 \def\startcolumn{%
11669 \ifx\@deferlist\@empty
11670 \global\@fcolmadefalse
11671 \global\@colroom\@colht
11672 \else
11673 \ifvoid\footins\else
11674 \ftn@amount\ht\footins
11675 \advance\ftn@amount\dp\footins
11676 \advance\ftn@amount\skip\footins
11677 \fi
11678 \ifvoid\@bidi@copyins\else
11679 \bidi@copyins@amount\ht\@bidi@copyins@
11680 \advance\bidi@copyins@amount\dp\@bidi@copyins@
11681 \advance\bidi@copyins@amount\skip\@bidi@copyins@
11682 \fi
11683 \global\advance\@colht-\ftn@amount
11684 \global\advance\@colht-\bidi@copyins@amount
11685 \global\@colroom\@colht
11686 \xstartcol
11687 \global\advance\@colht\ftn@amount
11688 \global\advance\@colroom\ftn@amount
11689 \global\advance\@colht\bidi@copyins@amount
11690 \global\advance\@colroom\bidi@copyins@amount
11691 \fi
11692 \if@fcolmade
11693 \setbox\@cclv\box\@outputbox
11694 \makecol
11695 \else
11696 \ifvoid\footins\else
11697 \insert\footins{\unvbox\footins}\fi
11698 \ifvoid\@bidi@copyins\else
11699 \insert\@bidi@copyins@\unvbox\@bidi@copyins@\fi
11700 \fi}
11701
11702 \newdimen\bidi@copyins@amount
11703

```



```

11704 \def\@makecol{\if@firstcolumn
11705   \setbox\@outputbox\box\@cclv
11706   \if@twocolumn \else
11707     \ifvoid\footins \else
11708       \@latexerr{ftnright package
11709         used in one-column mode}}%
11710   {The ftnright package was designed to
11711     work with LaTeX's standard^^Jtwocolumn
11712     option. It does *not* work with the
11713     multicol package.^^JSo please specify
11714     `twocolumn' in the
11715     \noexpand\documentclass command.}%
11716   \shipout\box\footins \fi
11717   \ifvoid\@bidi@copyins@ \else
11718     \@latexerr{ftnright package
11719       used in one-column mode}}%
11720   {The ftnright package was designed to
11721     work with LaTeX's standard^^Jtwocolumn
11722     option. It does *not* work with the
11723     multicol package.^^JSo please specify
11724     `twocolumn' in the
11725     \noexpand\documentclass command.}%
11726   \shipout\box\@bidi@copyins@ \fi\fi
11727 \ifnum\insertpenalties>\z@
11728   \@latexerr{ftnright package
11729     scrambled footnotes}}%
11730   {There is too much footnote material in
11731     the first column and ftnright^^Jis
11732     unable to cope with this.^^JYou need
11733     to reduce the amount to get a properly
11734     formatted page.}%
11735 \fi
11736 \else
11737   \ifvoid\footins
11738     \ifvoid\@bidi@copyins@
11739       \setbox\@outputbox\box\@cclv
11740     \else
11741       \setbox\@outputbox\vbox
11742       {\ifvoid\@cclv \else
11743         \unvbox\@cclv
11744         \vskip \skip\@bidi@copyins@
11745       \fi
11746       \color@begingroup
11747       \normalcolor
11748       \unvbox \@bidi@copyins@
11749       \color@endgroup}%
11750   \fi
11751 \else
11752   \setbox\@outputbox\vbox
11753   {\ifvoid\@cclv \else

```



```

11754         \unvbox\@cclv
11755         \vskip\skip\footins\fi
11756         \color@begingroup
11757         \normalcolor
11758         \footnoterule\unvbox\footins
11759         \color@endgroup
11760         \ifvoid\@bidi@copyins@
11761         \else
11762             \vskip \skip\@bidi@copyins@
11763             \color@begingroup
11764             \normalcolor
11765             \unvbox \@bidi@copyins@
11766             \color@endgroup
11767         \fi
11768     }%
11769 \fi
11770 \fi
11771 \xdef\@freelist{\@freelist\@midlist}%
11772 \global \let \@midlist \@empty
11773 \@combinefloats
11774 \ifvbox\@kludgeins
11775     \@makespecialcolbox
11776 \else
11777     \setbox\@outputbox\vbox to\@colht
11778     {\boxmaxdepth\maxdepth
11779     \@texttop
11780     \@tempdima\dp\@outputbox
11781     \unvbox\@outputbox
11782     \vskip-\@tempdima
11783     \@textbottom}%
11784 \fi
11785 \global\maxdepth\@maxdepth}
11786
11787 \let\leftfootnoterule\@empty
11788 \let\rightfootnoterule\@empty
11789 \let\textwidthfootnoterule\@empty
11790 \let\autofootnoterule\@empty
11791 \let\footnoterule\@empty
11792 \long\def\@makefnmark#1{\parindent 1em
11793     \noindent\hbox to 2em{}}%
11794     \llap{\@thefnmark\hbox{.}\,\,\,}#1}
11795
11796 \setlength{\skip\@bidi@copyins@}
11797     {10pt plus 5pt minus 3pt}
11798 \AtBeginDocument{\prepare@bidi@copyins}

```

67 File graphicx-xetex-bidi.def

```

11799 \ProvidesFile{graphicx-xetex-bidi.def}[2017/06/17 v0.5 bidi adaptations for graphicx package]
11800 \def\Grot@box@std#1#2{\ifmmode\else\if@RTL\beginL\fi\fi%

```



```

11801 \Grot@setangle{#1}%
11802 \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi#2\if@RTL\endR\fi\else\if@RTL\beginR\fi#2\if@RTL\endR\fi}%
11803 \Grot@x\z@
11804 \Grot@y\z@
11805 \Grot@box\ifmmode\else\if@RTL\endL\fi\fi}
11806 \long\def\Grot@box@kv[#1]#2#3{\ifmmode\else\if@RTL\beginL\fi\fi%
11807 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}%
11808 \Grot@x\width \divide\Grot@x\tw@
11809 \Grot@y\height \advance\Grot@y-\depth \divide\Grot@y\tw@
11810 \setkeys{Grot}{#1}%
11811 \setbox\z@\box\@tempboxa
11812 \Grot@setangle{#2}%
11813 \Grot@box\ifmmode\else\if@RTL\endL\fi\fi
11814 \@end@tempboxa}
11815 \long\def\Gscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
11816 \leavevmode
11817 \def\Gscale@x{#1}\def\Gscale@y{#2}%
11818 \setbox\z@\hbox{{#3}}%
11819 \setbox\tw@\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
11820 \ifdim#2\p<\z@
11821 \ht\tw@-#2\dp\z@
11822 \dp\tw@-#2\ht\z@
11823 \else
11824 \ht\tw@#2\ht\z@
11825 \dp\tw@#2\dp\z@
11826 \fi
11827 \ifdim#1\p<\z@
11828 \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
11829 \else
11830 \wd\tw@#1\wd\z@
11831 \box\tw@
11832 \fi\ifmmode\else\if@RTL\endL\fi\fi}
11833 \def\Gin@iii[#1,#2][#3,#4]#5{%
11834 \begingroup
11835 \ifmmode\else\if@RTL\beginL\fi\fi
11836 \Gin@bboxtrue
11837 \Gin@defaultbp\Gin@llx{#1}%
11838 \Gin@defaultbp\Gin@lly{#2}%
11839 \Gin@defaultbp\Gin@urx{#3}%
11840 \Gin@defaultbp\Gin@ury{#4}%
11841 \Gin@include@graphics{#5}%
11842 \ifmmode\else\if@RTL\endL\fi\fi
11843 \endgroup}
11844 \def\Gin@ii[#1]#2{%
11845 \def\@tempa{[]}\def\@tempb{#2}%
11846 \ifx\@tempa\@tempb
11847 \def\@tempa{\Gin@iii[#1][}%
11848 \expandafter\@tempa
11849 \else
11850 \begingroup

```



```

11851      \ifmmode\else\if@RTL\beginL\fi\fi
11852      \@tempswafalse
11853      \toks@{\Gininclude@graphics{#2}}%
11854      \setkeys{Gin}{#1}%
11855      \Gin@esetsize
11856      \the\toks@
11857      \ifmmode\else\if@RTL\endL\fi\fi
11858    \endgroup
11859    \fi}
11860  \def\reflectbox{\bidiGscale@box-1[1]}
11861  \long\def\bidiGscale@box#1[#2]#3{\ifmmode\else\if@RTL\beginL\fi\fi%
11862    \leavevmode
11863    \def\Gscale@x{#1}\def\Gscale@y{#2}%
11864    \setbox\z@{\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if@RTL\endR\fi}}
11865    \setbox\tw@{\hbox{\Gscale@start\rlap{\copy\z@}\Gscale@end}%
11866    \ifdim#2\p<\z@
11867      \ht\tw@-#2\dp\z@
11868      \dp\tw@-#2\ht\z@
11869    \else
11870      \ht\tw@#2\ht\z@
11871      \dp\tw@#2\dp\z@
11872    \fi
11873    \ifdim#1\p<\z@
11874      \hb@xt@-#1\wd\z@{\kern-#1\wd\z@\box\tw@\hss}%
11875    \else
11876      \wd\tw@#1\wd\z@
11877      \box\tw@
11878    \fi\ifmmode\else\if@RTL\endL\fi\fi}
11879  \def\scalebox#1{%
11880    \@ifnextchar[{\bidiGscale@box{#1}}{\bidiGscale@box{#1}[#1]}
11881  \def\resizebox{%
11882    \leavevmode
11883    \@ifstar{\bidiGscale@@box\totalheight}{\bidiGscale@@box\height}}
11884  \def\bidiGscale@@box#1#2#3{%
11885    \let\@tempa\Gin@exclamation
11886    \expandafter\def\expandafter\@tempb\expandafter{\string#2}%
11887    \expandafter\def\expandafter\@tempc\expandafter{\string#3}%
11888    \ifx\@tempb\@tempa
11889      \ifx\@tempc\@tempa
11890        \toks@{\mbox}%
11891      \else
11892        \toks@{\bidiGscale@box@dd{#3}#1}%
11893      \fi
11894    \else
11895      \ifx\@tempc\@tempa
11896        \toks@{\bidiGscale@box@dd{#2}\width}%
11897      \else
11898        \toks@{\bidiGscale@box@dddd{#2}\width{#3}#1}%
11899      \fi
11900    \fi

```



```

11901 \the\toks@}
11902 \long\def\bidigscale@box@ddd#1#2#3{%
11903 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#3\if@RTL\endR\fi\else\if@RTL\beginR\fi#3\if
11904 \setlength\@tempdima{#1}%
11905 \setlength\@tempdimb{#2}%
11906 \Gscale@div\@tempa\@tempdima\@tempdimb
11907 \Gscale@box\@tempa[\@tempa]{\box\@tempboxa}%
11908 \@end@tempboxa}
11909 \long\def\bidigscale@box@dddd#1#2#3#4#5{%
11910 \@begin@tempboxa\hbox{\ifmmode\if@RTL\beginR\fi#5\if@RTL\endR\fi\else\if@RTL\beginR\fi#5\if
11911 \setlength\@tempdima{#1}%
11912 \setlength\@tempdimb{#2}%
11913 \Gscale@div\@tempa\@tempdima\@tempdimb
11914 \setlength\@tempdima{#3}%
11915 \setlength\@tempdimb{#4}%
11916 \Gscale@div\@tempb\@tempdima\@tempdimb
11917 \ifGin@iso
11918 \ifdim\@tempa\p>\@tempb\p@
11919 \let\@tempa\@tempb
11920 \else
11921 \let\@tempb\@tempa
11922 \fi
11923 \fi
11924 \Gscale@box\@tempa[\@tempb]{\box\@tempboxa}%
11925 \@end@tempboxa}

```

68 File geometry-xetex-bidi.def

```

11926 \ProvidesFile{geometry-xetex-bidi.def}[2017/01/14 v0.2 bidi adaptations for geometry package]
11927 \renewcommand*{\Gm@vrules@mpi}{%
11928 \if@RTLmain%
11929 \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
11930 \llap{\Gm@vrule}\ignorespaces
11931 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
11932 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}%
11933 \else%
11934 \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
11935 \hskip \textwidth\Gm@vrule\hskip \marginparsep
11936 \llap{\Gm@vrule}\hfil\Gm@vrule}\fi}%
11937 \renewcommand*{\Gm@vrules@mpii}{%
11938 \if@RTLmain%
11939 \hb@xt@\@tempdima{\llap{\Gm@vrule}\ignorespaces
11940 \hskip \textwidth\Gm@vrule\hskip \marginparsep
11941 \llap{\Gm@vrule}\hfil\Gm@vrule}%
11942 \else%
11943 \hb@xt@\@tempdima{\hskip-\marginparwidth\hskip-\marginparsep
11944 \llap{\Gm@vrule}\ignorespaces
11945 \hskip \marginparwidth\rlap{\Gm@vrule}\hskip \marginparsep
11946 \llap{\Gm@vrule}\hskip\textwidth\rlap{\Gm@vrule}\hss}\fi}%
11947 \bidi@patchcmd{\Gm@pageframes}{%

```



```

11948 \ifodd\count\z@
11949 \let\@themargin\oddsidemargin
11950 \else
11951 \let\@themargin\evensidemargin
11952 \fi
11953 }{%
11954 \ifodd\count\z@
11955 \if@RTLmain
11956 \let\@themargin\evensidemargin
11957 \else
11958 \let\@themargin\oddsidemargin
11959 \fi
11960 \else
11961 \if@RTLmain
11962 \let\@themargin\oddsidemargin
11963 \else
11964 \let\@themargin\evensidemargin
11965 \fi
11966 \fi
11967 }{}{}

```

69 File hvfloat-xetex-bidi.def

```

11968 \ProvidesFile{hvfloat-xetex-bidi.def}[2012/04/18 v0.2 bidi adaptations for hvfloat package for
11969 \def\do@hvFloat[#1]#2#3{%
11970 \def\hv@shortCap{#1}
11971 \def\hv@longCap{#2}
11972 \def\hv@label{#3}
11973 %\newcommand*{\hvFloat}[5][{}]{%
11974 % [#1]: keyvalues
11975 % #2: type figure | table | ...
11976 % #3: float contents
11977 % [#4]: short caption
11978 % #5: caption
11979 % #6: label
11980 % \setDefault%
11981 % \def\@tempa{#1}%
11982 % \ifx\@tempa\empty\else\setkeys{hvSet}{#1}\fi% set options, only when not empty
11983 \def\@tempa{90}%
11984 \ifx\hvSet@rotAngle\@tempa \setlength{\hvMaxCapWidth}{\textheight}
11985 \else \setlength{\hvMaxCapWidth}{\linewidth}
11986 \fi
11987 %
11988 % First we save the object in \hvObjectBox
11989 %
11990 \ifx\hvSet@objectAngle\hv@Zero % rotate the object?
11991 \savebox{\hvObjectBox}{\ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}
11992 \else
11993 \savebox{\hvObjectBox}{%
11994 \rotatebox{\hvSet@objectAngle}{%

```




```

11995 \ifhv@useOBox\usebox{\hvOBox}\else\hv@floatObject\fi}}
11996 \fi
11997 \setlength{\hvObjectWidth}{\wd\hvObjectBox}
11998 %
11999 % Now we save the caption with its defined \hvCapWidth
12000 %
12001 \ifx\hvSet@capWidth\hv@Width\setlength{\hvCapWidth}{\hvObjectWidth}
12002 \else
12003 \ifx\hvSet@capWidth\hv@Height\setlength{\hvCapWidth}{\ht\hvObjectBox}
12004 \else
12005 \setlength{\hvCapWidth}{\hvObjectWidth}
12006 \ifx\hvSet@capPos\hv@Left\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
12007 \ifx\hvSet@capPos\hv@Right\addtolength{\hvMaxCapWidth}{-\hvObjectWidth}\fi
12008 \ifdim\hvSet@capWidth\columnwidth<\hvMaxCapWidth
12009 \setlength{\hvCapWidth}{\hvSet@capWidth\columnwidth}
12010 \else
12011 \setlength{\hvCapWidth}{\hvMaxCapWidth}
12012 \fi
12013 \fi
12014 \fi
12015 %
12016 % now we have the object and the caption with the right
12017 % rotated angles saved in boxes
12018 %
12019 \def\fps@figure{\hvSet@floatPos}
12020 \ifhv@nonFloat\begin{group}% Start the nonfloat part
12021 \else \begin{\hv@floatType}% Start the floating environment
12022 \fi%
12023 \saveCaptionSkip% we put this space ourselves
12024 \ifx\hvSet@capAngle\hv@Width % need rotation?
12025 \sbox{\hvCaptionBox}{%
12026 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation
12027 \ifhv@nonFloat%
12028 \ifhv@onlyText#2%
12029 \else%
12030 \ifx\hv@floatType\hv@figure
12031 \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
12032 \else
12033 \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
12034 \fi
12035 \fi
12036 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
12037 \fi%
12038 \label{#3}%
12039 \end{minipage}%
12040 }%
12041 \else%
12042 \sbox{\hvCaptionBox}{%
12043 \rotatebox{\hvSet@capAngle}{%
12044 \begin{minipage}[b]{\hvCapWidth}% minipage, to get hyphenation

```



```

12045 \ifhv@nonFloat%
12046     \ifhv@onlyText#2%
12047     \else%
12048     \ifx\hv@floatType\hv@figure
12049         \ifx\relax#1\relax \figcaption{#2}\else\figcaption[#1]{#2}\fi
12050     \else
12051         \ifx\relax#1\relax \tabcaption{#2}\else\tabcaption[#1]{#2}\fi%
12052     \fi
12053 \fi
12054 \else\ifx\relax\hv@shortCap\relax\caption{#2}\else\caption[#1]{#2}\fi%
12055     \fi%
12056     \label{#3}%
12057     \end{minipage}%
12058     }%
12059 }%
12060 \fi%
12061 %%
12062 \restoreCaptionSkip% save old values
12063 \ifx\hvSet@objectPos\hv@Right\@bidi@raggedleft%
12064 \else%
12065     \ifx\hvSet@objectPos\hv@Center
12066         \ifhv@nonFloat\hspace*{\fill}\else\centering\fi%
12067     \fi%
12068 \fi%
12069 %
12070 % to rotate object and caption together, we save all in another box
12071 % the caption comes first, if its on the left or the top
12072 %
12073 \savebox{\@tempboxa}{%
12074 \ifx\hvSet@capPos\hv@Left % caption on left side
12075 \if@RTL%
12076 \ifx\hvSet@capVPos\hv@Center%
12077 \ifhv@fbox
12078 \fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
12079 \else
12080 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
12081 \fi%
12082 \hspace{\hvSet@floatCapSep pt}%
12083 \ifhv@fbox
12084 \fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12085 \else
12086 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
12087 \fi%
12088 \else%
12089 \ifx\hvSet@capVPos\hv@Top
12090 \ifhv@fbox
12091 \fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12092 \else
12093 \raisebox{-\height}{\usebox{\hvObjectBox}}%
12094 \fi%

```



```

12095 \hspace{\hvSet@floatCapSep pt}%
12096 \ifhv@fbox
12097 \fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12098 \else
12099 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12100 \fi
12101 \else
12102 \ifhv@fbox
12103 \fbox{\usebox{\hvObjectBox}}%
12104 \else
12105 \usebox{\hvObjectBox}%
12106 \fi
12107 \hspace{\hvSet@floatCapSep pt}%
12108 \ifhv@fbox
12109 \fbox{\usebox{\hvCaptionBox}}%
12110 \else
12111 \usebox{\hvCaptionBox}%
12112 \fi%
12113 \fi%
12114 \fi%
12115 \else% not RTL
12116 \ifx\hvSet@capVPos\hv@Center%
12117 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12118 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
12119 \fi%
12120 \hspace{\hvSet@floatCapSep pt}% capfloatsep
12121 \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}
12122 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
12123 \fi%
12124 \else%
12125 \ifx\hvSet@capVPos\hv@Top % caption at top
12126 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12127 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12128 \fi
12129 \hspace{\hvSet@floatCapSep pt}% capfloatsep
12130 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12131 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
12132 \fi%
12133 \else% caption on bottom
12134 \ifhv@fbox\fbox{\usebox{\hvCaptionBox}}
12135 \else\usebox{\hvCaptionBox}
12136 \fi%
12137 \hspace{\hvSet@floatCapSep pt}%
12138 \ifhv@fbox\fbox{\usebox{\hvObjectBox}}
12139 \else \usebox{\hvObjectBox}
12140 \fi%
12141 \fi%
12142 \fi% end of RTL
12143 \fi%
12144 \else

```



```

12145 \ifx\hvSet@capPos\hv@Top
12146 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
12147 \begin{minipage}{\wd\hvCaptionBox}
12148 \else
12149 \begin{minipage}{\wd\hvObjectBox}
12150 \fi
12151 \centering
12152 \ifhv@fbox
12153 \fbox{\usebox{\hvCaptionBox}}\[\hvBelowCaptionSkip]
12154 \fbox{\usebox{\hvObjectBox}}
12155 \else
12156 \usebox{\hvCaptionBox}\[\hvBelowCaptionSkip]
12157 \usebox{\hvObjectBox}
12158 \fi%
12159 \end{minipage}
12160 \else
12161 \ifx\hvSet@capPos\hv@Bottom
12162 \ifdim\wd\hvCaptionBox>\wd\hvObjectBox
12163 \begin{minipage}{\wd\hvCaptionBox}
12164 \else
12165 \begin{minipage}{\wd\hvObjectBox}
12166 \fi
12167 \centering
12168 \ifhv@fbox
12169 \fbox{\usebox{\hvObjectBox}}\[\hvAboveCaptionSkip]
12170 \fbox{\usebox{\hvCaptionBox}}
12171 \else
12172 \usebox{\hvObjectBox}\[\hvAboveCaptionSkip]
12173 \usebox{\hvCaptionBox}
12174 \fi%
12175 \end{minipage}
12176 \else% the last option: put the caption on the right
12177 \if@RTL%
12178 \ifx\hvSet@capVPos\hv@Center%
12179 \ifhv@fbox\fbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12180 \else \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}%
12181 \fi%
12182 \hspace{\hvSet@floatCapSep pt}% capfloatsep
12183 \ifhv@fbox\fbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
12184 \else \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
12185 \fi%
12186 \else%
12187 \ifx\hvSet@capVPos\hv@Top % caption at top
12188 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12189 \else \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12190 \fi
12191 \hspace{\hvSet@floatCapSep pt}% capfloatsep
12192 \ifhv@fbox\fbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12193 \else \raisebox{-\height}{\usebox{\hvObjectBox}}%
12194 \fi%

```



```

12195 \else% caption on bottom
12196 \ifhv@fbox\fbbox{\usebox{\hvCaptionBox}}
12197 \else\usebox{\hvCaptionBox}
12198 \fi%
12199 \hspace{\hvSet@floatCapSep pt}%
12200 \ifhv@fbox\fbbox{\usebox{\hvObjectBox}}
12201 \else \usebox{\hvObjectBox}
12202 \fi%
12203 \fi%
12204 \fi%
12205 \else% not RTL
12206 \ifx\hvSet@capVPos\hv@Center%
12207 \ifhv@fbox
12208 \fbbox{\parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}}%
12209 \else
12210 \parbox{\wd\hvObjectBox}{\usebox{\hvObjectBox}}
12211 \fi%
12212 \hspace{\hvSet@floatCapSep pt}%
12213 \ifhv@fbox
12214 \fbbox{\parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}}%
12215 \else
12216 \parbox{\wd\hvCaptionBox}{\usebox{\hvCaptionBox}}
12217 \fi%
12218 \else%
12219 \ifx\hvSet@capVPos\hv@Top
12220 \ifhv@fbox
12221 \fbbox{\raisebox{-\height}{\usebox{\hvObjectBox}}}%
12222 \else
12223 \raisebox{-\height}{\usebox{\hvObjectBox}}%
12224 \fi%
12225 \hspace{\hvSet@floatCapSep pt}%
12226 \ifhv@fbox
12227 \fbbox{\raisebox{-\height}{\usebox{\hvCaptionBox}}}%
12228 \else
12229 \raisebox{-\height}{\usebox{\hvCaptionBox}}%
12230 \fi
12231 \else
12232 \ifhv@fbox
12233 \fbbox{\usebox{\hvObjectBox}}%
12234 \else
12235 \usebox{\hvObjectBox}%
12236 \fi
12237 \hspace{\hvSet@floatCapSep pt}%
12238 \ifhv@fbox
12239 \fbbox{\usebox{\hvCaptionBox}}%
12240 \else
12241 \usebox{\hvCaptionBox}%
12242 \fi%
12243 \fi%
12244 \fi

```



```

12245 \fi% end of RTL
12246 \fi
12247 \fi
12248 \fi
12249 }% End savebox Object and caption
12250 %
12251 % now we rotate the object and caption, if needed
12252 %
12253 \ifx\hvSet@rotAngle\hv@Zero
12254 \usebox{\@tempboxa}
12255 \else
12256 \rotatebox{\hvSet@rotAngle}{\usebox{\@tempboxa}}
12257 \fi
12258 \ifhv@nonFloat
12259 \ifx\hvSet@ObjectPos\hv@Center
12260 \ifhv@nonFloat
12261 \hspace{\fill}
12262 \fi
12263 \fi
12264 \endgroup% End the nonfloat part
12265 \else
12266 \end{\hv@floatType}% End the floating environment
12267 \fi
12268 }

```

70 File hyperref-xetex-bidi.def

```

12269 \ProvidesFile{hyperref-xetex-bidi.def}[2018/11/11 v1.1 bidi adaptations for hyperref package]
12270 \AtBeginDocument{%
12271 \def\contentsline#1#2#3#4{%
12272   \ifx\#4\%
12273     \csname l@#1\endcsname{#2}{#3}%
12274   \else
12275     \ifcase\Hy@linktoc % none
12276       \csname l@#1\endcsname{#2}{#3}%
12277     \or % section
12278       \csname l@#1\endcsname{%
12279         \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
12280       }{#3}%
12281     \or % page
12282       \csname l@#1\endcsname{{#2}}{%
12283         \hyper@linkstart{link}{#4}{#3}\hyper@linkend
12284       }%
12285     \else % all
12286       \csname l@#1\endcsname{%
12287         \hyper@linkstart{link}{#4}{\if@RTL\beginR\fi#2\if@RTL\endR\fi}\hyper@linkend
12288       }{%
12289         \hyper@linkstart{link}{#4}{#3}\hyper@linkend
12290       }%
12291     \fi

```



```

12292 \fi
12293 }
12294 \ifHy@hyperfootnotes
12295 \let\H@@footnotetext\@footnotetext
12296 \let\HRTL@RTLfootnotetext\@RTLfootnotetext
12297 \let\HLTR@LTRfootnotetext\@LTRfootnotetext
12298 \def\@xfootnotenext[#1]{%
12299 \begingroup
12300 \csname c@\@mpfn\endcsname #1\relax
12301 \unrestored@protected@xdef\@thefnmark{\thempfn}%
12302 \endgroup
12303 \ifx\@footnotetext\@mpfootnotetext
12304 \expandafter\H@@mpfootnotetext
12305 \else
12306 \expandafter\H@@footnotetext
12307 \fi
12308 }%
12309 \def\@xRTLfootnotenext[#1]{%
12310 \begingroup
12311 \csname c@\@mpfn\endcsname #1\relax
12312 \unrestored@protected@xdef\@thefnmark{\thempfn}%
12313 \endgroup
12314 \ifx\@RTLfootnotetext\@mpRTLfootnotetext
12315 \expandafter\HRTL@mpRTLfootnotetext
12316 \else
12317 \expandafter\HRTL@RTLfootnotetext
12318 \fi
12319 }%
12320 \def\@xLTRfootnotenext[#1]{%
12321 \begingroup
12322 \csname c@\@mpfn\endcsname #1\relax
12323 \unrestored@protected@xdef\@thefnmark{\thempfn}%
12324 \endgroup
12325 \ifx\@LTRfootnotetext\@mpLTRfootnotetext
12326 \expandafter\HLTR@mpLTRfootnotetext
12327 \else
12328 \expandafter\HLTR@LTRfootnotetext
12329 \fi
12330 }%
12331 \def\@xfootnotemark[#1]{%
12332 \begingroup
12333 \c@footnote #1\relax
12334 \unrestored@protected@xdef\@thefnmark{\thefootnote}%
12335 \endgroup
12336 \H@@footnotemark
12337 }%
12338 \let\H@@mpfootnotetext\@mpfootnotetext
12339 \let\HRTL@mpRTLfootnotetext\@mpRTLfootnotetext
12340 \let\HLTR@mpLTRfootnotetext\@mpLTRfootnotetext
12341 \long\def\@mpfootnotetext#1{%

```



```

12342 \H@@mpfootnotetext{%
12343   \ifHy@nesting
12344     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12345   \else
12346     \Hy@raisedlink{%
12347       \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12348     }#1%
12349   \fi
12350 }%
12351 }%
12352 \long\def\@mpRTLfootnotetext#1{%
12353   \HRTL@mpRTLfootnotetext{%
12354     \ifHy@nesting
12355       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12356     \else
12357       \Hy@raisedlink{%
12358         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12359       }#1%
12360     \fi
12361   }%
12362 }%
12363 \long\def\@mpLTRfootnotetext#1{%
12364   \HLTR@mpLTRfootnotetext{%
12365     \ifHy@nesting
12366       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12367     \else
12368       \Hy@raisedlink{%
12369         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12370       }#1%
12371     \fi
12372   }%
12373 }%
12374 \long\def\@footnotetext#1{%
12375   \H@@footnotetext{%
12376     \ifHy@nesting
12377       \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12378     \else
12379       \Hy@raisedlink{%
12380         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12381       }%
12382       \let\@currentHlabel\Hy@footnote@currentHlabel
12383       \let\@currentHref\Hy@footnote@currentHref
12384       \let\@currentlabelname\@empty
12385       #1%
12386     \fi
12387   }%
12388 }%
12389 \long\def\@RTLfootnotetext#1{%
12390   \HRTL@RTLfootnotetext{%
12391     \ifHy@nesting

```




```

12392     \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12393 \else
12394     \Hy@raisedlink{%
12395         \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12396     }%
12397     \let\@currentHlabel\Hy@footnote@currentHlabel
12398     \let\@currentHref\Hy@footnote@currentHref
12399     \let\@currentlabelname\@empty
12400     #1%
12401 \fi
12402 }%
12403 }%
12404 \long\def\@LTRfootnotetext#1{%
12405 \HLTR@@LTRfootnotetext{%
12406     \ifHy@nesting
12407         \hyper@@anchor{\Hy@footnote@currentHref}{#1}%
12408     \else
12409         \Hy@raisedlink{%
12410             \hyper@@anchor{\Hy@footnote@currentHref}{\relax}%
12411         }%
12412         \let\@currentHlabel\Hy@footnote@currentHlabel
12413         \let\@currentHref\Hy@footnote@currentHref
12414         \let\@currentlabelname\@empty
12415         #1%
12416     \fi
12417 }%
12418 }%
12419 \@ifpackageloaded{tabularx}{%
12420 \let\HyOrg@TX@endtabularx\TX@endtabularx
12421 \def\Hy@tabularx@hook{%
12422     \let\@footnotetext\H@@footnotetext
12423     \let\@LTRfootnotetext\HLTR@@LTRfootnotetext
12424     \let\@RTLfootnotetext\HRTL@@RTLfootnotetext
12425     \let\@footnotemark\H@@footnotemark
12426     \let\@mpfootnotetext\H@@mpfootnotetext
12427     \let\@mpLTRfootnotetext\HLTR@@mpLTRfootnotetext
12428     \let\@mpRTLfootnotetext\HRTL@@mpRTLfootnotetext
12429 }%
12430 \begingroup
12431 \toks@{\expandafter\TX@endtabularx}%
12432 \xdef\Hy@gtemp{%
12433     \noexpand\Hy@tabularx@hook
12434     \the\toks@
12435 }%
12436 \endgroup
12437 \let\TX@endtabularx\Hy@gtemp
12438 }{}%
12439 \@ifpackageloaded{longtable}{%
12440 \CheckCommand*\LT@p@LTRftntext}[1]{%
12441     \edef\@tempa{%

```



```

12442         \the\LT@p@ftn
12443         \noexpand\LTRfootnotetext[\the\c@footnote]%
12444     }%
12445     \global\LT@p@ftn\expandafter{\@tempa{#1}}%
12446 }%
12447 \long\def\LT@p@LTRftntext#1{%
12448     \edef\@tempa{%
12449         \the\LT@p@ftn
12450         \beginingroup
12451             \noexpand\c@footnote=\the\c@footnote\relax
12452             \noexpand\protected@xdef\noexpand\@thefnmark{%
12453                 \noexpand\thempfn
12454             }%
12455             \noexpand\Hy@LT@LTRfootnotetext{%
12456                 \Hy@footnote@currentHref
12457             }%
12458         }%
12459         \global\LT@p@ftn\expandafter{%
12460             \@tempa{#1}%
12461         \endgroup
12462     }%
12463 }%
12464 \long\def\Hy@LT@LTRfootnotetext#1#2{%
12465     \HLTR@@@LTRfootnotetext{%
12466         \ifHy@nesting
12467             \hyper@@anchor{#1}{#2}%
12468         \else
12469             \Hy@raisedlink{%
12470                 \hyper@@anchor{#1}{\relax}%
12471             }%
12472             \def\@currentHref{#1}%
12473             \let\@currentlabelname\@empty
12474             #2%
12475         \fi
12476     }%
12477 }%
12478 \CheckCommand*{\LT@p@RTLftntext}[1]{%
12479     \edef\@tempa{%
12480         \the\LT@p@ftn
12481         \noexpand\RTLfootnotetext[\the\c@footnote]%
12482     }%
12483     \global\LT@p@ftn\expandafter{\@tempa{#1}}%
12484 }%
12485 \long\def\LT@p@RTLftntext#1{%
12486     \edef\@tempa{%
12487         \the\LT@p@ftn
12488         \beginingroup
12489             \noexpand\c@footnote=\the\c@footnote\relax
12490             \noexpand\protected@xdef\noexpand\@thefnmark{%
12491                 \noexpand\thempfn

```



```

12492     }%
12493     \noexpand\Hy@LT@RTLfootnotetext{%
12494         \Hy@footnote@currentHref
12495     }%
12496 }%
12497 \global\LT@p@ftn\expandafter{%
12498     \@tempa{#1}%
12499 \endgroup
12500 }%
12501 }%
12502 \long\def\Hy@LT@RTLfootnotetext#1#2{%
12503     \HRTL@RTLfootnotetext{%
12504         \ifHy@nesting
12505             \hyper@@anchor{#1}{#2}%
12506         \else
12507             \Hy@raisedlink{%
12508                 \hyper@@anchor{#1}{\relax}%
12509             }%
12510             \def\@currentHref{#1}%
12511             \let\@currentlabelname\@empty
12512             #2%
12513         \fi
12514     }%
12515 }%
12516 }{}%
12517 \@ifpackageloaded{bidipoem}{%
12518     \long\def\bidipoem@p@ftntext#1{%
12519         \edef\@tempx{%
12520             \the\bidipoem@p@ftn
12521         \beginingroup
12522             \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12523             \noexpand\protected@xdef\noexpand\@thefnmark{%
12524                 \noexpand\thempfn
12525             }%
12526             \noexpand\Hy@bidipoem@footnotetext{%
12527                 \Hy@footnote@currentHref
12528             }%
12529         }%
12530         \global\bidipoem@p@ftn\expandafter{%
12531             \@tempx{#1}%
12532         \endgroup
12533     }%
12534 }%
12535 \long\def\Hy@bidipoem@footnotetext#1#2{%
12536     \H@@footnotetext{%
12537         \ifHy@nesting
12538             \hyper@@anchor{#1}{#2}%
12539         \else
12540             \Hy@raisedlink{%
12541                 \hyper@@anchor{#1}{\relax}%

```



```

12542     }%
12543     \def\@currentHref{#1}%
12544     \let\@currentlabelname\@empty
12545     #2%
12546   \fi
12547 }%
12548 }%
12549   \long\def\bidipoem@p@LTRftntext#1{%
12550   \edef\@tempxi{%
12551     \the\bidipoem@p@ftn
12552     \beginingroup
12553       \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12554       \noexpand\protected@xdef\noexpand\@thefnmark{%
12555         \noexpand\thempfn
12556       }%
12557       \noexpand\Hy@bidipoem@LTRfootnotetext{%
12558         \Hy@footnote@currentHref
12559       }%
12560     }%
12561     \global\bidipoem@p@ftn\expandafter{%
12562       \@tempxi{#1}%
12563     \endgroup
12564   }%
12565 }%
12566 \long\def\Hy@bidipoem@LTRfootnotetext#1#2{%
12567   \HLTR@@LTRfootnotetext{%
12568     \ifHy@nesting
12569       \hyper@@anchor{#1}{#2}%
12570     \else
12571       \Hy@raisedlink{%
12572         \hyper@@anchor{#1}{\relax}%
12573       }%
12574       \def\@currentHref{#1}%
12575       \let\@currentlabelname\@empty
12576       #2%
12577     \fi
12578   }%
12579 }%
12580   \long\def\bidipoem@p@RTLftntext#1{%
12581   \edef\@tempxii{%
12582     \the\bidipoem@p@ftn
12583     \beginingroup
12584       \noexpand\csname c@\@mpfn\endcsname=\the\csname c@\@mpfn\endcsname\relax
12585       \noexpand\protected@xdef\noexpand\@thefnmark{%
12586         \noexpand\thempfn
12587       }%
12588       \noexpand\Hy@bidipoem@RTLfootnotetext{%
12589         \Hy@footnote@currentHref
12590       }%
12591     }%

```



```

12592     \global\bidipoem@p@ftn\expandafter{%
12593         \@tempxi{#1}%
12594     \endgroup
12595 }%
12596 }%
12597 \long\def\Hy@bidipoem@RTLfootnotetext#1#2{%
12598     \HRTL@RTLfootnotetext{%
12599         \ifHy@nesting
12600             \hyper@anchor{#1}{#2}%
12601         \else
12602             \Hy@raisedlink{%
12603                 \hyper@anchor{#1}{\relax}%
12604             }%
12605             \def\@currentHref{#1}%
12606             \let\@currentlabelname\@empty
12607             #2%
12608         \fi
12609     }%
12610 }%
12611 }{}%
12612 \let\HyOrg@maketitle\maketitle
12613 \def\maketitle{%
12614     \let\Hy@saved@footnotemark\@footnotemark
12615     \let\Hy@saved@footnotetext\@footnotetext
12616     \let\HyRTL@saved@RTLfootnotetext\@RTLfootnotetext
12617     \let\HyLTR@saved@LTRfootnotetext\@LTRfootnotetext
12618     \let\@footnotemark\H@@footnotemark
12619     \let\@footnotetext\H@@footnotetext
12620     \let\@RTLfootnotetext\HRTL@RTLfootnotetext
12621     \let\@LTRfootnotetext\HLTR@LTRfootnotetext
12622     \@ifnextchar[\Hy@maketitle@optarg{% ]
12623         \HyOrg@maketitle
12624         \Hy@maketitle@end
12625     }%
12626 }%
12627 \def\Hy@maketitle@optarg[#1]{%
12628     \HyOrg@maketitle[#1]%
12629     \Hy@maketitle@end
12630 }%
12631 \def\Hy@maketitle@end{%
12632     \ifx\@footnotemark\H@@footnotemark
12633         \let\@footnotemark\Hy@saved@footnotemark
12634     \fi
12635     \ifx\@footnotetext\H@@footnotetext
12636         \let\@footnotetext\Hy@saved@footnotetext
12637     \fi
12638     \ifx\@RTLfootnotetext\HRTL@RTLfootnotetext
12639         \let\@RTLfootnotetext\HyRTL@saved@RTLfootnotetext
12640     \fi
12641     \ifx\@LTRfootnotetext\HLTR@LTRfootnotetext

```



```

12642     \let\@LTrfootnotetext\HyLTR@saved@LTrfootnotetext
12643     \fi
12644   }%
12645   \def\realfootnote{%
12646     \@ifnextchar[\@xfootnote{%
12647       \stepcounter{\@mpfn}%
12648       \protected@xdef\@thefnmark{\thempfn}%
12649       \H@@footnotemark\H@@footnotetext
12650     }%
12651   }%
12652   \fi
12653   \def\Hy@BeginAnnot#1{%
12654     \ifmmode\else\beginL\fi%
12655     \global\advance\c@Hy@AnnotLevel\@ne
12656     \ifnum\c@Hy@AnnotLevel=\@ne
12657       #1%
12658     \fi
12659   }
12660   \def\Hy@endAnnot{%
12661     \ifnum\c@Hy@AnnotLevel=\@ne
12662       \Hy@endcolorlink
12663       \@pdfm@mark{eann}%
12664     \fi
12665     \global\advance\c@Hy@AnnotLevel\m@ne
12666     \ifmmode\else\endL\fi%
12667   }
12668   \def\hyper@link#1#2#3{%
12669     \hyper@linkstart{#1}{#2}\ifmmode\else\if@RTL\beginR\fi\fi#3\ifmmode\else\if@RTL\endR\fi\fi%
12670   }
12671   \def\hyper@linkfile#1#2#3{%
12672     \leavevmode
12673     \Hy@BeginAnnot{%
12674       \def\Hy@pstringF{#2}%
12675       \Hy@CleanupFile\Hy@pstringF
12676       \Hy@pstringdef\Hy@pstringF\Hy@pstringF
12677       \Hy@pstringdef\Hy@pstringD{#3}%
12678       \Hy@MakeRemoteAction
12679       \@pdfm@mark{%
12680         bann<<%
12681         /Type/Annot%
12682         /Subtype/Link%
12683         \ifHy@pdfa /F 4\fi
12684         \Hy@setpdfborder
12685         \ifx\@filebordercolor\relax
12686         \else
12687           /C[\@filebordercolor]%
12688         \fi
12689         /A<<%
12690         /S/GoToR%
12691         /F(\Hy@pstringF)%

```



```

12692         /D%
12693         \ifx\\#3\\%
12694             [\Hy@href@page\@pdfremotestartview]%
12695         \else
12696             (\Hy@pstringD)%
12697         \fi
12698         \Hy@SetNewWindow
12699         \Hy@href@nextactionraw
12700     >>%
12701 >>%
12702 }%
12703 \Hy@colorlink\@filecolor
12704 }%
12705 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12706 \Hy@endAnnot
12707 }
12708 \def\@hyper@launch run:#1\\#2#3{% filename, anchor text linkname
12709 \leavevmode
12710 \Hy@BeginAnnot{%
12711     \Hy@pstringdef\Hy@pstringF{#1}%
12712     \Hy@pstringdef\Hy@pstringP{#3}%
12713     \@pdfm@mark{%
12714         bann<<%
12715         /Type/Annot%
12716         /Subtype/Link%
12717         \ifHy@pdfa /F 4\fi
12718         \Hy@setpdfborder
12719         \ifx\@runbordercolor\relax
12720         \else
12721             /C[\@runbordercolor]%
12722         \fi
12723         /A<<%
12724         /F(\Hy@pstringF)%
12725         /S/Launch%
12726         \Hy@SetNewWindow
12727         \ifx\\#3\\%
12728         \else
12729             /Win<</P(\Hy@pstringP)/F(\Hy@pstringF)>>%
12730         \fi
12731         \Hy@href@nextactionraw
12732     >>%
12733 >>%
12734 }%
12735 \Hy@colorlink\@runcolor
12736 }%
12737 \ifmmode\else\if@RTL\beginR\fi\fi#2\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12738 \Hy@endAnnot
12739 }
12740 \def\hyper@linkurl#1#2{%
12741 \leavevmode

```



```

12742 \Hy@BeginAnnot{%
12743   \Hy@pstringdef\Hy@pstringURI{#2}%
12744   \@pdfm@mark{%
12745     bann<<%
12746     /Type/Annot%
12747     /Subtype/Link%
12748     \ifHy@pdfa /F 4\fi
12749     \Hy@setpdfborder
12750     \ifx\@urlbordercolor\relax
12751     \else
12752       /C[\@urlbordercolor]%
12753     \fi
12754     /A<<%
12755     /S/URI%
12756     /URI(\Hy@pstringURI)%
12757     \ifHy@href@ismap
12758       /IsMap true%
12759     \fi
12760     \Hy@href@nextactionraw
12761     >>%
12762   >>%
12763   }%
12764   \Hy@colorlink\@urlcolor
12765 }%
12766 \ifmmode\else\if@RTL\beginR\fi\fi#1\ifmmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12767 \Hy@EndAnnot
12768 }
12769 \def\Acrobatmenu#1#2{%
12770   \Hy@Acrobatmenu{#1}{#2}{%
12771     \Hy@BeginAnnot{%
12772       \EdefEscapeName\Hy@temp@menu{#1}%
12773       \@pdfm@mark{%
12774         bann<<%
12775         /Type/Annot%
12776         /Subtype/Link%
12777         \ifHy@pdfa /F 4\fi
12778         \Hy@setpdfborder
12779         \ifx\@menubordercolor\relax
12780         \else
12781           /C[\@menubordercolor]%
12782         \fi
12783         /A<<%
12784         /S/Named%
12785         /N/\Hy@temp@menu
12786         \Hy@href@nextactionraw
12787         >>%
12788       >>%
12789       }%
12790       \Hy@colorlink\@menucolor
12791     }%

```




```

12792 \ifmode\else\if@RTL\beginR\fi\fi#2\ifmode\else\if@RTL\endR\fi\fi\Hy@xspace@end
12793 \Hy@EndAnnot
12794 }%
12795 }
12796 \def\hyper@natlinkstart#1{%
12797 \Hy@backout{#1}%
12798 \hyper@linkstart{cite}{cite.#1}\if@RTL\beginR\fi%
12799 \def\hyper@nat@current{#1}%
12800 }
12801 \def\hyper@natlinkend{%
12802 \if@RTL\endR\fi\hyper@linkend
12803 }
12804 \def\hyper@natlinkbreak#1#2{%
12805 \if@RTL\endR\fi\hyper@linkend#1\hyper@linkstart{cite}{cite.#2}\if@RTL\beginR\fi%
12806 }%
12807 }
12808 \pdfstringdefDisableCommands{%
12809 \let\LRE\@firstofone
12810 \let\LR\@firstofone
12811 \let\RLE\@firstofone
12812 \let\RL\@firstofone
12813 \def\XeTeX{Xe\TeX}%
12814 \def\XeLaTeX{Xe\LaTeX}%
12815 }
12816 \@ifpackageloaded{longtable}{%
12817 \begingroup
12818 \def\y{\LT@array}%
12819 \@ifundefined{scr@LT@array}{%
12820 \@ifundefined{adl@LT@array}{\def\y{\adl@LT@array}}%
12821 }{\def\y{\scr@LT@array}}%
12822 \long\def\x\refstepcounter#1#2\@sharp#3#4\@nil{%
12823 \expandafter\endgroup
12824 \expandafter\def\y[##1]##2{%
12825 \H@refstepcounter{#1}%
12826 \hyper@makecurrent{table}%
12827 \let\Hy@LT@currentHref\@currentHref
12828 #2\@sharp####4%
12829 }%
12830 }%
12831 \expandafter\expandafter\expandafter\x\y[##1]{##2}\@nil
12832 \begingroup
12833 \def\x#1\ifvoid\LT@foot#2\fi#3\@nil{%
12834 \endgroup
12835 \def\LT@start{%
12836 #1%
12837 \ifvoid\LT@foot#2\fi
12838 \let\@currentHref\Hy@LT@currentHref
12839 \Hy@raisedlink{%
12840 \hyper@anchorstart{\@currentHref}\hyper@anchorend
12841 }%

```



```

12842      #3%
12843      }%
12844      }%
12845      \expandafter\x\LT@start\@nil
12846    }{}
12847 \bidi@patchcmd\@TextField{%
12848   \@pdfm@mark
12849 }{%
12850   \if@RTL
12851     \hskip\Fld@width
12852   \fi
12853   \@pdfm@mark
12854 }{}{}
12855 \bidi@patchcmd\@TextField{%
12856   \unhbox
12857 }{%
12858   \if@RTL
12859     \hskip-\Fld@width
12860   \fi
12861   \unhbox
12862 }{}{}
12863 \bidi@patchcmd\@@Radio{%
12864   \@pdfm@mark
12865 }{%
12866   \if@RTL
12867     \hskip\Fld@width
12868   \fi
12869   \@pdfm@mark
12870 }{}{}
12871 \bidi@patchcmd\@@Radio{%
12872   \unhcopy
12873 }{%
12874   \if@RTL
12875     \hskip-\Fld@width
12876   \fi
12877   \unhcopy
12878 }{}{}
12879 \bidi@patchcmd\@Submit{%
12880   \@pdfm@mark
12881 }{%
12882   \if@RTL
12883     \null
12884     \hskip\wd\pdfm@box
12885   \fi
12886   \@pdfm@mark
12887 }{}{}
12888 \bidi@patchcmd\@Submit{%
12889   \unhbox
12890 }{%
12891   \if@RTL

```



```

12892 \hskip-\wd\pdfm@box
12893 \fi
12894 \unhbox
12895 }{}{}
12896 \bidi@patchcmd\@Reset{%
12897 \@pdfm@mark
12898 }{%
12899 \if@RTL
12900 \null
12901 \hskip\wd\pdfm@box
12902 \fi
12903 \@pdfm@mark
12904 }{}{}
12905 \bidi@patchcmd\@Reset{%
12906 \unhbox
12907 }{%
12908 \if@RTL
12909 \hskip-\wd\pdfm@box
12910 \fi
12911 \unhbox
12912 }{}{}

```

71 File `imsproc-xetex-bidi.def`

```

12913 \ProvidesFile{imsproc-xetex-bidi.def}[2017/06/09 v0.1 bidi adaptations for imsgproc class for X
12914 \newenvironment{thebibliography}[1]{%
12915 \@bibtitlestyle
12916 \normalfont\bibliofont\labelsep .5em\relax
12917 \renewcommand\theenumiv{\arabic{enumiv}}\let\p@enumiv\@empty
12918 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
12919 \bidi@@thebibliography@font@hook
12920 \list{\@biblabel{\theenumiv}}{\settowidth\labelwidth{\@biblabel{#1}}%
12921 \leftmargin\labelwidth \advance\leftmargin\labelsep
12922 \usecounter{enumiv}}%
12923 \sloppy \clubpenalty\@M \widowpenalty\clubpenalty
12924 \sfcode`\.\@m
12925 }{%
12926 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
12927 \endlist
12928 }
12929
12930 \def\theindex{\@restonecoltrue\if@twocolumn\@restonecolfalse\fi
12931 \columnseprule\z@ \columnsep 35\p@
12932 \@indextitlestyle
12933 \thispagestyle{plain}%
12934 \let\item\@idxitem
12935 \parindent\z@ \parskip\z@\@plus.3\p@\relax
12936 \if@RTL\raggedleft\else\raggedright\fi
12937 \hyphenpenalty\@M
12938 \footnotesize}

```



```

12939 \def\@idxitem{\par\hangindent \if@RTL-\fi2em}
12940 \def\subitem{\par\hangindent \if@RTL-\fi2em\hspace*{1em}}
12941 \def\subsubitem{\par\hangindent \if@RTL-\fi3em\hspace*{2em}}
12942
12943 \def\right@footnoterule{%
12944   \kern-.4\p@
12945   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-5pc\relax \hrulefill }
12946   \kern11\p@\kern-\footnotesep}
12947 \def\left@footnoterule{\kern-.4\p@
12948   \hrule\@width 5pc\kern11\p@\kern-\footnotesep}
12949 \def\@makefnmark{%
12950   \leavevmode
12951   \raise.9ex\hbox{\fontsize\sf@size\z@\normalfont\@thefnmark}%
12952 }
12953
12954 \def\part{\@startsection{part}{0}%
12955   \z@\linespacing\@plus\linespacing}{.5\linespacing}%
12956   {\normalfont\bfseries\if@RTL\raggedleft\else\raggedright\fi}}
12957 \def\@tocline#1#2#3#4#5#6#7{\relax
12958   \ifnum #1>\c@tocdepth % then omit
12959   \else
12960     \par \addpenalty\@secpenalty\addvspace{#2}%
12961     \begingroup \hyphenpenalty\@M
12962     \@ifempty{#4}{%
12963       \@tempdima\csname r@tocindent\number#1\endcsname\relax
12964     }{%
12965       \@tempdima#4\relax
12966     }%
12967     \parindent\z@ \if@RTL\righskip\else\leftskip\fi#3\relax \advance\if@RTL\righskip\else\leftskip\fi
12968     \if@RTL\leftskip\else\righskip\fi\@pnumwidth plus4em \parfillskip-\@pnumwidth
12969     #5\leavevmode\hskip-\@tempdima #6\nobreak\relax
12970     \hfil\hbox to\@pnumwidth{\@tocpagenum{#7}}\par
12971     \nobreak
12972     \endgroup
12973   \fi}
12974 \renewcommand\thesubsection {\thesection\@SepMark\arabic{subsection}}
12975 \renewcommand\thesubsubsection {\thesubsection \@SepMark\arabic{subsubsection}}
12976 \renewcommand\theparagraph {\thesubsubsection\@SepMark\arabic{paragraph}}
12977 \renewcommand\thesubparagraph {\theparagraph\@SepMark\arabic{subparagraph}}
12978 \def\maketitle{\par
12979   \@topnum\z@ % this prevents figures from falling at the top of page 1
12980   \@setcopyright
12981   \thispagestyle{firstpage}% this sets first page specifications
12982   \uppercasenonmath\shorttitle
12983   \ifx\@empty\shortauthors \let\shortauthors\shorttitle
12984   \else \andify\shortauthors
12985   \fi
12986   \@maketitle@hook
12987   \begingroup
12988   \@maketitle

```



```

12989 \toks@{\xp{\shortauthors}}\@temptokena\@xp{\shorttitle}%
12990 \toks4{\def\\{\ \ignorespaces}}% defend against questionable usage
12991 \edef\@tempa{%
12992   \@nx\markboth{\the\toks4
12993     \@nx\MakeUppercase{\the\toks@}}{\the\@temptokena}}%
12994 \@tempa
12995 \endgroup
12996 \c@footnote\z@
12997 \@cleartopmattertags
12998 }

```

72 File leqno-xetex-bidi.def

```

12999 \ProvidesFile{leqno-xetex-bidi.def}[2018/01/07 v0.2 bidi adaptations for leqno tag for XeTeX e
13000 \renewcommand\@eqnnum{\hbxt0.01\p@}%
13001 \rlap{\hskip -\displaywidth
13002   {\normalfont\normalcolor\if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}}

```

73 File letter-xetex-bidi.def

```

13003 \ProvidesFile{letter-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for standard letter clas
13004 \renewcommand*\opening[1]{\ifx\@empty\fromaddress
13005   \thispagestyle{firstpage}%
13006   {\if@RTL\raggedright\else\raggedleft\fi\@date\par}%
13007   \else % home address
13008     \thispagestyle{empty}%
13009     {\if@RTL\raggedright\else\raggedleft\fi\if@RTL\begin{tabular}{r{}}\else\begin{tabular}{l}
13010       \fromaddress \\*[2\parskip]%
13011       \@date \end{tabular}\par}%
13012   \fi
13013   \vspace{2\parskip}%
13014   {\if@RTL\raggedleft\else\raggedright\fi \toname \\ \toaddress \par}%
13015   \vspace{2\parskip}%
13016   #1\par\nobreak}
13017 \renewcommand\left@footnoterule{%
13018   \kern-\p@
13019   \hrule \@width .4\columnwidth
13020   \kern .6\p@}
13021 \renewcommand\right@footnoterule{%
13022   \kern-\p@
13023   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
13024   \kern .6\p@}

```

74 File lettrine-xetex-bidi.def

```

13025 \ProvidesFile{lettrine-xetex-bidi.def}[2018/10/01 v0.6 bidi adaptations for lettrine package
13026 \def\@lettrine[#1]#2#3{%
13027   \def\l@initial{#2}\let\l@refstring\l@initial
13028   \setcounter{L@lines}{\value{DefaultLines}}%
13029   \setcounter{L@depth}{\value{DefaultDepth}}%

```



```

13030 \renewcommand*{\L@hang}{\DefaultLhang}%
13031 \renewcommand*{\L@oversize}{\DefaultLoversize}%
13032 \renewcommand*{\L@raise}{\DefaultLraise}%
13033 \renewcommand*{\L@ante}{}%
13034 \setlength{\L@Findent}{\DefaultFindent}%
13035 \setlength{\L@Nindent}{\DefaultNindent}%
13036 \setlength{\L@slope}{\DefaultSlope}%
13037 \setlength{\L@novskip}{\DiscardVskip}%
13038 \ifLettrineImage\L@imagetrue\else\L@imagefalse\fi
13039 \ifLettrineOnGrid\L@gridtrue\else\L@gridfalse\fi
13040 \ifLettrineRealHeight\L@realhtrue\else\L@realhfalse\fi
13041 \ifLettrineSelfRef\L@selfreftrue\else\L@selfreffalse\fi
13042 \setkeys{L}{#1}%
13043 \sbox{\L@tbox}{\LettrineTextFont{\LettrineSecondString}}%
13044 \ifL@realh
13045   \def\@tempa{#3}%
13046   \ifx\@tempa\@empty
13047     \PackageWarning{lettrine.sty}%
13048       {Empty second argument,\MessageBreak
13049         ignoring option `realheight';}%
13050   \else
13051     \sbox{\L@tbox}{\LettrineTextFont{#3}}%
13052   \fi
13053 \fi
13054 \if\DefaultOptionsFile\relax
13055 \else
13056   \begingroup
13057   \InputIfFileExists{\DefaultOptionsFile}%
13058     {}%
13059     {\PackageWarning{lettrine.sty}%
13060       {File \DefaultOptionsFile\space not found}}%
13061   }%
13062   \def\color##1##{\l@color{##1}}%
13063   \let\l@color\@gobbletwo
13064   \def\textcolor##1##{\l@textcolor{##1}}%
13065   \def\l@textcolor##1##2##3{##3}%
13066   \expandafter\ifx\csname l@#2-keys\endcsname\relax
13067     \gdef\l@LOKeys{%
13068       \else
13069       \xdef\l@LOKeys{\csname l@#2-keys\endcsname}%
13070     \fi
13071   \endgroup
13072   \def\KV@prefix{KV@L@}%
13073   \let\@tempc\relax
13074   \expandafter\KV@do\l@LOKeys,\relax,
13075   \setupL@lbox
13076   \setlength{\LettrineWidth}{\wd\L@lbox}%
13077   \def\KV@prefix{KV@L@}%
13078   \let\@tempc\relax
13079   \expandafter\KV@do\l@LOKeys,\relax,

```



```

13080 \setkeys{L}{#1}%
13081 \fi
13082 \setupL@lbox
13083 \setlength{\LettrineWidth}{\wd\L@lbox}%
13084 \setlength{\LettrineHeight}{\ht\L@lbox}%
13085 \setlength{\LettrineDepth}{\dp\L@lbox}%
13086 \begingroup
13087 \def\IeC##1{##1}%
13088 \@tempdima=\L@oversize pt\relax
13089 \PackageInfo{lettrine.sty}%
13090 {Targeted height = \the\L@target@tth\MessageBreak
13091 (no accent, loversize=0),\MessageBreak
13092 Lettrine height = \the\LettrineHeight\space (#2)%
13093 \ifdim\@tempdima=z@\else\space loversize=\L@oversize\fi;%
13094 \MessageBreak reported}%
13095 \endgroup
13096 \sbox{\L@tbox}{\LettrineTextFont{#3}}%
13097 \setlength{\L@first}{\LettrineHeight}%
13098 \setlength{\L@lraise}{\L@raise\L@target@tth}%
13099 \addtolength{\L@first}{\L@lraise}%
13100 \ifnum\value{L@lines}=1
13101 \addtolength{\L@first}{-\ht\L@tbox}%
13102 \else
13103 \addtolength{\L@first}{-\L@target@tth}%
13104 \addtolength{\L@lraise}{-\L@target@dp}%
13105 \fi
13106 \par
13107 \ifdim\L@first>\L@novskip
13108 \ifL@grid
13109 \@tempdima=\baselineskip
13110 \@tempdimb=\@tempdima
13111 \advance\@tempdimb by \L@novskip
13112 \@tempcnta=1
13113 \loop\ifdim\L@first>\@tempdimb
13114 \advance\@tempcnta by 1
13115 \advance\L@first by -\@tempdima
13116 \repeat
13117 \L@first=\@tempcnta\baselineskip
13118 \fi
13119 \vskip\L@first
13120 \fi
13121 \setlength{\L@Pindent}{\wd\L@lbox}%
13122 \addtolength{\L@Pindent}{-\L@hang\wd\L@lbox}%
13123 \settowidth{\L@first}{\L@ante}%
13124 \addtolength{\L@Pindent}{\L@first}%
13125 \addtolength{\L@Pindent}{\L@Findent}%
13126 \setlength{\L@first}{\linewidth}%
13127 \addtolength{\L@first}{-\L@Pindent}%
13128 \addtolength{\L@Nindent}{\L@Pindent}%
13129 \setlength{\L@next}{\linewidth}%

```



```

13130 \addtolength{\L@next}{-\L@Nindent}%
13131 \addtolength{\L@Pindent}{\rightmargin}%
13132 \addtolength{\L@Nindent}{\rightmargin}%
13133 \addtocounter{L@lines}{1}%
13134 \addtocounter{L@lines}{\value{L@depth}}%
13135 \if@RTL
13136   \def\L@parshape{\c@L@lines \z@ \the\L@first}%
13137 \else
13138   \def\L@parshape{\c@L@lines \the\L@Pindent \the\L@first}%
13139 \fi
13140 \@tempcnta=\tw@
13141 \@whilenum \@tempcnta<\c@L@lines\do{%
13142   \if@RTL
13143     \edef\L@parshape{\L@parshape \z@ \the\L@next}%
13144   \else
13145     \edef\L@parshape{\L@parshape \the\L@Nindent \the\L@next}%
13146   \fi
13147   \addtolength{\L@Nindent}{\L@slope}%
13148   \addtolength{\L@next}{-\L@slope}%
13149   \advance\@tempcnta\@ne}%
13150 \if@RTL
13151   \edef\L@parshape{\L@parshape \z@ \the\linewidth}%
13152 \else
13153   \edef\L@parshape{\L@parshape \rightmargin \the\linewidth}%
13154 \fi
13155 \noindent
13156 \parshape=\L@parshape\relax
13157 \smash{\llap{\mbox{\L@ante}\raisebox{\L@lraise}{\usebox{\L@lbox}}}%
13158   \hskip \the\L@Findent}}%
13159 \usebox{\L@tbox}%
13160 }

```

75 File lineno-xetex-bidi.def

```

13161 \ProvidesFile{lineno-xetex-bidi.def}[2018/01/28 v0.2 bidi adaptations for lineno package for X
13162 \bidi@patchcmd{\MakeLineNo}{%
13163   \hb@xt@\z@{\makeLineNumber}%
13164 }{%
13165   \hboxL to \z@{\makeLineNumber}%
13166 }{}{}
13167
13168 \bidi@patchcmd{\makeLineNumberLeft}{\LineNumber}{%
13169   \if@RTL
13170     \hb@xt@\linewidthwidth{\LineNumber\hss}%
13171   \else
13172     \LineNumber
13173   \fi
13174 }{}{}
13175
13176 \bidi@patchcmd{\makeLineNumberRight}{%

```




```

13177 \hb@xt@\linenumberwidth{\hss\LineNumber}%
13178 }{%
13179 \if@RTL
13180 \LineNumber
13181 \else
13182 \hb@xt@\linenumberwidth{\hss\LineNumber}%
13183 \fi
13184 }{}{}
13185
13186 \bidi@AfterPreamble{%
13187 \if@RTLmain
13188 \rightlinenumbers*
13189 \else
13190 \leftlinenumbers*
13191 \fi
13192 \@ifpackagewith{lineno}{left}{%
13193 \leftlinenumbers*
13194 }{}
13195 \@ifpackagewith{lineno}{right}{%
13196 \rightlinenumbers*
13197 }{}
13198 }
13199

```

76 File listings-xetex-bidi.def

```

13200 \ProvidesFile{listings-xetex-bidi.def}[2018/09/15 v1.5 bidi adaptations for listings package]
13201 \lst@Key{captiondirection}{texdirection}{%
13202 \lstKV@SwitchCases{#1}%
13203 {texdirection:\\%
13204 RTL:\chardef\bidi@lst@caption@direction\@ne\\%
13205 LTR:\chardef\bidi@lst@caption@direction\z@%
13206 }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
13207
13208 \lst@Key{captionscript}{textscript}{%
13209 \lstKV@SwitchCases{#1}%
13210 {textscript:\\%
13211 latin:\chardef\bidi@lst@caption@script\@ne\\%
13212 nonlatin:\chardef\bidi@lst@caption@script\z@%
13213 }{\PackageError{Listings}{direction #1 unknown}\@ehc}}
13214
13215 \newcommand*\bidi@lst@ensure@caption@direction[2]{%
13216 \@ifundefined{bidi@lst@caption@direction}{%
13217 \ifnum\bidi@lst@caption@direction=\z@%
13218 #1%
13219 \else%
13220 \ifnum\bidi@lst@caption@direction=\@ne%
13221 #2%
13222 \fi%
13223 \fi%

```



```

13224 }}
13225
13226 \newcommand*{\bidi@lst@ensure@caption@script}[2]{%
13227   \@ifundefined{bidi@lst@caption@script}{}{%
13228     \ifnum\bidi@lst@caption@script=\z@%
13229       #1%
13230     \else%
13231       \ifnum\bidi@lst@caption@script=\@ne%
13232         #2%
13233       \fi%
13234     \fi%
13235 }}
13236
13237 \long\def\bidi@lst@makecaption#1#2{%
13238   \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
13239   \vskip\abovecaptionskip
13240   \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13241   \sbox\@tempboxa{%
13242     \bidi@lst@ensure@caption@direction{\beginL}{\beginR}%
13243     #1: #2%
13244     \bidi@lst@ensure@caption@direction{\endL}{\endR}%
13245   }%
13246   \ifdim \wd\@tempboxa >\hsize
13247     #1: #2\par
13248   \else
13249     \global \@minipagefalse
13250     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
13251   \fi
13252   \vskip\belowcaptionskip}%
13253 \def\lst@makecaption{\@bidi@lst@makecaption}
13254 \def\lst@maketitle{\@bidi@lst@makecaption\lst@title@dropdelim}
13255 \bidi@AtEndPreamble{%
13256 \bidi@patchcmd{\lst@MakeCaption}{%
13257   \ifx #1%
13258     \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
13259       \expandafter\refstepcounter
13260     \fi {lstlisting}%
13261 }{%
13262   \ifx #1%
13263     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13264     \ifx\lst@@caption\@empty\expandafter\lst@HRefStepCounter \else
13265       \expandafter\refstepcounter
13266     \fi {lstlisting}%
13267     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLfalse}%
13268 }{}%
13269 \bidi@patchcmd{\lst@MakeCaption}{%
13270   \addcontentsline{lol}{lstlisting}%
13271   {\protect\numberline{\thelstlisting}\lst@@caption}%
13272 }{}%
13273 \begingroup%

```



```

13274             \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13275             \addcontentsline{lol}{lstlisting}%
13276                 {\protect\numberline{\thelstlisting}\lst@caption}%
13277 \endgroup%
13278 }{}{}%
13279 }
13280 \@ifpackageloaded{caption}{%
13281   \AtBeginCaption{%
13282     \bidi@lst@ensure@caption@script{\@nonlatintrue}{\@nonlatinfalse}%
13283     \bidi@lst@ensure@caption@direction{\@RTLfalse}{\@RTLtrue}%
13284   }
13285   \let\bidi@lst@makecaption\caption@makecaption%
13286   \def\lst@makecaption{\caption@starfalse\bidi@lst@makecaption}%
13287   \def\lst@maketitle{\caption@startrue\bidi@lst@makecaption\empty}%
13288 }{}%
13289 \AtBeginDocument{%
13290   \@ifundefined{captionlabelfalse}{%{}%
13291     \def\lst@maketitle{\captionlabelfalse\bidi@lst@makecaption\empty}}%
13292   \@ifundefined{caption@startrue}{%{}%
13293     \def\lst@maketitle{\caption@startrue\bidi@lst@makecaption\empty}}%
13294 }{}%
13295 }
13296 \AtBeginDocument{
13297   \@ifundefined{thechapter}{\let\lst@ifnumberbychapter\iffalse}{}
13298   \lst@ifnumberbychapter
13299     \gdef\thelstlisting%
13300       {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@lstlisting}
13301   \else
13302     \gdef\thelstlisting{\@arabic\c@lstlisting}
13303   \fi}

```

77 File loadingorder-xetex-bidi.def

```

13304 \ProvidesFile{loadingorder-xetex-bidi.def}[2017/12/29 v0.97 making sure that bidi is the last
13305 \bidi@isloaded{amsmath}
13306 \bidi@isloaded{amstext}
13307 \bidi@isloaded{amsthm}
13308 \bidi@isloaded{animate}
13309 \bidi@isloaded{breqn}
13310 \bidi@isloaded{cals}
13311 \bidi@isloaded{caption}
13312 \bidi@isloaded{crop}
13313 \bidi@isloaded{cuted}
13314 \bidi@isloaded{cutwin}
13315 \bidi@isloaded{color}
13316 \bidi@isloaded{dblfnote}
13317 \bidi@isloaded{diagbox}
13318 \bidi@isloaded{xcolor}
13319 \bidi@isloaded{colortbl}
13320 \bidi@isloaded{float}

```



```

13321 \bidi@isloaded{floatrow}
13322 \bidi@isloaded{flowfram}
13323 \bidi@isloaded{framed}
13324 \bidi@isloaded{ftnright}
13325 \bidi@isloaded{xltextra}
13326 \bidi@isloaded{xunicode}
13327 \bidi@isloaded{wrapfig}
13328 \bidi@isloaded{graphicx}
13329 \bidi@isloaded{geometry}
13330 \bidi@isloaded{hvfloat}
13331 \bidi@isloaded{mdframed}
13332 \bidi@isloaded{midfloat}
13333 \bidi@isloaded{ntheorem}
13334 \bidi@isloaded{ntheorem-hyper}
13335 \bidi@isloaded{hyperref}
13336 \bidi@isloaded{fancybox}
13337 \bidi@isloaded{fancyhdr}
13338 \bidi@isloaded{fix2col}
13339 \bidi@isloaded{draftwatermark}
13340 \bidi@isloaded{empheq}
13341 \bidi@isloaded{overpic}
13342 \bidi@isloaded{pdfpages}
13343 \bidi@isloaded{listings}
13344 \bidi@isloaded{lettrine}
13345 \bidi@isloaded{lineno}
13346 \bidi@isloaded{media9}
13347 \bidi@isloaded{pstricks}
13348 \bidi@isloaded{pgf}
13349 \bidi@isloaded{picinpar}
13350 \bidi@isloaded{quotchap}
13351 \bidi@isloaded{tikz}
13352 \bidi@isloaded{titlesec}
13353 \bidi@isloaded{titletoc}
13354 \bidi@isloaded{array}
13355 \bidi@isloaded{soul}
13356 \bidi@isloaded{stabular}
13357 \bidi@isloaded{subfig}
13358 \bidi@isloaded{subfigure}
13359 \bidi@isloaded{supertabular}
13360 \bidi@isloaded{xtab}
13361 \bidi@isloaded{longtable}
13362 \bidi@isloaded{arydshln}
13363 \bidi@isloaded{multicol}
13364 \bidi@isloaded{multienum}
13365 \bidi@isloaded{minitoc}
13366 \bidi@isloaded{natbib}
13367 \bidi@isloaded{newfloat}
13368 \bidi@isloaded{ragged2e}
13369 \bidi@isloaded{rotating}
13370 \bidi@isloaded{tabls}

```



```

13371 \bidi@isloaded{tabularray}
13372 \bidi@isloaded{tocbasic}
13373 \bidi@isloaded{tocstyle}
13374 \bidi@isloaded{tocbibind}
13375 \bidi@isloaded{fontspec}
13376 \bidi@isloaded{arabxetex}
13377 \bidi@isloaded{polyglossia}
13378 \bidi@isloaded{fancyvrb}
13379 \AtBeginDocument{
13380   \if@bidi@amsmathloaded@ \else
13381     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsmath after bidi package}{}]
13382   \fi%
13383   \if@bidi@amstextloaded@ \else
13384     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amstext after bidi package}{}]
13385   \fi%
13386   \if@bidi@amsthmloaded@ \else
13387     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package amsthm after bidi package}{}]
13388   \fi%
13389   \if@bidi@animateloaded@ \else
13390     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package animate after bidi package}{}]
13391   \fi%
13392   \if@bidi@breqnloaded@ \else
13393     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package breqn after bidi package}{}]
13394   \fi%
13395   \if@bidi@calsloaded@ \else
13396     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cals after bidi package}{}]
13397   \fi%
13398   \if@bidi@captionloaded@ \else
13399     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package caption after bidi package}{}]
13400   \fi%
13401   \if@bidi@croplloaded@ \else
13402     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package crop after bidi package}{}]
13403   \fi%
13404   \if@bidi@colorloaded@ \else
13405     \@ifpackageloaded{hyperref}{\fi}%
13406     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package color after bidi package}{}]
13407   \fi%
13408   \if@bidi@cutwinloaded@ \else
13409     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cutwin after bidi package}{}]
13410   \fi%
13411     \if@bidi@cutedloaded@ \else
13412       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package cuted after bidi package}{}]
13413     \fi%
13414     \if@bidi@dblfnoteloaded@ \else
13415       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package dblfnote after bidi package}{}]
13416     \fi%
13417     \if@bidi@diagboxloaded@ \else
13418       \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package diagbox after bidi package}{}]
13419     \fi%
13420     \if@bidi@xcolorloaded@ \else

```



```

13421 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xcolor after bidi package
13422 \fi%
13423 \if@bidi@colortblloaded@else
13424 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package colortbl after bidi packa
13425 \fi%
13426 \if@bidi@floatloaded@else
13427 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package float after bidi package
13428 \fi%
13429 \if@bidi@floatrowloaded@else
13430 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package floatrow after bidi packa
13431 \fi%
13432 \if@bidi@flowframloaded@else
13433 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package flowfram after bidi packa
13434 \fi%
13435 \if@bidi@framedloaded@else
13436 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package framed after bidi package
13437 \fi%
13438 \if@bidi@ftnrightloaded@else
13439 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ftnright after bidi packa
13440 \fi%
13441 \if@bidi@xltxtraloaded@else
13442 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xltxtra after bidi packa
13443 \fi%
13444 \if@bidi@xunicodeloaded@else
13445 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xunicode after bidi packa
13446 \fi%
13447 \if@bidi@wrapfigloaded@else
13448 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package wrapfig after bidi packa
13449 \fi%
13450 \if@bidi@graphicxloaded@else
13451 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package graphicx after bidi packa
13452 \fi%
13453 \if@bidi@geometryloaded@else
13454 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package geometry after bidi packa
13455 \fi%
13456 \if@bidi@hvfloatloaded@else
13457 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hvfloat after bidi packa
13458 \fi%
13459 \if@bidi@mdframedloaded@else
13460 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package mdframed after bidi packa
13461 \fi%
13462 \if@bidi@midfloatloaded@else
13463 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package midfloat after bidi packa
13464 \fi%
13465 \if@bidi@ntheoremloaded@else
13466 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ntheorem after bidi packa
13467 \fi%
13468 \if@bidi@hyperrefloaded@else
13469 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package hyperref after bidi packa
13470 \fi%

```



```

13471 \if@bidi@fancyboxloaded@else
13472 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancybox after bidi packa
13473 \fi%
13474 \if@bidi@fancyhdrloaded@else
13475 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyhdr after bidi packa
13476 \fi%
13477 \if@bidi@draftwatermarkloaded@else
13478 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package draftwatermark after bid
13479 \fi%
13480 \if@bidi@empheqloaded@else
13481 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package empheq after bidi package
13482 \fi%
13483 \if@bidi@overpicloaded@else
13484 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package overpic after bidi packag
13485 \fi%
13486 \if@bidi@pdfpagesloaded@else
13487 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pdfpages after bidi packa
13488 \fi%
13489 \if@bidi@lettrineloaded@else
13490 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lettrine after bidi packa
13491 \fi%
13492 \if@bidi@linenoloaded@else
13493 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package lineno after bidi package
13494 \fi%
13495 \if@bidi@listingsloaded@else
13496 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package listings after bidi packa
13497 \fi%
13498 \csname if@bidi@media9loaded@endcsname\else
13499 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package media9 after bidi package
13500 \fi%
13501 \if@bidi@pstricksloaded@else
13502 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pstricks after bidi packa
13503 \fi%
13504 \if@bidi@pgfloaded@else
13505 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package pgf after bidi package.
13506 \fi%
13507 \if@bidi@picinparloaded@else
13508 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package picinpar after bidi packa
13509 \fi%
13510 \if@bidi@quotchaploaded@else
13511 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package quotchap after bidi packa
13512 \fi%
13513 \if@bidi@tikzloaded@else
13514 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tikz after bidi package.
13515 \fi%
13516 \if@bidi@titlesecloaded@else
13517 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titlesec after bidi packa
13518 \fi%
13519 \if@bidi@titletocloaded@else
13520 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package titletoc after bidi packa

```



```

13521 \fi%
13522 \if@bidi@arrayloaded@else
13523   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package array after bidi package.
13524 \fi%
13525 \if@bidi@stabularloaded@else
13526   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package stabular after bidi packa
13527 \fi%
13528 \if@bidi@soulloaded@else
13529   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package soul after bidi package.
13530 \fi%
13531 \if@bidi@subfigloaded@else
13532   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfig after bidi package
13533 \fi%
13534 \if@bidi@subfigureloaded@else
13535   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package subfigure after bidi pack
13536 \fi%
13537 \if@bidi@supertabularloaded@else
13538   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package supertabular after bidi p
13539 \fi%
13540 \if@bidi@xtabloaded@else
13541   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package xtab after bidi package.
13542 \fi%
13543 \if@bidi@longtableloaded@else
13544   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package longtable after bidi pack
13545 \fi%
13546 \if@bidi@arydshlnloaded@else
13547   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arydshln after bidi packa
13548 \fi%
13549 \if@bidi@multicolloaded@else
13550   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multicol after bidi packa
13551 \fi%
13552 \if@bidi@multienumloaded@else
13553   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package multienum after bidi pack
13554 \fi%
13555 \if@bidi@minitocloaded@else
13556   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package minitoc after bidi packa
13557 \fi%
13558 \if@bidi@natbibloaded@else
13559   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package natbib after bidi package
13560 \fi%
13561   \if@bidi@newfloatloaded@else
13562     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package newfloat after bidi packa
13563 \fi%
13564 \csname if@bidi@ragged2eloaded@endcsname\else
13565   \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package ragged2e after bidi packa
13566 \fi%
13567   \if@bidi@rotatingloaded@else
13568     \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package rotating after bidi packa
13569 \fi%
13570 \if@bidi@tblsloaded@else

```




```

13571 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabs after bidi package
13572 \fi%
13573 \if@bidi@tabularyloaded@else
13574 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tabulary after bidi packa
13575 \fi%
13576 \if@bidi@tocbasicloaded@else
13577 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbasic after bidi packa
13578 \fi%
13579 \if@bidi@tocstyleloaded@else
13580 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocstyle after bidi packa
13581 \fi%
13582 \if@bidi@tocbibindloaded@else
13583 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package tocbibind after bidi pack
13584 \fi%
13585 \if@bidi@fontspecloaded@else
13586 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fontspec after bidi packa
13587 \fi%
13588 \if@bidi@arabxetexloaded@else
13589 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package arabxetex after bidi pack
13590 \fi%
13591 \if@bidi@polyglossialoaded@else
13592 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package polyglossia after bidi p
13593 \fi%
13594 \if@bidi@fancyvrbloaded@else
13595 \bidi@isloaded[\PackageError{bidi}{Oops! you have loaded package fancyvrb after bidi packa
13596 \fi%
13597 }

```

78 File longtable-xetex-bidi.def

```

13598 \ProvidesFile{longtable-xetex-bidi.def}[2016/09/09 v0.4 bidi adaptations for longtable package]
13599 \def\LT@array[#1]#2{%
13600 \refstepcounter{table}\stepcounter{LT@tables}%
13601 \if l#1%
13602 \if@RTLtab\LTleft\fill \LTright\z@\else\LTleft\z@ \LTright\fill\fi
13603 \else\if r#1%
13604 \if@RTLtab\LTleft\z@ \LTright\fill\else\LTleft\fill \LTright\z@\fi
13605 \else\if c#1%
13606 \LTleft\fill \LTright\fill
13607 \fi\fi\fi
13608 \let\LT@mcol\multicolumn
13609 \let\LT@@tabarray\@tabarray
13610 \let\LT@ohl\hline
13611 \def\@tabarray{%
13612 \let\hline\LT@ohl
13613 \LT@@tabarray}%
13614 \let\\LT@tabularcr\let\tabularnewline\\
13615 \def\newpage{\noalign{\break}}%
13616 \def\pagebreak{\noalign{\ifnum`}=0\fi\@testopt{\LT@no@pgbk-}4}%
13617 \def\nopagebreak{\noalign{\ifnum`}=0\fi\@testopt{LT@no@pgbk4}%

```



```

13618 \let\hline\LT@hline \let\kill\LT@kill\let\caption\LT@caption
13619 \@tempdima\ht\strutbox
13620 \let\@endpbox\LT@endpbox
13621 \ifx\extrarowheight\@undefined
13622   \let\@acol\@tabacol
13623   \let\@classz\@tabclassz \let\@classiv\@tabclassiv
13624   \def\@startpbox{\vtop\LT@startpbox}%
13625   \let\@startpbox\@startpbox
13626   \let\@endpbox\@endpbox
13627   \let\LT@LL@FM@cr\@tabularcr
13628 \else
13629   \advance\@tempdima\extrarowheight
13630   \col@sep\@tabcolsep
13631   \let\@startpbox\LT@startpbox\let\LT@LL@FM@cr\@arraycr
13632 \fi
13633 \setbox\@arstrutbox\hbox{\vrule
13634   \@height \arraystretch \@tempdima
13635   \@depth \arraystretch \dp \strutbox
13636   \@width \z@}%
13637 \let\@sharp##\let\protect\relax
13638 \begingroup
13639   \mkpream{#2}%
13640   \xdef\LT@bchunk{%
13641     \global\advance\c@LT@chunks\@ne
13642     \global\LT@rows\z@\setbox\z@\vbox\bgroup
13643       \LT@setprevdepth
13644       \tabskip\LTleft \noexpand\halign to\hsize\bgroup
13645       \tabskip\z@ \@arstrut \@preamble \tabskip\LTRight \cr}%
13646   \endgroup
13647   \expandafter\LT@nofcols\LT@bchunk&\LT@nofcols
13648   \LT@make@row
13649   \m@th\let\par\@empty
13650   \everycr{}\lineskip\z@baselineskip\z@
13651   \LT@bchunk}
13652 \def\LT@makecaption#1#2#3{%
13653   \LT@mc@col\LT@cols c{\hbox to\z@{\hss\parbox[t]\LT@capwidth{%
13654     \sbox\@tempboxa{\if@RTL\beginR\fi#1{#2: }#3\if@RTL\endR\fi}%
13655     \ifdim\wd\@tempboxa>\hsize
13656       #1{#2: }#3%
13657     \else
13658       \hbox to\hsize{\hfil\box\@tempboxa\hfil}%
13659     \fi
13660     \endgraf\vskip\baselineskip}%
13661   \hss}}
13662 \ifpackageloaded{caption}{%
13663   \renewcommand\LT@makecaption[3]{%
13664     \caption@LT@make{%
13665       \caption@settype*\LT@captype
13666       \ifdim\LT@capwidth=4in \else
13667         \setcaptionwidth\LT@capwidth

```



```

13668 \fi
13669 \caption@setoptions{longtable}%
13670 \caption@setoptions{@longtable}%
13671 \caption@LT@setup
13672 \caption@setautoposition{\ifcase\LT@rows t\else b\fi}%
13673 \caption@startrue#1\caption@starfalse
13674 \caption@prepare@stepcounter\LTcaptiontype{LT}%
13675 \caption@begin\LTcaptiontype
13676 \caption@normalsize
13677 \vskip-\ht\strutbox
13678 \caption@iftop{\vskip\belowcaptionskip}{\vskip\abovecaptionskip}%
13679 \caption@@make{#2}{#3}\endgraf
13680 \caption@iftop{\vskip\abovecaptionskip}{\vskip\belowcaptionskip}%
13681 \caption@end}}%
13682 }{}
13683 \def\LT@startpbox#1{%
13684 \bgroup
13685 \let\@footnotetext\LT@p@ftntext
13686 \let\@LTrfootnotetext\LT@p@LTrftntext
13687 \let\@RTLfootnotetext\LT@p@RTLftntext
13688 \setlength\hsize{#1}%
13689 \@arrayparboxrestore
13690 \vrule \@height \ht\@arstrutbox \@width \z@}
13691 \def\LT@p@LTrftntext#1{%
13692 \edef\@tempa{\the\LT@p@ftn\noexpand\LTrfootnotetext[\the\c@footnote]}%
13693 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
13694 \def\LT@p@RTLftntext#1{%
13695 \edef\@tempa{\the\LT@p@ftn\noexpand\RTLfootnotetext[\the\c@footnote]}%
13696 \global\LT@p@ftn\expandafter{\@tempa{#1}}}%
13697
13698
13699 \def\LT@output{%
13700 \ifnum\outputpenalty <-\@Mi
13701 \ifnum\outputpenalty >-\LT@end@pen
13702 \LT@err{floats and marginpars not allowed in a longtable}\@ehc
13703 \else
13704 \setbox\z@\vbox{\unvbox\@cclv}%
13705 \ifdim \ht\LT@lastfoot>\ht\LT@foot
13706 \dimen@ \pagegoal
13707 \advance\dimen@-\ht\LT@lastfoot
13708 \ifdim\dimen@<\ht\z@
13709 \setbox\@cclv\vbox{\unvbox\z@\copy\LT@foot\vss}%
13710 \@makecol
13711 \@outputpage
13712 \setbox\z@\vbox{\box\LT@head}%
13713 \fi
13714 \fi
13715 \global\@colroom\@colht
13716 \global\vsizel\@colht
13717 \vbox

```



```

13718      {\if@RTLtab\hbox\bgroup\beginR\ vbox\bgroup\fi\unvbox\z@\box\ifvoid\LT@lastfoot\LT@foot
13719      \fi
13720      \else
13721      \setbox\@cclv\ vbox{\if@RTLtab\hbox\bgroup\beginR\ vbox\bgroup\fi\unvbox\@cclv\copy\LT@foot
13722      \@makecol
13723      \@outputpage
13724      \global\ vsize\@colroom
13725      \copy\LT@head\nobreak
13726      \fi}

```

79 File mathtools-xetex-bidi.def

```

13727 \ProvidesFile{mathtools-xetex-bidi.def}[2018/01/07 v0.1 bidi adaptations for mathtools package]
13728 \MHInternalSyntaxOn
13729 \def\MT_define_tagform:nwnn #1[#2]#3#4{
13730   \@namedef{MT_tagform_#1:n}##1
13731   {\maketag@@@{\if@nonlatin\beginR\fi#3\kern\z@\ignorespaces#2{##1}\unskip\@italiccorr#4\i
13732 }
13733 \renewtagform{default}{\{()\}}
13734 \MHInternalSyntaxOff

```

80 File mdframed-xetex-bidi.def

```

13735 \ProvidesFile{mdframed-xetex-bidi.def}[2013/09/22 v0.4 bidi adaptations for mdframed package]
13736 \newif\if@bidi@mdf@RTL
13737 \def\mdf@lrbox#1{%
13738   \mdf@patchamsthm\patch amsthm
13739   \if@RTL\@bidi@mdf@RTLtrue\fi%
13740   \@RTLfalse%
13741   \setbox#1\ vbox\bgroup%
13742   \color@begingroup%
13743   \if@bidi@mdf@RTL\@RTLtrue\fi%
13744   \mdf@horizontalmargin@equation%
13745   \columnwidth=\ hsize%
13746   \textwidth=\ hsize%
13747   \let\if@nobreak\iffalse%
13748   \let\if@noskipsec\iffalse%
13749   \let\par\@par%
13750   \let\-\@dischyph%
13751   \let'\@acci\let\` \@accii\let\=\@acciii%
13752   \parindent\z@ \parskip\z@skip%
13753   \linewidth\ hsize%
13754   \@totalleftmargin\z@%
13755   \leftskip\z@skip \rightskip\z@skip \@rightskip\z@skip%
13756   \parfillskip\@flushglue \lineskip\normallineskip%
13757   \baselineskip\normalbaselineskip%
13758 %% \sloppy%
13759   \let\\\@normalcr%
13760   \mdf@par@local%New feature to restore parskip/parindent local in save box
13761   \ifbool{mdf@suppressfirstparskip}{\vspace*{-\parskip}}{}%

```



```

13762     \@afterindentfalse%
13763     %\@afterheading%
13764 }
13765 \renewrobustcmd\mdfframedtitleenv[1]{%
13766     \mdf@lrbox{\mdf@frametitlebox}%
13767     \mdf@frametitlealignment%
13768     \leavevmode{\color{\mdf@frametitlefontcolor}%
13769         \normalfont\mdf@frametitlefont{#1}
13770     \ifbool{mdf@ignorelastdescenders}%
13771         {%
13772             \par\strut\par
13773             \unskip\unskip\setbox0=\lastbox
13774             \vspace*{\dimexpr\ht\strutbox-\baselineskip\relax}%
13775         }{}}%
13776     \par\unskip\ifvmode\nointerlineskip\hrule \@height\z@ \@width\hsize\fi%%
13777     \endmdf@lrbox\relax%
13778     \mdf@ignorevbadness%
13779     \setbox\mdf@frametitlebox=\vbox{\unvbox\mdf@frametitlebox}%
13780     \mdfframetitleboxwidth=\wd\mdf@frametitlebox\relax%
13781     \mdfframetitleboxheight=\ht\mdf@frametitlebox\relax%
13782     \mdfframetitleboxdepth=\dp\mdf@frametitlebox\relax%
13783     \mdfframetitleboxtotalheight=\dimexpr
13784         \ht\mdf@frametitlebox
13785         +\dp\mdf@frametitlebox%
13786         +\mdf@frametitleaboveskip@length
13787         +\mdf@frametitlebelowskip@length
13788         \relax%
13789 }
13790
13791 \renewrobustcmd*\mdf@footnoteoutput{%
13792     \ifvoid\@mpfootins\else%
13793         \nobreak%
13794         \vskip\mdf@footnotedistance@length%
13795         \normalcolor%
13796         \bidi@mpfootnoterule%
13797         \unvbox\@mpfootins%
13798     \fi%
13799 }
13800
13801
13802 \renewrobustcmd*\mdf@footnoteinput{%
13803     \def\@mpfn{mpfootnote}%
13804     \def\thempfn{\thempfootnote}%
13805     \c@mpfootnote\z@%
13806     \let\@footnotetext\@mpfootnotetext%
13807     \let\@LTRfootnotetext\@mpLTRfootnotetext%
13808     \let\@RTLfootnotetext\@mpRTLfootnotetext%
13809 }

```



81 File bidi-media9.sty

```

13810 \ProvidesExplPackage{bidi-media9}{2017/08/27}{0.3}
13811 {bidi fixes for media9 package for the XeTeX engine}
13812
13813 \keys_define:nn{media9/mbtn}{
13814   draft .code:n = {},
13815   final .code:n = {},
13816
13817   tooltip .tl_gset_x:N = \g_mix_tooltip_tl,
13818   tooltip .value_required:n = {true},
13819
13820   overface .code:n = {
13821     \sbox\l_mix_poster_box{
13822       \bool_if:NTF\g_pbs_landscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
13823     \mix_pdfxform:n{\l_mix_poster_box}
13824     \tl_gset:Nx\g_mix_overbtn_tl{\mix_pdflastxform:}
13825   },
13826   overface .value_required:n = {true},
13827
13828   downface .code:n = {
13829     \sbox\l_mix_poster_box{
13830       \bool_if:NTF\g_pbs_landscape_bool{\rotatebox{90}{#1}}{\if@RTL\beginR\fi#1\if@RTL\endR\fi}}
13831     \mix_pdfxform:n{\l_mix_poster_box}
13832     \tl_gset:Nx\g_mix_downbtn_tl{\mix_pdflastxform:}
13833   },
13834   downface .value_required:n = {true},
13835
13836   3Dgotoview .code:n = {
13837     \tl_set:Nx\l_tmpa_tl{#1} %extract ref
13838     \regex_replace_once:nnN{([~:]+):??.*}{\1}\l_tmpa_tl
13839     \tl_trim_spaces:N\l_tmpa_tl
13840     \tl_if_exist:cTF{ann@\l_tmpa_tl}{
13841       \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
13842         \tl_set:Nx\l_tmpb_tl{#1} %extract idx
13843         \regex_replace_once:nnN{([~:]+):?}{\1}\l_tmpb_tl
13844         \tl_trim_spaces:N\l_tmpb_tl
13845         \tl_if_blank:VF\l_tmpb_tl{
13846           \regex_match:nVTF{^[DFLNP]$}\l_tmpb_tl{
13847             \tl_set:Nx\l_mix_vidx_tl{/\l_tmpb_tl}
13848           }{
13849             \regex_match:nVTF{^~\d+}$}\l_tmpb_tl{
13850               \tl_set:Nx\l_mix_vidx_tl{~\l_tmpb_tl}
13851             }{
13852               \regex_replace_once:nnN{^~(\s*)}{\1}\l_tmpb_tl
13853               \regex_replace_once:nnN{(\s*)$}{\1}\l_tmpb_tl
13854               \tl_set:Nx\l_mix_vidx_tl{~(\l_tmpb_tl)}
13855             }
13856           }
13857         }

```



```

13858 \mix_pdfobj:nnn{}{dict}{
13859 /S/JavaScript/JS~(
13860   if(typeof(annotRM)=='undefined'){annotRM=new-Array();}
13861   if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
13862     annotRM['\l_tmpa_tl']=
13863     this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
13864   }
13865   annotRM['\l_tmpa_tl'].activated=true;
13866 )
13867 \tl_if_blank:VF\l_tmpb_tl{
13868 /Next~<<
13869 /S/GoTo3DView
13870 /TA~\tl_use:c{ann@\l_tmpa_tl}
13871 /V\l_mix_vidx_tl
13872 >>
13873 }
13874 }
13875 \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
13876 }
13877 }{
13878 \msg_warning:nnx{media9}{undefined~reference}{\l_tmpa_tl}
13879 \cs_if_exist:NF\g_mix_refundefwarned_tl{
13880 \tl_new:N\g_mix_refundefwarned_tl
13881 \AtEndDocument{\msg_warning:nn{media9}{undefined~references}}
13882 }
13883 }
13884 },
13885 3Dgotoview .value_required:n = {true},
13886
13887 mediacommand .code:n = {
13888 \tl_set:Nx\l_tmpa_tl{#1}
13889 \regex_replace_once:nnN{([~:])+:??.*}{\1}\l_tmpa_tl %extract ref
13890 \tl_trim_spaces:N\l_tmpa_tl
13891 \tl_if_exist:cTF{ann@\l_tmpa_tl}{
13892 \str_if_eq_x:nnF{\tl_use:c{ann@\l_tmpa_tl}}{draft}{
13893 \tl_set:Nx\l_tmpb_tl{#1}
13894 \regex_replace_once:nnN{[~:]+\?:}{\1}\l_tmpb_tl
13895 \tl_trim_spaces:N\l_tmpb_tl
13896 \regex_replace_all:nnN{^{\|}\$}{\1}\l_tmpb_tl
13897 \tl_set:Nx\l_mix_cmd_tl{
13898 \exp_after:wN\mix_separate_cmd_from_actn:w\l_tmpb_tl[]\q_stop}
13899 \tl_trim_spaces:N\l_mix_cmd_tl
13900 \tl_set:Nx\l_mix_arg_tl{
13901 \exp_after:wN\mix_separate_arg_from_actn:w\l_tmpb_tl[]\q_stop}
13902 \tl_trim_spaces:N\l_mix_arg_tl
13903 \mix_pdfobj:nnn{}{dict}{
13904 /S/JavaScript/JS~(
13905   if(typeof(annotRM)=='undefined'){annotRM=new-Array();}
13906   if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
13907     annotRM['\l_tmpa_tl']=

```



```

13908         this.getAnnotRichMedia(\tl_use:c{page@l_tmpa_tl},'l_tmpa_tl');
13909     }
13910     annotRM['l_tmpa_tl'].activated=true;
13911 )
13912 \tl_if_blank:VF\l_mix_cmd_tl{
13913     /Next~<<
13914     /S/RichMediaExecute
13915     /TA~\tl_use:c{ann@l_tmpa_tl}
13916     /TI~\tl_use:c{main@l_tmpa_tl}
13917     /CMD~<<
13918     /C~(\l_mix_cmd_tl)
13919     \tl_if_blank:VF\l_mix_arg_tl{
13920         /A~[\l_mix_arg_tl]
13921     }
13922     >>
13923 >>
13924 }
13925 }
13926 \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
13927 }
13928 }{
13929     \msg_warning:nnx{media9}{undefined-reference}{l_tmpa_tl}
13930     \cs_if_exist:NF\g_mix_refundefwarned_tl{
13931         \tl_new:N\g_mix_refundefwarned_tl
13932         \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
13933     }
13934 }
13935 },
13936 mediacommand .value_required:n = {true},
13937
13938 jsaction .code:n = {
13939     \tl_set:Nx\l_tmpa_tl{#1}
13940     \regex_match:nVTF{^[^{}:]+.*$}\l_tmpa_tl{
13941         \regex_replace_once:nnN{([{}:]+):??.*}{\1}\l_tmpa_tl %extract ref
13942         \tl_trim_spaces:N\l_tmpa_tl
13943     }{\tl_clear:N\l_tmpa_tl}
13944     \tl_set:Nx\l_tmpb_tl{#1}
13945     \tl_if_blank:VF\l_tmpa_tl{
13946         \tl_if_exist:cF{ann@l_tmpa_tl}{
13947             \msg_warning:nnx{media9}{undefined-reference}{l_tmpa_tl}
13948             \cs_if_exist:NF\g_mix_refundefwarned_tl{
13949                 \tl_new:N\g_mix_refundefwarned_tl
13950                 \AtEndDocument{\msg_warning:nn{media9}{undefined-references}}
13951             }
13952         }
13953         \regex_replace_once:nnN{[{}:]+\:}{\1}\l_tmpb_tl
13954     }
13955     \tl_set:Nx\l_tmpb_tl{\exp_after:wN\use:n\l_tmpb_tl}
13956     \tl_trim_spaces:N\l_tmpb_tl
13957     \tl_if_blank:VF\l_tmpb_tl{

```




```

13958 \mix_pdfobj:nnn{}{dict}{
13959 /S/JavaScript/JS~(
13960   try{\l_tmpb_tl}catch(e){console.show();console.println(e)}}}
13961 \bool_lazy_and:nnT{
13962   \tl_if_exist_p:c{ann@\l_tmpa_tl}
13963 }{
13964   !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
13965 }{
13966   \mix_pdfobj:nnn{}{dict}{
13967     /S/JavaScript/JS~(
13968       if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
13969       if(typeof(annotRM['\l_tmpa_tl'])=='undefined'){
13970         annotRM['\l_tmpa_tl']=
13971         this.getAnnotRichMedia(\tl_use:c{page@\l_tmpa_tl},'\l_tmpa_tl');
13972       }
13973       annotRM['\l_tmpa_tl'].activated=true;
13974     )
13975     \tl_if_blank:VF\l_tmpb_tl{/Next~\mix_pdflastobj:}
13976   }
13977 }
13978 \bool_if:nT{
13979   \bool_lazy_and_p:nn{
13980     \tl_if_exist_p:c{ann@\l_tmpa_tl}
13981   }{
13982     !\str_if_eq_x_p:nn{\tl_use:c{ann@\l_tmpa_tl}}{draft}
13983   }
13984   || !\tl_if_blank_p:V\l_tmpb_tl
13985 }{
13986   \tl_gput_right:Nx\g_mix_btnactions_tl{~\mix_pdflastobj:}
13987 }
13988 },
13989 jsaction .value_required:n = {true},
13990
13991 unknown .code:n = {
13992   \msg_error:nnx{media9}{unknown~option}{\l_keys_key_tl}
13993 }
13994 }
13995
13996 \RenewDocumentCommand\includemedia{0{}mm}{%#1 options, #2 text/image #3 media file
13997 \mix_uriend:
13998 \group_begin:
13999 \mix_beginLTR:
14000 \leavevmode
14001 %empty stream as appearance dummy
14002 \cs_if_exist:NF\g_mix_appearance_tl{
14003   \hbox_set:Nn\l_mix_poster_box{\phantom{\rule{1pt}{1pt}}}}
14004   \mix_pdfxform:n{\l_mix_poster_box}
14005   \tl_gset:Nx\g_mix_appearance_tl{\mix_pdflastxform:}
14006 }
14007 \mix_reset:

```



```

14008 \mix_uribegin: %treat URI characters correctly
14009 \keys_set:nn{media9/user}{#1}
14010 \mix_uriend:
14011 \tl_greplace_all:Nnn\g_mix_flashvars_tl{~&}{&}
14012 \tl_greplace_all:Nnn\g_mix_flashvars_tl{&~}{&}
14013 \tl_greplace_all:Nnn\g_mix_flashvars_tl{~=}{=}
14014 \tl_greplace_all:Nnn\g_mix_flashvars_tl{=~}{=}
14015 \tl_gtrim_spaces:N\g_mix_flashvars_tl
14016
14017 \cs_if_exist:NT\Ginput@path{\cs_set_eq:NN\input@path\Ginput@path}
14018
14019 %\hbox_set:Nn\l_mix_poster_box{\group_begin:#2\group_end:}
14020 %\hbox_set:Nn\l_mix_poster_box{#2}
14021 \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
14022 \mix_scale:n{\l_mix_poster_box}
14023 \bool_if:nT{
14024   \dim_compare_p:n{\g_mix_tt_tl=\c_zero_dim}||
14025   \dim_compare_p:n{\g_mix_wd_tl=\c_zero_dim}
14026 }{
14027   \tl_gset:Nn\g_mix_usrpbtn_tl{none}
14028 }
14029 \bool_if:NTF\g_mix_usrdraft_bool{
14030   \tl_if_empty:NF\g_mix_usrlabel_tl{
14031     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{draft}
14032   }
14033   \tl_if_blank:oTF{#2}{
14034     \mix_uribegin: %treat URI characters correctly
14035     \mix_draftbox:n{\tl_to_str:n{#3}}
14036     \mix_uriend:
14037   }{
14038     \hbox_to_wd:nn{\g_mix_wd_tl}{
14039       \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl
14040       \box_use:N\l_mix_poster_box\hss
14041     }
14042   }
14043 }{
14044   \bool_if:nF{\str_if_eq_p:Vn\g_mix_usrpbtn_tl{none}}{
14045     %attach script that switches off play button overlay upon activation
14046     \mix_pdfobj:nnn{}{stream}{
14047       {}{
14048         var~ocgs=host.getOCGs(host.pageNum);
14049         for(var~i=0;i<ocgs.length;i++){
14050           if(ocgs[i].name=='MediaPlayerButton\int_use:N\g_mix_rmcnt_int'){
14051             ocgs[i].state=false;
14052           }
14053         }
14054       }
14055     }
14056     \mix_pdfobj:nnn{}{dict}{
14057       /Type/Filespec/EF~<</F~\mix_pdflastobj:>>/F~(btnoff)~/UF~(btnoff)

```



```

14058     }
14059     \tl_gset:Nx\g_mix_assets_tl{(btnoff)~\mix_pdflastobj:}
14060     \tl_set:Nx\l_mix_scripts_tl{~\mix_pdflastobj:~}
14061     %enforce plain playbutton overlay for XeTeX
14062     \sys_if_engine_xetex:T{\tl_gset:Nn\g_mix_usrpbtn_tl{plain}}
14063   }
14064   %embed main asset
14065   \mix_uribegin:
14066   \mix_embedasset:n{#3}
14067   \bool_if:nTF{
14068     \str_if_eq_p:Vn\l_mix_ext_tl{prc}||\str_if_eq_p:Vn\l_mix_ext_tl{u3d}
14069   }{
14070     \bool_gset_true:N\g_mix_iiid_bool
14071     \tl_gset:Nn\g_mix_mainassetsub_tl{3D}
14072   }{
14073     \str_case_x:nnF{\l_mix_base_tl}{
14074       {APlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
14075       {AudioPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Sound}}
14076       {VPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
14077       {VideoPlayer}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
14078       {StrobeMediaPlayback}{\tl_gset:Nn\g_mix_mainassetsub_tl{Video}}
14079     }\tl_gset:Nn\g_mix_mainassetsub_tl{Flash}}
14080   }
14081   \tl_gset:Nx\g_mix_mainasset_tl{~\g_mix_lastasset_tl}
14082   \mix_uriend:
14083   %secondary assets (added by addresource)
14084   \seq_map_function:NN\g_mix_res_seq\mix_embedasset:n
14085   \seq_map_inline:Nn\g_mix_script_seq{
14086     \mix_embedasset:n{##1}
14087     \tl_put_right:Nx\l_mix_scripts_tl{~\g_mix_lastasset_tl}
14088   }
14089   %attach 3D calculation script
14090   \bool_if:nT{\g_mix_iiid_bool && \g_mix_iiidcalc_bool}{
14091     \mix_embedasset:n{3Dmenu.js}
14092     \tl_put_left:Nx\l_mix_scripts_tl{\g_mix_lastasset_tl~}
14093   }
14094   %create 3D views from file (option 3Dviews)
14095   \bool_if:nT{\g_mix_iiid_bool && !(\tl_if_blank_p:V\g_mix_vfile_tl)}{
14096     \tl_set:Nn\l_mix_level_tl{\c_minus_one}
14097     \int_zero:N\l_mix_viewcnt_int
14098     \int_zero:N\l_mix_lineno_int
14099
14100     \ior_open:Nn\l_mix_vfile_stream{\g_mix_vfile_tl}
14101     \ior_map_inline:Nn\l_mix_vfile_stream{
14102       \int_incr:N\l_mix_lineno_int
14103       \keys_set:nn{media9/views}{##1} %process input line
14104     }
14105     \ior_close:N\l_mix_vfile_stream
14106   }
14107   \bool_if:nT{ %create default 3D view if required

```



```

14108     \g_mix_iiid_bool &&
14109     (\g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl)
14110   }{
14111     \tl_set_eq:NN\l_mix_bg_tl\g_mix_opt_bg_tl
14112     \tl_set_eq:NN\l_mix_ls_tl\g_mix_opt_ls_tl
14113     \tl_set_eq:NN\l_mix_rm_tl\g_mix_opt_rm_tl
14114     \tl_set_eq:NN\l_mix_psob_tl\g_mix_opt_psob_tl
14115     \tl_set_eq:NN\l_mix_coo_tl\g_mix_opt_coo_tl
14116     \tl_set_eq:NN\l_mix_ctoc_tl\g_mix_opt_ctoc_tl
14117     \tl_set_eq:NN\l_mix_ciiw_tl\g_mix_opt_ciiw_tl
14118
14119     \fp_set_eq:NN\l_mix_roo_fp\g_mix_opt_roo_fp
14120     \fp_set_eq:NN\l_mix_aac_fp\g_mix_opt_aac_fp
14121     \fp_set_eq:NN\l_mix_oscale_fp\g_mix_opt_oscale_fp
14122     \fp_set_eq:NN\l_mix_roll_fp\g_mix_opt_roll_fp
14123
14124     \bool_set_eq:NN\l_mix_ciiw_bool\g_mix_opt_ciiw_bool
14125     \bool_set_eq:NN\l_mix_iiidortho_bool\g_mix_opt_iiidortho_bool
14126     \tl_clear:N\l_mix_naarray_tl
14127
14128     \bool_if:NF\l_mix_ciiw_bool{
14129       \tl_set:Nx\l_mix_args_tl{\l_mix_coo_tl\space\l_mix_ctoc_tl\space}
14130       \exp_after:wN\mix_calc_ciiw:w\l_mix_args_tl\q_stop
14131     }
14132
14133     \tl_clear:N\l_mix_naarray_tl
14134     \tl_clear:N\l_mix_saarray_tl
14135     \tl_set_eq:NN\l_mix_nr_tl\g_mix_nrdflt_tl
14136
14137     \mix_view:n{Default}
14138     \tl_set:Nx\l_mix_dfltview_tl{\mix_pdflastobj:}
14139
14140   }
14141   \mix_pdfobj:nnn{}{dict}{
14142     /Type/RichMediaInstance
14143     /Subtype/\g_mix_mainassetsub_tl
14144     /Asset~\g_mix_mainasset_tl
14145     \bool_if:NF\g_mix_iiid_bool{
14146       /Params~<<
14147         /Binding\str_if_eq:VnTF\g_mix_transp_tl{true}{
14148           /Foreground
14149         }{
14150           /Background
14151         }
14152         \tl_if_blank:VF\g_mix_flashvars_tl{
14153           /FlashVars~(\g_mix_flashvars_tl)
14154         }
14155       >>
14156     }
14157   }

```



```

14158 \tl_if_empty:NF\g_mix_usrlabel_tl{
14159   \mix_keytoaux_now:nn{main@\g_mix_usrlabel_tl}{\mix_pdflastobj:}
14160 }
14161 \mix_pdfobj:nnn{}{dict}{
14162   /Type/RichMediaConfiguration
14163   /Subtype/\g_mix_mainassetssub_tl
14164   /Instances~[\mix_pdflastobj:]
14165 }
14166 \mix_pdfobj:nnn{}{dict}{
14167   /Type/RichMediaContent
14168   /Assets~<</Names~[\g_mix_assets_tl]>>
14169   /Configurations~[\mix_pdflastobj:]
14170   \bool_if:nT{
14171     \g_mix_iiid_bool && !(\tl_if_empty_p:V\l_mix_iiidviewarray_tl)
14172   }{
14173     /Views~[\l_mix_iiidviewarray_tl]
14174   }
14175 }
14176 \tl_set:Nx\l_mix_content_tl{\mix_pdflastobj:}
14177 \bool_if:nT{
14178   \g_mix_iiid_bool && \str_if_eq_p:Vn\g_mix_playtpe_tl{Oscillating}
14179 }{
14180   \tl_gset:Nx\g_mix_playcnt_tl{\int_eval:n{\g_mix_playcnt_tl*2}}
14181 }
14182 %determine floating window size
14183 \bool_if:NT\g_mix_opt_windowed_bool{
14184   \exp_after:wN\mix_parse_winsizearg:w\g_mix_winsize_tl\q_stop
14185 }
14186 \mix_pdfobj:nnn{}{dict}{
14187   /Activation~<<
14188   /Condition\g_mix_act_tl
14189   \bool_if:nT{
14190     \g_mix_iiid_bool &&
14191     !(\str_if_eq_p:Vn\g_mix_playtpe_tl{None})
14192   }{ %seems to work only with 3D content
14193     /Animation~<<
14194     /Subtype/\g_mix_playtpe_tl
14195     /PlayCount~\g_mix_playcnt_tl
14196     /Speed~\g_mix_playspd_tl
14197     >>
14198   }
14199   \bool_if:nT{
14200     \g_mix_iiid_bool && (
14201       \g_mix_opt_iiidview_bool || \tl_if_blank_p:V\l_mix_iiidviewarray_tl
14202     )
14203   }{/View~\l_mix_dfltview_tl}
14204   /Presentation~<<
14205   /Transparent~\g_mix_transp_tl
14206   \bool_if:NTF\g_mix_opt_windowed_bool{
14207     /Style/Windowed

```



```

14208         /Window~<<
14209         /Width~<</Default~\tl_mix_fltd>>
14210         /Height~<</Default~\tl_mix_flht>>
14211         /Position~<<
14212         /HOffset~0/VOffset~0
14213         \str_case_x:nnF{\g_mix_winpos_tl}{
14214             {tl}{VAlign/Near/HAlign/Near}
14215             {cl}{VAlign/Center/HAlign/Near}
14216             {bl}{VAlign/Far/HAlign/Near}
14217             {bc}{VAlign/Far/HAlign/Center}
14218             {br}{VAlign/Far/HAlign/Far}
14219             {cr}{VAlign/Center/HAlign/Far}
14220             {tr}{VAlign/Near/HAlign/Far}
14221             {tc}{VAlign/Near/HAlign/Center}
14222             }{/HAlign/Center/VAlign/Center}
14223         >>
14224     >>
14225     }{
14226         /Style/Embedded
14227     }
14228     \bool_if:NTF\g_mix_iiid_bool{
14229         /Toolbar~\g_mix_tools_tl
14230         /NavigationPane~\g_mix_nav_tl
14231     }{
14232         /PassContextClick~\g_mix_contextclick_tl
14233     }
14234     >>
14235     \tl_if_blank:VF\l_mix_scripts_tl{/Scripts~[\l_mix_scripts_tl]}
14236     >>
14237     /Deactivation~<</Condition\g_mix_deact_tl>>
14238 }
14239 \tl_set:Nx\l_mix_settings_tl{\mix_pdflastobj:}
14240 \tl_if_empty:NF\g_mix_usrlabel_tl{
14241     \tl_gset_eq:NN\g_mix_label_tl\g_mix_usrlabel_tl
14242 }
14243 % #1:width, #2:height, #3:depth, #4:content (key-value)
14244 \mix_pdfannot:nnnn{\g_mix_wd_tl}{\g_mix_ht_tl}{\g_mix_dp_tl}{
14245     /Subtype/RichMedia
14246     /F~4
14247     /BS~<</W~0/S/S>>
14248     /Contents~(media~embedded~by~media9~[\g_mix_version_tl~(\g_mix_date_tl)])
14249     /NM~(\g_mix_label_tl)
14250     /AP~<</N~\g_mix_appearance_tl>>
14251     /RichMediaSettings~\l_mix_settings_tl
14252     /RichMediaContent~\l_mix_content_tl
14253 }
14254 \tl_if_empty:NF\g_mix_usrlabel_tl{
14255     \mix_keytoaux_now:nn{ann@\g_mix_usrlabel_tl}{\mix_pdflastann:}
14256     \mix_keytoaux_shipout:nn{page@\g_mix_usrlabel_tl}{
14257         \noexpand\the\g@mix@page@int}

```



```

14258 }
14259 \mix_pdfobj:nnn{}{dict}{
14260   /S/JavaScript/JS~(
14261     try{
14262       if(typeof(annotRM)=='undefined'){annotRM=new~Array();}
14263       if(typeof(annotRM['\g_mix_label_tl'])=='undefined'){
14264         annotRM['\g_mix_label_tl']=
14265           this.getAnnotRichMedia(this.pageNum,'\g_mix_label_tl');
14266       }
14267       \str_if_eq_x:nnF{\g_mix_usrpbtn_tl}{none}{
14268         if(typeof(ocgBtn\int_use:N\g_mix_rmcnt_int)=='undefined'){
14269           var~ocgs=this.getOCGs(this.pageNum);
14270           for(var~i=0;i<ocgs.length;i++){
14271             if(ocgs[i].name=='MediaPlayerButton\int_use:N\g_mix_rmcnt_int'){
14272               var~ocgBtn\int_use:N\g_mix_rmcnt_int=ocgs[i];
14273             }
14274           }
14275         }
14276         if(
14277           !annotRM['\g_mix_label_tl'].activated&&(
14278             app.viewerType=='Reader' ||
14279             app.viewerType=='Exchange' ||
14280             app.viewerType=='Exchange-Pro'
14281           )&&app.viewerVersion>=9
14282         ){
14283           ocgBtn\int_use:N\g_mix_rmcnt_int.state=true;
14284         }
14285       }
14286     }catch(e){}
14287     this.dirty=false;
14288   )
14289 }
14290 \mix_pdfannot:nnnn{Opt}{Opt}{Opt}{
14291   /Subtype/Widget
14292   /FT/Btn/Ff~65537/F~2
14293   /BS~<</W~0>>
14294   /T~(fd@\g_mix_label_tl)
14295   /AA~<</PO~\mix_pdflastobj:~/PV~\mix_pdflastobj:>>
14296 }
14297 \mix_appendtofields:n{\mix_pdflastann:}
14298 \hbox_overlap_right:n{\box_use:N\l_mix_poster_box}
14299 \str_if_eq_x:nnTF{\g_mix_usrpbtn_tl}{none}{
14300   \hbox_to_wd:nn{\g_mix_wd_tl}{
14301     \vrule~width~\c_zero_dim~height~\g_mix_ht_tl~depth~\g_mix_dp_tl\hss
14302   }
14303 }{%insert play button overlay
14304   \mix_insert_btnocg: %create OCG
14305   \cs_gset_eq:Nc\mix_pbtn:NN{g@mix@pbtn@\g_mix_usrpbtn_tl @tl}
14306   \group_begin:
14307   \cs_if_exist:NT\textdir{\textdir TLT}

```



```

14308     \sbox\l_mix_pbtn_box{\mix_pbtn:NN\g_mix_wd_tl\g_mix_tt_tl}
14309     \box_move_down:nn{\g_mix_dp_tl}{
14310       \hbox_to_wd:nn{\g_mix_wd_tl}{
14311         \vbox_to_ht:nn{\g_mix_tt_tl}{
14312           \vss
14313           \ocgbase_oc_bdc:n{\g_mix_btnocg_tl}
14314           \box_use:N\l_mix_pbtn_box
14315           \ocgbase_oc_emc:
14316         }
14317       }
14318     }
14319     \group_end:
14320   }
14321   \int_gincr:N\g_mix_rmcnt_int
14322 }
14323 \mix_endLTR:
14324 \group_end:
14325 }
14326 \tl_set_eq:NN\l_mix_includemedia_tl\includemedia
14327 \tl_set:Nn\includemedia{\mix_uribegin:\l_mix_includemedia_tl}
14328
14329 \RenewDocumentCommand\mediabutton{0{}m}{%#1 options, #2 normal button text
14330   \mix_urierend:
14331   \group_begin:
14332   \mix_beginLTR:
14333   \leavevmode
14334   %reset various variables
14335   \tl_gclear:N\g_mix_overbtn_tl
14336   \tl_gclear:N\g_mix_downbtn_tl
14337   \tl_gclear:N\g_mix_btnactions_tl
14338   \tl_gclear:N\g_mix_tooltip_tl
14339   %process options
14340   \bool_gset_eq:NN\g_mix_btndraft_bool\g_mix_pkgdraft_bool
14341   \mix_uribegin: %treat URI characters correctly
14342   \keys_set:nn{media9/mbtndraft}{#1} %detect draft/final on first pass
14343   \bool_if:NF\g_mix_btndraft_bool{\keys_set:nn{media9/mbtn}{#1}}
14344   \mix_urierend:
14345   %normal button appearance
14346   %\hbox_set:Nn\l_mix_poster_box{#2}
14347   \sbox\l_mix_poster_box{\if@RTL\beginR\fi#2\if@RTL\endR\fi}
14348   \tl_set:Nx\width {\dim_use:N\box_wd:N\l_mix_poster_box}
14349   \tl_set:Nx\height{\dim_use:N\box_ht:N\l_mix_poster_box}
14350   \tl_set:Nx\depth {\dim_use:N\box_dp:N\l_mix_poster_box}
14351   \bool_if:NTF\g_mix_btndraft_bool{\box_use:N\l_mix_poster_box}{
14352     \sbox\l_mix_poster_box{\bool_if:NTF\g_pbs_kscape_bool{\rotatebox{90}{
14353       \box_use:N\l_mix_poster_box}}{\box_use:N\l_mix_poster_box}}
14354     \mix_pdfxform:n{\l_mix_poster_box}
14355     \tl_set:Nx\g_mix_normalbtn_tl{\mix_pdflastxform:}
14356     %insert widget annotation
14357     \mix_pdfannot:nnnn{\width}{\height}{\depth}{

```




```

14358 /Subtype/Widget
14359 /T~(mbtn@\int_use:N\g_mix_mbtncnt_int)
14360 \tl_if_empty:NF\g_mix_tooltip_tl{/TU~(\g_mix_tooltip_tl)}
14361 /FT/Btn/Ff~65536
14362 \tl_if_empty:NTF\g_mix_downbtn_tl{/H/I}{/H/P}
14363 /AP~<<
14364 /N~\g_mix_normalbtn_tl
14365 \tl_if_empty:NF\g_mix_overbtn_tl{/R~\g_mix_overbtn_tl}
14366 \tl_if_empty:NF\g_mix_downbtn_tl{/D~\g_mix_downbtn_tl}
14367 >>
14368 /MK~<<
14369 /TP~1~/IF~<</S/A/FB~true/A~[0.0~0.0]>>
14370 /I~\g_mix_normalbtn_tl
14371 \tl_if_empty:NF\g_mix_overbtn_tl{/RI~\g_mix_overbtn_tl}
14372 \tl_if_empty:NF\g_mix_downbtn_tl{/IX~\g_mix_downbtn_tl}
14373 >>
14374 /A~<<
14375 /S/JavaScript/JS~(app.focusRect=false;)
14376 %sequence of actions to perform
14377 \tl_if_empty:NF\g_mix_btnactions_tl{/Next~[\g_mix_btnactions_tl]}
14378 >>
14379 }
14380 \mix_appendtofields:n{\mix_pdflastann:}
14381 \hbox_to_wd:nn{\width}{
14382 \vrule~width~\c_zero_dim~height~\height~depth~\depth\hss
14383 }
14384 \int_gincr:N\g_mix_mbtncnt_int
14385 }
14386 \mix_endLTR:
14387 \group_end:
14388 }
14389 \tl_set_eq:NN\l_mix_mediabutton_tl\mediabutton
14390 \tl_set:Nn\mediabutton{\mix_urbegin:\l_mix_mediabutton_tl}
14391
14392

```

82 File memoir-xetex-bidi.def

```

14393 \ProvidesFile{memoir-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for memoir class for Xe
14394 \renewcommand{\keepthetitle}{%
14395 \@bsmtitleempty
14396 \global\let\thanks\relax
14397 \global\let\LTRthanks\relax
14398 \global\let\RTLthanks\relax
14399 \global\let\and\relax
14400 \global\let\andnext\relax
14401 \global\let\@thanks\@empty
14402 \global\let\@title\@empty
14403 \global\let\@author\@empty
14404 \global\let\@date\@empty}

```



```

14405 \renewcommand{\maketitle}{\par
14406   \begin{group}
14407     \@bsmarkseries
14408     \def\@makefnmark{\@textsuperscript{%
14409       \normalfont\@bsthanksheadpre \tamark \@bsthanksheadpost}}}%
14410     \long\def\@makefntext##1{\makethanksmark ##1}
14411     \if@twocolumn
14412       \ifnum \col@number=\@ne
14413         \@maketitle
14414       \else
14415         \twocolumn[\@maketitle]%
14416       \fi
14417     \else
14418       \ifdim\pagetotal>\z@
14419         \newpage
14420       \fi
14421       \global\@topnum\z@
14422       \@maketitle
14423     \fi
14424     \thispagestyle{title}\@thanks
14425   \end{group}
14426   \@bscontmark % \setcounter{footnote}{0}%
14427 }
14428 \renewcommand*{\memRTLleftskip}{\if@RTL\righskip\else\leftskip\fi}
14429 \renewcommand*{\memRTLrightskip}{\if@RTL\leftskip\else\righskip\fi}
14430 \renewcommand*{\memRTLleftskip}{\if@RTL\leftskip\else\righskip\fi}
14431 \renewcommand*{\memRTLrightskip}{\if@RTL\righskip\else\leftskip\fi}
14432 \renewcommand*{\memRTLleftskip}{\if@RTL\leftskip\else\righskip\fi}
14433 \renewcommand*{\memRTLrightskip}{\if@RTL\righskip\else\leftskip\fi}
14434 \renewcommand*{\thetitle}{\thechapter\@SepMark\@arabic\c@section}
14435 \renewcommand*{\thesubsection}{%
14436   \thesubsection\@SepMark\@arabic\c@subsection}
14437 \renewcommand*{\thesubsubsection}{%
14438   \thesubsubsection\@SepMark\@arabic\c@subsubsection}
14439 \renewcommand*{\theparagraph}{%
14440   \theparagraph\@SepMark\@arabic\c@paragraph}
14441 \renewcommand*{\thesubparagraph}{%
14442   \thesubparagraph\@SepMark\@arabic\c@subparagraph}
14443 \renewcommand{\setthetitle}{\thechapter\@SepMark\Alph{section}}
14444 \renewcommand{\theequation}{%
14445   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
14446 \renewcommand{\thefigure}{\thechapter\@SepMark\@arabic\c@figure}
14447 \renewcommand{\thetable}{\thechapter\@SepMark\@arabic\c@table}
14448 \ifartopt
14449   \chapterstyle{article}
14450   \counterwithout{figure}{chapter}
14451   \counterwithout{table}{chapter}
14452   \counterwithout{footnote}{chapter}
14453   \counterwithout{equation}{chapter}
14454   \renewcommand{\chaptername}{\@arabic\c@chapter}

```



```

14455 \renewcommand{\maketitlehookb}{%
14456 \vskip -1.5\topsep\vskip -1.5\partopsep}
14457 \renewcommand{\maketitlehookc}{%
14458 \vskip -1.5\topsep\vskip -1.5\partopsep}
14459 \fi
14460 \long\def\@makecaption#1#2{\let\@memtempa\relax
14461 \ifdim\prevdepth>-99\p@ \vskip\abovecaptionskip
14462 \else \def\@memtempa{\vbox to\topskip{}}\fi
14463 \let\@contfnote\footnote \renewcommand{\footnote}[2] [] {}
14464 \let\@contfmark\footnotemark \renewcommand{\footnotemark}[1] [] {}
14465 \sbox\@tempboxa{\@contnfont #1\@contdelim \@conttfont #2\@contfinal}
14466 \let\footnote\@contfnote
14467 \let\footnotemark\@contfmark
14468 \ifdim\wd\@tempboxa<\linewidth \centering \fi
14469 \if@contcw
14470 \centering
14471 \parbox{\@contcwidth}{%
14472 \ifdim\wd\@tempboxa<\@contcwidth \centering \fi
14473 \fi
14474 \ifdim\wd\@tempboxa<\linewidth
14475 \@contpre
14476 {\@contnfont #1\@contdelim}\@memtempa
14477 {\@contcshortstyle \@conttfont #2\@contfinal\par}
14478 \else
14479 \if@conthang
14480 \sbox\@tempboxa{\@contnfont #1\@contdelim}
14481 \@contpre%
14482 {\@contcstyle\hangindent=\wd\@tempboxa
14483 \noindent\box\@tempboxa\@memtempa \@conttfont #2\@contfinal\par}
14484 \else
14485 \if@contindent
14486 \@contpre%
14487 {\@contnfont #1\@contdelim}\@memtempa
14488 {\@contcstyle\hangindent=\@contindw
14489 \hangafter=\@one\@conttfont #2\@contfinal\par}% <- v1.4
14490 \else
14491 \@contpre%
14492 {\@contnfont #1\@contdelim}\@memtempa
14493 {\@contcstyle \@conttfont #2\@contfinal\par}
14494 \fi
14495 \fi
14496 \fi
14497 \@contpost
14498 \if@contcw
14499 \par
14500 } % end of the \parbox
14501 \fi
14502 \vskip\belowcaptionskip}
14503 \ifpackageloaded{caption}{%
14504 \AtBeginPackage{caption}{

```



```

14505 \ClassWarningNoLine{memoir}{%
14506   You are using the caption package with the memoir \MessageBreak
14507   class. This may cause unexpected or inconsistent \MessageBreak
14508   results if you use any of memoir's captioning facilities}
14509
14510 \long\def\@makecaption##1##2{%
14511   \vskip\abovcaptionskip
14512   \sbox\@tempboxa{\if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi}%
14513   \ifdim \wd\@tempboxa >\hsize
14514     \if@RTL\beginR\fi##1: ##2\if@RTL\endR\fi\par
14515   \else
14516     \global \@minipagefalse
14517     \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
14518   \fi
14519   \vskip\belowcaptionskip}
14520
14521 \def\caption{%
14522   \ifx\@capytype\@undefined
14523     \latex@error{\noexpand\caption outside float}\@ehd
14524     \expandafter\@gobble
14525   \else
14526     \refstepcounter\@capytype
14527     \expandafter\@firstofone
14528   \fi
14529   {\@dblarg{\@caption\@capytype}}%
14530 }
14531
14532 \long\def\@caption##1[##2]##3{%
14533   \par
14534   \addcontentsline{\csname ext@##1\endcsname}{##1}%
14535     {\protect\numberline{\csname the##1\endcsname}{\ignorespaces ##2}}%
14536   \begingroup
14537     \@parboxrestore
14538     \if@minipage
14539       \setminipage
14540     \fi
14541     \normalsize
14542     \@makecaption{\csname fnum@##1\endcsname}{\ignorespaces ##3}\par
14543   \endgroup}
14544 }{}
14545 \renewenvironment{thebibliography}[1]{%
14546   \bibsection
14547   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
14548   \bidi@thebibliography@font@hook%
14549   \begin{bibitemlist}{#1}}{\end{bibitemlist}}\postbibhook}

```

83 File midfloat-xetex-bidi.def

```

14550 \ProvidesFile{midfloat-xetex-bidi.def}[2017/05/06 v0.4 bidi adaptations for midfloat package]
14551 \def\RTL@outputdblcol{%

```



```

14552 \if@firstcolumn
14553 \global \@firstcolumnfalse
14554 \global\setbox\@leftcolumn\copy\@outputbox
14555 \splitmaxdepth\maxdimen
14556 \vbadness\maxdimen
14557 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
14558 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14559 \toks@\expandafter{\topmark}%
14560 \xdef\@firstcoltopmark{\the\toks@}%
14561 \toks@\expandafter{\splitfirstmark}%
14562 \xdef\@firstcolfirstmark{\the\toks@}%
14563 \ifx\@firstcolfirstmark\@empty
14564 \global\let\@setmarks\relax
14565 \else
14566 \gdef\@setmarks{%
14567 \let\firstmark\@firstcolfirstmark
14568 \let\topmark\@firstcoltopmark}%
14569 \fi
14570 \global\c@colht\@colht\global\c@advvipersep\z@
14571 \ifnum\jua@sk>0
14572 \remove@strip\jua@sar
14573 \global\@colht\the\jua@pr
14574 \ifdim\right@cor>\z@
14575 \global\advance\@colht by\right@cor
14576 \fi
14577 \global\advance\@colht by\cor@height
14578 \global\cor@height=0pt
14579 \fi
14580 \global \setbox\@rightcolumn \vbox{%
14581 \else
14582 \ifdim\c@colht>\@colht
14583 \@tempdima\@colht
14584 \ifdim\@colht>\z@
14585 \global\setbox\@rightcolumn \vbox{%
14586 \unvbox\@rightcolumn
14587 \vbox to\@tempdima{%
14588 \vskip\c@advvipersep\unvbox\@outputbox}%
14589 \vskip\stripsep
14590 \vrule height\the\jua@ht width 0pt depth 0pt
14591 \vskip\stripsep
14592 }%
14593 \global\c@advvipersep\m@advvipersep
14594 \else
14595 \global\setbox\@rightcolumn \vbox{%
14596 \unvbox\@rightcolumn
14597 \vrule height\the\jua@ht width 0pt depth 0pt
14598 \vskip\stripsep
14599 }%
14600 \fi
14601 \ifnum\jua@sk>0

```



```

14602         \remove@strip\jua@sar
14603         \global\@colht\the\jua@pr
14604         \global\advance\@colht by -\ht\@rightcolumn
14605         \global\advance\@colht by \cor@height
14606         \global\cor@height=0pt
14607     \else
14608         \global\advance\c@colht by-\ht\@rightcolumn
14609         \global\@colht\c@colht
14610     \fi
14611 \else
14612 \global\@firstcolumntrue
14613 \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
14614     \unvbox\@rightcolumn
14615     \vskip\c@addvipersep
14616     \unvbox\@outputbox
14617 }%
14618 \setbox\@outputbox \vbox {%
14619     \hb@xt@\textwidth {%
14620         \hskip \columnwidth
14621         \hfil
14622         \vrule \@width\columnseprule
14623         \hfil
14624         \hb@xt@\columnwidth {%
14625             \bidi@firstcolumn@status@write%
14626             \box\@leftcolumn \hss}%
14627         \hskip-\textwidth
14628         \hb@xt@\columnwidth {%
14629             \bidi@lastcolumn@status@write%
14630             \box\@outputbox \hss}%
14631         \hskip\columnwidth
14632         \hskip\columnsep}%
14633     }%
14634 \@combinedblfloats
14635 \@setmarks
14636 \@outputpage
14637 \begingroup
14638 \dblfloatplacement
14639 \startdblcolumn
14640 \@whiles\if@fcolmade \fi
14641     {\@outputpage
14642     \startdblcolumn}%
14643 \endgroup
14644 \global\jua@sk=0\global\jua@sar={}
14645 \global\cor@height\z@\global\c@addvipersep\z@
14646 \fi
14647 \fi
14648 }
14649
14650
14651 \def\LTR@outputdblcol{%

```



```

14652 \if@firstcolumn
14653 \global \@firstcolumnfalse
14654 \global\setbox\@leftcolumn\copy\@outputbox
14655 \splitmaxdepth\maxdimen
14656 \vbadness\maxdimen
14657 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
14658 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
14659 \toks@\expandafter{\topmark}%
14660 \xdef\@firstcoltopmark{\the\toks@}%
14661 \toks@\expandafter{\splitfirstmark}%
14662 \xdef\@firstcolfirstmark{\the\toks@}%
14663 \ifx\@firstcolfirstmark\@empty
14664 \global\let\@setmarks\relax
14665 \else
14666 \gdef\@setmarks{%
14667 \let\firstmark\@firstcolfirstmark
14668 \let\topmark\@firstcoltopmark}%
14669 \fi
14670 \global\c@colht\@colht\global\c@advvipersep\z@
14671 \ifnum\jua@sk>0
14672 \remove@strip\jua@sar
14673 \global\@colht\the\jua@pr
14674 \ifdim\right@cor>\z@
14675 \global\advance\@colht by\right@cor
14676 \fi
14677 \global\advance\@colht by\cor@height
14678 \global\cor@height=0pt
14679 \fi
14680 \global\setbox\@rightcolumn\vbox{%
14681 \else
14682 \ifdim\c@colht>\@colht
14683 \@tempdima\@colht
14684 \ifdim\@colht>\z@
14685 \global\setbox\@rightcolumn\vbox{%
14686 \unvbox\@rightcolumn
14687 \vbox to\@tempdima{%
14688 \vskip\c@advvipersep\unvbox\@outputbox}%
14689 \vskip\stripsep
14690 \vrule height\the\jua@ht width 0pt depth 0pt
14691 \vskip\stripsep
14692 }%
14693 \global\c@advvipersep\m@advvipersep
14694 \else
14695 \global\setbox\@rightcolumn\vbox{%
14696 \unvbox\@rightcolumn
14697 \vrule height\the\jua@ht width 0pt depth 0pt
14698 \vskip\stripsep
14699 }%
14700 \fi
14701 \ifnum\jua@sk>0

```



```

14702         \remove@strip\jua@sar
14703         \global\@colht\the\jua@pr
14704         \global\advance\@colht by -\ht\@rightcolumn
14705         \global\advance\@colht by \cor@height
14706         \global\cor@height=0pt
14707     \else
14708         \global\advance\c@colht by-\ht\@rightcolumn
14709         \global\@colht\c@colht
14710     \fi
14711 \else
14712     \global\@firstcolumntrue
14713     \global\setbox\@outputbox\vbox to\ht\@leftcolumn{%
14714         \unvbox\@rightcolumn
14715         \vskip\c@addvipersep
14716         \unvbox\@outputbox
14717     }%
14718     \setbox\@outputbox \vbox {%
14719         \hb@xt@\textwidth {%
14720             \hb@xt@\columnwidth {%
14721                 \bidi@firstcolumn@status@write%
14722                 \box\@leftcolumn \hss}%
14723             \hfil
14724             \vrule \@width\columnseprule
14725             \hfil
14726             \hb@xt@\columnwidth {%
14727                 \bidi@lastcolumn@status@write%
14728                 \box\@outputbox \hss}%
14729             }%
14730         }%
14731     \@combinedblfloats
14732     \@setmarks
14733     \@outputpage
14734     \begin@group
14735         \@dblfloatplacement
14736         \@startdblcolumn
14737         \@whiles\if@fcolmade \fi
14738             {\@outputpage
14739              \@startdblcolumn}%
14740     \end@group
14741     \global\jua@sk=0\global\jua@sar={}
14742     \global\cor@height\z@\global\c@addvipersep\z@
14743     \fi
14744 \fi
14745 }
14746
14747
14748 \def\@strip[#1/#2]{\global\@tempdima=#1\global\@tempdimb=#2%
14749     \global \setbox\@viper\vbox\bgroup\if@RTLmain\moveleft\dimexpr(\columnwidth+\columnsep)\fi\
14750         \hsize\textwidth
14751         \@parboxrestore

```




```

14752         \col@number \@ne
14753         \vrule height\topskip width0pt depth0pt
14754     }
14755
14756 \def\endstrip{%
14757     \egroup\egroup
14758     \if@firstcolumn
14759         \ifdim\pagetotal>\z@
14760             \vskip\stripsep
14761             \global\ht@strip\pagegoal
14762             \global\advance\ht@strip by-\pagetotal
14763             \global\advance\ht@strip by-\stripsep
14764             \global\advance\ht@strip by-\ht@viper
14765             \global\advance\ht@strip by-\stripsep
14766             \global\jua@ht=\ht@viper
14767         \else
14768             \global\ht@strip\z@
14769         \fi
14770         \ifdim\ht@strip>\z@
14771             \unvbox\@viper
14772             \vskip\stripsep
14773             \add@strip{\the\pagetotal}{\the\jua@ht}{\the\@tempdima}{\the\@tempdimb}%
14774             \global\advance\jua@sk by1
14775         \else
14776             \@latex@error{Strip needs more place!}\@ehc
14777             \if@vihproof
14778                 \framebox[\columnwidth]{??? Strip ???}%
14779             \fi
14780         \fi
14781     \else
14782         \@latex@error{Strip is used only on left column!}\@ehc
14783         \if@vihproof
14784             \framebox[\columnwidth]{??? Strip ???}%
14785         \fi
14786     \fi
14787 }

```

84 File minitoc-xetex-bidi.def

```

14788 \ProvidesFile{minitoc-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for minitoc package for
14789 \def\@undottedtocline#1#2#3#4#5{%
14790     \ifnum #1>\c@tocdepth\relax \else
14791         \vskip \z@ plus.2\p@
14792     {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocrmarg \
14793     \parindent #2\relax\@afterindenttrue
14794     \interlinepenalty\@M
14795     \leavevmode
14796     \@tempdima #3\relax \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \hbox{}}%
14797     \hskip -\if@RTL\rightskip\else\leftskip\fi
14798     #4\nobreak\hfill \nobreak

```



```

14799         \null\par}%
14800     \fi}
14801 \def\@Undottedtocline#1#2#3#4#5{%
14802     \ifnum #1>\c@tocdepth\relax \else
14803         \vskip \z@ \@plus.2\p@
14804         {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocmargin}
14805         \parindent #2\relax\@afterindenttrue
14806         \interlinepenalty\@M
14807         \leavevmode
14808         \@tempdima #3\relax
14809         \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
14810         {\coffee font #4}\nobreak \nobreak\null
14811     \par}%
14812 \fi}
14813 \def\@Undottedtoclinep#1#2#3#4#5{%
14814     \ifnum #1>\c@tocdepth\relax \else
14815         \vskip \z@ \@plus.2\p@
14816         {\if@RTL\rightskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\rightskip\fi \@tocmargin}
14817         \parindent #2\relax\@afterindenttrue
14818         \interlinepenalty\@M
14819         \leavevmode
14820         \@tempdima #3\relax
14821         \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightskip\else\leftskip\fi
14822         {#4}\nobreak \hfill \nobreak\null
14823         \hb@xt@\@pnumwidth{{\hfil\normalfont \normalcolor #5}}}%
14824     \par}%
14825 \fi}

```

85 File multicol-xetex-bidi.def

```

14826 \ProvidesFile{multicol-xetex-bidi.def}[2018/10/07 v1.1 bidi adaptations for multicol package]
14827 \def\page@sofar{%
14828     \process@cols\mult@rightbox
14829     {\ifvoid\count@
14830         \setbox\count@\hbox to\hsize{}}%
14831     \else
14832         \wd\count@\hsize
14833     \fi}%
14834 \count@\col@number \advance\count@\m@ne
14835 \mult@info\z@
14836 {Column spec: \the\full@width\space = indent
14837     + columns + sep =\MessageBreak
14838     \the\multicol@leftmargin\space
14839     + \the\col@number\space
14840     x \the\hsize\space
14841     + \the\count@\space
14842     x \the\columnsep
14843 }%
14844 \ifvmode\else\errmessage{Multicol Error}\fi
14845 \nointerlineskip

```



```

14846 \setbox\z@\hbox{p}\global\dimen\tw@\dp\z@
14847 \moveright\multicol@leftmargin
14848 \hbox to\full@width{%
14849 \bidi@multicol@align@columns
14850 \rlap{\phantom p}%
14851 }%
14852 \prevdepth\z@
14853 \kern-\dimen\tw@
14854 \ifdim\dimen\tw@ > \mc@gridwarn
14855 \PackageWarning{multicol}%
14856 {Very deep columns!\MessageBreak
14857 Grid alignment might be broken}%
14858 \fi
14859 }
14860 \def\LTR@column@boxes{%
14861 \process@cols\mult@gfirstbox{%
14862 \ifdim\dp\count@>\dimen\tw@
14863 \global\dimen\tw@\dp\count@ \fi
14864 \mc@col@status@write
14865 \box\count@
14866 \hss{\columnseprulecolor\vrule
14867 \@width\columnseprule}\hss}%
14868 \ifdim\dp\mult@rightbox>\dimen\tw@
14869 \global\dimen\tw@\dp\mult@rightbox \fi
14870 \mc@lastcol@status@write
14871 \box\mult@rightbox
14872 }
14873
14874 \def\RTL@column@boxes{%
14875 \ifnum\col@number<\tw@
14876 \LTR@column@boxes
14877 \else
14878 \process@cols\mult@gfirstbox{%
14879 \hskip\hsize
14880 \hss{\columnseprulecolor\vrule
14881 \@width\columnseprule}\hss
14882 }%
14883 \hskip\hsize
14884 \process@cols\mult@gfirstbox{%
14885 \ifdim\dp\count@>\dimen\tw@
14886 \global\dimen\tw@\dp\count@ \fi
14887 \hskip-\hsize
14888 \mc@col@status@write
14889 \box\count@
14890 \hskip-\hsize
14891 \hskip-\columnsep
14892 }%
14893 \ifdim\dp\mult@rightbox>\dimen\tw@
14894 \global\dimen\tw@\dp\mult@rightbox \fi
14895 \hskip-\hsize

```



```

14896 \mc@lastcol@status@write
14897 \box\mult@rightbox
14898 \hskip-\hsize
14899 \hskip\full@width
14900 \fi
14901 }
14902 \newcommand\RTLmulticolcolumns
14903 {\let\bidimulticol@align@columns
14904 \RTL@column@boxes}
14905 \newcommand\LTRmulticolcolumns
14906 {\let\bidimulticol@align@columns
14907 \LTR@column@boxes}
14908 \newcommand\bidimulticol@align@columns
14909 {\if@RTLmain\RTL@column@boxes\else\LTR@column@boxes\fi}
14910 \bidimulticol@AtEndPreamble{%
14911 \if@bidimulticol@csdef{footinsv@1}{%
14912 \def\footnoterule{\kern-3\p@
14913 \hrule \@width \textwidth \kern 2.6\p@}%
14914 }{}%
14915 }
14916 \def\multicols#1{\col@number#1\relax
14917 \ifnum\col@number<\tw@
14918 \PackageWarning{multicol}%
14919 {Using '\number\col@number'
14920 columns doesn't seem a good idea.^~J
14921 I therefore use two columns instead}%
14922 \col@number\tw@ \fi
14923 \ifnum\col@number>10
14924 \PackageError{multicol}%
14925 {Too many columns}%
14926 {Current implementation doesn't
14927 support more than 10 columns.%
14928 \MessageBreak
14929 I therefore use 10 columns instead}%
14930 \col@number10 \fi
14931 \ifx\@footnotetext\mult@footnotetext\else
14932 \let\orig@footnotetext\@footnotetext
14933 \let\@footnotetext\mult@footnotetext
14934 \fi
14935 \ifx\@LTRfootnotetext\mult@LTRfootnotetext\else
14936 \let\orig@LTRfootnotetext\@LTRfootnotetext
14937 \let\@LTRfootnotetext\mult@LTRfootnotetext
14938 \fi
14939 \ifx\@RTLfootnotetext\mult@RTLfootnotetext\else
14940 \let\orig@RTLfootnotetext\@RTLfootnotetext
14941 \let\@RTLfootnotetext\mult@RTLfootnotetext
14942 \fi
14943 \@ifnextchar[\mult@cols{\mult@cols[]}]
14944 \long\def\mult@footnotetext#1{\begingroup
14945 \hsize\textwidth

```



```

14946         \columnwidth\textwidth
14947         \orig@footnotetext{#1}\endgroup}
14948 \long\def\mult@LTRfootnotetext#1{\begingroup
14949         \hsize\textwidth
14950         \columnwidth\textwidth
14951         \orig@LTRfootnotetext{#1}\endgroup}
14952 \long\def\mult@RTLfootnotetext#1{\begingroup
14953         \hsize\textwidth
14954         \columnwidth\textwidth
14955         \orig@RTLfootnotetext{#1}\endgroup}
14956 \def\right@footnoterule{%
14957     \kern-3\p@
14958     \hbox to \textwidth{\hskip \dimexpr\textwidth-.4\columnwidth\relax \hrulefill }
14959     \kern2.6\p@}
14960 \def\textwidth@footnoterule{\kern-3\p@
14961     \hrule \@width \textwidth \kern 2.6\p@}
14962 \def\bidileave@mult@copyins{%
14963     \advance\dimen@-\skip\@bidi@copyins@
14964     \advance\dimen@-\ht\@bidi@copyins@
14965 }
14966 \bidi@AtEndPreamble{%
14967     \if@bidi@csdef{footinsv@l}{%
14968         \def\bidileave@mult@footins@vr{%
14969             \advance\dimen@-\skip\footinsv@r
14970             \advance\dimen@-\ht\footinsv@r
14971         }%
14972         \def\bidileave@mult@footins@vl{%
14973             \advance\dimen@-\skip\footinsv@l
14974             \advance\dimen@-\ht\footinsv@l
14975         }%
14976         \def\bidi@init@mult@footinsv@r{%
14977             \multiply\count\footinsv@r\col@number
14978             \multiply\skip \footinsv@r\col@number
14979         }%
14980         \def\bidi@init@mult@footinsv@l{%
14981             \multiply\count\footinsv@l\col@number
14982             \multiply\skip \footinsv@l\col@number
14983         }%
14984         \def\bidi@reinsert@footnotesv@r{\ifvoid\footinsv@r\else
14985             \insert\footinsv@r{}\fi}%
14986         \def\bidi@reinsert@footnotesv@l{\ifvoid\footinsv@l\else
14987             \insert\footinsv@l{}\fi}%
14988         \bidi@patchcmd{\prepare@multicols}{%
14989             \reinsert@footnotes
14990         }{%
14991             \reinsert@footnotes
14992             \bidi@init@mult@footinsv@r
14993             \bidi@reinsert@footnotesv@r
14994             \bidi@init@mult@footinsv@l
14995             \bidi@reinsert@footnotesv@l

```



```

14996 }{}{}%
14997 \bidi@patchcmd{\multi@column@out}{%
14998   \ifnum \c@tracingmulticols>\thr@@
14999 }{%
15000   \ifvoid\footinsv@r
15001     \ifvoid\footinsv@l
15002     \else
15003       \PackageWarning{multicol}%
15004         {I moved some lines to
15005          the next page.\MessageBreak
15006          Footnotes on page
15007          \thepage\space might be wrong}%
15008     \fi
15009   \else
15010     \PackageWarning{multicol}%
15011       {I moved some lines to
15012        the next page.\MessageBreak
15013        Footnotes on page
15014        \thepage\space might be wrong}%
15015   \fi
15016 \ifnum \c@tracingmulticols>\thr@@
15017 }{}{}%
15018 \bidi@patchcmd{\endmulticols}{%
15019   \reinsert@footnotes
15020 }{%
15021   \reinsert@footnotes
15022   \bidi@reinsert@footnotesv@r
15023   \bidi@reinsert@footnotesv@l
15024 }{}{}%
15025 \bidi@patchcmd{\speci@ls}{%
15026   \reinsert@footnotes
15027 }{%
15028   \reinsert@footnotes
15029   \bidi@reinsert@footnotesv@r
15030   \bidi@reinsert@footnotesv@l
15031 }{}{}%
15032 \bidi@patchcmd{\speci@ls}{%
15033   \reinsert@footnotes
15034 }{%
15035   \reinsert@footnotes
15036   \bidi@reinsert@footnotesv@r
15037   \bidi@reinsert@footnotesv@l
15038 }{}{}%
15039 }{}%
15040 \bidi@patchcmd{\multi@column@out}{%
15041   \let\ifshr@kingsaved\ifshr@king
15042 }{%
15043   \if@bidi@csdef{footinsv@l}{%
15044     \divide\skip\footinsv@r\col@number
15045     \ifvoid\footinsv@r \else

```



```

15046         \bidi@leave@mult@footins@vr
15047     \fi
15048     \divide\skip\footinsv@l\col@number
15049     \ifvoid\footinsv@l \else
15050         \bidi@leave@mult@footins@vl
15051     \fi
15052 }{}%
15053 \ifvoid\@bidi@copyins@ \else
15054     \bidi@leave@mult@copyins
15055 \fi
15056 \let\ifshr@kingsaved\ifshr@king
15057 }{}{}%
15058 }

```

86 File multienum-xetex-bidi.def

```

15059 \ProvidesFile{multienum-xetex-bidi.def}[2011/04/16 v0.1 bidi adaptations for multienum package]
15060 \renewcommand{\itemx}[1]{\parbox[t]%
15061 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
15062 \parbox[t]{\remainx}{\bidi@raggedright #1}\par}%\smallskip
15063 \renewcommand{\itemxx}[2]{\parbox[t]%
15064 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15065 \parbox[t]{.5\remainxx}{\bidi@raggedright #1}\hfill\parbox[t]%
15066 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15067 \parbox[t]{0.5\remainxx}{\bidi@raggedright #2}\smallskip
15068 \renewcommand{\itemxxx}[3]{\parbox[t]%
15069 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
15070 \parbox[t]{.3333\remainxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
15071 {\labelwidth}{\hfill {\labelname}}\hskip\labelsep%
15072 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\hfill\parbox[t]%
15073 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep%
15074 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #3}\par}%\smallskip
15075 \renewcommand{\itemxxxx}[4]{\parbox[t]%
15076 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15077 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill\parbox[t]%
15078 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15079 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
15080 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15081 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\hfill%
15082 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15083 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #4}\smallskip}
15084 \renewcommand{\itemxxxxx}[5]{\parbox[t]%
15085 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15086 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #1}\hfill%
15087 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15088 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #2}\hfill%
15089 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15090 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #3}\hfill%
15091 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15092 \parbox[t]{0.2\remainxxxxx}{\bidi@raggedright #4}\hfill%

```



```

15093 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15094 \parbox[t]{0.2\remainxxxx}{\bidi@raggedright #5}\smallskip}
15095 \renewcommand{\itemxox}[2]{\parbox[t]{%
15096 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15097 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
15098 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15099 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #2}\smallskip}
15100 \renewcommand{\itemxxo}[2]{\parbox[t]{%
15101 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15102 \parbox[t]{0.3333\remainxxx}{\bidi@raggedright #1}\hfill%
15103 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15104 \parbox[t]{\remainxox}{\bidi@raggedright #2}\smallskip}
15105 \renewcommand{\itemxox}[3]{\parbox[t]{%
15106 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15107 \parbox[t]{\remainxox}{\bidi@raggedright #1}\hfill%
15108 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15109 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #2}\hfill%
15110 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15111 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
15112 \renewcommand{\itemxxox}[3]{\parbox[t]{%
15113 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15114 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
15115 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15116 \parbox[t]{\remainxox}{\bidi@raggedright #2}\hfill%
15117 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15118 \parbox[t]{0.25\remainxxxx}{\bidi@raggedright #3}\smallskip}
15119 \renewcommand{\itemxxox}[3]{\parbox[t]{%
15120 {\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15121 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #1}\hfill%
15122 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15123 \parbox[t]{.25\remainxxxx}{\bidi@raggedright #2}\hfill%
15124 \parbox[t]{\labelwidth}{\hfill{\labelname}}\hskip\labelsep
15125 \parbox[t]{\remainxox}{\bidi@raggedright #3}\smallskip}

```

87 File natbib-xetex-bidi.def

```

15126 \ProvidesFile{natbib-xetex-bidi.def}[2017/06/09 v0.2 bidi adaptations for natbib package for X
15127 \renewenvironment{thebibliography}[1]{%
15128 \bibsection
15129 \parindent\z@
15130 \bibpreamble
15131 \bibfont
15132 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15133 \bidi@@thebibliography@font@hook%
15134 \list{\@biblabel{\the\c@NAT@ctr}}{\@bibsetup{#1}\global\c@NAT@ctr\z@}%
15135 \ifNAT@openbib
15136 \renewcommand\newblock{\par}%
15137 \else
15138 \renewcommand\newblock{\hskip .11em \@plus.33em \@minus.07em}%
15139 \fi

```




```

15140 \sloppy\clubpenalty4000\widowpenalty4000
15141 \sfcode`.\@m
15142 \let\NAT@bibitem@first@sw\@firstoftwo
15143 \let\citeN\cite \let\shortcite\cite
15144 \let\citeasnoun\cite
15145 }{%
15146 \bibitem@fin
15147 \bibpostamble
15148 \def\@noitemerr{%
15149 \PackageWarning{natbib}{Empty `thebibliography' environment}%
15150 }%
15151 \endlist
15152 \bibcleanup
15153 }%

```

88 File newfloat-xetex-bidi.def

```

15154 \ProvidesFile{newfloat-xetex-bidi.def}[2013/05/22 v0.1 bidi adaptations for newfloat package]
15155 \renewcommand*\newfloat@setwithin[2]{%
15156 \ifcsname c@chapter\endcsname
15157 \@removefromreset{#1}{chapter}%
15158 \fi
15159 \@removefromreset{#1}{section}%
15160 \edef\@tempa{#2}%
15161 \ifx\@tempa\@empty
15162 \def\@tempa{none}%
15163 \fi
15164 \def\@tempb{none}%
15165 \ifx\@tempa\@tempb
15166 \ifcsname c@chapter\endcsname
15167 \@chapterlistsgap@off{#1}%
15168 \fi
15169 \newfloat@@setwithin{#1}{-}{-}%
15170 \else
15171 \def\@tempb{chapter}%
15172 \ifx\@tempa\@tempb
15173 \@addtoreset{#1}{chapter}%
15174 \@chapterlistsgap@on{#1}%
15175 \newfloat@@setwithin{#1}{\ifnum\c@chapter>\z@ \thechapter\@SepMark\fi}{\theHchapter\@SepMark}%
15176 \else
15177 \def\@tempb{section}%
15178 \ifx\@tempa\@tempb
15179 \@addtoreset{#1}{section}%
15180 \ifcsname c@chapter\endcsname
15181 \@addtoreset{#1}{chapter}%
15182 \@chapterlistsgap@on{#1}%
15183 \newfloat@@setwithin{#1}{\thesection\@SepMark}{\theHsection\@SepMark}%
15184 \else
15185 \newfloat@@setwithin{#1}{\ifnum\c@section>\z@ \thesection\@SepMark\fi}{\theHsection\@SepMark}%
15186 \fi

```



```

15187     \else
15188         \newfloat@Error{Invalid value `#2' for option `within'}%
15189     \fi
15190 \fi
15191 \fi}

```

89 File ntheorem-xetex-bidi.def

```

15192 \ProvidesFile{ntheorem-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem package]
15193 \gdef\@thm#1#2#3{%
15194     \if@thmmarks
15195         \stepcounter{end\InTheoType ctr}%
15196     \fi
15197     \renewcommand{\InTheoType}{#1}%
15198     \if@thmmarks
15199         \stepcounter{curr#1ctr}%
15200         \setcounter{end#1ctr}{0}%
15201     \fi
15202     \refstepcounter{#2}%
15203     \theorem@prework
15204     \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
15205     \ifvmode \advance\thm@topsepadd\partopsep\fi
15206     \trivlist
15207     \@topsep \theorempreskipamount
15208     \@topsepadd \thm@topsepadd % used by \@endparenv
15209     \advance\linewidth -\theorem@indent
15210     \advance\@totalleftmargin \theorem@indent
15211     \if@RTL\parshape \@ne 0pt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
15212     \ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

90 File ntheorem-hyper-xetex-bidi.def

```

15213 \ProvidesFile{ntheorem-hyper-xetex-bidi.def}[2012/05/01 v0.1 bidi adaptations for ntheorem-hyper]
15214 \gdef\@thm#1#2#3{%
15215     \if@thmmarks
15216         \stepcounter{end\InTheoType ctr}%
15217     \fi
15218     \renewcommand{\InTheoType}{#1}%
15219     \if@thmmarks
15220         \stepcounter{curr#1ctr}%
15221         \setcounter{end#1ctr}{0}%
15222     \fi
15223     \refstepcounter{#2}%
15224     \thm@topsepadd \theorempostskipamount % cf. latex.ltx: \@trivlist
15225     \ifvmode \advance\thm@topsepadd\partopsep\fi
15226     \trivlist
15227     \@topsep \theorempreskipamount
15228     \@topsepadd \thm@topsepadd % used by \@endparenv
15229     \advance\linewidth -\theorem@indent
15230     \advance\@totalleftmargin \theorem@indent

```



```

15231 \ifRTL\parshape \@ne Opt \linewidth\else \parshape \@ne \@totalleftmargin \linewidth\fi
15232 \@ifnextchar[{\@ythm{#1}{#2}{#3}}{\@xthm{#1}{#2}{#3}}

```

91 File overpic-xetex-bidi.def

```

15233 \ProvidesFile{overpic-xetex-bidi.def}[2015/12/07 v0.1 bidi adaptations for overpic package for
15234 \renewenvironment{overpic}[2][\%
15235 \sbox{\z@}{\includegraphics[#1]{#2}}%
15236 \settodepth{\@tempcnta}{\usebox{\z@}}%
15237 \settoheight{\@tempcntb}{\usebox{\z@}}%
15238 \advance\@tempcntb\@tempcnta%
15239 \settowidth{\@tempcnta}{\usebox{\z@}}%
15240 \setlength{\@tempdima}{\unitlength}%
15241 \count@=\z@\Gin@gridfalse\setkeys{Gin}{#1}%
15242 %
15243 \OVP@calc%
15244 %
15245 \begin{picture}(\@tempcnta,\@tempcntb)%
15246 \ifRTL\else\put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}%
15247 \ifGin@grid%
15248 \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont%
15249 \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
15250 \fi\fi%
15251 % reset the graphics parameter
15252 \let\Gin@outer@scalex\relax
15253 \let\Gin@outer@scaley\relax
15254 \let\Gin@angle\relax
15255 \let\Gin@ewidth\Gin@exclamation
15256 \let\Gin@eheight\Gin@ewidth
15257 \def\Gin@scalex{1}
15258 \let\Gin@scaley\Gin@exclamation
15259 }{\%
15260 \ifRTL\ifGin@grid%
15261 \put(0,0){\normalfont\fontsize\@viipt\@viipt\selectfont%
15262 \grid(\@tempcnta,\@tempcntb)(\count@,\count@)[0,0]}%
15263 \fi%
15264 \put(0,0){\makebox(0,0)[bl]{\usebox{\z@}}}\fi%
15265 \end{picture}%
15266 }%

```

92 File pdfbase-xetex-bidi.def

```

15267 \ProvidesFile{pdfbase-xetex-bidi.def}[2018/09/29 v0.2 bidi adaptations for pdfbase package for
15268 \ExplSyntaxOn
15269 \cs_set_eq:NN\pbs_outputpage_orig:\@outputpage
15270 \cs_set_nopar:Npn\@outputpage{
15271 \int_gincr:N\g_pbs_page_int
15272 \iow_now:Nx\@mainaux{
15273 \token_to_str:N\pbs@newkey{pbs@last@page}{\int_use:N\g_pbs_page_int}
15274 }

```



```

15275 \box_if_vertical:cTF{@outputbox}{
15276   \bool_set_true:N\l_pbs_is_vertical_bool
15277 }{
15278   \bool_set_false:N\l_pbs_is_vertical_bool
15279 }
15280 \hbox_set:Nn\@outputbox{
15281   %begin of page
15282   \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_bop_seq{##1}}
15283   \box_use_clear:N\@outputbox
15284   %end of page
15285   \hbox_overlap_right:n{\seq_map_inline:Nn\g_pbs_eop_seq{##1}}
15286 }
15287 \bool_if:NT\l_pbs_is_vertical_bool{
15288   \vbox_set:Nn\@outputbox{\box_use_clear:N\@outputbox}
15289 }
15290 \pbs_outputpage_orig:
15291 }
15292 \ExplSyntaxOff

```

93 File pdfpages-xetex-bidi.def

```

15293 \ProvidesFile{pdfpages-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for pdfpages package]
15294 \renewcommand*{\includepdf}[2][{}]{%
15295   \begingroup
15296   \@RTLfalse
15297   \let\AM@threadname\relax
15298   \AM@split@options{pdfpages}{#1}%
15299   \edef\AM@temp{\pdfpages\the\@temptokena}%
15300   \expandafter\setkeys\AM@temp
15301   \ifthenelse{\boolean{AM@pkg@draft} \and \boolean{AM@survey}}{%
15302     \let\AM@currentdocname\relax
15303     \renewcommand\includegraphics[2][{}]{Survey in draft-mode}%
15304     \def\AM@pagecount{0}%
15305   }{%
15306     \AM@findfile{#2}%
15307     \if\AM@threadname\relax
15308       \def\AM@threadname{\AM@currentdocname}%
15309     \fi
15310   }%
15311   \ifAM@survey
15312     \def\AM@pagestemp{}%
15313     \@tempcnta=0
15314     \def\foo{%
15315       \@ifundefined{r\AM@xrprefix pdfpages@page\the\@tempcnta}%
15316       {\let\foo\relax}
15317       {\expandafter\ifx\expandafter\\AM@pagestemp\\
15318         \edef\AM@pagestemp{%
15319           \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}%
15320       \else
15321         \edef\AM@pagestemp{\AM@pagestemp,%

```



```

15322         \AM@pageref{\AM@xrprefix pdfpages@page\the\@tempcnta}}}%
15323         \fi
15324         \advance\@tempcnta 1\relax
15325     }%
15326     \foo
15327 }%
15328 \foo
15329 \expandafter\ifx\expandafter\\AM@pagestemp\\
15330 \def\AM@pagestemp{1}%
15331 \fi
15332 \fi
15333 \ifAM@output
15334     \expandafter\AM@readlist\expandafter{\AM@pagestemp}%
15335     \AM@output{#1}%
15336 \fi
15337 \AM@CheckAtEnd
15338 \endgroup
15339 \AM@ClearShipoutPicture
15340 }

```

94 File pgfcorescopes.code-xetex-bidi.def

```

15341 \ProvidesFile{pgfcorescopes.code-xetex-bidi.def}[2015/11/14 v0.1 bidi adaptations for pgf pack
15342 \def\pgfpicture{%
15343     \begingroup%
15344     \ifmmode\else\@RTLfalse\beginL\fi%
15345     \pgfpicturetrue%
15346     \global\advance\pgf@picture@serial@count by1\relax%
15347     \edef\pgfpictureid{pgfid\the\pgf@picture@serial@count}%
15348     \let\pgf@nodecallback=\pgfutil@gobble%
15349     \pgf@picmaxx=-16000pt\relax%
15350     \pgf@picminx=16000pt\relax%
15351     \pgf@picmaxy=-16000pt\relax%
15352     \pgf@picminy=16000pt\relax%
15353     \pgf@relevantforpicturesizetrue%
15354     \pgf@resetpathsizes%
15355     \pgfutil@ifnextchar\bgroup\pgf@oldpicture\pgf@picture}
15356 \def\endpgfpicture{%
15357     \ifpgfrememberpicturepositiononpage%
15358         \hbox to0pt{\pgfsys@markposition{\pgfpictureid}}%
15359     \fi%
15360     % ok, now let's position the box
15361     \ifdim\pgf@picmaxx=-16000pt\relax%
15362         % empty picture. make size 0.
15363         \global\pgf@picmaxx=0pt\relax%
15364         \global\pgf@picminx=0pt\relax%
15365         \global\pgf@picmaxy=0pt\relax%
15366         \global\pgf@picminy=0pt\relax%
15367     \fi%
15368     % Shift baseline outside:

```



```

15369      \pgf@relevantforpicturesizefalse%
15370      \pgf@process{\pgf@baseline}%
15371      \xdef\pgf@shift@baseline{\the\pgf@y}%
15372      %
15373      \pgf@process{\pgf@trimleft}%
15374      \global\advance\pgf@x by-\pgf@picminx
15375      % prepare \hskip\pgf@trimleft@final.
15376      % note that \pgf@trimleft@final is also queried
15377      % by the pgf image externalization.
15378      \xdef\pgf@trimleft@final{-\the\pgf@x}%
15379      %
15380      \pgf@process{\pgf@trimright}%
15381      \global\advance\pgf@x by-\pgf@picmaxx
15382      % prepare \hskip\pgf@trimright@final.
15383      % note that \pgf@trimright@final is also queried
15384      % by the pgf image externalization.
15385      \xdef\pgf@trimright@final{\the\pgf@x}%
15386      %
15387      \pgf@remember@layerlist@globally
15388      \endgroup%
15389      \hss%
15390      \egroup%
15391      \pgf@restore@layerlist@from@global
15392      \pgf@insertlayers%
15393      \endgroup%
15394      \pgfsys@discardpath%
15395      \endgroup%
15396      \pgfsys@endscope%
15397      \pgfsys@endpicture%
15398      \endgroup%
15399      \hss
15400 \egroup%
15401 \pgfsys@typesetpicturebox\pgfpic%
15402 \ifmmode\else\endL\fi%
15403 \endgroup%
15404 }

```

95 File `picinpar-xetex-bidi.def`

```

15405 \ProvidesFile{picinpar-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for picinpar package]
15406 \long\def\@makewincaption#1#2{%
15407   \setbox\@tempboxa\hbox{\footnotesize{\bf #1:\enspace}{#2}}%
15408   \ifdim\wd\@tempboxa>\picwd
15409     {\footnotesize{\bf #1:\enspace}{#2\par}}
15410   \else
15411     \hbox to\picwd{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}
15412   \fi}
15413 \def\endwindow{%
15414   \global\tcd=\tcdsav
15415   \egroup\vskip\parskip\parshape=0 % reset parshape; end \box\rawtext

```



```

15416 \vbadness=10000
15417 \splittopskip=0pt
15418 %
15419 % Typeset the lines above the window
15420 %
15421 \ifnum\tcd>0\setbox\holder=\vsplit\rawtext to \tcd\baselineskip
15422 \tcn=\tcd
15423 \loop\advance\tcn -1
15424 \setbox\fslice=\vsplit\holder to\baselineskip
15425 \prune\fslice\linewidth
15426 \topheight=0pt
15427 \ifnum\dp\fslice>\dp\wstrutbox
15428 \advance\topheight-\dp\fslice
15429 \advance\topheight\dp\wstrutbox
15430 \advance\topheight\ilg\fi
15431 \hbox to\linewidth{\box\fslice}
15432 \vskip-\topheight
15433 \ifdim\ht\holder>0pt\repeat
15434 \fi
15435 %
15436 % Now we build the boxes beside the window
15437 %
15438 \global\topheight=\tcl\baselineskip
15439 \ifnum\cumpartcl>0\global\tcl=\cumtcl
15440 \global\topheight=\vpic
15441 \fi
15442 \ifnum\bl>0 \ifnum\br>0 \multiply\topheight by 2\fi\fi
15443 \ifnum\bl>0\setbox\holder=\vsplit\rawtext to\topheight
15444 \else\ifnum\br>0\setbox\holder=\vsplit\rawtext to\topheight\fi\fi
15445 \tcn=\tcl \na=0 \nb=0
15446 \ifnum\bl>0 \ifnum\br>0 \multiply\tcn by 2\fi\fi
15447 \ifnum\bl>0\na=\tcn\ifnum\br>0\divide\na by 2\fi\fi
15448 \ifnum\br>0\nb=\tcn\ifnum\bl>0\divide\nb by 2\fi\fi
15449 \ifnum\na=0\ifnum\nb=0
15450 \setbox\waslice=\vbox to\vpic{\vss}
15451 \setbox\wbslice=\vbox to\vpic{\vss}
15452 \bl=1\br=1
15453 \vskip\ilg
15454 \fi\fi
15455 %
15456 % both sides
15457 %
15458 \ifnum\na>0 \ifnum\nb>0
15459 \loop\advance\nb -1
15460 \advance\na -1
15461 \if@RTL%
15462 \setbox\bslice=\vsplit\holder to\baselineskip
15463 \prune\bslice\rtside
15464 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
15465 to\rtside{\box\bslice\hfil}}

```



```

15466 \setbox\aslice=\vsplit\holder to\baselineskip
15467 \prune\aslice\lftside
15468 \setbox\waslice=\vbox{\unvbox\waslice\hbox
15469 to\lftside{\box\aslice\hfil}}
15470 \else%
15471 \setbox\aslice=\vsplit\holder to\baselineskip
15472 \prune\aslice\lftside
15473 \setbox\waslice=\vbox{\unvbox\waslice\hbox
15474 to\lftside{\box\aslice\hfil}}
15475 \setbox\bslice=\vsplit\holder to\baselineskip
15476 \prune\bslice\rtside
15477 \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
15478 to\rtside{\box\bslice\hfil}}
15479 \fi%
15480 \ifnum\nb>0\repeat
15481 \fi\fi
15482 %
15483 % only text on the left side
15484 %
15485 \ifnum\na>0
15486   \loop\advance\na -1
15487   \setbox\aslice=\vsplit\holder to\baselineskip
15488   \prune\aslice\lftside
15489   \setbox\waslice=\vbox{\unvbox\waslice\hbox
15490 to\lftside{\box\aslice\hfil}}
15491   \ifdim\ht\holder>0pt\repeat
15492 \fi
15493 %
15494 % only text on the right side
15495 %
15496 \ifnum\nb>0
15497   \loop\advance\nb -1
15498   \setbox\bslice=\vsplit\holder to\baselineskip
15499   \prune\bslice\rtside
15500   \setbox\wbslice=\vbox{\unvbox\wbslice\hbox
15501 to\rtside{\box\bslice\hfil}}
15502   \ifdim\ht\holder>0pt\repeat
15503 \fi
15504 %
15505 % fixing the dimensions of the window part
15506 %
15507 \ifnum\bl=0\topheight=\ht\wbslice
15508 \else\ifnum\br=0\topheight=\ht\waslice
15509   \else\ifdim\ht\waslice>\ht\wbslice\topheight=\ht\waslice
15510   \else\topheight=\ht\wbslice\fi\fi\fi
15511 %
15512 % ship out the window material to the main vertical list
15513 %
15514 \ifnum\bl>0 \ifnum\br>0 \ifdim\ht\wbslice<\topheight
15515 \setbox\wbslice=\vbox to\topheight{\box\wbslice\vfill}

```




```

15516 \fi\fi\fi
15517 \setbox\windowbox=\vbox{\hbox to\linewidth{%
15518 \ifnum\bl>0\box\waslice\hfill\fi%
15519 \vbox to\topheight{\hrule width\picwd height0pt depth0pt\vskip0pt%
15520 \vfill\unvbox\picbox%
15521 \ifnum\picwd>0\vfill\fi%
15522 \vss}\ifnum\br>0\hfill\vbox{\box\wbslice}\fi}}%
15523 \unvbox\windowbox%
15524 \loop
15525 \setbox\bslice=\vsplit\rawtext to\baselineskip
15526 \prune\bslice\linewidth
15527 \setbox\wbslice=\vbox{\hbox to\linewidth{\box\bslice\hfil}}
15528 \unvbox\wbslice
15529 \ifdim\ht\rawtext>Opt
15530 \repeat
15531 }% FINITO

```

96 File plain-xetex-bidi.def

```

15532 \def\TeXXeTOn{\TeXXeTstate=1 }
15533 \def\TeXXeTOff{\TeXXeTstate=0 }
15534 \TeXXeTOn
15535 \def\usebox#1{\leavevmode\copy #1\relax}
15536 \def\bidirTL@everypar{{\setbox\z@\lastbox\if@RTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox{
15537 \let\bidio@everypar=\everypar
15538 \newtoks\bidin@everypar
15539 \bidin@everypar\expandafter{\the\bidio@everypar}
15540 \bidio@everypar{\bidirTL@everypar\the\bidin@everypar}
15541 \let\everypar=\bidin@everypar
15542 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
15543 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
15544 \protected\def\hboxR{\hbox\bgroup
15545 \everyhbox{%
15546 \aftergroup\egroup
15547 \everyhbox{}}%
15548 \beginR
15549 \@hboxRconstructtrue
15550 \bgroup
15551 \aftergroup\endR
15552 \aftergroup\egroup
15553 }\hbox}
15554 \protected\def\hboxL{\hbox\bgroup
15555 \everyhbox{%
15556 \aftergroup\egroup
15557 \everyhbox{}}%
15558 \beginL
15559 \@hboxRconstructfalse
15560 \bgroup
15561 \aftergroup\endL
15562 \aftergroup\egroup

```



```

15563 } \hbox}
15564 \protected\def\ vboxR{\ vbox\bgroup
15565 \everyvbox{%
15566 \aftergroup\egroup
15567 \everyvbox{}}%
15568 \@RTLtrue
15569 \bgroup
15570 \aftergroup\egroup
15571 } \vbox}
15572 \protected\def\ vboxL{\ vbox\bgroup
15573 \everyvbox{%
15574 \aftergroup\egroup
15575 \everyvbox{}}%
15576 \@RTLfalse
15577 \bgroup
15578 \aftergroup\egroup
15579 } \vbox}
15580 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\hsize\linewidth\parshape\z@}
15581 \def\endLTR{\par}
15582 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\hsize\linewidth\parshape\z@}
15583 \def\endRTL{\par}
15584 \def\setRTL{\@RTLtrue\@RTL@footnotetrue}
15585 \def\setLTR{\@RTLfalse\@RTL@footnotefalse}
15586 \let\unsetRTL=\setLTR
15587 \let\unsetLTR=\setRTL
15588 \let\LR=\LRE
15589 \let\RL=\RLE
15590 \def\@ensureRTL#1{\if@RTL#1\else\RLE{#1}\fi}
15591 \def\@ensureLTR#1{\if@RTL\LRE{#1}\else#1\fi}
15592 \let\@ensureRL=\@ensureRTL
15593 \let\@ensureLR=\@ensureLTR
15594 \def\@ensure@dir#1{\if@RTL\RLE{#1}\else{#1}\fi}
15595 \let\@ensure@maindir=\@ensure@dir
15596 \def\@RTL{RTL}
15597 \def\@LTR{LTR}
15598 \def\save@dir{\if@RTL\gdef\saved@dir{RTL}\else\gdef\saved@dir{LTR}\fi}
15599 \def\reset@dir{\ifx\saved@dir\@RTL\setRTL\else\ifx\saved@dir\@LTR\setLTR\else\relax\fi\fi}
15600 \let\@TeX\TeX
15601 \def\TeX{\@ensureLTR{\@TeX}}
15602 \def\pagecontents{\ifvoid\topins\else\unvbox\topins\fi
15603 \dimen@=\dp\@cclv \unvbox\@cclv % open up \box255
15604 \ifvoid\footins\else % footnote info is present
15605 \vskip\skip\footins
15606 \footnoterule
15607 \unvbox\footins\fi
15608 \ifrggedbottom \kern-\dimen@ \vfil \fi
15609 \ifvoid\@bidi@copyins@
15610 \else
15611 \vskip\skip\@bidi@copyins@
15612 \unvbox\@bidi@copyins@

```



```

15613 \fi
15614 }
15615 \long\def\ bidi@reflect@box#1{%
15616 \leavevmode
15617 \setbox\z@\hbox{{#1}}%
15618 \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
15619 \hbox to \wd\z@{\kern\wd\z@\box\tw@\hss}%
15620 }
15621 \def\XeTeX{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
15622 \hbox{\kern-.125em\ bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
15623 \let\setRL=\setRTL
15624 \let\setLR=\setLTR
15625 \let\unsetRL=\setLTR
15626 \let\ bidi@sav@eqno=eqno
15627 \let\ bidi@sav@leqno=leqno
15628 \def\eqno{\ifnum\predisplaydirection<\z@ \ bidi@sav@leqno \else \ bidi@sav@eqno \fi}
15629 \def\leqno{\ifnum\predisplaydirection<\z@ \ bidi@sav@eqno \else \ bidi@sav@leqno \fi}
15630 \def\centerline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
15631 \def\leftline#1{\line{\if@RTL\beginR\fi#1\if@RTL\endR\fi\hss}}
15632 \def\rightline#1{\line{\hss\if@RTL\beginR\fi#1\if@RTL\endR\fi}}

```

97 File pstricks-xetex-bidi.def

```

15633 \ProvidesFile{pstricks-xetex-bidi.def}[2015/11/18 v0.5 bidi adaptations for pstricks package]
15634 \def\pspicture{\begingroup\ifmmode\else\@RTLfalse\beginL\fi\pst@ifstar\pst@picture}
15635 \def\endpspicture{%
15636 \ifshowgrid\ifnum\showgridp>0
15637 \psgrid[xunit=\sh@wgridXunit,yunit=\sh@wgridYunit,style=gridstyle]\fi\fi%
15638 \pst@killglue
15639 % \global\pst@shift=\pst@shift% in fact of the following endgroup
15640 \endgroup
15641 \egroup
15642 \ifdim\wd\pst@hbox=\z@\else
15643 %\@pstrickserr{Extraneous space in the pspicture environment}%
15644 %\Type \space <return> \space to proceed.}%
15645 \fi
15646 \ht\pst@hbox=\pst@dimd
15647 \dp\pst@hbox=-\pst@dimb
15648 \setbox\pst@hbox=\hbox{%
15649 \kern-\pst@dimd
15650 % Orig version -----
15651 %\ifx\pst@tempa\@empty\else
15652 %\advance\pst@dimd-\pst@dimb
15653 %\pst@dimd=\pst@tempa\pst@dimd
15654 %\advance\pst@dimd\pst@dimb
15655 %\lower\pst@dimd
15656 %\fi
15657 %----- end Orig
15658 \ifPst@shift@star%\typeout{==pstricks== old behaviour of the shift option}% shift==
15659 \advance\pst@dimd-\pst@dimb

```



```

15660     \pst@dimd=0.5\pst@dimd
15661     \else\pst@dimd-\pst@shift\fi
15662     \advance\pst@dimd\pst@dimb
15663     \lower\pst@dimd
15664     \box\pst@hbox
15665     \kern\pst@dimc}%
15666 \if@star\setbox\pst@hbox=\hbox{\clipbox@@\z@}\fi
15667 \leavevmode\ifdim\overfullrule=\z@\box\pst@hbox\else
15668 \fboxsep=0pt
15669 \fbox{\rule[-\pst@shift]{0pt}{\ht\pst@hbox}\rule{\wd\pst@hbox}{0pt}}\fi
15670 \ifmmode\else\endL\fi
15671 \endgroup%
15672 \psset[pstricks]{shift=0}% reset value
15673 }

```

98 File quotchap-xetex-bidi.def

```

15674 \ProvidesFile{quotchap-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for quotchap package]
15675 \renewcommand{\qauthor}[1]{%
15676   \par\smallskip
15677   {\if@RTL\raggedright\else\raggedleft\fi\upshape #1\qqquad\hbox{}\par}\bigskip}
15678 \renewcommand{\@makechapterhead}[1]{\chapterheadstartvskip%
15679   {\size@chapter{\sectfont\if@RTL\raggedright\else\raggedleft\fi
15680     {\chapnumfont
15681       \ifnum \c@secnumdepth >\m@ne%
15682         \if@mainmatter\thechapter%
15683         \fi\fi
15684       \par\nobreak}%
15685     {\if@RTL\raggedright\else\raggedleft\fi\advance\if@RTL\rightmargin\else\leftmargin\fi10\p
15686     \nobreak\chapterheadendvskip}}}
15687 \renewcommand*{\@iprintcites}{%
15688   \vbox to\z@{\leavevmode\copy\@quotebox\vss}
15689   \global\let\@printcites\relax}

```

99 File ragged2e-xetex-bidi.def

```

15690 \ProvidesFile{ragged2e-xetex-bidi.def}[2018/10/17 v0.3 bidi adaptations for ragged2e package]
15691 \renewcommand{\Centering}{%
15692   \ifx\\ \@raggedtwoe@savedcr
15693     \let\\ \@centercr
15694   \fi
15695   \let\@gnewline\@raggedtwoe@gnewline
15696   \if@RTL\rightskip\else\leftskip\fi\CenteringLeftskip
15697   \@rightskip\CenteringRightskip
15698   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15699   \parfillskip\CenteringParfillskip
15700   \parindent\CenteringParindent
15701   \@raggedtwoe@spaceskiptrue
15702   \@raggedtwoe@everyselectfont
15703 }

```



```

15704 \renewcommand{\RaggedLeft}{%
15705   \ifx\\ \@raggedtwoe@savedcr
15706     \let\\ \@centercr
15707   \fi
15708   \let\@gnewline\@raggedtwoe@gnewline
15709   \if@RTL\rightright\else\leftskip\fi\RaggedLeftLeftskip
15710   \@rightskip\RaggedLeftRightskip
15711   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15712   \parfillskip\RaggedLeftParfillskip
15713   \parindent\RaggedLeftParindent
15714   \@raggedtwoe@spaceskiptrue
15715   \@raggedtwoe@everyselectfont
15716 }
15717 \renewcommand{\RaggedRight}{%
15718   \ifx\\ \@raggedtwoe@savedcr
15719     \let\\ \@centercr
15720   \fi
15721   \let\@gnewline\@raggedtwoe@gnewline
15722   \if@RTL\rightright\else\leftskip\fi\RaggedRightLeftskip
15723   \@rightskip\RaggedRightRightskip
15724   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15725   \parfillskip\RaggedRightParfillskip
15726   \parindent\RaggedRightParindent
15727   \@raggedtwoe@spaceskiptrue
15728   \@raggedtwoe@everyselectfont
15729 }
15730 \renewcommand{\justifying}{%
15731   \let\\ \@raggedtwoe@savedcr
15732   \let\@gnewline\@raggedtwoe@saved@gnewline
15733   \if@RTL\rightright\else\leftskip\fi\z@
15734   \@rightskip\z@
15735   \if@RTL\leftskip\else\rightskip\fi\@rightskip
15736   \parfillskip\JustifyingParfillskip
15737   \parindent\JustifyingParindent
15738   \@raggedtwoe@spaceskipfalse
15739   \@raggedtwoe@everyselectfont
15740 }
15741 \def\@raggedtwoe@raggedrightboxes@opt{%
15742   \renewcommand{\@arrayparboxrestore}{%
15743     \let\if@nobreak\iffalse
15744     \let\if@noskipsec\iffalse
15745     \let\par\@@par
15746     \let\-\@dischph
15747     \let'\@acci\let'\@accii\let\=\@acciii
15748     \parskip\z@skip
15749     \everypar{}%
15750     \linewidth\hsize
15751     \@totalleftmargin\z@
15752     \if@RTL
15753       \RaggedLeft

```



```

15754 \else
15755 \RaggedRight
15756 \fi
15757 \lineskip\normallineskip
15758 \baselineskip\normalbaselineskip
15759 \sloppy}%
15760 \let\@raggedtwoe@raggedrightboxes@opt\relax
15761 }
15762 \def\@raggedtwoe@document@opt{%
15763 \AtBeginDocument{\@raggedtwoe@abdhook}%
15764 \@raggedtwoe@raggedrightboxes@opt
15765 \@raggedtwoe@footmisctrue
15766 \let\@raggedtwoe@document@opt\relax
15767 }
15768 \def\@raggedtwoe@abdhook{%
15769 \PackageInfo{ragged2e}{ABD: executing '\string\RaggedLeft' for
15770 right to left documents and '\string\RaggedRight' for left
15771 to right documents}%
15772 \if@RTL
15773 \RaggedLeft
15774 \else
15775 \RaggedRight
15776 \fi
15777 \@ifundefined{@tocrmarg}{\edef\@tocrmarg{\@tocrmarg plus 2em}}%
15778 \let\@raggedtwoe@abdhook\relax
15779 }
15780 \@ifpackagewith{ragged2e}{raggedrightboxes}{%
15781 \@raggedtwoe@raggedrightboxes@opt
15782 }{}
15783 \@ifpackagewith{ragged2e}{document}{%
15784 \@raggedtwoe@document@opt
15785 }{}
15786 \let\origin@RaggedLeft=\RaggedLeft
15787 \let\origin@RaggedRight=\RaggedRight
15788 \def\RaggedLeft{\if@RTL\origin@RaggedRight\else\origin@RaggedLeft\fi}
15789 \def\RaggedRight{\if@RTL\origin@RaggedLeft\else\origin@RaggedRight\fi}

```

100 File rapport1-xetex-bidi.def

```

15790 \ProvidesFile{rapport1-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for rapport1 class for
15791 \renewenvironment{theindex}{%
15792 \if@twocolumn
15793 \@restonecolfalse
15794 \else
15795 \@restonecoltrue
15796 \fi
15797 \columnseprule \z@
15798 \columnsep 35\p@
15799 \twocolumn[\@makeschapterhead{\indexname}]}%
15800 \mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%

```



```

15801 \thispagestyle{plain}\parindent\z@
15802 \parskip\z@ \@plus .3\p@\relax
15803 \let\item\@idxitem
15804 }{%
15805 \if@restonecol\onecolumn\else\clearpage\fi}
15806 \renewcommand*\head@style{%
15807   \interlinepenalty \@M
15808   \hyphenpenalty=\@M \exhyphenpenalty=\@M
15809   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}
15810 \if@titlepage
15811   \renewenvironment{abstract}{%
15812     \titlepage
15813     \null\vfil
15814     \section*{\SectFont\abstractname}%
15815     \noindent\ignorespaces}
15816     {\par\vfil\null\endtitlepage}
15817 \else
15818   \renewenvironment{abstract}{%
15819     \if@twocolumn
15820       \section*{\abstractname}%
15821     \else
15822       \bgroup\if@RTL\leftskip\else\rightskip\fi=\unitindent
15823       \section*{\small\SectFont\abstractname}%
15824       \noindent\ignorespaces
15825     \fi}
15826     {\if@twocolumn\else\par\egroup\fi}
15827 \fi
15828 \renewcommand*\@regtocline[3]{%
15829   \ifnum #1>\c@tocdepth
15830   \else
15831     \vskip\z@ \@plus .2\p@
15832     {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
15833     \if@RTL\rightskip\else\leftskip\fi\unitindent
15834     \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
15835     \parfillskip\z@
15836     \@tempdima\unitindent
15837     \parindent\z@
15838     \leavevmode
15839     \hbox{}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
15840     \hskip 1em \nobreak{\slshape #3}\par
15841   }%
15842   \fi}
15843 \if@oldtoc
15844 \renewcommand*\l@part[2]{%
15845   \ifnum \c@tocdepth >-2\relax
15846     \addpenalty{-\@highpenalty}%
15847     \addvspace{2.25em \@plus\p@}%
15848     \begingroup
15849       \setlength\@tempdima{3em}%
15850       \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth

```



```

15851 \parfillskip -\@pnumwidth
15852 {\leavevmode
15853 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
15854 \nobreak
15855 \global\@nobreaktrue
15856 \everypar{\global\@nobreakfalse\everypar{}}%
15857 \endgroup
15858 \fi}
15859 \else
15860 \renewcommand*\l@part{%
15861 \ifnum \c@tocdepth >-2\relax
15862 \addpenalty{-\@highpenalty}%
15863 \addvspace{2.25em \@plus \p@}%
15864 \@regtocline{0}%
15865 \fi}
15866 \fi
15867 \if@oldtoc
15868 \renewcommand*\l@chapter[2]{%
15869 \addpenalty{-\@highpenalty}%
15870 \vskip 1.0em \@plus \p@
15871 \setlength\@tempdima{1.5em}%
15872 \begingroup
15873 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
15874 \parfillskip -\@pnumwidth
15875 \leavevmode \bfseries
15876 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
15877 \hskip -\if@RTL\rightskip\else\leftskip\fi
15878 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
15879 \penalty\@highpenalty
15880 \endgroup}
15881 \else
15882 \renewcommand*\l@chapter{\@regtocline{0}}
15883 \fi
15884 \renewcommand*\left@footnoterule{%
15885 \kern-3\p@
15886 \kern.5\baselineskip
15887 \hrule\@width\unitindent
15888 \kern.4\baselineskip
15889 }
15890 \renewcommand*\right@footnoterule{%
15891 \kern-3\p@
15892 \kern.5\baselineskip
15893 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
15894 \kern.4\baselineskip}
15895 \renewenvironment{thebibliography}[1]
15896 {\chapter*{\bibname}%
15897 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
15898 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
15899 \bidi\@thebibliography\font\hook%
15900 \list{\@biblabel{\@arabic\c@enumiv}}%

```




```

15901         {\settowidth\labelwidth{\@biblabel{#1}}}%
15902         \leftmargin\labelwidth
15903         \advance\leftmargin\labelsep
15904         \@openbib@code
15905         \usecounter{enumiv}%
15906         \let\p@enumiv\@empty
15907         \renewcommand*{theenumiv}{\@arabic\c@enumiv}}%
15908     \sloppy\clubpenalty4000\widowpenalty4000%
15909     \sfcode`\.\@m}
15910 {\def\@noitemerr
15911   {\@latex@warning{Empty `thebibliography' environment}}}%
15912 \endlist}
15913 \renewcommand*{thesection}{\thechapter\@SepMark\@arabic\c@section}
15914 \renewcommand*{thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
15915 \renewcommand*{thesubsubsection}{\thesubsection\@SepMark\@arabic\c@subsubsection}
15916 \renewcommand*{theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
15917 \renewcommand*{thesubparagraph}{\theparagraph\@SepMark\@arabic\c@subparagraph}
15918 \renewcommand*{theequation}{%
15919   \ifnum \c@chapter>\z@ \thechapter\@SepMark\fi\@arabic\c@equation}
15920 \renewcommand*{thefigure}{%
15921   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
15922 \renewcommand*{thetable}{%
15923   \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
15924 \if@titlepage
15925 \renewcommand*{TitleFont}{\rmfamily}
15926 \renewcommand*{maketitle}{%
15927   \begin{titlepage}%
15928     \let\footnotesize\small
15929     \let\right@footnoterule\relax
15930     \let\left@footnoterule\relax
15931     \let\textwidth\footnoterule\relax
15932     \let \footnote \thanks
15933     \long\def\@makefnmark##1{\parindent\z@
15934       \def\labelitemi{\textendash}\@revlabeltrue
15935       \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
15936     \renewcommand*{thefootnote}{\@fnsymbol\c@footnote}%
15937     \if@compatibility\setcounter{page}{0}\fi
15938     \null\vfil
15939     \vskip 60\p@
15940     \begin{center}%
15941       TitleFont
15942       {\LARGE \def\\{\penalty -\@M}
15943         \if@allcaps
15944           \expandafter\uc@nothanks\@title\thanks\relax
15945         \else
15946           \@title
15947         \fi\par}%
15948     \vskip 3em%
15949     {\large
15950       \lineskip .75em \parindent\z@

```



```

15951 \begin{tabular}[t]{c}%
15952 \if@allcaps
15953 \expandafter\uc@authornothanks\@author\and\relax
15954 \else
15955 \@author
15956 \fi
15957 \end{tabular}\par}%
15958 \vskip 1.5em%
15959 {\large
15960 \if@allcaps
15961 \uppercase\expandafter{\@date}%
15962 \else
15963 \@date
15964 \fi\par}%
15965 \end{center}\par
15966 \@thanks
15967 \vfil\null
15968 \end{titlepage}%
15969 \setcounter{footnote}{0}%
15970 \global\let\thanks\relax
15971 \global\let\maketitle\relax
15972 \global\let\@thanks\@empty
15973 \global\let\@author\@empty
15974 \global\let\@title\@empty
15975 \global\let\@date\@empty
15976 \global\let\title\relax
15977 \global\let\author\relax
15978 \global\let\date\relax
15979 \global\let\and\relax
15980 }
15981 \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
15982 \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
15983 \futurelet\@tempa\uc@ax}
15984 \def\uc@ax{%
15985 \ifx\@tempa\relax
15986 \else
15987 \\\andname \\\expandafter\uc@authornothanks
15988 \fi}
15989 \def\uc@tx{\ifx\@tempa\relax
15990 \else \expandafter\uc@ty \fi}
15991 \def\uc@ty#1{\thanks{#1}\uc@nothanks}
15992 \else
15993 \renewcommand*\maketitle{\par
15994 \begingroup
15995 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
15996 \def\@makefnmark{\rlap{%
15997 \@textsuperscript{\normalfont\@thefnmark}}}%
15998 \long\def\@makefntext{\@xmakefntext{%
15999 \@textsuperscript{\normalfont\@thefnmark}}}%
16000 \if@twocolumn

```



```

16001     \ifnum \col@number=\@ne
16002         \@maketitle
16003     \else
16004         \twocolumn[\@maketitle]%
16005     \fi
16006 \else
16007     \newpage
16008     \global\@topnum\z@
16009     \@maketitle
16010 \fi
16011 \thispagestyle{plain}\@thanks
16012 \endgroup
16013 \setcounter{footnote}{0}%
16014 \global\let\thanks\relax
16015 \global\let\maketitle\relax
16016 \global\let\@maketitle\relax
16017 \global\let\@thanks\@empty
16018 \global\let\@author\@empty
16019 \global\let\@title\@empty
16020 \global\let\@date\@empty
16021 \global\let\title\relax
16022 \global\let\author\relax
16023 \global\let\date\relax
16024 \global\let\and\relax
16025 }
16026 \def\@maketitle{%
16027     \newpage
16028     \null
16029     \vskip 2em%
16030     \begin{center}%
16031         \let \footnote \thanks
16032         {\LARGE \TitleFont \@title \par}%
16033         \vskip 1.5em%
16034         {\large \TitleFont
16035             \lineskip .5em%
16036             \begin{tabular}[t]{c}%
16037                 \@author
16038             \end{tabular}\par}%
16039         \vskip 1em%
16040         {\large \TitleFont \@date}%
16041     \end{center}%
16042     \par
16043     \vskip 1.5em}
16044 \fi

```

101 File rapport3-xetex-bidi.def

```

16045 \ProvidesFile{rapport3-xetex-bidi.def}[2017/06/09 v0.6 bidi adaptations for rapport3 class for
16046 \renewenvironment{theindex}{%
16047     \if@twocolumn

```



```

16048 \@restonecolfalse
16049 \else
16050 \@restonecoltrue
16051 \fi
16052 \columnseprule \z@
16053 \columnsep 35\p@
16054 \twocolumn[\@makeschapterhead{\indexname}]%
16055 \@mkboth{\MakeUppercase{\indexname}}{\MakeUppercase{\indexname}}%
16056 \thispagestyle{plain}\parindent\z@
16057 \parskip\z@ \@plus .3\p@\relax
16058 \let\item\@idxitem
16059 }{%
16060 \if@restonecol\onecolumn\else\clearpage\fi}
16061 \if@titlepage
16062 \renewcommand*\TitleFont{\rmfamily}
16063 \renewcommand*\maketitle{%
16064 \begin{titlepage}%
16065 \let\footnotesize\small
16066 \let\right@footnoterule\relax
16067 \let\left@footnoterule\relax
16068 \let\textwidth@footnoterule\relax
16069 \let \footnote \thanks
16070 \let \LTRfootnote \LTRthanks
16071 \let \RTLfootnote \RTLthanks
16072 \long\def\@makefnmark##1{\parindent\z@
16073 \def\labelitemi{\textendash}\@revlabeltrue
16074 \leavevmode\@textsuperscript{\@thefnmark}\kern1em\relax ##1}
16075 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16076 \if@compatibility\setcounter{page}{0}\fi
16077 \null\vfil
16078 \vskip 60\p@
16079 \begin{center}%
16080 \TitleFont
16081 {\LARGE \def\\{\penalty -\@M}
16082 \if@allcaps
16083 \expandafter\uc@nothanks\@title\thanks\relax
16084 \else
16085 \@title
16086 \fi\par}%
16087 \vskip 3em%
16088 {\large
16089 \lineskip .75em \parindent\z@
16090 \begin{tabular}[t]{c}%
16091 \if@allcaps
16092 \expandafter\uc@author\@author\and\relax
16093 \else
16094 \@author
16095 \fi
16096 \end{tabular}\par}%
16097 \vskip 1.5em%

```



```

16098      {\large
16099        \if@allcaps
16100          \uppercase\expandafter{\@date}%
16101        \else
16102          \@date
16103        \fi\par}%
16104      \end{center}\par
16105      \@thanks
16106      \vfil\null
16107    \end{titlepage}%
16108    \setcounter{footnote}{0}%
16109    \global\let\thanks\relax
16110    \global\let\LTRthanks\relax
16111    \global\let\RTLthanks\relax
16112    \global\let\maketitle\relax
16113    \global\let\@thanks\@empty
16114    \global\let\@author\@empty
16115    \global\let\@title\@empty
16116    \global\let\@date\@empty
16117    \global\let\title\relax
16118    \global\let\author\relax
16119    \global\let\date\relax
16120    \global\let\and\relax
16121  }
16122  \def\uc@nothanks#1\thanks{\uppercase{#1}\futurelet\@tempa\uc@tx}
16123  \def\uc@authornothanks#1\and{\uc@nothanks#1\thanks\relax
16124    \futurelet\@tempa\uc@ax}
16125  \def\uc@ax{%
16126    \ifx\@tempa\relax
16127    \else
16128      \ \ \andname \ \ \expandafter\uc@authornothanks
16129    \fi}
16130  \def\uc@tx{\ifx\@tempa\relax
16131    \else \expandafter\uc@ty \fi}
16132  \def\uc@ty#1{\thanks{#1}\uc@nothanks}
16133  \else
16134    \renewcommand*\maketitle{\par
16135      \begin{group}
16136        \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16137        \def\@makefnmark{\rlap{%
16138          \@textsuperscript{\normalfont\@thefnmark}}}%
16139        \long\def\@makefntext{\@xmakefntext{%
16140          \@textsuperscript{\normalfont\@thefnmark}}}%
16141        \if@twocolumn
16142          \ifnum \col@number=\@ne
16143            \@maketitle
16144          \else
16145            \twocolumn[\@maketitle]%
16146          \fi
16147        \else

```



```

16148     \newpage
16149     \global\@topnum\z@
16150     \@maketitle
16151     \fi
16152     \thispagestyle{plain}\@thanks
16153 \endgroup
16154 \setcounter{footnote}{0}%
16155 \global\let\thanks\relax
16156 \global\let\LTRthanks\relax
16157 \global\let\RTLthanks\relax
16158 \global\let\maketitle\relax
16159 \global\let\@maketitle\relax
16160 \global\let\@thanks\@empty
16161 \global\let\@author\@empty
16162 \global\let\@title\@empty
16163 \global\let\@date\@empty
16164 \global\let\title\relax
16165 \global\let\author\relax
16166 \global\let\date\relax
16167 \global\let\and\relax
16168 }
16169 \def\@maketitle{%
16170     \newpage
16171     \null
16172     \vskip 2em%
16173     \if@titlecentered
16174         \begin{center}%
16175             \let \footnote \thanks
16176             \let \LTRfootnote \LTRthanks
16177             \let \RTLfootnote \RTLthanks
16178             {\LARGE \TitleFont \@title \par}%
16179             \vskip 1.5em%
16180             {\large \TitleFont
16181                 \lineskip .5em%
16182                 \begin{tabular}[t]{c}%
16183                     \@author
16184                 \end{tabular}\par}%
16185             \vskip 1em%
16186             {\large \TitleFont \@date}%
16187         \end{center}%
16188     \else
16189         {\LARGE \TitleFont \head@style \@title \par} \vskip 1.5em
16190         {\large \TitleFont \lineskip .5em \tabcolsep\z@
16191             \def\and{%% \begin{tabular} has already started
16192                 \end{tabular}\hskip 1em plus .17fil
16193                 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi}% \end{tabular}
16194                 \if@RTL\begin{tabular}[t]{r}\else\begin{tabular}[t]{l}\fi\@author\end{tabular}\par}
16195             \vskip 1em {\large \TitleFont \@date}
16196     \fi
16197 \par

```



```

16198 \vskip 1.5em}
16199 \fi
16200 \renewcommand*\@regtocline[3]{%
16201 \ifnum #1>\c@tocdepth
16202 \else
16203 \vskip\z@\@plus.2\p@
16204 {\hangindent\z@ \@afterindenttrue \interlinepenalty\@M
16205 \if@RTL\rightskip\else\leftskip\fi\unitindent
16206 \if@RTL\leftskip\else\rightskip\fi\unitindent\@plus 1fil
16207 \parfillskip\z@
16208 \@tempdima\unitindent
16209 \parindent\z@
16210 \leavevmode
16211 \hbox{}}\hskip -\if@RTL\rightskip\else\leftskip\fi\relax#2\nobreak
16212 \hskip 1em \nobreak{\slshape #3}\par
16213 }%
16214 \fi}
16215 \if@oldtoc
16216 \renewcommand*\l@part[2]{%
16217 \ifnum \c@tocdepth >-2\relax
16218 \addpenalty{-\@highpenalty}%
16219 \addvspace{2.25em \@plus\p@}%
16220 \begingroup
16221 \setlength\@tempdima{3em}%
16222 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16223 \parfillskip -\@pnumwidth
16224 {\leavevmode
16225 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
16226 \nobreak
16227 \global\@nobreaktrue
16228 \everypar{\global\@nobreakfalse\everypar{}}%
16229 \endgroup
16230 \fi}
16231 \else
16232 \renewcommand*\l@part{%
16233 \ifnum \c@tocdepth >-2\relax
16234 \addpenalty{-\@highpenalty}%
16235 \addvspace{2.25em \@plus \p@}%
16236 \@regtocline{0}%
16237 \fi}
16238 \fi
16239 \if@oldtoc
16240 \renewcommand*\l@chapter[2]{%
16241 \addpenalty{-\@highpenalty}%
16242 \vskip 1.0em \@plus\p@
16243 \setlength\@tempdima{1.5em}%
16244 \begingroup
16245 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16246 \parfillskip -\@pnumwidth
16247 \leavevmode \bfseries

```



```

16248 \advance\if@RTL\righskip\else\leftskip\fi\@tempdima
16249 \hskip -\if@RTL\righskip\else\leftskip\fi
16250 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
16251 \penalty\@highpenalty
16252 \endgroup}
16253 \else
16254 \renewcommand*\l@chapter{\@regtocline{0}}
16255 \fi
16256 \renewcommand*\head@style{%
16257 \interlinepenalty \@M
16258 \hyphenpenalty=\@M \exhyphenpenalty=\@M
16259 \if@RTL\leftskip\else\righskip\fi=0cm plus .7\hsize\relax}
16260 \if@titlepage
16261 \renewenvironment{abstract}{%
16262 \titlepage
16263 \null\vfil
16264 \section*{\SectFont\abstractname}%
16265 \noindent\ignorespaces}
16266 {\par\vfil\null\endtitlepage}
16267 \else
16268 \renewenvironment{abstract}{%
16269 \if@twocolumn
16270 \section*{\abstractname}%
16271 \else
16272 \bgroup\if@RTL\leftskip\else\righskip\fi=\unitindent
16273 \section*{\small\SectFont\abstractname}%
16274 \noindent\ignorespaces
16275 \fi}
16276 {\if@twocolumn\else\par\egroup\fi}
16277 \fi
16278 \renewcommand*\thesection{\thechapter\@SepMark\@arabic\c@section}
16279 \renewcommand*\thesubsection{\thesection\@SepMark\@arabic\c@subsection}
16280 \renewcommand*\thesubsubsection{\thesubsection\@SepMark\@arabic\c@subsubsection}
16281 \renewcommand*\theparagraph{\thesubsubsection\@SepMark\@arabic\c@paragraph}
16282 \renewcommand*\thesubparagraph{\theparagraph\@SepMark\@arabic\c@subparagraph}
16283 \renewcommand*\thefigure{%
16284 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@figure}
16285 \renewcommand*\thetable{%
16286 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@table}
16287 \renewcommand*\theequation{%
16288 \ifnum\c@chapter>\z@\thechapter\@SepMark\fi\@arabic\c@equation}
16289 \renewenvironment{thebibliography}[1]
16290 {\chapter*{\bibname}%
16291 \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
16292 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16293 \bidi@thebibliography@font@hook%
16294 \list{\@biblabel{\@arabic\c@enumiv}}%
16295 {\settowidth\labelwidth{\@biblabel{#1}}%
16296 \leftmargin\labelwidth
16297 \advance\leftmargin\labelsep

```




```

16298         \@openbib@code
16299         \usecounter{enumiv}%
16300         \let\p@enumiv\@empty
16301         \renewcommand*{\theenumiv}{\@arabic\c@enumiv}}%
16302     \sloppy\clubpenalty4000\widowpenalty4000%
16303     \sfcode`.\@m}
16304     {\def\@noitemerr
16305       {\@latex@warning{Empty `thebibliography' environment}}}%
16306     \endlist}
16307 \renewcommand*{\left@footnoterule{%
16308   \kern-3\p@
16309   \kern.5\baselineskip
16310   \hrule\@width\unitindent
16311   \kern.4\baselineskip
16312 }
16313 \renewcommand*{\right@footnoterule{%
16314   \kern-3\p@
16315   \kern.5\baselineskip
16316   \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\unitindent\relax \hrulefill }
16317   \kern.4\baselineskip}
16318 \renewcommand*{\head@style{%
16319   \interlinepenalty \@M
16320   \hyphenpenalty=\@M \exhyphenpenalty=\@M
16321   \if@RTL\leftskip\else\rightskip\fi=0cm plus .7\hsize\relax}

```

102 File refrep-xetex-bidi.def

```

16322 \ProvidesFile{refrep-xetex-bidi.def}[2017/06/09 v0.5 bidi adaptations for refrep class for Xe
16323 \if@titlepage
16324   \renewcommand\maketitle{\begin{titlepage}%
16325     \let\footnotesize\small
16326     \let\right@footnoterule\relax
16327     \let\left@footnoterule\relax
16328     \let\textwidth@footnoterule\relax
16329     \let\footnote\thanks
16330     \let\LTRfootnote\LTRthanks
16331     \let\RTLfootnote\RTLthanks
16332     \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16333     \def\@makefnmark%
16334       {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
16335     \long\def\@makefntext##1{%
16336       \setpar{\@par
16337         \@tempdima = \hsize
16338         \advance\@tempdima -1em
16339         \parshape \@ne 1em \@tempdima}%
16340       \par\parindent 1em \noindent
16341       \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\,}##1}
16342     \null\vfil
16343     \vskip 60\p@
16344     \begin{center}%

```



```

16345 {\LARGE \@title \par}%
16346 \vskip 3em%
16347 {\large
16348 \lineskip .75em%
16349 \begin{tabular}[t]{c}%
16350 \@author
16351 \end{tabular}\par}%
16352 \vskip 1.5em%
16353 {\large \@date \par}% % Set date in \large size.
16354 \end{center}\par
16355 \@thanks
16356 \vfil\null
16357 \end{titlepage}%
16358 \setcounter{footnote}{0}%
16359 \global\let\thanks\relax
16360 \global\let\LTRthanks\relax
16361 \global\let\RTLthanks\relax
16362 \global\let\maketitle\relax
16363 \global\let\@thanks\@empty
16364 \global\let\@author\@empty
16365 \global\let\@date\@empty
16366 \global\let\@title\@empty
16367 \global\let\title\relax
16368 \global\let\author\relax
16369 \global\let\date\relax
16370 \global\let\and\relax
16371 }
16372 \else
16373 \renewcommand\maketitle{\par
16374 \begingroup
16375 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16376 \def\@makefnmark%
16377 {\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
16378 \long\def\@makefntext##1{%
16379 \@setpar{\@par
16380 \@tempdima = \hsize
16381 \advance\@tempdima -1em
16382 \parshape \@one 1em \@tempdima}%
16383 \par\parindent 1em \noindent
16384 \hb@xt@\z@\{\hss\@textsuperscript{\normalfont\@thefnmark}\,}\##1}
16385 \if@twocolumn
16386 \ifnum \col@number=\@one
16387 \maketitle
16388 \else
16389 \twocolumn[\maketitle]%
16390 \fi
16391 \else
16392 \newpage
16393 \global\@topnum\z@ % Prevents figures from going at top of page.
16394 \maketitle

```



```

16395 \fi
16396 \thispagestyle{empty}\@thanks
16397 \endgroup
16398 \setcounter{footnote}{0}%
16399 \global\let\thanks\relax
16400 \global\let\LTRthanks\relax
16401 \global\let\RTLthanks\relax
16402 \global\let\maketitle\relax
16403 \global\let\@maketitle\relax
16404 \global\let\@thanks\@empty
16405 \global\let\@author\@empty
16406 \global\let\@date\@empty
16407 \global\let\@title\@empty
16408 \global\let\title\relax
16409 \global\let\author\relax
16410 \global\let\date\relax
16411 \global\let\and\relax
16412 }
16413 \def\@maketitle{%
16414 \newpage
16415 \null
16416 \longthickrule\vskip1.5em%
16417 \let \footnote \thanks
16418 \let \LTRfootnote \LTRthanks
16419 \let \RTLfootnote \RTLthanks
16420 {\secshape \parskip\z@ \parindent\z@
16421 \Large\bfseries \@title \par}%
16422 \vskip1.5em\longthickrule\vskip1.5em%
16423 {\normalsize
16424 \lineskip .5em%
16425 \begin{flushright}%
16426 {\slshape\@author\par}
16427 \vskip 1em%
16428 {\@date}%
16429 \end{flushright}\par}%
16430 \vskip 1.5em}
16431 \fi
16432 \renewcommand*\l@part[2]{%
16433 \ifnum \c@tocdepth >-2\relax
16434 \addpenalty{-\@highpenalty}%
16435 \addvspace{2.25em \@plus\p@}%
16436 \begingroup
16437 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16438 \parfillskip -\@pnumwidth
16439 {\leavevmode
16440 \large \bfseries #1\hfil \hbox to\@pnumwidth{\hss #2}}\par
16441 \nobreak
16442 \global\@nobreaktrue
16443 \everypar{\global\@nobreakfalse\everypar{}}%
16444 \endgroup

```



```

16445 \fi}
16446 \renewcommand*\l@chapter[2]{%
16447 \ifnum \c@tocdepth >\m@ne
16448 \addpenalty{-\@highpenalty}%
16449 \vskip 1.0em \@plus\p@
16450 \setlength\@tempdima{1.5em}%
16451 \begingroup
16452 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16453 \parfillskip -\@pnumwidth
16454 \leavevmode \bfseries
16455 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
16456 \hskip -\if@RTL\rightskip\else\leftskip\fi
16457 #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
16458 \penalty\@highpenalty
16459 \endgroup
16460 \fi}
16461 \renewcommand\secshape{\if@RTL\rightskip\else\leftskip\fi=-\leftmarginwidth%
16462 \if@RTL\leftskip\else\rightskip\fi=\@flushglue%
16463 \hyphenpenalty=2000}
16464 \renewcommand\left@footnoterule{%
16465 \kern-3\p@
16466 \hrule\@width.4\columnwidth
16467 \kern 2.6\p@}
16468 \renewcommand\right@footnoterule{%
16469 \kern-3\p@
16470 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16471 \kern2.6\p@}
16472 \renewcommand\theequation
16473 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
16474 \renewcommand\thefigure
16475 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
16476 \renewcommand\thetable%
16477 {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
16478 \renewcommand\thesection {\thechapter\@SepMark\@arabic\c@section}
16479 \renewcommand\thesubsection {\thesection\@SepMark\@arabic\c@subsection}
16480 \renewcommand\thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
16481 \renewcommand\theparagraph {\thesubsubsection\@SepMark\@arabic\c@paragraph}
16482 \renewcommand\thesubparagraph {\theparagraph\@SepMark\@arabic\c@subparagraph}
16483 \renewenvironment{thebibliography}[1]
16484 {\chapter*\bibname
16485 \@mkboth{\bibname}{\bibname}}%
16486 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16487 \bidi@thebibliography@font@hook%
16488 \list{\@biblabel{\@arabic\c@enumiv}}%
16489 {\settowidth\labelwidth{\@biblabel{#1}}%
16490 \leftmargin\labelwidth
16491 \advance\leftmargin\labelsep
16492 \@openbib@code
16493 \usecounter{enumiv}%
16494 \let\p@enumiv\empty

```



```

16495         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
16496         \sloppy
16497         \clubpenalty4000
16498         \@clubpenalty \clubpenalty
16499         \widowpenalty4000%
16500     \sfcode`\.=\@m}
16501     {\def\@noitemerr
16502      {\@latex@warning{Empty `thebibliography' environment}}}%
16503     \endlist}

```

103 File report-xetex-bidi.def

```

16504 \ProvidesFile{report-xetex-bidi.def}[2017/06/09 v0.8 bidi adaptations for standard report class]
16505 \renewenvironment{theindex}
16506     {\if@twocolumn
16507      \@restonecolfalse
16508      \else
16509      \@restonecoltrue
16510      \fi
16511      \columnseprule \z@
16512      \columnsep 35\p@
16513      \twocolumn[\@makeschapterhead{\indexname}]}%
16514      \@mkboth{\MakeUppercase\indexname}%
16515              {\MakeUppercase\indexname}%
16516      \thispagestyle{plain}\parindent\z@
16517      \parskip\z@ \@plus .3\p@\relax
16518      \let\item\@idxitem}
16519     {\if@restonecol\onecolumn\else\clearpage\fi}
16520 \if@titlepage
16521 \renewcommand\maketitle{\begin{titlepage}%
16522 \let\footnotesize\small
16523 \let\right@footnoterule\relax
16524 \let\left@footnoterule\relax
16525 \let\textwidth@footnoterule\relax
16526 \let \footnote \thanks
16527 \let \LTRfootnote \LTRthanks
16528 \let \RTLfootnote \RTLthanks
16529 \null\vfil
16530 \vskip 60\p@
16531 \begin{center}%
16532   {\LARGE \@title \par}%
16533   \vskip 3em%
16534   {\large
16535     \lineskip .75em%
16536     \begin{tabular}[t]{c}%
16537       \@author
16538     \end{tabular}\par}%
16539     \vskip 1.5em%
16540     {\large \@date \par}%           % Set date in \large size.
16541 \end{center}\par

```



```

16542 \@thanks
16543 \vfil\null
16544 \end{titlepage}%
16545 \setcounter{footnote}{0}%
16546 \global\let\thanks\relax
16547 \global\let\LTRthanks\relax
16548 \global\let\RTLthanks\relax
16549 \global\let\maketitle\relax
16550 \global\let\@thanks\@empty
16551 \global\let\@author\@empty
16552 \global\let\@date\@empty
16553 \global\let\@title\@empty
16554 \global\let\title\relax
16555 \global\let\author\relax
16556 \global\let\date\relax
16557 \global\let\and\relax
16558 }
16559 \else
16560 \renewcommand\maketitle{\par
16561 \begingroup
16562 \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
16563 \def\@makefnmark{\rlap{\@textsuperscript{\normalfont\@thefnmark}}}%
16564 \long\def\@makefntext##1{\parindent 1em\noindent
16565 \hb@xt@1.8em{%
16566 \hss\@textsuperscript{\normalfont\@thefnmark}}##1}%
16567 \if@twocolumn
16568 \ifnum \col@number=\@ne
16569 \@maketitle
16570 \else
16571 \twocolumn[\@maketitle]%
16572 \fi
16573 \else
16574 \newpage
16575 \global\@topnum\z@ % Prevents figures from going at top of page.
16576 \@maketitle
16577 \fi
16578 \thispagestyle{plain}\@thanks
16579 \endgroup
16580 \setcounter{footnote}{0}%
16581 \global\let\thanks\relax
16582 \global\let\LTRthanks\relax
16583 \global\let\RTLthanks\relax
16584 \global\let\maketitle\relax
16585 \global\let\@maketitle\relax
16586 \global\let\@thanks\@empty
16587 \global\let\@author\@empty
16588 \global\let\@date\@empty
16589 \global\let\@title\@empty
16590 \global\let\title\relax
16591 \global\let\author\relax

```



```

16592 \global\let\date\relax
16593 \global\let\and\relax
16594 }
16595 \def\@maketitle{%
16596 \newpage
16597 \null
16598 \vskip 2em%
16599 \begin{center}%
16600 \let \footnote \thanks
16601 \let \LTRfootnote \LTRthanks
16602 \let \RTLfootnote \RTLthanks
16603 {\LARGE \@title \par}%
16604 \vskip 1.5em%
16605 {\large
16606 \lineskip .5em%
16607 \begin{tabular}[t]{c}%
16608 \@author
16609 \end{tabular}\par}%
16610 \vskip 1em%
16611 {\large \@date}%
16612 \end{center}%
16613 \par
16614 \vskip 1.5em}
16615 \fi
16616 \renewcommand*\l@part[2]{%
16617 \ifnum \c@tocdepth >-2\relax
16618 \addpenalty{-\@highpenalty}%
16619 \addvspace{2.25em \@plus\p@}%
16620 \setlength\@tempdima{3em}%
16621 \begingroup
16622 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16623 \parfillskip -\@pnumwidth
16624 {\leavevmode
16625 \large \bfseries #1\hfil \hb@xt@\@pnumwidth{\hss #2}}\par
16626 \nobreak
16627 \global\@nobreaktrue
16628 \everypar{\global\@nobreakfalse\everypar{}}%
16629 \endgroup
16630 \fi}
16631 \renewcommand*\l@chapter[2]{%
16632 \ifnum \c@tocdepth >\m@ne
16633 \addpenalty{-\@highpenalty}%
16634 \vskip 1.0em \@plus\p@
16635 \setlength\@tempdima{1.5em}%
16636 \begingroup
16637 \parindent \z@ \if@RTL\leftskip\else\rightskip\fi \@pnumwidth
16638 \parfillskip -\@pnumwidth
16639 \leavevmode \bfseries
16640 \advance\if@RTL\rightskip\else\leftskip\fi\@tempdima
16641 \hskip -\if@RTL\rightskip\else\leftskip\fi

```



```

16642      #1\nobreak\hfil \nobreak\hb@xt@\@pnumwidth{\hss #2}\par
16643      \penalty\@highpenalty
16644      \endgroup
16645      \fi}
16646 \renewcommand\left@footnoterule{%
16647   \kern-3\p@
16648   \hrule\@width.4\columnwidth
16649   \kern2.6\p@}
16650 \renewcommand\right@footnoterule{%
16651   \kern-3\p@
16652   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
16653   \kern2.6\p@}
16654 \renewcommand\theequation
16655   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@equation}
16656 \renewcommand \thefigure
16657   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@figure}
16658 \renewcommand \thetable
16659   {\ifnum \c@chapter>\z@ \thechapter\@SepMark\fi \@arabic\c@table}
16660 \renewcommand \thechapter {\@arabic\c@chapter}
16661 \renewcommand \thesection {\thechapter\@SepMark\@arabic\c@section}
16662 \renewcommand \thesubsection {\thesection\@SepMark\@arabic\c@subsection}
16663 \renewcommand \thesubsubsection {\thesubsection \@SepMark\@arabic\c@subsubsection}
16664 \renewcommand \theparagraph {\thesubsubsection \@SepMark\@arabic\c@paragraph}
16665 \renewcommand \thesubparagraph {\theparagraph \@SepMark\@arabic\c@subparagraph}
16666 \def\@makechapterhead#1{%
16667   \vspace*{50\p@}%
16668   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi \normalfont
16669     \ifnum \c@secnumdepth >\m@ne
16670       \huge\bfseries \@chapapp\space \thechapter
16671       \par\nobreak
16672       \vskip 20\p@
16673     \fi
16674     \interlinepenalty\@M
16675     \Huge \bfseries #1\par\nobreak
16676     \vskip 40\p@
16677   }}
16678 \def\@makeschapterhead#1{%
16679   \vspace*{50\p@}%
16680   {\parindent \z@ \if@RTL\raggedleft\else\raggedright\fi
16681     \normalfont
16682     \interlinepenalty\@M
16683     \Huge \bfseries #1\par\nobreak
16684     \vskip 40\p@
16685   }}
16686 \renewenvironment{thebibliography}[1]
16687   {\chapter*{\bibname}%
16688    \@mkboth{\MakeUppercase\bibname}{\MakeUppercase\bibname}%
16689    \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
16690    \bidi@thebibliography@font@hook%
16691    \list{\@biblabel{\@arabic\c@enumiv}}%

```




```

16692         {\settowidth\labelwidth{\@biblabel{#1}}}%
16693         \leftmargin\labelwidth
16694         \advance\leftmargin\labelsep
16695         \@openbib@code
16696         \usecounter{enumiv}%
16697         \let\p@enumiv\@empty
16698         \renewcommand\theenumiv{\@arabic\c@enumiv}}%
16699     \sloppy
16700     \clubpenalty4000
16701     \@clubpenalty \clubpenalty
16702     \widowpenalty4000%
16703     \sfcode`\.\@m}
16704 {\def\@noitemerr
16705   {\@latex@warning{Empty `thebibliography' environment}}}%
16706 \endlist}

```

104 File rotating-xetex-bidi.def

```

16707 \ProvidesFile{rotating-xetex-bidi.def}[2013/05/22 v0.2 bidi adaptations for rotating package]
16708 \def\end@rotfloat{%
16709   \end{minipage}\end{lrbox}%
16710   \stepcounter{r@tfl@t}%
16711   \rot@label{RF\ther@tfl@t}%
16712   \rot@pageref{RF\ther@tfl@t}{\R@@page}%
16713   \edef\@tempa{Adding sideways \capttype\space on page \R@@page\space}
16714   \rot@mess@toks\expandafter{\@tempa}
16715   \wd\rot@float@box\z@
16716   \ht\rot@float@box\z@
16717   \dp\rot@float@box\z@
16718   \vboxL to \textheight{%
16719     \setkeys{Grot}{units=360}%
16720     \if@rot@twoside
16721     \else
16722       \let\R@@page\rot@LR
16723       \fi
16724     \ifthenelse{\isodd{\R@@page}}{%
16725       \if@rot@twoside
16726         \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
16727       \fi
16728       \vfill
16729       \@@line{%
16730         \hskip\rotFPtop
16731         \rotatebox{90}{\box\rot@float@box}%
16732         \hskip\rotFPbot
16733       }%
16734     }{%
16735       \if@rot@twoside
16736         \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16737       \fi
16738       \@@line{%

```



```

16739      \hskip\rotFPbot
16740      \rotatebox{-90}{\box\rot@float@box}%
16741      \hskip\rotFPtop
16742      }%
16743      \vfill
16744      }%
16745      \rot@message{\the\rot@mess@toks}
16746      }%
16747      \end@float
16748  }
16749  \let\endsidewaysfigure\end@rotfloat
16750  \let\endsidewaysstable\end@rotfloat
16751  \def\end@rotdblfloat{%
16752    \end{minipage}\end{lrbox}%
16753    \stepcounter{r@tfl@t}%
16754    \rot@label{RF\ther@tfl@t}%
16755    \rot@pageref{RF\ther@tfl@t}{\R@@page}%
16756    \edef\@tempa{Adding sideways \c@type\space on page \R@@page\space}
16757    \rot@mess@toks\expandafter{\@tempa}
16758    \@tempdima\ht\rot@float@box
16759    \advance\@tempdima by \dp\rot@float@box
16760    \wd\rot@float@box\z@
16761    \ht\rot@float@box\z@
16762    \dp\rot@float@box\z@
16763    \vboxL to \textheight{%
16764      \setkeys{Grot}{units=360}%
16765      \if@rot@twoside
16766      \else
16767        \let\R@@page\rot@LR
16768      \fi
16769      \ifthenelse{\isodd{\R@@page}}{%
16770        \ifrot@messages
16771        \if@rot@twoside
16772        \rot@mess@toks\expandafter{\the\rot@mess@toks (right hand page)}%
16773      \fi
16774        \fi
16775        \vfill
16776        \@@line{%
16777          \hskip\rotFPtop
16778          \rotatebox{90}{\box\rot@float@box}%
16779          \hskip\rotFPbot
16780        }%
16781      }{%
16782        \ifrot@messages
16783        \if@rot@twoside
16784        \rot@mess@toks\expandafter{\the\rot@mess@toks (left hand page)}%
16785      \fi
16786        \fi%
16787        \@@line{%
16788          \hskip\rotFPbot

```



```

16789      \rotatebox{-90}{\box\rot@float@box}%
16790      \hskip\rotFPtop
16791      }%
16792      \vfill
16793      }%
16794      \rot@message{\the\rot@mess@toks}%
16795      }%
16796      \end@dblfloat
16797  }
16798  \def\turn#1{%
16799      \Grot@setangle{#1}%
16800      \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16801  \def\endturn{%
16802      \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16803      \unskip\color@endbox
16804      \Grot@x\z@
16805      \Grot@y\z@
16806      \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16807  }
16808  \def\rotate#1{%
16809      \Grot@setangle{#1}%
16810      \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16811  \def\endrotate{%
16812      \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16813      \unskip\color@endbox
16814      \Grot@x\z@
16815      \Grot@y\z@
16816      \wd0\z@\dp0\z@\ht0\z@
16817      \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16818  }
16819  \def\turnbox#1#2{%
16820      \Grot@setangle{#1}%
16821      \setbox\z@\hbox{\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi#2\ifmmode\if@RTL\endR\fi\fi}
16822      \Grot@x\z@\Grot@y\z@
16823      \wd0\z@\dp0\z@\ht0\z@
16824      \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16825  }
16826  \def\sideways{%
16827      \Grot@setangle{90}%
16828      \setbox\z@\color@hbox\ifmmode\if@RTL\beginR\fi\else\if@RTL\beginR\fi\fi\ignorespaces}
16829  \def\endsideways{%
16830      \ifmmode\if@RTL\endR\fi\else\if@RTL\endR\fi\fi
16831      \unskip\color@endbox
16832      \Grot@x\z@
16833      \Grot@y\z@
16834      \ifmmode\else\if@RTL\beginL\fi\fi\Grot@box\ifmmode\else\if@RTL\endL\fi\fi
16835  }

```

105 File scrartcl-xetex-bidi.def



```

16836 \ProvidesFile{scrartcl-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrartcl class for
16837 \newcommand{\scr@saved@LTRfootnotetext}{}
16838 \newcommand{\scr@saved@RTLfootnotetext}{}
16839 \let\scr@saved@footnotetext\@footnotetext
16840 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
16841 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
16842 \renewcommand{\@footnotetext}[1]{%
16843   \scr@saved@footnotetext{#1}%
16844   \csname FN@mfb@prepare\endcsname
16845 }
16846 \renewcommand{\@LTRfootnotetext}[1]{%
16847   \scr@saved@LTRfootnotetext{#1}%
16848   \csname FN@mfb@prepare\endcsname
16849 }
16850 \renewcommand{\@RTLfootnotetext}[1]{%
16851   \scr@saved@RTLfootnotetext{#1}%
16852   \csname FN@mfb@prepare\endcsname
16853 }
16854 \renewcommand\deffootnote[4] [] {%
16855   \long\def\@makefnmark##1{%
16856     \setlength{\@tempdimc}{#3}%
16857     \def\@tempa{#1}\ifx\@tempa\@empty
16858       \setpar{\@par
16859         \@tempdima = \hsize
16860         \addtolength{\@tempdima}{-#2}%
16861         \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
16862     \else
16863       \addtolength{\@tempdimc}{#2}%
16864       \addtolength{\@tempdimc}{-#1}%
16865       \setpar{\@par
16866         \@tempdima = \hsize
16867         \addtolength{\@tempdima}{-#1}%
16868         \@tempdimb = \hsize
16869         \addtolength{\@tempdimb}{-#2}%
16870         \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
16871       }%
16872     \fi
16873     \par
16874     \parindent\@tempdimc\noindent
16875     \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
16876   }%
16877   \def\@makefnmark{\hbox{\ftn@font{#4}}}%
16878 }
16879 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
16880 \renewcommand*\left@footnoterule{%
16881   \normalsize\ftn@rule@test@values
16882   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16883   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
16884   {\usekomafont{footnoterule}{%
16885     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%

```



```

16886 \kern 2.6\p@}
16887 \renewcommand*\right@footnoterule{%
16888 \normalsize\ftn@rule@test@values
16889 \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
16890 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
16891 {\usekomafont{footnoterule}{%
16892 \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
16893 \kern 2.6\p@}
16894 \renewcommand*\maketitle[1][1]{%
16895 \if@titlepage
16896 \begin{titlepage}
16897 \setcounter{page}{%
16898 #1%
16899 }%
16900 \let\footnotesize\small
16901 \let\right@footnoterule\relax
16902 \let\left@footnoterule\relax
16903 \let\textwidth@footnoterule\relax
16904 \let\footnote\thanks
16905 \let\LTRfootnote\LTRthanks
16906 \let\RTLfootnote\RTLthanks
16907 \renewcommand*\thefootnote{\fnsymbol\c@footnote}%
16908 \let\@oldmakefnmark\@makefnmark
16909 \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
16910 \ifx\@extratitle\empty \else
16911 \noindent\@extratitle\next@tpage\cleardoubleemptypage
16912 \thispagestyle{empty}%
16913 \fi
16914 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
16915 \ifx\@titlehead\empty \else
16916 \begin{minipage}[t]{\textwidth}%
16917 \@titlehead
16918 \end{minipage}\par
16919 \fi
16920 \null\vfill
16921 \begin{center}
16922 \ifx\@subject\empty \else
16923 {\subject@font \@subject \par}%
16924 \vskip 3em
16925 \fi
16926 {\titlefont\huge \@title\par}%
16927 \vskip 1em
16928 {\ifx\@subtitle\empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
16929 \vskip 2em
16930 {\Large \lineskip 0.75em
16931 \begin{tabular}[t]{c}
16932 \@author
16933 \end{tabular}\par
16934 }%
16935 \vskip 1.5em

```



```

16936      {\Large \@date \par}%
16937      \vskip \z@ \@plus3fill
16938      {\Large \@publishers \par}%
16939      \vskip 3em
16940  \end{center}\par
16941  \@thanks
16942  \vfill\null
16943  \if@twoside\next@tpage
16944      \begin{minipage}[t]{\textwidth}
16945          \uppertitleback
16946      \end{minipage}\par
16947      \vfill
16948      \begin{minipage}[b]{\textwidth}
16949          \lowertitleback
16950      \end{minipage}
16951  \fi
16952  \ifx\@dedication\@empty \else
16953      \next@tpage\null\vfill
16954      {\centering \Large \@dedication \par}%
16955      \vskip \z@ \@plus3fill
16956      \if@twoside \next@tpage\cleardoubleemptypage \fi
16957  \fi
16958  \end{titlepage}
16959  \else
16960      \par
16961      \@tempcnta=%
16962      #1%
16963      \relax\ifnum\@tempcnta=1\else
16964          \ClassWarning{\KOMAClassName}{%
16965              Optional argument of \string\maketitle\space ignored
16966              at\MessageBreak
16967              notitlepage-mode%
16968          }%
16969      \fi
16970      \begingroup
16971          \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
16972          \let\@oldmakefnmark\@makefnmark
16973          \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}
16974          \if@twocolumn
16975              \ifnum \col@number=\@ne
16976                  \@maketitle
16977              \else
16978                  \twocolumn[\@maketitle]%
16979              \fi
16980          \else
16981              \newpage
16982              \global\@topnum\z@
16983              \@maketitle
16984          \fi
16985      \thispagestyle{\titlepagestyle}\@thanks

```



```

16986 \endgroup
16987 \fi
16988 \setcounter{footnote}{0}%
16989 \let\thanks\relax
16990 \let\LTRthanks\relax
16991 \let\RTLthanks\relax
16992 \let\maketitle\relax
16993 \let\@maketitle\relax
16994 \global\let\@thanks\@empty
16995 \global\let\@author\@empty
16996 \global\let\@date\@empty
16997 \global\let\@title\@empty
16998 \global\let\@subtitle\@empty
16999 \global\let\@extratitle\@empty
17000 \global\let\@titlehead\@empty
17001 \global\let\@subject\@empty
17002 \global\let\@publishers\@empty
17003 \global\let\@uppertitleback\@empty
17004 \global\let\@lowertitleback\@empty
17005 \global\let\@dedication\@empty
17006 \global\let\author\relax
17007 \global\let\title\relax
17008 \global\let\extratitle\relax
17009 \global\let\titlehead\relax
17010 \global\let\subject\relax
17011 \global\let\publishers\relax
17012 \global\let\uppertitleback\relax
17013 \global\let\lowertitleback\relax
17014 \global\let\dedication\relax
17015 \global\let\date\relax
17016 \global\let\and\relax
17017}%
17018 \renewcommand*{\@maketitle}{%
17019 \clearpage
17020 \let\footnote\thanks
17021 \let\LTRfootnote\LTRthanks
17022 \let\RTLfootnote\RTLthanks
17023 \ifx\@extratitle\@empty \else
17024 \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
17025 \fi
17026 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17027 \ifx\@titlehead\@empty \else
17028 \begin{minipage}[t]{\textwidth}
17029 \@titlehead
17030 \end{minipage}\par
17031 \fi
17032 \null
17033 \vskip 2em%
17034 \begin{center}%
17035 \ifx\@subject\@empty \else

```



```

17036      {\subject@font \@subject \par}
17037      \vskip 1.5em
17038      \fi
17039      {\titlefont\huge \@title \par}%
17040      \vskip .5em
17041      {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17042      \vskip 1em
17043      {\Large
17044       \lineskip .5em%
17045       \begin{tabular}[t]{c}
17046         \@author
17047       \end{tabular}\par
17048      }%
17049      \vskip 1em%
17050      {\Large \@date \par}%
17051      \vskip \z@ \@plus 1em
17052      {\Large \@publishers \par}
17053      \ifx\@dedication\@empty \else
17054        \vskip 2em
17055        {\Large \@dedication \par}
17056      \fi
17057      \end{center}%
17058      \par
17059      \vskip 2em
17060      }%
17061      \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
17062      \def\raggedpart{\if@RTL\raggedleft\else\raggedright\fi}
17063      \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
17064      \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@section}
17065      \renewcommand*{\thesubsubsection}{%
17066        \thesubsection\@SepMark\@arabic\c@subsubsection
17067      }
17068      \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
17069      \renewcommand*{\thesubparagraph}{%
17070        \theparagraph\@SepMark\@arabic\c@subparagraph
17071      }
17072      \renewenvironment{thebibliography}[1]{%
17073        \if@bib@break@
17074          \bib@beginhook
17075        \else
17076          \bib@heading
17077          \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
17078            \noindent\bibpreamble\par\nobreak
17079          \fi\fi
17080          \bib@beginhook
17081          \bib@before@hook
17082        \fi
17083        \renewcommand{\BreakBibliography}[1]{%
17084          \@bib@break
17085          \end{thebibliography}%

```




```

17086 \begingroup ##1\endgroup
17087 \begin{thebibliography}{#1}
17088 }%
17089 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
17090 \bidi@thebibliography@font@hook%
17091 \list{%
17092   \@biblabel{\@arabic{c@enumiv}}%
17093 }{%
17094   \settowidth\labelwidth{\@biblabel{#1}}%
17095   \leftmargin\labelwidth
17096   \advance\leftmargin\labelsep
17097   \@openbib@code
17098   \if@bib@break@
17099     \edef\@tempa{%
17100       \noexpand\usecounter{enumiv}%
17101       \noexpand\setcounter{enumiv}{\the\c@enumiv}%
17102     }\@tempa
17103     \no@bib@break
17104   \else
17105     \usecounter{enumiv}%
17106   \fi
17107   \let\p@enumiv\@empty
17108   \renewcommand*\theenumiv{\@arabic{c@enumiv}}%
17109 }%
17110 \sloppy\clubpenalty4000 \widowpenalty4000
17111 \sfcode`\.=\@m
17112 }{%
17113 \if@bib@break@
17114   \def\@noitemerr{%
17115     \@latex@warning{%
17116       \string\BreakBibliography\space at begin of `thebibliography'
17117       environment\MessageBreak
17118       or following \string\BreakBibliography}%
17119   }%
17120 \else
17121   \def\@noitemerr{%
17122     \@latex@warning{%
17123       Empty `thebibliography' environment or
17124       \string\BreakBibliography\MessageBreak
17125       before end of `thebibliography' environment}%
17126   }%
17127 \fi
17128 \endlist
17129 \if@bib@break@
17130 \else
17131   \bib@after@hook
17132   \let\bib@before@hook\@empty
17133   \let\bib@after@hook\@empty
17134 \fi
17135 \bib@endhook

```



```

17136 }
17137 \renewcommand*\left@footnoterule{%
17138   \kern-3\p@
17139   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17140   \hrule\@width.4\columnwidth
17141   \kern 2.6\p@}
17142 \renewcommand*\right@footnoterule{%
17143   \kern-3\p@
17144   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17145   \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
17146   \kern2.6\p@}
17147 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
17148 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
17149 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
17150 \renewcommand\marginline[1]{%
17151   \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
17152 }
17153 \renewcommand{\@makecaption}[3]{%
17154   \cap@margin
17155   \ifonelinecaptions
17156     \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
17157     \let\scr@tmp@footnotetext=\@footnotetext
17158     \let\@footnotetext=\@gobble
17159     \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
17160     \let\@LTRfootnotetext=\@gobble
17161     \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
17162     \let\@RTLfootnotetext=\@gobble
17163     \sbox\@tempboxa{%
17164       {\capfont{\strut\ignorespaces
17165         #1{\caplabelfont{#2\captionformat}}}%
17166         #3\unskip\strut}}%
17167     }%
17168     \let\@footnotetext=\scr@tmp@footnotetext
17169     \let\scr@tmp@footnotetext=\undefined
17170     \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
17171     \let\scr@tmp@LTRfootnotetext=\undefined
17172     \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
17173     \let\scr@tmp@RTLfootnotetext=\undefined
17174     \setcounter{footnote}{\@tempcntb}%
17175     \setcounter{mpfootnote}{\@tempcnta}%
17176   \else
17177     \sbox\@tempboxa{\hspace*{2\cap@width}}%
17178   \fi
17179   \begingroup%
17180     \setlength{\@tempdima}{\cap@width}%
17181     \ifdim \wd\@tempboxa >\@tempdima
17182       \hb@xt@\hsize{%
17183         \setbox\@tempboxa\vbox{\hsize=\cap@width
17184           \ifdofullc@p
17185             {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces

```



```

17186         #1{{\caplabelfont{#2\captionformat}}}}}%
17187         {#3\unskip\strut\par}}}%
17188     \else%
17189         \ifdim\cap@indent<\z@
17190             {\capfont{\strut\ignorespaces
17191                 #1{{\caplabelfont{#2\captionformat\par}}}}%
17192                 \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}}%
17193         \else%
17194             \if@capbreak
17195                 {\capfont{\strut\ignorespaces
17196                     #1{{\caplabelfont{#2\captionformat\par}}}}%
17197                     \noindent\hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
17198             \else
17199                 {\capfont{\hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
17200                     {\hspace*{-\cap@indent}\scr@smashdp\ignorespaces#1%
17201                     {{\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
17202             \fi
17203         \fi
17204     \fi
17205 }%
17206 \setlength{\@tempdima}{\ht\@tempboxa}%
17207 \addtolength{\@tempdima}{\dp\@tempboxa}%
17208 \addtolength{\@tempdima}{-\ht\strutbox}%
17209 \ht\@tempboxa\ht\strutbox
17210 \dp\@tempboxa\@tempdima
17211 \strut\cap@left
17212 \box\@tempboxa
17213 \cap@right\strut
17214 }%
17215 \else
17216     \global \@minipagefalse
17217     \sbox\@tempboxa{%
17218         {\capfont{\scr@smashdp{\strut\ignorespaces
17219             #1{{\caplabelfont{#2\captionformat}}}}}%
17220             #3}}}%
17221     }%
17222     {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right}}}%
17223     \fi
17224 \endgroup
17225 }
17226 \renewcommand{\@makecaption}[2]{%
17227     \if@captionabove
17228         \vskip\belowcaptionskip
17229     \else
17230         \vskip\abovecaptionskip
17231     \fi
17232     @@makecaption\@firstofone{#1}{#2}%
17233     \if@captionabove
17234         \vskip\abovecaptionskip
17235     \else

```



```

17236     \vskip\belowcaptionskip
17237   \fi
17238 }
17239 \bidi@AfterFile{longtable-xetex-bidi.def}{%
17240   \@ifpackageloaded{caption2}{\@komalongtablefalse
17241     \scr@caption@before@longtable@warning{caption2}%
17242   }{}%
17243   \if@komalongtable
17244     \renewcommand{\LT@makecaption}[3]{%
17245       \noalign{%
17246         \if@captionabove
17247           \vskip\belowcaptionskip
17248         \else
17249           \vskip\abovecaptionskip
17250         \fi
17251       }%
17252       \LT@mcol\LT@cols c{%
17253         \hbox to\z@{\hss\parbox[t]{\linewidth{%
17254           \@makecaption{#1}{#2}{#3}%
17255         \endgraf
17256         \if@captionabove
17257           \vskip\abovecaptionskip
17258         \else
17259           \vskip\belowcaptionskip
17260         \fi
17261       }%
17262       \hss
17263     }%
17264   }%
17265 }%
17266 \renewcommand*{\scr@LT@array}{}%
17267 \let\scr@LT@array=\LT@array
17268 \renewcommand*{\LT@array}{%
17269   \let\scr@caption=\LT@caption
17270   \def\captionabove{\noalign{\global\@captionabovetrue}%
17271     \scr@caption}%
17272   \def\captionbelow{\noalign{\global\@captionabovetrue}%
17273     \scr@caption}%
17274   \if@tablecaptionabove
17275     \let\LT@caption=\captionabove
17276   \else
17277     \let\LT@caption=\captionbelow
17278   \fi
17279   \scr@LT@array
17280 }%
17281 \ClassInfo{\KOMAClassName}{%
17282   longtable captions redefined%
17283 }%
17284 \fi
17285 }

```



```

17286
17287 \CloneTOCEntryStyle{tocline}{part}
17288 \TOCEntryStyleStartInitCode{part}{%
17289   \expandafter\renewcommand%
17290   \csname scr@tso@#1@linefill\endcsname{\hfill}%
17291   \expandafter\renewcommand%
17292   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
17293   \expandafter\renewcommand%
17294   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17295     \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
17296   \expandafter\renewcommand\expandafter*%
17297   \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p@}%
17298 }
17299
17300 \CloneTOCEntryStyle{tocline}{section}
17301 \TOCEntryStyleStartInitCode{section}{%
17302   \expandafter\renewcommand%
17303   \csname scr@tso@#1@linefill\endcsname{%
17304     \if@sectionentrywithdots
17305       \TOCLineLeaderFill\relax
17306     \else
17307       \hfill
17308     \fi
17309   }%
17310   % F    r die Eintr   ge die Schrift von Element sectionentry verwenden.
17311   \expandafter\renewcommand%
17312   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{sectionentry}}%
17313   \expandafter\renewcommand%
17314   \csname scr@tso@#1@pagenumberformat\endcsname[1]{\usekomafont{sectionentry}{\usekomafont{se
17315     \expandafter\renewcommand\expandafter*%
17316     \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
17317   }
17318
17319 \CloneTOCEntryStyle{tocline}{subsection}
17320 \TOCEntryStyleStartInitCode{subsection}{%
17321   \expandafter\renewcommand%
17322   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
17323 }
17324
17325 \CloneTOCEntryStyle{subsection}{default}
17326
17327 \DeclareSectionCommand[%
17328   style=part,%
17329   level=\z@,%
17330   tocstyle=part,%
17331   toplevel=\m@ne,%
17332   tocindent=\z@,%
17333   tocnumwidth=2em%
17334 ]{part}
17335 \DeclareSectionCommand[%

```



```

17336 style=section,%
17337 level=1,%
17338 indent=\z@,%
17339 beforekip=-3.5ex \@plus -1ex \@minus -.2ex,%
17340 afterskip=2.3ex \@plus .2ex,%
17341 tocstyle=section,%
17342 tocindent=0pt,%
17343 tocnumwidth=1.5em%
17344]{section}
17345\DeclareSectionCommand[%
17346 style=section,%
17347 level=2,%
17348 indent=\z@,%
17349 beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
17350 afterskip=1.5ex \@plus .2ex,%
17351 tocstyle=subsection,%
17352 tocindent=1.5em,%
17353 tocnumwidth=2.3em%
17354]{subsection}
17355\DeclareSectionCommand[%
17356 style=section,%
17357 level=3,%
17358 indent=\z@,%
17359 beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
17360 afterskip=1.5ex \@plus .2ex,%
17361 tocstyle=subsection,%
17362 tocindent=3.8em,%
17363 tocnumwidth=3.2em%
17364]{subsubsection}
17365\DeclareSectionCommand[%
17366 style=section,%
17367 level=4,%
17368 indent=\z@,%
17369 beforekip=3.25ex \@plus 1ex \@minus .2ex,%
17370 afterskip=-1em,%
17371 tocstyle=subsection,%
17372 tocindent=7.0em,%
17373 tocnumwidth=4.1em%
17374]{paragraph}
17375\DeclareSectionCommand[%
17376 style=section,%
17377 level=5,%
17378 indent=\scr@parindent,%
17379 beforekip=3.25ex \@plus 1ex \@minus .2ex,%
17380 afterskip=-1em,%
17381 tocstyle=subsection,%
17382 tocindent=10em,%
17383 tocnumwidth=5em%
17384]{subparagraph}

```



106 File scrbook-xetex-bidi.def

```

17385 \ProvidesFile{scrbook-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrbook class for ]
17386 \newcommand{\scr@saved@LTRfootnotetext}{}
17387 \newcommand{\scr@saved@RTLfootnotetext}{}
17388 \let\scr@saved@footnotetext\@footnotetext
17389 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
17390 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
17391 \renewcommand{\@footnotetext}[1]{%
17392   \scr@saved@footnotetext{#1}%
17393   \csname FN@mfb@prepare\endcsname
17394 }
17395 \renewcommand{\@LTRfootnotetext}[1]{%
17396   \scr@saved@LTRfootnotetext{#1}%
17397   \csname FN@mfb@prepare\endcsname
17398 }
17399 \renewcommand{\@RTLfootnotetext}[1]{%
17400   \scr@saved@RTLfootnotetext{#1}%
17401   \csname FN@mfb@prepare\endcsname
17402 }
17403 \renewcommand\deffootnote[4][]{%
17404   \long\def\@makefnmark##1{%
17405     \setlength{\@tempdimc}{#3}%
17406     \def\@tempa{#1}\ifx\@tempa\@empty
17407       \setpar{\@par
17408         \@tempdima = \hsize
17409         \addtolength{\@tempdima}{-#2}%
17410         \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
17411     \else
17412       \addtolength{\@tempdimc}{#2}%
17413       \addtolength{\@tempdimc}{-#1}%
17414       \setpar{\@par
17415         \@tempdima = \hsize
17416         \addtolength{\@tempdima}{-#1}%
17417         \@tempdimb = \hsize
17418         \addtolength{\@tempdimb}{-#2}%
17419         \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #2}%
17420     }%
17421     \fi
17422     \par
17423     \parindent\@tempdimc\noindent
17424     \fnt@font\hbox to \z@{\hss\@makefnmark}##1%
17425   }%
17426   \def\@makefnmark{\hbox{\fntm@font{#4}}}%
17427 }
17428 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
17429 \renewcommand*\left@footnoterule{%
17430   \normalsize\fnt@rule@test@values
17431   \kern-\dimexpr 2.6\p@+\fnt@rule@height\relax
17432   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi

```



```

17433 {\usekomafont{footnoterule}{%
17434     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
17435 \kern 2.6\p@}
17436 \renewcommand*{\right@footnoterule{%
17437     \normalsize\ftn@rule@test@values
17438     \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
17439     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17440     {\usekomafont{footnoterule}{%
17441         \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
17442         \kern 2.6\p@}
17443     \renewcommand*{\maketitle[1][1]{%
17444         \if@titlepage
17445             \begin{titlepage}
17446                 \setcounter{page}{%
17447                     #1%
17448                 }%
17449                 \let\footnotesize\small
17450                 \let\right@footnoterule\relax
17451                 \let\left@footnoterule\relax
17452                 \let\textwidth@footnoterule\relax
17453                 \let\footnote\thanks
17454                 \let\LTRfootnote\LTRthanks
17455                 \let\RTLfootnote\RTLthanks
17456                 \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17457                 \let\@oldmakefnmark\@makefnmark
17458                 \renewcommand*{\@makefnmark}{\rlap\@oldmakefnmark}%
17459                 \ifx\@extratitle\@empty \else
17460                     \noindent\@extratitle\next@tpage\cleardoubleemptypage
17461                     \thispagestyle{empty}%
17462                 \fi
17463                 \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
17464                 \ifx\@titlehead\@empty \else
17465                     \begin{minipage}[t]{\textwidth}%
17466                         \@titlehead
17467                     \end{minipage}\par
17468                 \fi
17469                 \null\vfill
17470                 \begin{center}
17471                     \ifx\@subject\@empty \else
17472                         {\subject@font \@subject \par}%
17473                         \vskip 3em
17474                     \fi
17475                     {\titlefont\huge \@title\par}%
17476                     \vskip 1em
17477                     {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17478                     \vskip 2em
17479                     {\Large \lineskip 0.75em
17480                     \begin{tabular}[t]{c}
17481                         \@author
17482                     \end{tabular}\par

```




```

17483     }%
17484     \vskip 1.5em
17485     {\Large \@date \par}%
17486     \vskip \z@ \@plus3fill
17487     {\Large \@publishers \par}%
17488     \vskip 3em
17489 \end{center}\par
17490 \@thanks
17491 \vfill\null
17492 \if@twoside\next@tpage
17493   \begin{minipage}[t]{\textwidth}
17494     \uppertitleback
17495   \end{minipage}\par
17496   \vfill
17497   \begin{minipage}[b]{\textwidth}
17498     \lowertitleback
17499   \end{minipage}
17500 \fi
17501 \ifx\@dedication\@empty \else
17502   \next@tpage\null\vfill
17503   {\centering \Large \@dedication \par}%
17504   \vskip \z@ \@plus3fill
17505   \if@twoside \next@tpage\cleardoubleemptypage \fi
17506 \fi
17507 \end{titlepage}
17508 \else
17509   \par
17510   \@tempcnta=
17511   #1%
17512   \relax\ifnum\@tempcnta=1\else
17513     \ClassWarning{\KOMAClassName}{%
17514       Optional argument of \string\maketitle\space ignored
17515       at\MessageBreak
17516       notitlepage-mode%
17517     }%
17518   \fi
17519   \begingroup
17520     \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
17521     \let\@oldmakefnmark\@makefnmark
17522     \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}
17523     \if@twocolumn
17524       \ifnum \col@number=\@one
17525         \@maketitle
17526       \else
17527         \twocolumn[\@maketitle]%
17528       \fi
17529     \else
17530       \newpage
17531       \global\@topnum\z@
17532       \@maketitle

```



```

17533     \fi
17534     \thispagestyle{\titlepagestyle}\@thanks
17535   \endgroup
17536 \fi
17537 \setcounter{footnote}{0}%
17538 \let\thanks\relax
17539 \let\LTRthanks\relax
17540 \let\RTLthanks\relax
17541 \let\maketitle\relax
17542 \let\@maketitle\relax
17543 \global\let\@thanks\@empty
17544 \global\let\@author\@empty
17545 \global\let\@date\@empty
17546 \global\let\@title\@empty
17547 \global\let\@subtitle\@empty
17548 \global\let\@extratitle\@empty
17549 \global\let\@titlehead\@empty
17550 \global\let\@subject\@empty
17551 \global\let\@publishers\@empty
17552 \global\let\@uppertitleback\@empty
17553 \global\let\@lowertitleback\@empty
17554 \global\let\@dedication\@empty
17555 \global\let\author\relax
17556 \global\let\title\relax
17557 \global\let\extratitle\relax
17558 \global\let\titlehead\relax
17559 \global\let\subject\relax
17560 \global\let\publishers\relax
17561 \global\let\uppertitleback\relax
17562 \global\let\lowertitleback\relax
17563 \global\let\dedication\relax
17564 \global\let\date\relax
17565 \global\let\and\relax
17566 }%
17567 \renewcommand*{\@maketitle}{%
17568   \clearpage
17569   \let\footnote\thanks
17570   \let\LTRfootnote\LTRthanks
17571   \let\RTLfootnote\RTLthanks
17572   \ifx\@extratitle\@empty \else
17573     \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
17574   \fi
17575   \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@update relative
17576   \ifx\@titlehead\@empty \else
17577     \begin{minipage}[t]{\textwidth}
17578       \@titlehead
17579     \end{minipage}\par
17580   \fi
17581   \null
17582   \vskip 2em%

```



```

17583 \begin{center}%
17584 \ifx\@subject\@empty \else
17585   {\subject@font \@subject \par}
17586   \vskip 1.5em
17587 \fi
17588 {\titlefont\huge \@title \par}%
17589 \vskip .5em
17590 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
17591 \vskip 1em
17592 {\Large
17593   \lineskip .5em%
17594   \begin{tabular}[t]{c}
17595     \@author
17596   \end{tabular}\par
17597 }%
17598 \vskip 1em%
17599 {\Large \@date \par}%
17600 \vskip \z@ \@plus 1em
17601 {\Large \@publishers \par}
17602 \ifx\@dedication\@empty \else
17603   \vskip 2em
17604   {\Large \@dedication \par}
17605 \fi
17606 \end{center}%
17607 \par
17608 \vskip 2em
17609 }%
17610 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
17611 \renewcommand*\autodot{\if@altsecnumformat\@SepMark\fi}
17612 \renewcommand*\thesection{%
17613   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17614     \if@mainmatter\thechapter\@SepMark\fi
17615   \else
17616     \thechapter\@SepMark%
17617   \fi
17618   \@arabic\c@section
17619 }
17620 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
17621 \renewcommand*{\thesubsubsection}{%
17622   \thesubsection\@SepMark\@arabic\c@subsubsection
17623 }
17624 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
17625 \renewcommand*{\thesubparagraph}{%
17626   \theparagraph\@SepMark\@arabic\c@subparagraph
17627 }
17628 \renewcommand*\thefigure{%
17629   \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17630     \if@mainmatter\thechapter\@SepMark\fi
17631   \else
17632     \thechapter\@SepMark%

```



```

17633 \fi
17634 \@arabic\c@figure
17635 }
17636 \renewcommand*\thetable{%
17637 \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17638 \if@mainmatter\thechapter\@SepMark\fi
17639 \else
17640 \thechapter\@SepMark%
17641 \fi
17642 \@arabic\c@table
17643 }
17644 \renewcommand*\theequation{%
17645 \ifnum \scr@compatibility>\@nameuse{scr@v@2.97d}\relax
17646 \if@mainmatter\thechapter\@SepMark\fi
17647 \else
17648 \thechapter\@SepMark%
17649 \fi
17650 \@arabic\c@equation
17651 }
17652 \renewenvironment{thebibliography}[1]{%
17653 \if@bib@break@
17654 \bib@beginhook
17655 \else
17656 \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
17657 \setchapterpreamble{\bibpreamble}%
17658 \fi\fi
17659 \bib@heading
17660 \bib@beginhook
17661 \bib@before@hook
17662 \fi
17663 \renewcommand{\BreakBibliography}[1]{%
17664 \@bib@break
17665 \end{thebibliography}%
17666 \begingroup ##1\endgroup
17667 \begin{thebibliography}{#1}
17668 }%
17669 \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
17670 \bidi@thebibliography@font@hook%
17671 \list{%
17672 \@biblabel{\@arabic\c@enumiv}%
17673 }{%
17674 \settowidth\labelwidth{\@biblabel{#1}}%
17675 \leftmargin\labelwidth
17676 \advance\leftmargin\labelsep
17677 \@openbib@code
17678 \if@bib@break@
17679 \edef\@tempa{%
17680 \noexpand\usecounter{enumiv}%
17681 \noexpand\setcounter{enumiv}{\the\c@enumiv}%
17682 }\@tempa

```



```

17683     \no@bib@break
17684     \else
17685         \usecounter{enumiv}%
17686     \fi
17687     \let\p@enumiv\@empty
17688     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
17689 }%
17690 \sloppy\clubpenalty4000 \widowpenalty4000
17691 \sfcode`\.=\@m
17692 }{%
17693 \if@bib@break@
17694     \def\@noitemerr{%
17695         \@latex@warning{%
17696             \string\BreakBibliography\space at begin of `thebibliography'
17697             environment\MessageBreak
17698             or following \string\BreakBibliography}%
17699     }%
17700 \else
17701     \def\@noitemerr{%
17702         \@latex@warning{%
17703             Empty `thebibliography' environment or
17704             \string\BreakBibliography\MessageBreak
17705             before end of `thebibliography' environment}%
17706     }%
17707 \fi
17708 \endlist
17709 \if@bib@break@
17710 \else
17711     \bib@after@hook
17712     \let\bib@before@hook\@empty
17713     \let\bib@after@hook\@empty
17714 \fi
17715 \bib@endhook
17716 }
17717 \renewcommand*\left@footnoterule{%
17718     \kern-3\p@
17719     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17720     \hrule\@width.4\columnwidth
17721     \kern 2.6\p@}
17722 \renewcommand*\right@footnoterule{%
17723     \kern-3\p@
17724     \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
17725     \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
17726     \kern2.6\p@}
17727 \renewcommand*{\raggeddictum}{\if@RTL\raggedright\else\raggedleft\fi}
17728 \renewcommand*{\raggeddictumtext}{\if@RTL\raggedleft\else\raggedright\fi}
17729 \renewcommand*{\raggeddictumauthor}{\if@RTL\raggedright\else\raggedleft\fi}
17730 \renewcommand\marginline[1]{%
17731     \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
17732 }

```



```

17733 \renewcommand{\@makecaption}[3]{%
17734   \cap@margin
17735   \ifonelinecaptions
17736     \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
17737     \let\scr@tmp@footnotetext=\@footnotetext
17738     \let\@footnotetext=\@gobble
17739     \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
17740     \let\@LTRfootnotetext=\@gobble
17741     \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
17742     \let\@RTLfootnotetext=\@gobble
17743     \sbox\@tempboxa{%
17744       {\capfont{\strut\ignorespaces
17745         #1{\caplabelfont{#2\captionformat}}}%
17746         #3\unskip\strut}}%
17747     }%
17748     \let\@footnotetext=\scr@tmp@footnotetext
17749     \let\scr@tmp@footnotetext=\undefined
17750     \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
17751     \let\scr@tmp@LTRfootnotetext=\undefined
17752     \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
17753     \let\scr@tmp@RTLfootnotetext=\undefined
17754     \setcounter{footnote}{\@tempcntb}%
17755     \setcounter{mpfootnote}{\@tempcnta}%
17756   \else
17757     \sbox\@tempboxa{\hspace*{2\cap@width}}%
17758   \fi
17759   \begingroup%
17760     \setlength{\@tempdima}{\cap@width}%
17761     \ifdim \wd\@tempboxa >\@tempdima
17762       \hb@xt@\hsize{%
17763         \setbox\@tempboxa\vbox{\hsize=\cap@width
17764           \ifdofullc@p
17765             {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
17766               #1{\caplabelfont{#2\captionformat}}}}}%
17767             {#3\unskip\strut\par}}}%
17768       \else%
17769         \ifdim\cap@indent<\z@
17770           {\capfont{\strut\ignorespaces
17771             #1{\caplabelfont{#2\captionformat\par}}}%
17772           \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
17773       \else%
17774         \if@capbreak
17775           {\capfont{\strut\ignorespaces
17776             #1{\caplabelfont{#2\captionformat\par}}}%
17777           \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
17778       \else
17779         {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
17780           {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
17781             {\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
17782     \fi

```



```

17783         \fi
17784     \fi
17785 }%
17786 \setlength{\@tempdima}{\ht\@tempboxa}%
17787 \addtolength{\@tempdima}{\dp\@tempboxa}%
17788 \addtolength{\@tempdima}{-\ht\strutbox}%
17789 \ht\@tempboxa\ht\strutbox
17790 \dp\@tempboxa\@tempdima
17791 \strut\cap@left
17792 \box\@tempboxa
17793 \cap@right\strut
17794 }%
17795 \else
17796 \global \@minipagefalse
17797 \sbox\@tempboxa{%
17798     {\capfont{\scr@smashdp{\strut\ignorespaces
17799         #1{\caplabelfont{#2\captionformat}}}}}%
17800     #3}}%
17801 }%
17802 {\capfont{\hb@xt@\hsize{\strut\cap@left\if@RTL\beginR\fi\box\@tempboxa\if@RTL\endR\fi\cap@right}}
17803 \fi
17804 \endgroup
17805 }
17806 \renewcommand{\@makecaption}[2]{%
17807     \if@captionabove
17808         \vskip\belowcaptionskip
17809     \else
17810         \vskip\abovecaptionskip
17811     \fi
17812     @@makecaption\@firstofone{#1}{#2}%
17813     \if@captionabove
17814         \vskip\abovecaptionskip
17815     \else
17816         \vskip\belowcaptionskip
17817     \fi
17818 }
17819 \bidi@AfterFile{longtable-xetex-bidi.def}{%
17820     \@ifpackageloaded{caption2}{\@komalongtablefalse
17821         \scr@caption@before@longtable@warning{caption2}%
17822     }{}%
17823     \if@komalongtable
17824         \renewcommand{\LT@makecaption}[3]{%
17825             \noalign{%
17826                 \if@captionabove
17827                     \vskip\belowcaptionskip
17828                 \else
17829                     \vskip\abovecaptionskip
17830                 \fi
17831             }%
17832             \LT@mcol\LT@cols c{%

```



```

17833      \hbox to\z@{\hss\parbox[t]{\linewidth{%
17834          \@makecaption{#1}{#2}{#3}%
17835          \endgraf
17836          \if@captionabove
17837              \vskip\abovecaptionskip
17838          \else
17839              \vskip\belowcaptionskip
17840          \fi
17841      }%
17842      \hss
17843  }%
17844  }%
17845  }%
17846  \renewcommand*{\scr@LT@array}{}%
17847  \let\scr@LT@array=LT@array
17848  \renewcommand*{\LT@array}{%
17849      \let\scr@caption=LT@caption
17850      \def\captionabove{\noalign{\global\@captionabovetrue}%
17851          \scr@caption}%
17852      \def\captionbelow{\noalign{\global\@captionabovetrue}%
17853          \scr@caption}%
17854      \if@tablecaptionabove
17855          \let\LT@caption=\captionabove
17856      \else
17857          \let\LT@caption=\captionbelow
17858      \fi
17859      \scr@LT@array
17860  }%
17861  \ClassInfo{\KOMAClassName}{%
17862      longtable captions redefined%
17863  }%
17864  \fi
17865  }
17866
17867  \CloneTOCEntryStyle{tocline}{part}
17868  \TOCEntryStyleStartInitCode{part}{%
17869      \expandafter\renewcommand%
17870      \csname scr@tso@#1@linefill\endcsname{\hfill}%
17871      \expandafter\renewcommand%
17872      \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
17873      \expandafter\renewcommand%
17874      \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17875          \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
17876      \expandafter\renewcommand\expandafter*%
17877      \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p}%
17878  }
17879
17880  \CloneTOCEntryStyle{tocline}{chapter}
17881  \TOCEntryStyleStartInitCode{chapter}{%
17882      \expandafter\renewcommand%

```




```

17883 \csname scr@tso@#1@linefill\endcsname{%
17884   \if@chapterentrywithdots
17885     \TOCLineLeaderFill\relax
17886   \else
17887     \hfill
17888   \fi
17889 }%
17890 \expandafter\renewcommand%
17891 \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
17892 \expandafter\renewcommand%
17893 \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
17894   \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
17895 \expandafter\renewcommand\expandafter*%
17896 \csname scr@tso@#1@beforekip\endcsname{1.0em \@plus\p@}%
17897 }
17898
17899 \CloneTOCEntryStyle{tocline}{section}
17900 \TOCEntryStyleStartInitCode{section}{%
17901   \expandafter\renewcommand%
17902   \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
17903 }
17904
17905 \CloneTOCEntryStyle{section}{default}
17906
17907 \DeclareSectionCommand[%
17908   style=part,%
17909   level=\m@ne,%
17910   pagestyle=plain,%
17911   tocstyle=part,%
17912   toclevel=\m@ne,%
17913   tocindent=\z@,%
17914   tocnumwidth=2em%
17915 ]{part}
17916 \DeclareSectionCommand[%
17917   style=chapter,%
17918   level=\z@,%
17919   pagestyle=plain,%
17920   tocstyle=chapter,%
17921   tocindent=\z@,%
17922   tocnumwidth=1.5em%
17923 ]{chapter}
17924 \DeclareSectionCommand[%
17925   style=section,%
17926   level=1,%
17927   indent=\z@,%
17928   beforekip=-3.5ex \@plus -1ex \@minus -.2ex,%
17929   afterskip=2.3ex \@plus .2ex,%
17930   tocstyle=section,%
17931   tocindent=1.5em,%
17932   tocnumwidth=2.3em%

```



```

17933]{section}
17934\DeclareSectionCommand[%
17935 style=section,%
17936 level=2,%
17937 indent=\z@,%
17938 beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
17939 afterskip=1.5ex \@plus .2ex,%
17940 tocstyle=section,%
17941 tocindent=3.8em,%
17942 tocnumwidth=3.2em%
17943]{subsection}
17944\DeclareSectionCommand[%
17945 style=section,%
17946 level=3,%
17947 indent=\z@,%
17948 beforeskip=-3.25ex\@plus -1ex \@minus -.2ex,%
17949 afterskip=1.5ex \@plus .2ex,%
17950 tocstyle=section,%
17951 tocindent=7.0em,%
17952 tocnumwidth=4.1em%
17953]{subsubsection}
17954\DeclareSectionCommand[%
17955 style=section,%
17956 level=4,%
17957 indent=\z@,%
17958 beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
17959 afterskip=-1em,%
17960 tocstyle=section,%
17961 tocindent=10em,%
17962 tocnumwidth=5em%
17963]{paragraph}
17964\DeclareSectionCommand[%
17965 style=section,%
17966 level=5,%
17967 indent=\scr@parindent,%
17968 beforeskip=3.25ex \@plus 1ex \@minus .2ex,%
17969 afterskip=-1em,%
17970 tocstyle=section,%
17971 tocindent=12em,%
17972 tocnumwidth=6em%
17973]{subparagraph}
17974
17975

```

107 File scrlettr-xetex-bidi.def

```

17976\ProvidesFile{scrlettr-xetex-bidi.def}[2015/11/14 v0.3 bidi adaptations for scrlettr class for
17977\renewcommand\deffootnote[4][]{%
17978 \long\def\@makefnmark##1{%
17979 \edef\@tempa{##1}\ifx\@tempa\@empty

```



```

17980 \setpar{\@par
17981 \@tempdima = \hsize
17982 \addtolength{\@tempdima}{-#2}
17983 \ifRTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
17984 \else
17985 \setpar{\@par
17986 \@tempdima = \hsize
17987 \addtolength{\@tempdima}{-#1}
17988 \@tempdimb = \hsize
17989 \addtolength{\@tempdimb}{-#2}
17990 \ifRTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
17991 \fi
17992 \par
17993 \parindent #3\noindent
17994 \hbox to \z@{\hss\@makefnmark}##1}
17995 \def\@makefnmark{\hbox{#4}}
17996 }
17997 \def\footnote[1em]{1.5em}{1em}
17998 {\textsuperscript{\thefootnotemark}}
17999 \def\left@footnoterule{\kern-1\p@
18000 \hrule width 0.4\columnwidth
18001 \kern .6\p@}
18002 \def\right@footnoterule{%
18003 \kern-1\p@
18004 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
18005 \kern .6\p@}
18006 \def\@datefield{\@reffalse
18007 \ifx\varyourref\@empty \else \@reftrue \fi
18008 \ifx\varyourmail\@empty \else \@reftrue \fi
18009 \ifx\varmyref\@empty \else \@reftrue \fi
18010 \ifx\varcustomer\@empty \else \@reftrue \fi
18011 \ifx\varinvoice\@empty \else \@reftrue \fi
18012 \ifx\varrefitemi\@empty \else \@reftrue \fi
18013 \ifx\varrefitemii\@empty \else \@reftrue \fi
18014 \ifx\varrefitemiii\@empty \else \@reftrue \fi
18015 \vskip -\parskip
18016 \vskip \refvskip
18017 \if@ref
18018 \ifx\varyourref\@empty \else
18019 \settowidth{\sc@temp}{\varyourref}
18020 \setbox0\hbox{\scriptsize \sf \yourrefname}
18021 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
18022 \parbox[t]{\sc@temp}{\noindent \box0\par \varyourref}\hfill
18023 \fi
18024 \ifx\varyourmail\@empty \else
18025 \settowidth{\sc@temp}{\varyourmail}
18026 \setbox0\hbox{\scriptsize \sf \yourmailname}
18027 \ifdim \sc@temp > \wd0 \sc@temp\sc@temp \else \sc@temp\wd0 \fi
18028 \parbox[t]{\sc@temp}{\noindent \box0\par \varyourmail}\hfill
18029 \fi

```



```

18030 \ifx\varmyref\@empty \else
18031 \settowidth{\sc@temp}{\varmyref}
18032 \setbox0\hbox{\scriptsize \sf \myrefname}
18033 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
18034 \parbox[t]{\sc@@temp}{\noindent \box0\par \varmyref}\hfill
18035 \fi
18036 \ifx\varcustomer\@empty \else
18037 \settowidth{\sc@temp}{\varcustomer}
18038 \setbox0\hbox{\scriptsize \sf \customername}
18039 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
18040 \parbox[t]{\sc@@temp}{\noindent \box0\par \varcustomer}\hfill
18041 \fi
18042 \ifx\varinvoice\@empty \else
18043 \settowidth{\sc@temp}{\varinvoice}
18044 \setbox0\hbox{\scriptsize \sf \invoicename}
18045 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
18046 \parbox[t]{\sc@@temp}{\noindent \box0\par \varinvoice}\hfill
18047 \fi
18048 \ifx\varrefitemi\@empty \else
18049 \settowidth{\sc@temp}{\varrefitemi}
18050 \setbox0\hbox{\scriptsize \sf \varrefitemnamei}
18051 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
18052 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemi}\hfill
18053 \fi
18054 \ifx\varrefitemii\@empty \else
18055 \settowidth{\sc@temp}{\varrefitemii}
18056 \setbox0\hbox{\scriptsize \sf \varrefitemnameii}
18057 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
18058 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemii}\hfill
18059 \fi
18060 \ifx\varrefitemiii\@empty \else
18061 \settowidth{\sc@temp}{\varrefitemiii}
18062 \setbox0\hbox{\scriptsize \sf \varrefitemnameiii}
18063 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
18064 \parbox[t]{\sc@@temp}{\noindent \box0\par \varrefitemiii}\hfill
18065 \fi
18066 \ifx\@date\@empty \else
18067 \settowidth{\sc@temp}{\@date}
18068 \setbox0\hbox{\scriptsize \sf \datename}
18069 \ifdim \sc@temp > \wd0 \sc@@temp\sc@temp \else \sc@@temp\wd0 \fi
18070 \parbox[t]{\sc@@temp}{\noindent \box0\par \@date}
18071 \fi
18072 \par
18073 \vspace{2.5\baselineskip}
18074 \else
18075 {\ifx\@date\@empty \else \if@RTL\raggedright\else\raggedleft\fi\fromplace\ \@date\par \fi}
18076 \vspace{1.5\baselineskip}
18077 \fi}
18078 \long\def\closing#1{\par\nobreak\vspace{0.5\baselineskip}
18079 \stopbreaks \noindent \sc@temp\textwidth \advance\sc@temp by

```



```

18080 -\sigindent \hspace{\sigindent}%
18081 \parbox{\sc@temp}{\if@RTL\raggedleft\else\raggedright\fi\ignorespaces #1\mbox{}\}\[\presig@sk
18082 \fromsig\strut}\par
18083 \vspace{1.5\baselineskip}}

```

108 File scrreprt-xetex-bidi.def

```

18084 \ProvidesFile{scrreprt-xetex-bidi.def}[2017/06/09 v1.1 bidi adaptations for scrreprt class for
18085 \newcommand{\scr@saved@LTRfootnotetext}{}
18086 \newcommand{\scr@saved@RTLfootnotetext}{}
18087 \let\scr@saved@footnotetext\@footnotetext
18088 \let\scr@saved@LTRfootnotetext\@LTRfootnotetext
18089 \let\scr@saved@RTLfootnotetext\@RTLfootnotetext
18090 \renewcommand{\@footnotetext}[1]{%
18091   \scr@saved@footnotetext{#1}%
18092   \csname FN@mfb@prepare\endcsname
18093 }
18094 \renewcommand{\@LTRfootnotetext}[1]{%
18095   \scr@saved@LTRfootnotetext{#1}%
18096   \csname FN@mfb@prepare\endcsname
18097 }
18098 \renewcommand{\@RTLfootnotetext}[1]{%
18099   \scr@saved@RTLfootnotetext{#1}%
18100   \csname FN@mfb@prepare\endcsname
18101 }
18102 \renewcommand\deffootnote[4][1]{%
18103   \long\def\@makefnmark##1{%
18104     \setlength{\@tempdimc}{#3}%
18105     \def\@tempa{#1}\ifx\@tempa\@empty
18106       \setpar{\@par
18107         \@tempdima = \hsize
18108         \addtolength{\@tempdima}{-#2}%
18109         \if@RTL\parshape \@ne Opt \@tempdima\else\parshape \@ne #2 \@tempdima\fi}%
18110     \else
18111       \addtolength{\@tempdimc}{#2}%
18112       \addtolength{\@tempdimc}{-#1}%
18113       \setpar{\@par
18114         \@tempdima = \hsize
18115         \addtolength{\@tempdima}{-#1}%
18116         \@tempdimb = \hsize
18117         \addtolength{\@tempdimb}{-#2}%
18118         \if@RTL\parshape \tw@ Opt \@tempdima Opt \@tempdimb\else\parshape \tw@ #1 \@tempdima #
18119       }%
18120     \fi
18121     \par
18122     \parindent\@tempdimc\noindent
18123     \ftn@font\hbox to \z@{\hss\@makefnmark}##1%
18124   }%
18125   \def\@makefnmark{\hbox{\ftn@font{#4}}}%
18126 }

```



```

18127 \deffootnote[1em]{1.5em}{1em}{\textsuperscript{\thefootnotemark}}
18128 \renewcommand*\left@footnoterule{%
18129   \normalsize\ftn@rule@test@values
18130   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
18131   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
18132   {\usekomafont{footnoterule}{%
18133     \hrule \@height\ftn@rule@height \@width\ftn@rule@width}}%
18134   \kern 2.6\p@}
18135 \renewcommand*\right@footnoterule{%
18136   \normalsize\ftn@rule@test@values
18137   \kern-\dimexpr 2.6\p@+\ftn@rule@height\relax
18138   \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
18139   {\usekomafont{footnoterule}{%
18140     \hbox to \columnwidth{\hskip \dimexpr\columnwidth-\ftn@rule@width\relax \leavevmode\le
18141     \kern 2.6\p@}
18142 \renewcommand*\maketitle[1][1]{%
18143   \if@titlepage
18144     \begin{titlepage}
18145       \setcounter{page}{%
18146         #1%
18147       }%
18148       \let\footnotesize\small
18149       \let\right@footnoterule\relax
18150       \let\left@footnoterule\relax
18151       \let\textwidth@footnoterule\relax
18152       \let\footnote\thanks
18153       \let\LTRfootnote\LTRthanks
18154       \let\RTLfootnote\RTLthanks
18155       \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
18156       \let\@oldmakefnmark\@makefnmark
18157       \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}%
18158       \ifx\@extratitle\@empty \else
18159         \noindent\@extratitle\next@tpage\cleardoubleemptypage
18160         \thispagestyle{empty}%
18161       \fi
18162       \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
18163       \ifx\@titlehead\@empty \else
18164         \begin{minipage}[t]{\textwidth}%
18165           \@titlehead
18166         \end{minipage}\par
18167       \fi
18168       \null\vfill
18169       \begin{center}
18170         \ifx\@subject\@empty \else
18171           {\subject@font \@subject \par}%
18172           \vskip 3em
18173         \fi
18174         {\titlefont\huge \@title\par}%
18175         \vskip 1em
18176         {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%

```



```

18177      \vskip 2em
18178      {\Large \lineskip 0.75em
18179        \begin{tabular}[t]{c}
18180          \@author
18181        \end{tabular}}\par
18182      }%
18183      \vskip 1.5em
18184      {\Large \@date \par}%
18185      \vskip \z@ \@plus3fill
18186      {\Large \@publishers \par}%
18187      \vskip 3em
18188      \end{center}}\par
18189      \@thanks
18190      \vfill\null
18191      \if@twoside\next@tpage
18192        \begin{minipage}[t]{\textwidth}
18193          \@uppertitleback
18194        \end{minipage}\par
18195        \vfill
18196        \begin{minipage}[b]{\textwidth}
18197          \@lowertitleback
18198        \end{minipage}
18199      \fi
18200      \ifx\@dedication\@empty \else
18201        \next@tpage\null\vfill
18202        {\centering \Large \@dedication \par}%
18203        \vskip \z@ \@plus3fill
18204        \if@twoside \next@tpage\cleardoubleemptypage \fi
18205      \fi
18206      \end{titlepage}
18207    \else
18208      \par
18209      \@tempcnta=%
18210      #1%
18211      \relax\ifnum\@tempcnta=1\else
18212        \ClassWarning{\KOMAClassName}{%
18213          Optional argument of \string\maketitle\space ignored
18214          at\MessageBreak
18215          notitlepage-mode%
18216        }%
18217      \fi
18218      \begingroup
18219        \renewcommand*\thefootnote{\@fnsymbol\c@footnote}%
18220        \let\@oldmakefnmark\@makefnmark
18221        \renewcommand*\@makefnmark{\rlap\@oldmakefnmark}
18222        \if@twocolumn
18223          \ifnum \col@number=\@one
18224            \@maketitle
18225          \else
18226            \twocolumn[\@maketitle]%

```



```

18227         \fi
18228     \else
18229         \newpage
18230         \global\@topnum\z@
18231         \@maketitle
18232     \fi
18233     \thispagestyle{\titlepagestyle}\@thanks
18234 \endgroup
18235 \fi
18236 \setcounter{footnote}{0}%
18237 \let\thanks\relax
18238 \let\LTRthanks\relax
18239 \let\RTLthanks\relax
18240 \let\maketitle\relax
18241 \let\@maketitle\relax
18242 \global\let\@thanks\@empty
18243 \global\let\@author\@empty
18244 \global\let\@date\@empty
18245 \global\let\@title\@empty
18246 \global\let\@subtitle\@empty
18247 \global\let\@extratitle\@empty
18248 \global\let\@titlehead\@empty
18249 \global\let\@subject\@empty
18250 \global\let\@publishers\@empty
18251 \global\let\@uppertitleback\@empty
18252 \global\let\@lowertitleback\@empty
18253 \global\let\@dedication\@empty
18254 \global\let\author\relax
18255 \global\let\title\relax
18256 \global\let\extratitle\relax
18257 \global\let\titlehead\relax
18258 \global\let\subject\relax
18259 \global\let\publishers\relax
18260 \global\let\uppertitleback\relax
18261 \global\let\lowertitleback\relax
18262 \global\let\dedication\relax
18263 \global\let\date\relax
18264 \global\let\and\relax
18265 }%
18266 \renewcommand*{\@maketitle}{%
18267     \clearpage
18268     \let\footnote\thanks
18269     \let\LTRfootnote\LTRthanks
18270     \let\RTLfootnote\RTLthanks
18271     \ifx\@extratitle\@empty \else
18272         \noindent\@extratitle \next@tpage \if@twoside \null\next@tpage \fi
18273     \fi
18274     \setparsizes{\z@}{\z@}{\z@\@plus 1fil}\par@updaterelative
18275     \ifx\@titlehead\@empty \else
18276         \begin{minipage}[t]{\textwidth}

```




```

18277 \titlehead
18278 \end{minipage}\par
18279 \fi
18280 \null
18281 \vskip 2em%
18282 \begin{center}%
18283 \ifx\@subject\@empty \else
18284 {\subject@font \@subject \par}
18285 \vskip 1.5em
18286 \fi
18287 {\titlefont\huge \@title \par}%
18288 \vskip .5em
18289 {\ifx\@subtitle\@empty\else\usekomafont{subtitle}\@subtitle\par\fi}%
18290 \vskip 1em
18291 {\Large
18292 \lineskip .5em%
18293 \begin{tabular}[t]{c}
18294 \@author
18295 \end{tabular}\par
18296 }%
18297 \vskip 1em%
18298 {\Large \@date \par}%
18299 \vskip \z@ \@plus 1em
18300 {\Large \@publishers \par}
18301 \ifx\@dedication\@empty \else
18302 \vskip 2em
18303 {\Large \@dedication \par}
18304 \fi
18305 \end{center}%
18306 \par
18307 \vskip 2em
18308 }%
18309 \def\raggedsection{\if@RTL\raggedleft\else\raggedright\fi}
18310 \renewcommand*{\autodot}{\if@altsecnumformat\@SepMark\fi}
18311 \renewcommand*{\thesection}{%
18312 \thechapter\@SepMark%
18313 \@arabic\c@section
18314 }
18315 \renewcommand*{\thesubsection}{\thesection\@SepMark\@arabic\c@subsection}
18316 \renewcommand*{\thesubsubsection}{%
18317 \thesubsection\@SepMark\@arabic\c@subsubsection
18318 }
18319 \renewcommand*{\theparagraph}{\thesubsubsection\@SepMark\@arabic\c@paragraph}
18320 \renewcommand*{\thesubparagraph}{%
18321 \theparagraph\@SepMark\@arabic\c@subparagraph
18322 }
18323 \renewcommand*{\thefigure}{%
18324 \thechapter\@SepMark%
18325 \@arabic\c@figure
18326 }

```



```

18327 \renewcommand*\thetable{%
18328   \thechapter\@SepMark%
18329   \@arabic\c@table
18330 }
18331 \renewcommand*\theequation{%
18332   \thechapter\@SepMark%
18333   \@arabic\c@equation
18334 }
18335 \renewenvironment{thebibliography}[1]{%
18336   \if@bib@break@
18337     \bib@beginhook
18338   \else
18339     \ifx\bibpreamble\relax\else\ifx\bibpreamble\@empty\else
18340       \setchapterpreamble{\bibpreamble}%
18341     \fi\fi
18342     \bib@heading
18343     \bib@beginhook
18344     \bib@before@hook
18345   \fi
18346   \renewcommand{\BreakBibliography}[1]{%
18347     \@bib@break
18348     \end{thebibliography}%
18349     \begingroup ##1\endgroup
18350     \begin{thebibliography}{#1}
18351   }%
18352   \if@RTL\if@LTRbibitems\@RTLfalse\else\fi\else\if@RTLbibitems\@RTLtrue\else\fi\fi
18353   \bidi@thebibliography@font@hook%
18354   \list{%
18355     \@biblabel{\@arabic\c@enumiv}%
18356   }{%
18357     \settowidth\labelwidth{\@biblabel{#1}}%
18358     \leftmargin\labelwidth
18359     \advance\leftmargin\labelsep
18360     \@openbib@code
18361     \if@bib@break@
18362       \edef\@tempa{%
18363         \noexpand\usecounter{enumiv}%
18364         \noexpand\setcounter{enumiv}{\the\c@enumiv}%
18365       }\@tempa
18366       \no@bib@break
18367     \else
18368       \usecounter{enumiv}%
18369     \fi
18370     \let\p@enumiv\@empty
18371     \renewcommand*\theenumiv{\@arabic\c@enumiv}%
18372   }%
18373   \sloppy\clubpenalty4000 \widowpenalty4000
18374   \sfcode`\.\@m
18375 }{%
18376   \if@bib@break@

```



```

18377 \def\@noitemerr{%
18378 \latex@warning{%
18379 \string\BreakBibliography\space at begin of `thebibliography'
18380 environment\MessageBreak
18381 or following \string\BreakBibliography}%
18382 }%
18383 \else
18384 \def\@noitemerr{%
18385 \latex@warning{%
18386 Empty `thebibliography' environment or
18387 \string\BreakBibliography\MessageBreak
18388 before end of `thebibliography' environment}%
18389 }%
18390 \fi
18391 \endlist
18392 \if@bib@break@
18393 \else
18394 \bib@after@hook
18395 \let\bib@before@hook\@empty
18396 \let\bib@after@hook\@empty
18397 \fi
18398 \bib@endhook
18399 }
18400 \renewcommand*\left@footnoterule{%
18401 \kern-3\p@
18402 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
18403 \hrule\@width.4\columnwidth
18404 \kern 2.6\p@}
18405 \renewcommand*\right@footnoterule{%
18406 \kern-3\p@
18407 \ifx\@textbottom\relax\else\vskip \z@ \@plus.05fil\fi
18408 \hbox to \columnwidth{\hskip .6\columnwidth \hrulefill }
18409 \kern2.6\p@}
18410 \renewcommand*\raggeddictum{\if@RTL\raggedright\else\raggedleft\fi}
18411 \renewcommand*\raggeddictumtext{\if@RTL\raggedleft\else\raggedright\fi}
18412 \renewcommand*\raggeddictumauthor{\if@RTL\raggedright\else\raggedleft\fi}
18413 \renewcommand\marginline[1]{%
18414 \marginpar[\if@RTL\raggedright\else\raggedleft\fi{#1}]{\if@RTL\raggedleft\else\raggedright\fi}
18415 }
18416 \renewcommand{\@makecaption}[3]{%
18417 \cap@margin
18418 \ifonelinecaptions
18419 \@tempcnta=\value{mpfootnote}\@tempcntb=\value{footnote}%
18420 \let\scr@tmp@footnotetext=\@footnotetext
18421 \let\@footnotetext=\@gobble
18422 \let\scr@tmp@LTRfootnotetext=\@LTRfootnotetext
18423 \let\@LTRfootnotetext=\@gobble
18424 \let\scr@tmp@RTLfootnotetext=\@RTLfootnotetext
18425 \let\@RTLfootnotetext=\@gobble
18426 \sbox\@tempboxa{%

```



```

18427     {\capfont{\strut\ignorespaces
18428       #1{\caplabelfont{#2\captionformat}}}%
18429       #3\unskip\strut}}%
18430   }%
18431   \let\@footnotetext=\scr@tmp@footnotetext
18432   \let\scr@tmp@footnotetext=\undefined
18433   \let\@LTRfootnotetext=\scr@tmp@LTRfootnotetext
18434   \let\scr@tmp@LTRfootnotetext=\undefined
18435   \let\@RTLfootnotetext=\scr@tmp@RTLfootnotetext
18436   \let\scr@tmp@RTLfootnotetext=\undefined
18437   \setcounter{footnote}{\@tempcntb}%
18438   \setcounter{mpfootnote}{\@tempcnta}%
18439   \else
18440     \sbox\@tempboxa{\hspace*{2\cap@width}}%
18441   \fi
18442   \begingroup%
18443     \setlength{\@tempdima}{\cap@width}%
18444     \ifdim \wd\@tempboxa >\@tempdima
18445       \hb@xt@\hsize{%
18446         \setbox\@tempboxa\vbox{\hsize=\cap@width
18447           \ifdofullc@p
18448             {\capfont{\@hangfrom{\scr@smashdp{\strut\ignorespaces
18449               #1{\caplabelfont{#2\captionformat}}}}}%
18450             {#3\unskip\strut\par}}}%
18451         \else%
18452           \ifdim\cap@indent<\z@
18453             {\capfont{\strut\ignorespaces
18454               #1{\caplabelfont{#2\captionformat\par}}}%
18455               \noindent\hspace*{-\cap@indent}#3\unskip\strut\par}}%
18456           \else%
18457             \if@capbreak
18458               {\capfont{\strut\ignorespaces
18459                 #1{\caplabelfont{#2\captionformat\par}}}%
18460                 \noindent\@hangfrom{\hspace*{\cap@indent}}{#3\par}}}%
18461             \else
18462               {\capfont{\@hangfrom{\scr@smashdp\strut\hspace*{\cap@indent}}%
18463                 {\hspace{-\cap@indent}\scr@smashdp{\ignorespaces#1%
18464                   {\caplabelfont{#2\captionformat}}}}#3\unskip\strut\par}}}%
18465             \fi
18466           \fi
18467         \fi
18468       }%
18469       \setlength{\@tempdima}{\ht\@tempboxa}%
18470       \addtolength{\@tempdima}{\dp\@tempboxa}%
18471       \addtolength{\@tempdima}{-\ht\strutbox}%
18472       \ht\@tempboxa\ht\strutbox
18473       \dp\@tempboxa\@tempdima
18474       \strut\cap@left
18475       \box\@tempboxa
18476       \cap@right\strut

```



```

18477     }%
18478   \else
18479     \global \@minipagefalse
18480     \sbox\@tempboxa{%
18481       {\capfont{\scr@smashdp{\strut\ignorespaces
18482         #1{\caplabelfont{#2\captionformat}}}}}%
18483       #3}}%
18484     }%
18485     {\capfont{\hb@xt@\hsize{\strut\cap@left@if@RTL\beginR\fi\box\@tempboxa@if@RTL\endR\fi\cap@right}}%
18486   \fi
18487 \endgroup
18488 }
18489 \renewcommand{\@makecaption}[2]{%
18490   \if@captionabove
18491     \vskip\belowcaptionskip
18492   \else
18493     \vskip\abovecaptionskip
18494   \fi
18495   \@makecaption\@firstofone{#1}{#2}%
18496   \if@captionabove
18497     \vskip\abovecaptionskip
18498   \else
18499     \vskip\belowcaptionskip
18500   \fi
18501 }
18502 \bidi@AfterFile{longtable-xetex-bidi.def}{%
18503   \@ifpackageloaded{caption2}{\@komalongtablefalse
18504     \scr@caption@before@longtable@warning{caption2}}%
18505   }{}%
18506   \if@komalongtable
18507     \renewcommand{\LT@makecaption}[3]{%
18508       \noalign{%
18509         \if@captionabove
18510           \vskip\belowcaptionskip
18511         \else
18512           \vskip\abovecaptionskip
18513         \fi
18514       }%
18515       \LT@mcol\LT@cols c{%
18516         \hbox to\z@{\hss\parbox[t]{\linewidth{%
18517           \@makecaption{#1}{#2}{#3}%
18518         \endgraf
18519         \if@captionabove
18520           \vskip\abovecaptionskip
18521         \else
18522           \vskip\belowcaptionskip
18523         \fi
18524       }%
18525       \hss
18526     }%

```



```

18527     }%
18528   }%
18529   \renewcommand*{\scr@LT@array}{}%
18530   \let\scr@LT@array=\LT@array
18531   \renewcommand*{\LT@array}{%
18532     \let\scr@caption=\LT@caption
18533     \def\captionabove{\noalign{\global\@captionabovetrue}%
18534       \scr@caption}%
18535     \def\captionbelow{\noalign{\global\@captionabovefalse}%
18536       \scr@caption}%
18537     \if@tablecaptionabove
18538       \let\LT@caption=\captionabove
18539     \else
18540       \let\LT@caption=\captionbelow
18541     \fi
18542     \scr@LT@array
18543   }%
18544   \ClassInfo{\KOMAClassName}{%
18545     longtable captions redefined%
18546   }%
18547 \fi
18548 }
18549
18550 \CloneTOCEntryStyle{tocline}{part}
18551 \TOCEntryStyleStartInitCode{part}{%
18552   \expandafter\renewcommand%
18553   \csname scr@tso@#1@linefill\endcsname{\hfill}%
18554   \expandafter\renewcommand%
18555   \csname scr@tso@#1@entryformat\endcsname[1]{\usekomafont{partentry}{##1}}%
18556   \expandafter\renewcommand%
18557   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
18558     \usekomafont{partentry}{\usekomafont{partentrypagenumber}{##1}}}%
18559   \expandafter\renewcommand\expandafter*%
18560   \csname scr@tso@#1@beforeskip\endcsname{2.25em \@plus\p}%
18561 }
18562
18563 \CloneTOCEntryStyle{tocline}{chapter}
18564 \TOCEntryStyleStartInitCode{chapter}{%
18565   \expandafter\renewcommand%
18566   \csname scr@tso@#1@linefill\endcsname{%
18567     \if@chapterentrywithdots
18568       \TOCLineLeaderFill\relax
18569     \else
18570       \hfill
18571     \fi
18572   }%
18573   \expandafter\renewcommand%
18574   \csname scr@tso@#1@entryformat\endcsname{\usekomafont{chapterentry}}%
18575   \expandafter\renewcommand%
18576   \csname scr@tso@#1@pagenumberformat\endcsname[1]{%

```



```

18577 \usekomafont{chapterentry}{\usekomafont{chapterentrypagenumber}{##1}}}%
18578 \expandafter\renewcommand\expandafter*%
18579 \csname scr@tso@#1@beforeskip\endcsname{1.0em \@plus\p@}%
18580 }
18581
18582 \CloneTOCEntryStyle{tocline}{section}
18583 \TOCEntryStyleStartInitCode{section}{%
18584 \expandafter\renewcommand%
18585 \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
18586 }
18587
18588 \CloneTOCEntryStyle{section}{default}
18589
18590 \DeclareSectionCommand[%
18591 style=part,%
18592 level=\m@ne,%
18593 pagestyle=plain,%
18594 tocstyle=part,%
18595 toclevel=\m@ne,%
18596 tocindent=\z@,%
18597 tocnumwidth=2em%
18598 ]{part}
18599 \DeclareSectionCommand[%
18600 style=chapter,%
18601 level=\z@,%
18602 pagestyle=plain,%
18603 tocstyle=chapter,%
18604 tocindent=\z@,%
18605 tocnumwidth=1.5em%
18606 ]{chapter}
18607 \DeclareSectionCommand[%
18608 style=section,%
18609 level=1,%
18610 indent=\z@,%
18611 beforekip=-3.5ex \@plus -1ex \@minus -.2ex,%
18612 afterskip=2.3ex \@plus .2ex,%
18613 tocstyle=section,%
18614 tocindent=1.5em,%
18615 tocnumwidth=2.3em%
18616 ]{section}
18617 \DeclareSectionCommand[%
18618 style=section,%
18619 level=2,%
18620 indent=\z@,%
18621 beforekip=-3.25ex \@plus -1ex \@minus -.2ex,%
18622 afterskip=1.5ex \@plus .2ex,%
18623 tocstyle=section,%
18624 tocindent=3.8em,%
18625 tocnumwidth=3.2em%
18626 ]{subsection}

```



```

18627 \DeclareSectionCommand[%
18628   style=section,%
18629   level=3,%
18630   indent=\z@,%
18631   beforekip=-3.25ex\@plus -1ex \@minus -.2ex,%
18632   afterskip=1.5ex \@plus .2ex,%
18633   tocstyle=section,%
18634   tocindent=7.0em,%
18635   tocnumwidth=4.1em%
18636 ]{subsubsection}
18637 \DeclareSectionCommand[%
18638   style=section,%
18639   level=4,%
18640   indent=\z@,%
18641   beforekip=3.25ex \@plus1ex \@minus .2ex,%
18642   afterskip=-1em,%
18643   tocstyle=section,%
18644   tocindent=10em,%
18645   tocnumwidth=5em%
18646 ]{paragraph}
18647 \DeclareSectionCommand[%
18648   style=section,%
18649   level=5,%
18650   indent=\scr@parindent,%
18651   beforekip=3.25ex \@plus1ex \@minus .2ex,%
18652   afterskip=-1em,%
18653   tocstyle=section,%
18654   tocindent=12em,%
18655   tocnumwidth=6em%
18656 ]{subparagraph}
18657
18658

```

109 File sidecap-xetex-bidi.def

```

18659 \ProvidesFile{sidecap-xetex-bidi.def}[2010/08/01 v0.1 bidi adaptations for sidecap package for
18660 \renewcommand*{\SC@FLOAT}[2]{\if@RTL%
18661   \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2} {\#2}\hspace{\sidecaptionsep}{#1}\else%
18662 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1} {\#1}\hspace{\sidecaptionsep}{#2}\fi}
18663 \renewcommand*{\SC@justify@caption}{\if@RTL%
18664 \isSC@ODD{\RaggedLeft}{\RaggedRight}\else%
18665   \isSC@ODD{\RaggedRight}{\RaggedLeft}\fi}

```

110 File soul-xetex-bidi.def

```

18666 \ProvidesFile{soul-xetex-bidi.def}[2015/10/16 v0.1 bidi adaptations for soul package for XeTeX]
18667 \long\def\SOUL@start#1{%
18668   \let\bidi@RTL@everypar\@empty
18669   \let\<\SOUL@lowerthan
18670   \let\>\empty

```




```

18671 \def\soulomit{\noexpand\soulomit}%
18672 \gdef\SOUL@eventuallyexhyphen##1{%
18673 \let\SOUL@soeventuallyskip\relax
18674 \SOUL@spaceskip=\fontdimen\tw@\font\@plus\fontdimen\thr@\font
18675 \@minus\fontdimen4\font
18676 \SOUL@ignorespacesfalse
18677 \leavevmode
18678 \SOUL@preamble
18679 \SOUL@lasttoken={}%
18680 \SOUL@word={}%
18681 \SOUL@minus\z@
18682 \SOUL@comma\z@
18683 \SOUL@apo\z@
18684 \SOUL@grave\z@
18685 \SOUL@do{#1}%
18686 \SOUL@postamble
18687 }}
18688 \def\SOUL@ulunderline#1{%
18689 \setbox\z@\hbox{#1}%
18690 \dimen@=\wd\z@
18691 \dimen@i=\SOUL@uloverlap
18692 \advance\dimen@2\dimen@i
18693 \ifRTL
18694 \unhcopy\z@
18695 \llap{%
18696 \null
18697 \kern-\dimen@i
18698 \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
18699 }%
18700 \else
18701 \rlap{%
18702 \null
18703 \kern-\dimen@i
18704 \SOUL@ulcolor{\SOUL@ulleaders\hskip\dimen@}%
18705 }%
18706 \unhcopy\z@
18707 \fi
18708 }}
18709 \def\bidi@SOUL@ulleaders{%
18710 \leaders\hb@xt@0.1pt{\hss\SOUL@ulcolor{\vrule\@depth\SOUL@uldp\@height\SOUL@ulht}\hss}\re.
18711 }
18712 \def\SOUL@uleveryspace#1{%
18713 \ifRTL
18714 #1%
18715 \bidi@SOUL@ulleaders
18716 \hskip\spaceskip
18717 \else
18718 \SOUL@ulcolor{%
18719 #1%
18720 \SOUL@ulleaders

```



```

18721         \hskip\spaceskip
18722     }%
18723     \fi
18724     \null
18725 }

```

111 File stabular-xetex-bidi.def

```

18726 \ProvidesFile{stabular-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for stabular package]
18727 \def\@stabular{%
18728     \leavevmode \bgroup \if@RTLtab\beginR \fi
18729     \let\@acol\@tabacol
18730     \let\@classz\@tabclassz
18731     \let\@classiv\@tabclassiv \let\\\@tabularcr\@stabarray}
18732 \def\endstabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
18733             \egroup \if@RTLtab\endR\fi\egroup}
18734 \expandafter \let \csname endstabular*\endcsname = \endstabular
18735 \def\@sarray[#1]#2{%
18736     \bgroup
18737     \setbox\@arstrutbox\hbox{%
18738         \vrule \@height\arraystretch\ht\strutbox
18739         \@depth\arraystretch \dp\strutbox
18740         \@width\z@}%
18741     \mkpream{#2}%
18742     \edef\@preamble{%
18743         \ialign \noexpand\@halignto
18744             \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
18745     \let\@startpbox\@startpbox \let\@endpbox\@endpbox
18746     \let\@tabularnewline\\%
18747     \let\@sharp##%
18748     \set@typeset@protect
18749     \lineskip\z@skip\baselineskip\z@skip
18750     \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if #1t\top \else \vbox \fi\bgroup\fi
18751     \@preamble}

```

112 File subfigure-xetex-bidi.def

```

18752 \ProvidesFile{subfigure-xetex-bidi.def}[2010/03/01 v0.1 bidi adaptations for subfigure package]
18753 \AtBeginDocument{%
18754     \let\p@subfigure=\thefigure
18755     \let\p@subtable=\thetable%
18756 }

```

113 File tabs-xetex-bidi.def

```

18757 \ProvidesFile{tabs-xetex-bidi.def}[2015/11/07 v0.3 bidi adaptations for tabs package for Xe]
18758 \def\endtabular{\endarray $\if@RTLtab\endR\fi\egroup}
18759
18760 \expandafter\let\csname endtabular*\endcsname=\endtabular
18761

```



```

18762 \def\endarray{\ifvmode\csname crcr\endcsname % just do \crrc if \ given
18763 \else \[\z@ \global\advance\@arstdepth-\@otarlinesep]%
18764 \fi\egroup\if@RTLtab\egroup\endR\egroup\fi\@unrecurse\egroup}
18765
18766 \def\@array[#1]#2{% remember global variables to allow recursion:
18767 \edef\@unrecurse{\global\@skip@bove\the\@skip@bove
18768 \global\@arstheight\the\@arstheight\global\@arstdepth\the\@arstdepth}%
18769 \let\@otarlinesep\@tarlinesep \global\@skip@bove-\@otarlinesep
18770 \ifx\@classz\@arrayclassz \let\@tarlinesep\arraylinesep
18771 \else \let\@tarlinesep\tablinesep \fi
18772 \divide\@tarlinesep\tw@ % half sep is applied to height & depth
18773 \let\@seesize\relax \let\@rememsize\relax \mkpream{#2}%
18774 \@tempdima\arraystretch\ht\strutbox \@tempdimb\arraystretch\dp\strutbox
18775 \ifdim\@tarlinesep>\z@ % (need \protect for \multicolumn)
18776 \def\@rememsize{\protect\@r@m@msize}\let\@seesize\@s@size
18777 \advance\@tempdima-\@tarlinesep \advance\@tempdimb-\@tarlinesep
18778 \fi \setbox\@arstrutbox\hbox{% set up smaller strut
18779 \vrule \@height\@tempdima \@depth\@tempdimb \@width\z@}%
18780 \let\protect\noexpand
18781 \edef\@preamble{\ialign \noexpand\@halignto \bgroup
18782 \unhcopy\@arstrutbox \@preamble \tabskip\z@skip &\@sharp \crrc}%
18783 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
18784 \if#1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
18785 \bgroup \let\par\@empty
18786 \global\@arstheight\ht\@arstrutbox \global\@arstdepth\dp\@arstrutbox
18787 \advance\extrarulesep.5\arrayrulewidth
18788 \let\@sharp##\let\protect\relax \lineskip\z@skip \baselineskip\z@skip
18789 \if@RTLtab\hbox\bgroup\beginR\@hboxRconstructtrue\if#1t\vtop \else \vbox \fi\bgroup\fi
18790 \@preamble}

```

114 File tabularx-xetex-bidi.def

```

18791 \ProvidesFile{tabularx-xetex-bidi.def}[2014/11/08 v0.1 bidi adaptations for tabularx package]
18792 \def\TX@endtabularx{%
18793 \expandafter\expandafter\expandafter
18794 \TX@find@endtabularxa\csname end\TX@\endcsname
18795 \endtabularx\TX@\endtabularx\TX@find@endtabularxa
18796 \expandafter\TX@newcol\expandafter{\tabularxcolumn{\TX@col@width}}%
18797 \let\verb\TX@verb
18798 \def\@elt##1{\global\value{##1}\the\value{##1}\relax}%
18799 \edef\TX@ckpt{\cl@ckpt}%
18800 \let\@elt\relax
18801 \TX@old@table\maxdimen
18802 \TX@col@width\TX@target
18803 \global\TX@cols\@ne
18804 \TX@typeout@
18805 {\@spaces Table Width\@spaces Column Width\@spaces X Columns}%
18806 \TX@trial{\def\NC@rewriteX{%
18807 \global\advance\TX@cols\@ne\NC@find p{\TX@col@width}}}%
18808 \loop

```



```

18809 \TX@arith
18810 \ifTX@
18811 \TX@trial{}%
18812 \repeat
18813 {\let\@footnotetext\TX@ftntext\let\@xfootnotenext\TX@xftntext
18814 \let\@LTRfootnotetext\TX@LTRftntext\let\@xLTRfootnotenext\TX@xLTRftntext
18815 \let\@RTLfootnotetext\TX@RTLftntext\let\@xRTLfootnotenext\TX@xRTLftntext
18816 \csname tabular*\expandafter\endcsname\expandafter\TX@target
18817 \the\toks@
18818 \csname endtabular*\endcsname}%
18819 \global\TX@ftn\expandafter{\expandafter}\the\TX@ftn
18820 \ifnum0=`{\fi}%
18821 \expandafter\expandafter\expandafter
18822 \TX@find@endtabularxbb
18823 \expandafter\end\expandafter{\TX@}%
18824 \endtabularx\TX@\endtabularx\TX@find@endtabularxb
18825 }
18826
18827 \def\TX@trial#1{%
18828 \setbox\@tempboxa\hbox{%
18829 #1\relax
18830 \let\@footnotetext\TX@trial@ftn
18831 \let\@LTRfootnotetext\TX@trial@ftn
18832 \let\@RTLfootnotetext\TX@trial@ftn
18833 \let\TX@vwarn\@empty
18834 \expandafter\let\expandafter\tabularx\csname tabular*\endcsname
18835 \expandafter\let\expandafter\endtabularx\csname endtabular*\endcsname
18836 \def\write{\begingroup
18837 \def\let{\afterassignment\endgroup\toks@}%
18838 \afterassignment\let\count@}%
18839 \hbadness\@M
18840 \hfuzz\maxdimen
18841 \let\hbadness\@tempcnta
18842 \let\hfuzz\@tempdima
18843 \expandafter\tabular\the\toks@
18844 \endtabular}%
18845 \TX@ckpt
18846 \TX@typeout@{\@spaces
18847 \expandafter\TX@align
18848 \the\wd\@tempboxa\space\space\space\space\space\@@
18849 \expandafter\TX@align
18850 \the\TX@col@width\space\space\space\space\space\@@
18851 \@spaces\the\TX@cols}}
18852
18853 \long\def\TX@LTRftntext#1{%
18854 \edef\@tempa{\the\TX@ftn\noexpand\LTRfootnotetext
18855 [\the\csname c@\@mpfn\endcsname]}}%
18856 \global\TX@ftn\expandafter{\@tempa{#1}}}%
18857 \long\def\TX@xLTRftntext[#1]#2{%
18858 \global\TX@ftn\expandafter{\the\TX@ftn\LTRfootnotetext[#1]{#2}}}

```



```

18859
18860 \long\def\TX@RTLftntext#1{%
18861   \edef\@tempa{\the\TX@ftn\noexpand\RTLfootnotetext
18862     [\the\csname c@{\mpfn\endcsname}]}%
18863   \global\TX@ftn\expandafter{\@tempa{#1}}}%
18864 \long\def\TX@xRTLftntext[#1]#2{%
18865   \global\TX@ftn\expandafter{\the\TX@ftn\RTLfootnotetext[#1]{#2}}}%

```

115 File tabulary-xetex-bidi.def

```

18866\ProvidesFile{tabulary-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tabulary package]
18867\def\@testpach{\@chclass
18868 \ifnum \@lastchclass=6 \@ne \@chnum \@ne \else
18869 \ifnum \@lastchclass=7 5 \else
18870 \ifnum \@lastchclass=8 \tw@ \else
18871 \ifnum \@lastchclass=9 \thr@@
18872 \else \z@
18873 \ifnum \@lastchclass = 10 \else
18874 \edef\@nextchar{\expandafter\string\@nextchar}%
18875 \@chnum
18876 \if \@nextchar c\z@ \else
18877 \if \@nextchar \if@RTLtab r\else l\fi\@ne \else
18878 \if \@nextchar \if@RTLtab l\else r\fi\tw@ \else
18879 \if \@nextchar C7 \else
18880 \if \@nextchar L8 \else
18881 \if \@nextchar R9 \else
18882 \if \@nextchar J10 \else
18883 \z@ \@chclass
18884 \if\@nextchar |\@ne \else
18885 \if \@nextchar !6 \else
18886 \if \@nextchar @7 \else
18887 \if \@nextchar <8 \else
18888 \if \@nextchar >9 \else
18889 10
18890 \@chnum
18891 \if \@nextchar m\thr@@\else
18892 \if \@nextchar p4 \else
18893 \if \@nextchar b5 \else
18894 \z@ \@chclass \z@ \@preamerr \z@ \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi
18895 \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi \fi}

```

116 File tc-xetex-bidi.def

```

18896 \ProvidesFile{tc-xetex-bidi.def}[2014/07/08 v0.1 bidi adaptations for Clipping driver for XeTeX]
18897 \def\@cliptoboxdim#1{%
18898     \setbox#1=\hbox{%
18899         \Gin@defaultbp\WIDTH{\wd#1}%
18900         \Gin@defaultbp\DEPTH{\dp#1}%
18901         \@tempdima\ht#1%
18902         \advance\@tempdima\dp#1%

```



```

18903      \Gin@defaultbp\TOTALHEIGHT{\@tempdima}%
18904      \beginL\special{pdf:bcontent }%
18905      \special{%
18906          pdf:literal direct
18907          0 -\DEPTH\space \WIDTH\space \TOTALHEIGHT\space re
18908      }%
18909      \special{pdf:literal direct W }%
18910      \special{pdf:literal direct n }%
18911      \if@RTL\beginR\fi\box#1\if@RTL\endR\fi%
18912      \special{pdf:econtent }\endL%
18913  }%
18914 }

```

117 File tcolorbox-xetex-bidi.def

```

18915 \ProvidesFile{tcolorbox-xetex-bidi.def}[2018/11/11 v0.2 bidi adaptations for tcolorbox package]
18916 \let\endtcblrbox=\endminipage
18917 \let\endtcbsavebox=\endtcblrbox
18918
18919 \bidi@patchcmd{\tcb@vbox}{%
18920   \let\@footnotetext\@mpfootnotetext%
18921 }{%
18922   \let\@footnotetext\@mpfootnotetext%
18923   \let\@LTRfootnotetext\@mpLTRfootnotetext%
18924   \let\@RTLfootnotetext\@mpRTLfootnotetext%
18925 }{}{}
18926
18927 \bidi@patchcmd{\endtcblrbox}{%
18928   \footnoterule%
18929 }{%
18930   \bidi@mpfootnoterule%
18931 }{}{}
18932 \bidi@apptocmd\tcb@icolorbox{%
18933   \@bidi@list@minipage@parboxfalse
18934 }{}{}

```

118 File titlesec-xetex-bidi.def

```

18935 \ProvidesFile{titlesec-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for titlesec package]
18936 \renewcommand\filright{%
18937   \gdef\ttl@filleft##1{\hskip##1}%
18938   \gdef\ttl@filright##1{\hfill}%
18939   \let\@centercr
18940   \advance\rightskip\z@ \@plus 1fil
18941   \parfillskip\z@}
18942 \def\ttlhang#1#2#3#4#5#6#7#8{%
18943   \gdef\ttl@makeline##1{\ttl@calc\hspace{#6}##1\ttl@calc\hspace{#7}}%
18944   \setlength\leftskip{#6}%
18945   \setlength\rightskip{#7}%
18946   \interlinepenalty\@M

```



```

18947 \ttl@changecentercr
18948 \ttl@beginlongest
18949 #1{\ifhmode\ttl@hmode@error\fi
18950 \ttl@glcmds
18951 \parindent\z@
18952 \leavevmode
18953 \begingroup
18954 \ifttl@label
18955 \sbox\z@{#2\strut\ttl@calc\hspace{#3}}%
18956 \if@RTL\advance\rightskip\wd\z@\else\advance\leftskip\wd\z@\fi
18957 \llap{\box\z@}%
18958 \fi
18959 #4{#8}%
18960 \kern\z@\strut\@par
18961 \endgroup
18962 \nobreak\ttl@midlongest#5\@par}%
18963 \ttl@endlongest}

```

119 File `titletoc-xetex-bidi.def`

```

18964 \ProvidesFile{titletoc-xetex-bidi.def}[2013/04/10 v0.2 bidi adaptations for titletoc package]
18965 \renewcommand\filright{%
18966 \gdef\ttl@filleft##1{\hskip##1}%
18967 \gdef\ttl@filright##1{\hfill}%
18968 \let\@centercr
18969 \advance\rightskip\z@ \@plus 1fil
18970 \parfillskip\z@}
18971 \renewcommand\contentspush[1]{%
18972 \sbox\z@{#1}%
18973 \xdef\ttl@b{\advance\if@RTL\rightskip\else\leftskip\fi\the\wd\z@}%
18974 \aftergroup\ttl@b
18975 \leavevmode\llap{\box\z@}}
18976 \def\ttl@outnoblock#1#2#3{%
18977 \begingroup
18978 \ifnum\ttl@b>\ttl@a
18979 \nobreak
18980 \else\ifnum\ttl@b<\ttl@a
18981 \addpenalty{\@secpenalty}%
18982 \else
18983 \addpenalty{\z@}%
18984 \fi\fi
18985 \ttl@contentsstretch
18986 \nobreak
18987 \ifcase#1\relax\else\interlinepenalty\@M\fi
18988 \parindent\z@
18989 \ifx\@nil#2%
18990 \PackageError{titletoc}{Unimplemented}%
18991 {The optional argument is currently mandatory}%
18992 \else
18993 \if@RTL\setlength\rightskip{#2}\else

```



```

18994 \setlength\leftskip{#2}\fi%
18995 \fi
18996 \ifRTL\setlength\leftskip{\@pnumwidth}\else\setlength\rightskip{\@pnumwidth}\fi%
18997 \let\contentsmargin\ttl@margin
18998 \def\ttl@makeline##1{##1}%
18999 #3%
19000 \addtolength{\parfillskip}{-\ttl@corr}%
19001 \ifRTL\addtolength{\leftskip}{\ttl@corr}\else\addtolength{\rightskip}{\ttl@corr}\fi%
19002 \let\ttl@leaders\leaders}
19003 \renewcommand\ttl@margin[2][\z@]{%
19004 \def\ttl@corr{#1}%
19005 \advance\ifRTL\leftskip\else\rightskip\fi-\@pnumwidth\relax
19006 \advance\ifRTL\leftskip\else\rightskip\fi#2\relax
19007 \def\@pnumwidth{#2}}
19008 \let\ttl@savel@part\l@part
19009 \def\l@part{\ttl@lselect{part}}
19010
19011 \let\ttl@savel@chapter\l@chapter
19012 \def\l@chapter{\ttl@lselect{chapter}}

```

120 File tocbibind-xetex-bidi.def

```

19013 \ProvidesFile{tocabibind-xetex-bidi.def}[2017/06/09 v0.4 bidi adaptations for tocbibind package]
19014 \ifdotocbib
19015 \ifpackageloaded{natbib}{\% natbib not loaded
19016 \renewcommand{\bibsection}{\t@cb@bchapsec}
19017 \renewenvironment{thebibliography}[1]{%
19018 \bibsection
19019 \begin{thebibitemlist}{#1}}{\end{thebibitemlist}}}{
19020 \renewenvironment{thebibitemlist}[1]{
19021 \ifRTL\ifLTRbibitems\RTLfalse\else\fi\else\ifRTLbibitems\RTLtrue\else\fi\fi
19022 \bidi@thebibliography@font@hook%
19023 \list{\@biblabel{\@arabic{c@enumiv}}}%
19024 {\settowidth\labelwidth{\@biblabel{#1}}%
19025 \leftmargin\labelwidth
19026 \advance\leftmargin\labelsep
19027 \@openbib@code
19028 \usecounter{enumiv}%
19029 \let\p@enumiv\empty
19030 \renewcommand\theenumiv{\@arabic{c@enumiv}}}%
19031 \sloppy
19032 \clubpenalty4000
19033 \@clubpenalty \clubpenalty
19034 \widowpenalty4000%
19035 \sfcode`\.\@m}
19036 {\def\@noitemerr
19037 {\@latex@warning{Empty `thebibliography' environment}}}%
19038 \endlist}
19039
19040 \ifpackagewith{chapterbib}{sectionbib}%

```




```

19041 {\renewcommand{\sectionbib}[2]{}}%
19042 {}
19043
19044 \fi
19045 \if@inltxdoc\else
19046 \renewenvironment{theindex}%
19047 {\if@twocolumn
19048 \@restonecolfalse
19049 \else
19050 \@restonecoltrue
19051 \fi
19052 \if@bibchapter
19053 \if@donumindex
19054 \refstepcounter{chapter}
19055 \twocolumn[\vspace*{2\topskip}%
19056 \@makechapterhead{\indexname}]]%
19057 \addcontentsline{toc}{chapter}{\protect\numberline{\thechapter}\indexname}
19058 \chaptermark{\indexname}
19059 \else
19060 \if@dotocind
19061 \twocolumn[\vspace*{2\topskip}%
19062 \@makeschapterhead{\indexname}]]%
19063 \prw@mkboth{\indexname}
19064 \addcontentsline{toc}{chapter}{\indexname}
19065 \else
19066 \twocolumn[\vspace*{2\topskip}%
19067 \@makeschapterhead{\indexname}]]%
19068 \prw@mkboth{\indexname}
19069 \fi
19070 \fi
19071 \else
19072 \if@donumindex
19073 \twocolumn[\vspace*{-1.5\topskip}%
19074 \@nameuse{\@tocextra}{\indexname}]]%
19075 \csname \@tocextra mark\endcsname{\indexname}
19076 \else
19077 \if@dotocind
19078 \twocolumn[\vspace*{-1.5\topskip}%
19079 \toc@headstar{\@tocextra}{\indexname}]]%
19080 \prw@mkboth{\indexname}
19081 \addcontentsline{toc}{\@tocextra}{\indexname}
19082 \else
19083 \twocolumn[\vspace*{-1.5\topskip}%
19084 \toc@headstar{\@tocextra}{\indexname}]]%
19085 \prw@mkboth{\indexname}
19086 \fi
19087 \fi
19088 \fi
19089 \thispagestyle{plain}\parindent\z@
19090 \parskip\z@ \@plus .3\p@\relax

```



```

19091 \let\item\@idxitem}
19092 {\if@restonecol\onecolumn\else\clearpage\fi}
19093 \fi

```

121 File tocloft-xetex-bidi.def

```

19094 \ProvidesFile{tocloft-xetex-bidi.def}[2010/07/25 v0.2 bidi adaptations for tocloft package for
19095 \let\cftdot\@SepMark
19096 \if@cfthaspart
19097 \renewcommand*{\l@part}[2]{
19098 \cftdopartfalse
19099 \ifnum \c@tocdepth >-2\relax
19100 \if@cfthaschapter
19101 \cftdoparttrue
19102 \fi
19103 \ifnum \c@tocdepth >\m@ne
19104 \if@cfthaschapter\else
19105 \cftdoparttrue
19106 \fi
19107 \fi
19108 \fi
19109 \if@cftdopart
19110 \if@cfthaschapter
19111 \addpenalty{-\@highpenalty}
19112 \else
19113 \addpenalty\@secpenalty
19114 \fi
19115 \addvspace{\cftbeforepartskip}
19116 \begingroup
19117 {\if@RTL\righskip\else\leftskip\fi \cftpartindent\relax
19118 \if@RTL\leftskip\else\righskip\fi \@tocrmarg
19119 \parfillskip -\if@RTL\leftskip\else\righskip\fi
19120 \parindent \cftpartindent\relax\@afterindenttrue
19121 \interlinepenalty\@M
19122 \leavevmode
19123 \@tempdima \cftpartnumwidth\relax
19124 \let\cftbsnum \cftpartpresnum
19125 \let\cftasnum \cftpartaftersnum
19126 \let\cftasnumb \cftpartaftersnumb
19127 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
19128 {\cftpartfont \cftpartpresnum #1}
19129 \cftpartfillnum{#2}}
19130 \nobreak
19131 \if@cfthaschapter
19132 \global\@nobreaktrue
19133 \everypar{\global\@nobreakfalse\everypar{}}
19134 \else
19135 \if@compatibility
19136 \global\@nobreaktrue
19137 \everypar{\global\@nobreakfalse\everypar{}}

```



```

19138         \fi
19139     \fi
19140 \endgroup
19141 \fi}
19142 \fi
19143 \if@cfthaschapter
19144 \renewcommand*{\l@chapter}[2]{
19145     \ifnum \c@tocdepth >\m@ne
19146         \addpenalty{-\@highpenalty}
19147         \vskip \cftbeforechapskip
19148         {\if@RTL\rightright\else\leftskip\fi \cftchapindent\relax
19149         \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19150         \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19151         \parindent \cftchapindent\relax\@afterindenttrue
19152         \interlinepenalty\@M
19153         \leavevmode
19154         \@tempdima \cftchapnumwidth\relax
19155         \let\@cftbsnum \cftchappresnum
19156         \let\@cftasnum \cftchapaftersnum
19157         \let\@cftasnumb \cftchapaftersnumb
19158         \advance\if@RTL\rightright\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright
19159         {\cftchapfont #1}\nobreak
19160         \cftchapfillnum{#2}}
19161     \fi}
19162 \fi
19163 \renewcommand*{\l@section}[2]{%
19164     \ifnum \c@tocdepth >\z@
19165         \if@cfthaschapter
19166             \vskip \cftbeforesecskip
19167         \else
19168             \addpenalty\@secpenalty
19169             \addvspace{\cftbeforesecskip}
19170         \fi
19171         {\if@RTL\rightright\else\leftskip\fi \cftsecindent\relax
19172         \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19173         \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19174         \parindent \cftsecindent\relax\@afterindenttrue
19175         \interlinepenalty\@M
19176         \leavevmode
19177         \@tempdima \cftsecnumwidth\relax
19178         \let\@cftbsnum \cftsecpresnum
19179         \let\@cftasnum \cftsecaftersnum
19180         \let\@cftasnumb \cftsecaftersnumb
19181         \advance\if@RTL\rightright\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright
19182         {\cftsecfont #1}\nobreak
19183         \cftsecfillnum{#2}}
19184     \fi}
19185 \renewcommand*{\l@subsection}[2]{%
19186     \ifnum \c@tocdepth >\@ne
19187         \vskip \cftbeforesubsecskip

```



```

19188 {\if@RTL\rightrightskip\else\leftskip\fi \cftsubsecindent\relax
19189 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19190 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19191 \parindent \cftsubsecindent\relax\@afterindenttrue
19192 \interlinepenalty\@M
19193 \leavevmode
19194 \@tempdima \cftsubsecnumwidth\relax
19195 \let\@cftbsnum \cftsubsecpresnum
19196 \let\@cftasnum \cftsubsecaftersnum
19197 \let\@cftasnumb \cftsubsecaftersnumb
19198 \advance\if@RTL\rightrightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright
19199 {\cftsubsecfont #1}\nobreak
19200 \cftsubsecfillnum{#2}}
19201 \fi}
19202 \renewcommand*{\l@subsubsection}[2]{%
19203 \ifnum \c@tocdepth >\tw@
19204 \vskip \cftbeforesubsubsecskip
19205 {\if@RTL\rightrightskip\else\leftskip\fi \cftsubsubsecindent\relax
19206 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19207 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19208 \parindent \cftsubsubsecindent\relax\@afterindenttrue
19209 \interlinepenalty\@M
19210 \leavevmode
19211 \@tempdima \cftsubsubsecnumwidth\relax
19212 \let\@cftbsnum \cftsubsubsecpresnum
19213 \let\@cftasnum \cftsubsubsecaftersnum
19214 \let\@cftasnumb \cftsubsubsecaftersnumb
19215 \advance\if@RTL\rightrightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright
19216 {\cftsubsubsecfont #1}\nobreak
19217 \cftsubsubsecfillnum{#2}}
19218 \fi}
19219 \renewcommand*{\l@paragraph}[2]{%
19220 \ifnum \c@tocdepth >3\relax
19221 \vskip \cftbeforeparaskip
19222 {\if@RTL\rightrightskip\else\leftskip\fi \cftparaindent\relax
19223 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19224 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19225 \parindent \cftparaindent\relax\@afterindenttrue
19226 \interlinepenalty\@M
19227 \leavevmode
19228 \@tempdima \cftparanumwidth\relax
19229 \let\@cftbsnum \cftparapresnum
19230 \let\@cftasnum \cftparaaftersnum
19231 \let\@cftasnumb \cftparaaftersnumb
19232 \advance\if@RTL\rightrightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright
19233 {\cftparafont #1}\nobreak
19234 \cftparafillnum{#2}}
19235 \fi}
19236 \renewcommand*{\l@subparagraph}[2]{%
19237 \ifnum \c@tocdepth >4\relax

```



```

19238 \vskip \cftbeforesubparaskip
19239 {\if@RTL\rightright\else\leftskip\fi \cftsubparaindent\relax
19240 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19241 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19242 \parindent \cftsubparaindent\relax\@afterindenttrue
19243 \interlinepenalty\@M
19244 \leavevmode
19245 \@tempdima \cftsubparanumwidth\relax
19246 \let\@cftbsnum \cftsubparapresnum
19247 \let\@cftasnum \cftsubparaaftersnum
19248 \let\@cftasnumb \cftsubparaaftersnumb
19249 \advance\if@RTL\rightright\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright
19250 {\cftsubparafont #1}\nobreak
19251 \cftsubparafillnum{#2}}
19252 \fi}
19253 \renewcommand*{\l@figure}[2]{%
19254 \ifnum \c@lofdepth >\z@
19255 \vskip \cftbeforefigskip
19256 {\if@RTL\rightright\else\leftskip\fi \cftfigindent\relax
19257 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19258 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19259 \parindent \cftfigindent\relax\@afterindenttrue
19260 \interlinepenalty\@M
19261 \leavevmode
19262 \@tempdima \cftfignumwidth\relax
19263 \let\@cftbsnum \cftfigpresnum
19264 \let\@cftasnum \cftfigaftersnum
19265 \let\@cftasnumb \cftfigaftersnumb
19266 \advance\if@RTL\rightright\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright
19267 {\cftfigfont #1}\nobreak
19268 \cftfigfillnum{#2}}
19269 \fi
19270 }
19271 \renewcommand*{\l@table}[2]{%
19272 \ifnum \c@lotdepth >\z@
19273 \vskip \cftbeforetabskip
19274 {\if@RTL\rightright\else\leftskip\fi \cfttabindent\relax
19275 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19276 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19277 \parindent \cfttabindent\relax\@afterindenttrue
19278 \interlinepenalty\@M
19279 \leavevmode
19280 \@tempdima \cfttabnumwidth\relax
19281 \let\@cftbsnum \cfttabpresnum
19282 \let\@cftasnum \cfttabaftersnum
19283 \let\@cftasnumb \cfttabaftersnumb
19284 \advance\if@RTL\rightright\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\rightright
19285 {\cfttabfont #1}\nobreak
19286 \cfttabfillnum{#2}}
19287 \fi

```



```

19288 }
19289 \renewcommand{\@cftl@subfig}{
19290 \renewcommand*{\l@subfigure}[2]{%
19291 \ifnum \c@lofdepth > \toclevel@subfigure
19292 \vskip \cftbeforesubfigskip
19293 {\if@RTL\rightskip\else\leftskip\fi \cftsubfigindent\relax
19294 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19295 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19296 \parindent \cftsubfigindent\relax\@afterindenttrue
19297 \interlinepenalty\@M
19298 \leavevmode
19299 \@tempdima \cftsubfignumwidth\relax
19300 \let\@cftbsnum \cftsubfigpresnum
19301 \let\@cftasnum \cftsubfigaftersnum
19302 \let\@cftasnumb \cftsubfigaftersnumb
19303 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
19304 {\cftsubfigfont ##1}\nobreak
19305 \cftsubfigfillnum{##2}}
19306 \fi
19307 }
19308 }
19309 \renewcommand{\@cftl@subtab}{
19310 \renewcommand*{\l@subtable}[2]{%
19311 \ifnum \c@lotdepth > \toclevel@subtable
19312 \vskip \cftbeforesubtabskip
19313 {\if@RTL\rightskip\else\leftskip\fi \cftsubtabindent\relax
19314 \if@RTL\leftskip\else\rightskip\fi \@tocrmarg
19315 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
19316 \parindent \cftsubtabindent\relax\@afterindenttrue
19317 \interlinepenalty\@M
19318 \leavevmode
19319 \@tempdima \cftsubtabnumwidth\relax
19320 \let\@cftbsnum \cftsubtabpresnum
19321 \let\@cftasnum \cftsubtabaftersnum
19322 \let\@cftasnumb \cftsubtabaftersnumb
19323 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\right
19324 {\cftsubtabfont ##1}\nobreak
19325 \cftsubtabfillnum{##2}}
19326 \fi
19327 }
19328 }
19329 \renewcommand{\newlistentry}[4][\@empty]{%
19330 \@ifundefined{c@#2}{% check & set the counter
19331 \ifx \@empty#1\relax
19332 \newcounter{#2}
19333 \else
19334 \@ifundefined{c@#1}{\PackageWarning{tocloft}%
19335 {#1 has no counter for use as a `within'}
19336 \newcounter{#2}}%
19337 {\newcounter{#2}[#1}%

```



```

19338     \expandafter\edef\csname the#2\endcsname{%
19339         \expandafter\noexpand\csname the#1\endcsname\@SepMark\noexpand\arabic{#2}}
19340     \fi
19341     \setcounter{#2}{0}
19342 }
19343 {\PackageError{tocloft}{#2 has been previously defined}{\@eha}}
19344
19345 \@namedef{l@#2}##1##2{%
19346     \ifnum \@nameuse{c@#3depth} > #4\relax
19347         \vskip \@nameuse{cftbefore#2skip}
19348         {\ifRTL\righskip\else\leftskip\fi \@nameuse{cft#2indent}}\relax
19349         \ifRTL\leftskip\else\righskip\fi \@tocrmarg
19350         \parfillskip -\ifRTL\leftskip\else\righskip\fi
19351         \parindent \@nameuse{cft#2indent}\relax\@afterindenttrue
19352         \interlinepenalty\M
19353         \leavevmode
19354         \@tempdima \@nameuse{cft#2numwidth}\relax
19355         \expandafter\let\expandafter\@cftbsnum\csname cft#2presnum\endcsname
19356         \expandafter\let\expandafter\@cftasnum\csname cft#2aftersnum\endcsname
19357         \expandafter\let\expandafter\@cftasnumb\csname cft#2aftersnumb\endcsname
19358         \advance\ifRTL\righskip\else\leftskip\fi\@tempdima \null\nobreak\hskip -\ifRTL\righ
19359         {\@nameuse{cft#2font}}##1\nobreak
19360         \@nameuse{cft#2fillnum}{##2}
19361     \fi
19362 } % end of l@#2
19363
19364 \expandafter\newlength\csname cftbefore#2skip\endcsname
19365     \setlength{\@nameuse{cftbefore#2skip}}{\z@ \@plus .2\p@}
19366 \expandafter\newlength\csname cft#2indent\endcsname
19367 \expandafter\newlength\csname cft#2numwidth\endcsname
19368 \ifcase #4\relax % 0
19369     \setlength{\@nameuse{cft#2indent}}{0em}
19370     \setlength{\@nameuse{cft#2numwidth}}{1.5em}
19371 \or % 1
19372     \setlength{\@nameuse{cft#2indent}}{1.5em}
19373     \setlength{\@nameuse{cft#2numwidth}}{2.3em}
19374 \or % 2
19375     \setlength{\@nameuse{cft#2indent}}{3.8em}
19376     \setlength{\@nameuse{cft#2numwidth}}{3.2em}
19377 \or % 3
19378     \setlength{\@nameuse{cft#2indent}}{7.0em}
19379     \setlength{\@nameuse{cft#2numwidth}}{4.1em}
19380 \else % anything else
19381     \setlength{\@nameuse{cft#2indent}}{10.0em}
19382     \setlength{\@nameuse{cft#2numwidth}}{5.0em}
19383 \fi
19384 \@namedef{cft#2font}{\normalfont}
19385 \@namedef{cft#2presnum}{}
19386 \@namedef{cft#2aftersnum}{}
19387 \@namedef{cft#2aftersnumb}{}

```



```

19388 \@namedef{cft#2dotsep}{\cftdotsep}
19389 \@namedef{cft#2leader}{\normalfont\cftdotfill{\@nameuse{cft#2dotsep}}}%
19390 \@namedef{cft#2pagefont}{\normalfont}
19391 \@namedef{cft#2afterpnum}{%
19392   \@namedef{toclevel@#2}{#4}
19393   \@namedef{cft#2fillnum}##1{%
19394     {\@nameuse{cft#2leader}}\nobreak
19395     \hb@xt@{\pnumwidth{\hfil\@nameuse{cft#2pagefont}}##1}\@nameuse{cft#2afterpnum}\par}
19396 } % end \newlistentry
19397 \renewcommand{cftchapterprecistoc}[1]{\addtocontents{toc}{%
19398   {\ifRTL\righskip\else\leftskip\fi \cftchapindent\relax
19399   \advance\ifRTL\righskip\else\leftskip\fi \cftchapnumwidth\relax
19400   \ifRTL\leftskip\else\righskip\fi \tocrmarg\relax
19401   \textit{#1}\protect\par}}}%

```

122 File tocbasic-xetex-bidi.def

```

19402 \ProvidesFile{tocbasic-xetex-bidi.def}[2016/09/14 v0.2 bidi adaptations for tocbasic package]
19403 \bidiundef\scr@dte@def@l@undottedtocline
19404 \bidiundef\scr@dte@undottedtocline@init
19405 \DeclareTOCEntryStyle{undottedtocline}[%
19406   \DefineTOCEntryLengthOption{indent}%
19407     {scr@tso@}{@indent}{entry indent}%
19408   \DefineTOCEntryLengthOption{numwidth}%
19409     {scr@tso@}{@numwidth}{entry number width}%
19410   \@ifundefined{#1tocdepth}{%
19411     \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
19412       \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
19413         \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
19414           \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
19415             \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
19416               \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
19417                 \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
19418                   \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
19419                     \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
19420                       \expandafter\let\csname #1tocdepth\expandafter\endcsname
19421                         \csname #1numdepth\endcsname
19422                     }%
19423                   }%
19424                 }%
19425               }%
19426             }%
19427           }%
19428         }%
19429       }%
19430     }%
19431   }{}%
19432   \@ifundefined{scr@tso@#1@indent}{%
19433     \@ifundefined{scr@#1@tocindent}{%
19434       \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%

```




```

19435 \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19436 \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
19437 \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
19438 \scr@ifundefinedorrelax{1@chapter}{%
19439 \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
19440 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19441 \ifstr{#1}{subsubsection}{%
19442 \@namedef{scr@tso@#1@indent}{3.8em}%
19443 }{%
19444 \ifstr{#1}{paragraph}{%
19445 \@namedef{scr@tso@#1@indent}{7em}%
19446 }{%
19447 \ifstr{#1}{subparagraph}{%
19448 \@namedef{scr@tso@#1@indent}{10em}%
19449 }{%
19450 }%
19451 }%
19452 }%
19453 }%
19454 }%
19455 }{%
19456 \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19457 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
19458 \ifstr{#1}{subsubsection}{%
19459 \@namedef{scr@tso@#1@indent}{7.0em}%
19460 }{%
19461 \ifstr{#1}{paragraph}{%
19462 \@namedef{scr@tso@#1@indent}{10em}%
19463 }{%
19464 \ifstr{#1}{subparagraph}{%
19465 \@namedef{scr@tso@#1@indent}{12em}%
19466 }{%
19467 }%
19468 }%
19469 }%
19470 }%
19471 }%
19472 }%
19473 }%
19474 }%
19475 }%
19476 }%
19477 }{%
19478 \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
19479 }%
19480 }{}%
19481 \@ifundefined{scr@tso@#1@numwidth}{%
19482 \@ifundefined{scr@#1@tocnumwidth}{%
19483 \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19484 \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%

```



```

19485 \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
19486 \scr@ifundefinedorrelax{chapter}{%
19487 \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
19488 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19489 \ifstr{#1}{subsubsection}{%
19490 \@namedef{scr@tso@#1@numwidth}{3.2em}%
19491 }{%
19492 \ifstr{#1}{paragraph}{%
19493 \@namedef{scr@tso@#1@numwidth}{4.1em}%
19494 }{%
19495 \ifstr{#1}{subparagraph}{%
19496 \@namedef{scr@tso@#1@numwidth}{5m}%
19497 }{%
19498 }%
19499 }%
19500 }%
19501 }%
19502 }%
19503 }{%
19504 \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19505 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
19506 \ifstr{#1}{subsubsection}{%
19507 \@namedef{scr@tso@#1@numwidth}{3.1em}%
19508 }{%
19509 \ifstr{#1}{paragraph}{%
19510 \@namedef{scr@tso@#1@numwidth}{5em}%
19511 }{%
19512 \ifstr{#1}{subparagraph}{%
19513 \@namedef{scr@tso@#1@numwidth}{6em}%
19514 }{%
19515 }%
19516 }%
19517 }%
19518 }%
19519 }%
19520 }%
19521 }%
19522 }%
19523 }%
19524 }{%
19525 \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
19526 }%
19527 }{}%
19528 }}%
19529 \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
19530 \ifnum \@nameuse{#1tocdepth}<\@ne
19531 \scr@ifundefinedorrelax{chapter}{%
19532 \addpenalty\@secpenalty
19533 \addvspace{1.0em \@plus\p@}%
19534 }{%

```



```

19535      \addpenalty{-\@highpenalty}%
19536      \vskip 1.0em \@plus\p@
19537    }%
19538  \else
19539    \addpenalty\@secpenalty
19540    \addvspace{1.0em \@plus\p@}%
19541  \fi
19542  \setlength\@tempdima{\@nameuse{scr@tso@#1@numwidth}}%
19543  \begingroup
19544    \parindent \z@ \bidi@rightskip \@pnumwidth
19545    \parfillskip -\@pnumwidth
19546    \leavevmode
19547    \bfseries
19548    \advance\bidi@leftskip\@tempdima
19549    \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
19550    \hskip -\dimexpr \bidi@leftskip-\@nameuse{scr@tso@#1@indent}\relax
19551    ##1%
19552    \nobreak
19553    \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
19554    \par
19555    \penalty\@highpenalty
19556  \endgroup
19557 \fi
19558 }
19559
19560 \bidi@undef\scr@dte@def@l@largetocline
19561 \bidi@undef\scr@dte@largetocline@init
19562 \DeclareTOCEntryStyle{largetocline}{%
19563   \DefineTOCEntryLengthOption{indent}%
19564   {scr@tso@}{@indent}{entry indent}%
19565   \@ifundefined{#1tocdepth}{%
19566     \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
19567       \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
19568         \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
19569           \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
19570             \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
19571               \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
19572                 \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
19573                   \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
19574                     \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
19575                       \expandafter\let\csname #1tocdepth\expandafter\endcsname
19576                         \csname #1numdepth\endcsname
19577                     }%
19578                   }%
19579                 }%
19580               }%
19581             }%
19582           }%
19583         }%
19584       }%

```



```

19585     }%
19586   }{}%
19587   \@ifundefined{scr@tso@#1@indent}{%
19588     \@ifundefined{scr@#1@tocindent}{%
19589       \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19590         \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19591           \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
19592             \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
19593               \scr@ifundefined{relax}{1@chapter}{%
19594                 \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{Opt}}{%
19595                   \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19596                     \ifstr{#1}{subsubsection}{%
19597                       \@namedef{scr@tso@#1@indent}{3.8em}%
19598                     }{%
19599                       \ifstr{#1}{paragraph}{%
19600                         \@namedef{scr@tso@#1@indent}{7em}%
19601                       }{%
19602                         \ifstr{#1}{subparagraph}{%
19603                           \@namedef{scr@tso@#1@indent}{10em}%
19604                         }{%
19605                           }%
19606                         }%
19607                       }%
19608                     }%
19609                   }%
19610                 }{%
19611                   \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19612                     \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
19613                       \ifstr{#1}{subsubsection}{%
19614                         \@namedef{scr@tso@#1@indent}{7.0em}%
19615                       }{%
19616                         \ifstr{#1}{paragraph}{%
19617                           \@namedef{scr@tso@#1@indent}{10em}%
19618                         }{%
19619                           \ifstr{#1}{subparagraph}{%
19620                             \@namedef{scr@tso@#1@indent}{12em}%
19621                           }{%
19622                             }%
19623                           }%
19624                         }%
19625                       }%
19626                     }%
19627                   }%
19628                 }%
19629               }%
19630             }%
19631           }%
19632         }{%
19633           \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
19634         }%

```



```

19635 }{}%
19636 }]{%
19637 \ifnum \c@tocdepth >\numexpr \@nameuse{#1tocdepth}-\@ne\relax
19638 \ifnum \@nameuse{#1tocdepth}<\@ne
19639 \scr@ifundefinedorrelax{chapter}{%
19640 \addpenalty\@secpenalty
19641 \addvspace{2.25em \@plus\p@}%
19642 }{%
19643 \addpenalty{-\@highpenalty}%
19644 \addvspace{2.25em \@plus\p@}%
19645 }%
19646 \else
19647 \addpenalty\@secpenalty
19648 \addvspace{2.25em \@plus\p@}%
19649 \fi
19650 \setlength\@tempdima{3em}%
19651 \begingroup
19652 \parindent \z@ \bidi@rightskip \@pnumwidth
19653 \parfillskip -\@pnumwidth
19654 \leavevmode
19655 \large
19656 \bfseries
19657 \advance\bidi@leftskip\@nameuse{scr@tso@#1@indent}%
19658 ##1%
19659 \hfil \nobreak\hb@xt@\@pnumwidth{\hss ##2}%
19660 \par
19661 \nobreak
19662 \ifnum 0=
19663 \scr@ifundefinedorrelax{chapter}{\if@compatibility 1\else 0\fi}{1}\relax
19664 \global\@nobreaktrue
19665 \everypar{\global\@nobreakfalse\everypar{}}%
19666 \fi
19667 \endgroup
19668 \fi
19669 }
19670
19671 \renewcommand*{\scr@dte@tocline}[3]{%
19672 \ifnum \@nameuse{#1tocdepth}>\c@tocdepth
19673 \else
19674 \tocbasic@DependOnPenaltyAndTOCLevel{#1}%
19675 \addvspace{\@nameuse{scr@tso@#1@beforeskip}}\relax
19676 {%
19677 \bidi@leftskip \@nameuse{scr@tso@#1@indent}\relax
19678 \bidi@rightskip \@tocrmarg
19679 \parfillskip -\bidi@rightskip
19680 \@nameuse{Ifscr@tso@#1@raggedpage}{%
19681 \addtolength{\parfillskip}{\z@ \@plus 1fil}%
19682 }{}%
19683 \parindent \@nameuse{scr@tso@#1@indent}\relax
19684 \@afterindenttrue

```



```

19685 \interlinepenalty\@M
19686 \expandafter\ifx\csname ragged#1entry\endcsname\raggedright
19687 \addtolength\@bidi@rightskip\@flushglue
19688 \else
19689 \def\reserved@a{\raggedright}%
19690 \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
19691 \addtolength\@bidi@rightskip\@flushglue
19692 \else
19693 \renewcommand\reserved@a{\raggedright}%
19694 \expandafter\ifx\csname ragged#1entry\endcsname\reserved@a
19695 \addtolength\@bidi@rightskip\@flushglue
19696 \fi
19697 \fi
19698 \fi
19699 \leavevmode
19700 \@tempdima \@nameuse{scr@tso@#1@numwidth}\relax
19701 \@nameuse{Ifscr@tso@#1@dynnumwidth}{\%
19702 \scr@ifundefinedorrelax{scr@dte@#1@lastmaxnumwidth}{\%
19703 \ifdim \@nameuse{scr@dte@#1@lastmaxnumwidth}>\@tempdima
19704 \@tempdima\@nameuse{scr@dte@#1@lastmaxnumwidth}\relax
19705 \fi
19706 }%
19707 }{}%
19708 \advance\@bidi@leftskip \@tempdima
19709 \null\nobreak\hskip -\@bidi@leftskip
19710 {%
19711 \usetocbasicnumberline
19712 \let\scr@dte@numberline@box\numberline@box
19713 \def\numberline@box##1{%
19714 \sbox\scr@dte@tocline@numbox{\@nameuse{scr@tso@#1@numberformat}}{##1}}%
19715 \global\scr@dte@tocline@numberwidth
19716 \dimexpr\wd\scr@dte@tocline@numbox+\@nameuse{scr@tso@#1@numsep}\relax
19717 \ifdim \scr@dte@tocline@numberwidth
19718 >\@nameuse{scr@dte@#1@maxnumwidth}\relax
19719 \global\@nameuse{scr@dte@#1@maxnumwidth}\scr@dte@tocline@numberwidth
19720 \fi
19721 \@nameuse{Ifscr@tso@#1@dynnumwidth}{\%
19722 \ifdim \scr@dte@tocline@numberwidth
19723 >\dimexpr \@nameuse{scr@tso@#1@numwidth}%
19724 +\@nameuse{scr@tso@#1@numsep}\relax
19725 \PackageWarning{tocbasic}%
19726 }{%
19727 number width of #1 toc entries should be
19728 increased!\MessageBreak
19729 Currently used number width =
19730 \the\wd\scr@dte@tocline@numbox,\MessageBreak
19731 Wanted number separation
19732 \space\space\space =
19733 \the\dimexpr\@nameuse{scr@tso@#1@numsep}\relax,\MessageBreak
19734 Reserved number width \space\space\space\space\space =

```



```

19735         \the\dimexpr\@nameuse{scr@tso@#1@numwidth}\relax%
19736     }%
19737     \fi
19738 }%
19739 \scr@dte@numberline@box{\@nameuse{scr@tso@#1@numberformat}{##1}}%
19740 \@nameuse{Ifscr@tso@#1@breakafternumber}{%
19741     {\parfillskip\@flushglue\par}\nobreak\hskip-\@bidi@leftskip
19742 }{}%
19743 }%
19744 \@nameuse{scr@tso@#1@entryformat}{%
19745     #2%
19746     \nobreak
19747     {%
19748         \normalfont\normalsize\@nameuse{scr@tso@#1@linefill}%
19749         \nobreak
19750         \@nameuse{scr@tso@#1@pagenumberbox}{%
19751             \@nameuse{scr@tso@#1@pagenumberformat}{#3}%
19752         }%
19753     }%
19754     \@par
19755 }%
19756 }%
19757 }%
19758 \tocbasic@SetPenaltyByTOCLevel{#1}%
19759 \fi
19760 }
19761
19762 \bidi@undef\scr@dte@def@l@tocline
19763 \bidi@undef\scr@dte@tocline@init
19764 \DeclareTOCEntryStyle{tocline}[{%
19765     \DefineTOCEntryLengthOption{beforeskip}%
19766     {scr@tso@}{@beforeskip}{vertical skip before the entry}%
19767     \DefineTOCEntryIfOption{breakafternumber}%
19768     {scr@tso@}{@breakafternumber}{line break after number flag}%
19769     \DefineTOCEntryIfOption{dynnumwidth}%
19770     {scr@tso@}{@dynnumwidth}{dynamic number width flag}%
19771     \DefineTOCEntryCommandOption{entryformat}%
19772     {scr@tso@}{@entryformat}[1]{entry format}%
19773     \DefineTOCEntryCommandOption{entrynumberformat}%
19774     {scr@tso@}{@numberformat}[1]{entry number format}%
19775     \DefineTOCEntryCommandOption{linefill}[\TOCLineLeaderFill]%
19776     {scr@tso@}{@linefill}{filling between text and page number}%
19777     \DefineTOCEntryLengthOption{numsep}%
19778     {scr@tso@}{@numsep}{entry number separation}%
19779     \DefineTOCEntryCommandOption{onstarthigherlevel}%
19780     {scr@tso@}{@LastTOCLevelWasLower}{start higher level entry hook}%
19781     \DefineTOCEntryCommandOption{onstartlowerlevel}%
19782     {scr@tso@}{@LastTOCLevelWasHigher}{start lower level entry hook}%
19783     \DefineTOCEntryCommandOption{onstartsamelevel}%
19784     {scr@tso@}{@LastTOCLevelWasSame}{start same level entry hook}%

```



```

19785 \DefineTOCEntryCommandOption{pagenumberbox}%
19786   {scr@tso@}{@pagenumberbox}[1]{page number box}%
19787 \DefineTOCEntryCommandOption{pagenumberformat}%
19788   {scr@tso@}{@pagenumberformat}[1]{page number format}%
19789 \DefineTOCEntryOption{raggedentrytext}[true]{%
19790   \FamilySetBool{KOMAAarg}{raggedentrytext}{@tempswa}{##1}%
19791   \ifx\FamilyKeyState\FamilyKeyStateProcessed
19792     \if@tempswa
19793       \expandafter\let\csname ragged\scr@dte@current entry\endcsname
19794       \raggedright
19795     \else
19796       \expandafter\let\csname ragged\scr@dte@current entry\endcsname
19797       \relax
19798     \fi
19799   \fi
19800 }%
19801 \DefineTOCEntryIfOption{raggedpagenumber}%
19802   {scr@tso@}{@raggedpage}{page number ragged flag}%
19803 \DefineTOCEntryLengthOption{indent}%
19804   {scr@tso@}{@indent}{entry indent}%
19805 \DefineTOCEntryLengthOption{numwidth}%
19806   {scr@tso@}{@numwidth}{entry number width}%
19807 \scr@ifundefinedorrelax{#1tocdepth}{%
19808   \ifstrstart{#1}{sub}{%
19809     \scr@ifundefinedorrelax{\scr@dte@nosub{#1}tocdepth}{%
19810       \expandafter\edef\csname #1tocdepth\endcsname{%
19811         \the\numexpr \noexpand\nameuse{\scr@dte@nosub{#1}tocdepth}+\@ne\relax
19812       }%
19813     }%
19814   }{}%
19815 }{}%
19816 \@ifundefined{#1tocdepth}{%
19817   \ifstr{#1}{part}{\@namedef{#1tocdepth}{-1}}{%
19818     \ifstr{#1}{chapter}{\@namedef{#1tocdepth}{0}}{%
19819       \ifstr{#1}{section}{\@namedef{#1tocdepth}{1}}{%
19820         \ifstr{#1}{subsection}{\@namedef{#1tocdepth}{2}}{%
19821           \ifstr{#1}{subsubsection}{\@namedef{#1tocdepth}{3}}{%
19822             \ifstr{#1}{paragraph}{\@namedef{#1tocdepth}{4}}{%
19823               \ifstr{#1}{subparagraph}{\@namedef{#1tocdepth}{5}}{%
19824                 \ifstr{#1}{figure}{\@namedef{#1tocdepth}{1}}{%
19825                   \ifstr{#1}{table}{\@namedef{#1tocdepth}{1}}{%
19826                     \expandafter\let\csname #1tocdepth\endcsname
19827                     \csname #1numdepth\endcsname
19828                   }%
19829                 }%
19830               }%
19831             }%
19832           }%
19833         }%
19834       }%

```




```

19835     }%
19836   }%
19837 }{}%
19838 \scr@ifundefinedorrelax{scr@tso@#1@indent}{%
19839   \@ifundefined{scr@#1@tocindent}{%
19840     \ifstrstart{#1}{sub}{%
19841       \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@indent}{%
19842         \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%}{%
19843           \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19844             \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
19845             \relax
19846           }%
19847         }%
19848       }{%
19849         \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{%
19850           \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19851             \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
19852             \relax
19853           }%
19854         }{%
19855           \expandafter\edef\csname scr@tso@#1@indent\endcsname{%
19856             \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@indent}%
19857               +\noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
19858             \relax
19859           }%
19860         }%
19861       }%
19862     }{}%
19863   }{%
19864     \@namedef{scr@tso@#1@indent}{\@nameuse{scr@#1@tocindent}}%
19865   }%
19866 }{}%
19867 \@ifundefined{scr@tso@#1@indent}{%
19868   \ifstr{#1}{figure}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19869     \ifstr{#1}{table}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19870       \ifstr{#1}{part}{\@namedef{scr@tso@#1@indent}{0em}}{%
19871         \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@indent}{0em}}{%
19872           \scr@ifundefinedorrelax{l@chapter}{%
19873             \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{0pt}}{%
19874               \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19875                 \ifstr{#1}{subsubsection}{%
19876                   \@namedef{scr@tso@#1@indent}{3.8em}%
19877                 }%
19878               \ifstr{#1}{paragraph}{%
19879                 \@namedef{scr@tso@#1@indent}{7em}%
19880               }{%
19881                 \ifstr{#1}{subparagraph}{%
19882                   \@namedef{scr@tso@#1@indent}{10em}%
19883                 }{%
19884                   }%

```



```

19885         }%
19886     }%
19887 }%
19888 }%
19889 }{%
19890     \ifstr{#1}{section}{\@namedef{scr@tso@#1@indent}{1.5em}}{%
19891         \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@indent}{3.8em}}{%
19892             \ifstr{#1}{subsubsection}{%
19893                 \@namedef{scr@tso@#1@indent}{7.0em}%
19894             }{%
19895                 \ifstr{#1}{paragraph}{%
19896                     \@namedef{scr@tso@#1@indent}{10em}%
19897                 }{%
19898                     \ifstr{#1}{subparagraph}{%
19899                         \@namedef{scr@tso@#1@indent}{12em}%
19900                     }{%
19901                         }%
19902                     }%
19903                 }%
19904             }%
19905         }%
19906     }%
19907 }%
19908 }%
19909 }%
19910 }%
19911 }{}%
19912 \scr@ifundefinedorrelax{scr@tso@#1@numwidth}{%
19913     \scr@ifundefinedorrelax{scr@#1@tocnumwidth}{%
19914         \ifstrstart{#1}{sub}{%
19915             \scr@ifundefinedorrelax{scr@tso@\scr@dte@nosub{#1}@numwidth}{}%
19916             \expandafter\edef\csname scr@tso@#1@numwidth\endcsname{%
19917                 \glueexpr \noexpand\@nameuse{scr@tso@\scr@dte@nosub{#1}@numwidth}%
19918                 +.9em%
19919             }%
19920         }%
19921     }%
19922 }{}%
19923 }{%
19924     \@namedef{scr@tso@#1@numwidth}{\@nameuse{scr@#1@tocnumwidth}}%
19925 }%
19926 }{}%
19927 \@ifundefined{scr@tso@#1@numwidth}{%
19928     \ifstr{#1}{figure}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19929     \ifstr{#1}{table}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19930     \ifstr{#1}{chapter}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
19931         \scr@ifundefinedorrelax{chapter}{%
19932             \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{1.5em}}{%
19933                 \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19934                     \ifstr{#1}{subsubsection}{%

```



```

19935         \@namedef{scr@tso@#1@numwidth}{3.2em}%
19936     }{%
19937         \ifstr{#1}{paragraph}{%
19938             \@namedef{scr@tso@#1@numwidth}{4.1em}%
19939         }{%
19940             \ifstr{#1}{subparagraph}{%
19941                 \@namedef{scr@tso@#1@numwidth}{5em}%
19942             }{%
19943                 }%
19944             }%
19945         }%
19946     }%
19947 }{%
19948 }{%
19949     \ifstr{#1}{section}{\@namedef{scr@tso@#1@numwidth}{2.3em}}{%
19950         \ifstr{#1}{subsection}{\@namedef{scr@tso@#1@numwidth}{3.2em}}{%
19951             \ifstr{#1}{subsubsection}{%
19952                 \@namedef{scr@tso@#1@numwidth}{3.1em}%
19953             }{%
19954                 \ifstr{#1}{paragraph}{%
19955                     \@namedef{scr@tso@#1@numwidth}{5em}%
19956                 }{%
19957                     \ifstr{#1}{subparagraph}{%
19958                         \@namedef{scr@tso@#1@numwidth}{6em}%
19959                     }{%
19960                         }%
19961                     }%
19962                 }%
19963             }%
19964         }%
19965     }%
19966 }%
19967 }%
19968 }%
19969 }{}%
19970 \expandafter\renewcommand%
19971 \csname scr@tso@#1@LastTOCLevelWasLower\endcsname{\LastTOCLevelWasLower}%
19972 \expandafter\renewcommand%
19973 \csname scr@tso@#1@LastTOCLevelWasSame\endcsname{\LastTOCLevelWasSame}%
19974 \expandafter\renewcommand%
19975 \csname scr@tso@#1@LastTOCLevelWasHigher\endcsname{\LastTOCLevelWasHigher}%
19976 \@ifundefined{scr@tso@#1@beforeskip}{%
19977     \ifstr{#1}{part}{%
19978         \@namedef{scr@tso@#1@beforeskip}{\glueexpr 2.25em \@plus\p@\relax}%
19979     }{%
19980         \ifstr{#1}{chapter}{%
19981             \@namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
19982         }{%
19983             \ifstr{#1}{section}{%
19984                 \scr@ifundefinedorrelax{1@chapter}{%

```



```

19985         \namedef{scr@tso@#1@beforeskip}{\glueexpr 1.0em \@plus\p@\relax}%
19986     }{}%
19987 }{}%
19988 }%
19989 }%
19990 \expandafter\renewcommand\expandafter*%
19991 \csname scr@tso@#1@beforeskip\endcsname{\glueexpr \z@ plus .2\p@\relax}%
19992 }{}%
19993 \@ifundefined{scr@dte@#1@maxnumwidth}{%
19994     \expandafter\newlength\csname scr@dte@#1@maxnumwidth\endcsname
19995     \setlength{\@nameuse{scr@dte@#1@maxnumwidth}}{\z@}%
19996 }{}%
19997 \renewcommand*{\scr@dte@donumwidth}{}%
19998 \g@addto@macro{\scr@dte@donumwidth}{\do{#1}}%
19999 \expandafter\renewcommand\expandafter*%
20000 \csname scr@tso@#1@numsep\endcsname{.4em}%
20001 \expandafter\renewcommand%
20002 \csname scr@tso@#1@numberformat\endcsname[1]{##1}%
20003 \ifstr{#1}{part}{%
20004     \expandafter\renewcommand%
20005     \csname scr@tso@#1@entryformat\endcsname[1]{\large\bfseries ##1}%
20006 }{%
20007     \ifstr{#1}{chapter}{%
20008         \expandafter\renewcommand%
20009         \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
20010     }{%
20011         \scr@ifundefinedorrelax{1@chapter}{%
20012             \ifstr{#1}{section}{%
20013                 \expandafter\renewcommand%
20014                 \csname scr@tso@#1@entryformat\endcsname[1]{\bfseries ##1}%
20015             }{}%
20016         }{}%
20017         \expandafter\renewcommand%
20018         \csname scr@tso@#1@entryformat\endcsname[1]{##1}%
20019     }%
20020 }%
20021 \expandafter\renewcommand
20022 \csname Ifscr@tso@#1@breakafternumber\endcsname[2]{##2}%
20023 \@ifundefined{scr@tso@#1@linefill}{%
20024     \ifstr{#1}{part}{%
20025         \namedef{scr@tso@#1@linefill}{\hfill}%
20026     }{%
20027         \ifstr{#1}{chapter}{%
20028             \namedef{scr@tso@#1@linefill}{\hfill}%
20029         }{%
20030             \scr@ifundefinedorrelax{1@chapter}{%
20031                 \ifstr{#1}{section}{%
20032                     \namedef{scr@tso@#1@linefill}{\hfill}%
20033                 }{}
20034             }{}

```



```

20035         \expandafter\renewcommand%
20036         \csname scr@tso@#1@linefill\endcsname{\TOCLineLeaderFill\relax}%
20037     }%
20038 }%
20039 }{}%
20040 \expandafter\renewcommand\csname Ifscr@tso@#1@raggedpage\endcsname[2]{##2}%
20041 \ifstr{#1}{part}{%
20042     \expandafter\renewcommand%
20043     \csname scr@tso@#1@pagenumberformat\endcsname[1]{\large\bfseries ##1}%
20044 }{%
20045     \expandafter\renewcommand%
20046     \csname scr@tso@#1@pagenumberformat\endcsname[1]{%
20047         {\normalfont\normalcolor ##1}}%
20048 }%
20049 \expandafter\renewcommand%
20050 \csname scr@tso@#1@pagenumberbox\endcsname[1]{%
20051     \hb@xt@\@pnumwidth{\hfil ##1}}%
20052 \expandafter\renewcommand\csname Ifscr@tso@#1@dynnumwidth\endcsname[2]{##2}%
20053 }}{%
20054     \scr@dte@tocline{#1}{##1}{##2}%
20055 }
20056

```

123 File tocstyle-xetex-bidi.def

```

20057 \ProvidesFile{tocstyle-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for tocstyle package]
20058 \renewcommand*{\tocstyle@dottedtocline}[5]{%
20059     \let\numberline\tocstyle@numberline
20060     \ifnum #1>\c@tocdepth \else
20061         \if@tocstyle@penalties
20062             \begingroup
20063                 \@tempcnta 20010
20064                 \advance \@tempcnta by -#1
20065                 \ifnum \@tempcnta>\lastpenalty
20066                     \aftergroup\penalty\aftergroup\@lowpenalty
20067                 \fi
20068             \endgroup
20069         \fi
20070     \edef\tocstyle@depth{#1}%
20071     \tocstyle@activate@features
20072     \ifx\tocstyle@feature@entryvskip\relax
20073         \vskip \z@ \@plus.2\p@
20074     \else
20075         \addvspace{\tocstyle@feature@entryvskip}%
20076     \fi
20077     {%
20078         \parskip \z@ \parindent \z@ \if@RTL\righskip\else\leftskip\fi \z@ \if@RTL\leftskip\else
20079         \tocstyle@feature@raggedhook
20080         \@tempdima #3\relax
20081         \@tempdimb #2\relax

```



```

20082 \typeout{m (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
20083 \ifnum #1>\z@\relax
20084 \@tempcnta #1\relax \advance\@tempcnta \m@ne
20085 \ifcsname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
20086 \ifcsname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
20087 \@tempdimb
20088 \csname tocstyle@skipwidth@\tocstyleTOC @\the\@tempcnta\endcsname
20089 \advance\@tempdimb
20090 \csname tocstyle@numwidth@\tocstyleTOC @\the\@tempcnta\endcsname
20091 \fi
20092 \fi
20093 \fi
20094 \typeout{C (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
20095 \ifcsname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname
20096 \ifdim \@tempdimb>
20097 \csname tocstyle@skipwidth@\tocstyleTOC @#1\endcsname\relax
20098 \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
20099 @#1\endcsname{\the\@tempdimb}%
20100 \fi
20101 \else
20102 \expandafter\xdef\csname tocstyle@skipwidth@\tocstyleTOC
20103 @#1\endcsname{\the\@tempdimb}%
20104 \fi
20105 \iftocstyle@autolength
20106 \ifcsname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
20107 \@tempdimb \csname tocstyle@maxskipwidth@\tocstyleTOC @#1\endcsname
20108 \relax
20109 \fi
20110 \ifcsname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
20111 \@tempdima \csname tocstyle@maxnumwidth@\tocstyleTOC @#1\endcsname
20112 \relax
20113 \fi
20114 \typeout{a (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
20115 \typeout{A (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
20116 \else
20117 \@tempdimb #2\relax
20118 \typeout{M (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
20119 \fi
20120 \ifcsname tocstyle@unumwidth@\tocstyleTOC @\endcsname
20121 \ifdim \@tempdima>
20122 \csname tocstyle@unumwidth@\tocstyleTOC @\endcsname\relax
20123 \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
20124 @\endcsname{\the\@tempdima}%
20125 \fi
20126 \else
20127 \expandafter\xdef\csname tocstyle@unumwidth@\tocstyleTOC
20128 @\endcsname{\the\@tempdima}%
20129 \fi
20130 \ifcase\tocstyle@indentstyle\relax\else
20131 \@tempdimb \z@

```



```

20132         \ifcsname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
20133         \@tempdima \csname tocstyle@maxunumwidth@\tocstyleTOC @\endcsname
20134         \relax
20135     \fi
20136     \typeout{s (\tocstyleTOC, \tocstyledepth): \the\@tempdima}%
20137     \typeout{S (\tocstyleTOC, \tocstyledepth): \the\@tempdimb}%
20138 \fi
20139 \advance\parindent \@tempdimb\@afterindenttrue
20140 \advance\if@RTL\rightskip\else\leftskip\fi \parindent
20141 \advance\if@RTL\leftskip\else\rightskip\fi \tocrmarg
20142 \parfillskip -\if@RTL\leftskip\else\rightskip\fi
20143 \ifx\tocstyle@feature@parfillskip\relax\else
20144     \advance\parfillskip \tocstyle@feature@parfillskip\relax
20145 \fi
20146 \interlinepenalty\@M
20147 \leavevmode
20148 \advance\if@RTL\rightskip\else\leftskip\fi \@tempdima
20149 \null\nobreak
20150 \iftocstyle@indentnotnumbered\else
20151     \hskip -\if@RTL\rightskip\else\leftskip\fi
20152 \fi
20153 \tocstyle@feature@entryhook
20154 {#4}\nobreak
20155 \ifx\tocstyle@feature@leaders\relax
20156     \leaders\hbox{$\m@th
20157         \mkern \@dotsep mu\hbox{\tocstyle@feature@dothook .}%
20158         \mkern \@dotsep mu$}\hfill
20159 \else
20160     \tocstyle@feature@leaders
20161 \fi
20162 \nobreak
20163 \ifx\tocstyle@feature@pagenumberbox\relax
20164     \hbxt@\@pnumwidth{\hfil\tocstyle@feature@pagenumberhook #5}%
20165 \else
20166     \tocstyle@feature@pagenumberbox{\tocstyle@feature@pagenumberhook #5}%
20167 \fi
20168 \par
20169 }%
20170 \iftocstyle@penalties
20171     \bgroup
20172     \@tempcnta 20009
20173     \advance\@tempcnta by -#1
20174     \edef\reserved@a{\egroup\penalty\the\@tempcnta\relax}%
20175     \reserved@a
20176 \fi
20177 \fi}
20178 \renewcommand*{\tocstyle@numberline}[1]{%
20179     \begingroup
20180     \ifx\tocstyle@feature@spaceafternumber\relax
20181         \settowidth\@tempdima{\tocstyle@numberline{#1}\enskip}%

```



```

20182 \else
20183 \settowidth\@tempdima{\tocstyle@numberline{#1}}%
20184 \advance \@tempdima \tocstyle@feature@spaceafternumber\relax
20185 \fi
20186 \ifcsname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname
20187 \ifdim \@tempdima >
20188 \csname tocstyle@numwidth@\tocstyleTOC @\tocstyledepth\endcsname\relax
20189 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
20190 @\tocstyledepth\endcsname{\the\@tempdima}%
20191 \fi
20192 \else
20193 \expandafter\xdef\csname tocstyle@numwidth@\tocstyleTOC
20194 @\tocstyledepth\endcsname{\the\@tempdima}%
20195 \fi
20196 \endgroup
20197 \iftocstyle@indentnotnumbered
20198 \hskip -\if@RTL\rightskip\else\leftskip\fi
20199 \fi
20200 \ifcase \tocstyle@indentstyle
20201 \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
20202 \or
20203 \hb@xt@\@tempdima{\tocstyle@numberline{#1}\hfil}%
20204 \else
20205 \ifx\tocstyle@feature@spaceafternumber\relax
20206 \hbox{\tocstyle@numberline{#1}\enskip}%
20207 \else
20208 \hbox{\tocstyle@numberline{#1}\hskip
20209 \tocstyle@feature@spaceafternumber\relax}%
20210 \fi
20211 \fi
20212 }
20213 \AtBeginDocument{%
20214 \ifcsname l@part\endcsname
20215 \ifcsname l@chapter\endcsname
20216 \setbox\@tempboxa\vbox{\hsize\maxdimen
20217 \l@part{\tocstyle@l@define{part}{-1}}{}}%
20218 \else
20219 \setbox\@tempboxa\vbox{\hsize\maxdimen
20220 \l@part{\tocstyle@l@define{part}{0}}{}}%
20221 \fi
20222 \fi
20223 \ifcsname l@chapter\endcsname
20224 \setbox\@tempboxa\vbox{\hsize\maxdimen
20225 \l@chapter{\tocstyle@l@define{chapter}{0}}{}}%
20226 \fi
20227 \ifcsname l@section\endcsname
20228 \setbox\@tempboxa\vbox{\hsize\maxdimen
20229 \l@section{\tocstyle@l@define{section}{1}}{}}%
20230 \fi
20231 \ifcsname l@subsection\endcsname

```




```

20232 \setbox\@tempboxa\vbox{\hsize\maxdimen
20233 \l@subsection{\tocstyle@l@define{subsection}{2}}{}}%
20234 \fi
20235 \ifcsname l@subsubsection\endcsname
20236 \setbox\@tempboxa\vbox{\hsize\maxdimen
20237 \l@subsubsection{\tocstyle@l@define{subsubsection}{3}}{}}%
20238 \fi
20239 \ifcsname l@paragraph\endcsname
20240 \setbox\@tempboxa\vbox{\hsize\maxdimen
20241 \l@paragraph{\tocstyle@l@define{paragraph}{4}}{}}%
20242 \fi
20243 \ifcsname l@subparagraph\endcsname
20244 \setbox\@tempboxa\vbox{\hsize\maxdimen
20245 \l@subparagraph{\tocstyle@l@define{subparagraph}{5}}{}}%
20246 \fi
20247 \ifcsname l@table\endcsname
20248 \setbox\@tempboxa\vbox{\hsize\maxdimen
20249 \l@table{\tocstyle@l@define{table}{1}}{}}%
20250 \fi
20251 \ifcsname l@figure\endcsname
20252 \setbox\@tempboxa\vbox{\hsize\maxdimen
20253 \l@figure{\tocstyle@l@define{figure}{1}}{}}%
20254 \fi
20255 \def\@tempa#1#2#3#4#5{%
20256 \ifnum #1>\c@tocdepth \else
20257 \vskip \z@ \@plus.2\p@
20258 {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocrm
20259 \parindent #2\relax\@afterindenttrue
20260 \interlinepenalty\@M
20261 \leavevmode
20262 \@tempdima #3\relax
20263 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righ
20264 {#4}\nobreak
20265 \leaders\hbox{$\m@th
20266 \mkern \dotsep mu\hbox{.}\mkern \dotsep
20267 mu$}\hfill
20268 \nobreak
20269 \hb@xt@\@pnumwidth{\hfil \normalfont \normalcolor #5}}%
20270 \par}%
20271 \fi}%
20272 \ifx\@dottedtocline\@tempa\else
20273 \tocstyle@macrochangewarning\@dottedtocline
20274 \fi
20275 \let\tocstyle@saved@dottedtocline\@dottedtocline
20276 \def\@tempa#1{\hb@xt@\@tempdima{#1\autodot\hfil}}%
20277 \ifx\numberline\@tempa\else
20278 \def\@tempa#1{\hb@xt@\@tempdima{#1\hfil}}%
20279 \ifx\numberline\@tempa\else
20280 \tocstyle@macrochangewarning\numberline
20281 \fi

```



```

20282 \fi
20283 \let\tocstyle@saved@numberline\numberline
20284 }
20285 \renewcommand*{\tocstyle@l@define}[2]{%
20286 \advance\if@RTL\rightskip\else\leftskip\fi-\@tempdima
20287 \edef\@tempa{%
20288 \noexpand\global\noexpand\let
20289 \expandafter\noexpand\csname tocstyle@saved@l@#1\endcsname
20290 \expandafter\noexpand\csname l@#1\endcsname
20291 \noexpand\gdef
20292 \expandafter\noexpand\csname tocstyle@l@#1\endcsname{%
20293 \noexpand\@dottedtocline{#2}{\the\if@RTL\rightskip\else\leftskip\fi}{\the\@tempdima}}%
20294 \noexpand\g@addto@macro\noexpand\tocstyle@activate@all@l@{
20295 \noexpand\let\expandafter\noexpand\csname l@#1\endcsname
20296 \expandafter\noexpand\csname tocstyle@l@#1\endcsname
20297 }%
20298 }%
20299 \PackageInfo{tocstyle}{prepare \expandafter\string
20300 \csname l@#1\endcsname\space for redefinition}%
20301 \@tempa
20302 }

```

124 File todonotes-xetex-bidi.def

```

20303 \ProvidesFile{todonotes-xetex-bidi.def}[2016/11/08 v0.4 bidi adaptations for todonotes package]
20304 \newif\if@bidi@todonotes@textdirection@RTL
20305 \newif\if@bidi@todonotes@figposition@right
20306 \newcommand{\@bidi@todonotes@align}{}%
20307 \define@key{todonotes}{align}{\renewcommand{\@bidi@todonotes@align}{#1}}%
20308 \newcommand{\@bidi@todonotes@textdirection}{}%
20309 \define@choicekey{todonotes}{textdirection}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right, left}
20310 \ifcase\@bidi@todonotes@tempb\relax
20311 \@bidi@todonotes@textdirection@RTLtrue
20312 \let\@bidi@todonotes@textdirection\RLE
20313 \or
20314 \@bidi@todonotes@textdirection@RTLfalse
20315 \let\@bidi@todonotes@textdirection\LRE
20316 \fi}
20317 \define@choicekey{todonotes}{figposition}[\@bidi@todonotes@tempa\@bidi@todonotes@tempb]{right, left}
20318 \ifcase\@bidi@todonotes@tempb\relax
20319 \@bidi@todonotes@figposition@righttrue
20320 \or
20321 \@bidi@todonotes@figposition@rightfalse
20322 \fi}
20323 \if@todonotes@disabled%
20324 \else % \if@todonotes@disabled
20325 \renewcommand{\@todonotes@drawInlineNote}{%
20326 \if@todonotes@dviStyle%
20327 {\par\noindent\begin{tikzpicture}[remember picture]%
20328 \draw node[inlinenotestyle] {}; \end{tikzpicture}}\par}%

```



```

20329         \if@todonotes@authorgiven%
20330             {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
20331         \else%
20332             {\noindent \@todonotes@sizecommand \@todonotes@text}%
20333         \fi
20334         {\par\noindent\begin{tikzpicture}[remember picture]%
20335             \draw node[inlinenotestyle] {};\end{tikzpicture}\par}%
20336     \else%
20337         {\par\noindent\begin{tikzpicture}[remember picture]%
20338             \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
20339             \draw node[inlinenotestyle,font=\@todonotes@sizecommand,align=\@bidi@todonotes@al.
20340                 \if@todonotes@authorgiven%
20341                     {\noindent \@todonotes@sizecommand \@todonotes@author:\,\@todonotes@text}%
20342                 \else%
20343                     {\noindent \@todonotes@sizecommand \@todonotes@text}%
20344                 \fi};%
20345             \end{tikzpicture}\par}%
20346     \fi}%
20347 \renewcommand{\@todonotes@drawMarginNoteWithLine}{%
20348 \begin{tikzpicture}[remember picture, overlay, baseline=-0.75ex]%
20349     \node [coordinate] (inText) {};%
20350 \end{tikzpicture}%
20351 \marginpar[{\% Draw note in left margin
20352     \@todonotes@drawMarginNote%
20353     \if@RTL\@todonotes@drawLineToRightMargin\else\@todonotes@drawLineToLeftMargin\fi%
20354 }]{\% Draw note in right margin
20355     \@todonotes@drawMarginNote%
20356     \if@RTL\@todonotes@drawLineToLeftMargin\else\@todonotes@drawLineToRightMargin\fi%
20357 }%
20358 }%
20359 \renewcommand{\@todonotes@drawMarginNote}{\%
20360 \if@todonotes@dviStyle%
20361     \begin{tikzpicture}[remember picture]%
20362         \draw node[notestyle] {};%
20363     \end{tikzpicture}\\%
20364     \begin{minipage}{\@todonotes@textwidth}%
20365         \if@todonotes@authorgiven%
20366             \@todonotes@sizecommand \@todonotes@author \@todonotes@text%
20367         \else%
20368             \@todonotes@sizecommand \@todonotes@text%
20369         \fi%
20370     \end{minipage}\\%
20371     \begin{tikzpicture}[remember picture]%
20372         \draw node[notestyle] (inNote) {};%
20373     \end{tikzpicture}%
20374 \else%
20375     \let\originalHbadness\hbadness%
20376     \hbadness 100000%
20377     \begin{tikzpicture}[remember picture,baseline=(X.base)]%
20378         \if@bidi@todonotes@textdirection@RTL\setRTL\fi%

```



```

20379 \node(X){\vphantom{X}};%
20380 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
20381 {\@todonotes@text}};%
20382 \if@todonotes@authorgiven%
20383 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
20384 {\@todonotes@sizecommand\@todonotes@author}};%
20385 \node(Y)[below=of X]{};%
20386 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
20387 {\@todonotes@text}};%
20388 \else%
20389 \draw node[notestyle,font=\@todonotes@sizecommand,anchor=north,align=\@bidi@todonotes@
20390 {\@todonotes@text}};%
20391 \fi%
20392 \end{tikzpicture}%
20393 \hbadness \originalHbadness%
20394 \fi}%
20395 \renewcommand{\missingfigure}[2][]{%
20396 \setkeys{todonotes}{#1}%
20397 \addcontentsline{tdo}{todo}{\@todonotes@MissingFigureText: #2}%
20398 \par
20399 \noindent
20400 \begin{tikzpicture}
20401 \draw[fill=\@todonotes@currentfigcolor, draw = black!40, line width=2pt]
20402 (-2, -2.5) rectangle +(\@todonotes@currentfigwidth, \@todonotes@currentfigheight);
20403 \if@bidi@todonotes@figposition@right%
20404 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
20405 \fi%
20406 \draw[red, fill=white, rounded corners = 5pt, line width=10pt]
20407 (30:2cm) -- (150:2cm) -- (270:2cm) -- cycle;
20408 \if@bidi@todonotes@figposition@right%
20409 \end{scope}
20410 \begin{scope}[xshift=-3.8cm]
20411 \fi%
20412 \if@bidi@todonotes@textdirection@RTL\setRTL\fi%
20413 \draw (2, -0.3) node[right, text
20414 width=\@todonotes@currentfigwidth-4.5cm,align=\@bidi@todonotes@align] {#2};
20415 \if@bidi@todonotes@figposition@right%
20416 \end{scope}
20417 \begin{scope}[xshift=\@todonotes@currentfigwidth-4cm]
20418 \fi%
20419 \draw (0, 0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
20420 \draw (0, -0.3) node[align=\@bidi@todonotes@align] {\@bidi@todonotes@textdirection{\@todonotes@
20421 \if@bidi@todonotes@figposition@right%
20422 \end{scope}
20423 \fi%
20424 \end{tikzpicture}}\hfill
20425 }% Ending \missingfigure command
20426 \fi % Ending \@todonotes@ifdisabled
20427 \presetkeys%
20428 {todonotes}%

```



```

20429 {align=left,%
20430 textdirection=lefttoright,%
20431 figposition=left}{}%

```

125 File wrapfig-xetex-bidi.def

```

20432 \ProvidesFile{wrapfig-xetex-bidi.def}[2014/04/23 v0.3 bidi adaptations for wrapfig package for
20433 \let\WF@@everypar\bidi@n@everypar
20434 \def\WF@putfigmaybe{%
20435 \ifinner
20436 \vskip-\parskip \global\WF@floatfalse
20437 \let\pagetotal\maxdimen % kludge flag for "not top of page"
20438 \else % outer page
20439 \@tempdima\pagedepth % save page depth
20440 {\advance\parskip\@tempdima\if@RTL\advance\parskip\baselineskip\fi\vskip-\parskip}% back up
20441 \penalty\interlinepenalty % update pg. parameters
20442 \@tempdimb\pagegoal \advance\@tempdimb-\pagetotal % room left on page
20443 \ifdim\@tempdimb<\z@ % \WF@info{Page overfull already;}%
20444 \global\WF@floatfalse
20445 \ifdim-\@tempdimb>\pageshrink \else \pagebreak \fi
20446 \else
20447 \ifdim\WF@size>\@tempdimb
20448 \ifWF@float \dimen@.5\baselineskip \else \dimen@ 2\baselineskip\fi
20449 \ifdim\pagestretch>\dimen@ \dimen@\pagestretch \fi
20450 \ifdim\pagefilstretch>\z@ \dimen@\@tempdimb \fi
20451 \ifdim\pagefillstretch>\z@ \dimen@\@tempdimb \fi
20452 \advance\dimen@.5\baselineskip
20453 \ifdim\dimen@>\@tempdimb % \WF@info{Page nearly full; can stretch}%
20454 \global\WF@floatfalse \pagebreak
20455 \fi
20456 \else % \WF@info{Fits in \the\@tempdimb;}%
20457 \global\WF@floatfalse
20458 \fi\fi
20459 \vskip\@tempdima\relax % (return erased page depth)
20460 \fi
20461 \noindent
20462 \ifWF@float
20463 \WF@fltmes
20464 \else % putting here;
20465 \WF@info{Put \WF@wfname here;}%
20466 {\ifodd\if@twoside\c@page\else\@ne\fi % assign l/r to i/o placement
20467 \lccode`i`l\lccode`o`r\else \lccode`i`r\lccode`o`l\fi
20468 \xdef\WF@place{\the\lccode\lccode\WF@place}}% twice to get only l or r
20469 \hbox to\z@{% llap or rlap depending on {l} or {r}; calc effective width
20470 \@tempdima\wd\WF@box \@tempdimb\WF@ovh
20471 \advance\@tempdima-\@tempdimb \advance\@tempdima\columnsep
20472 \@tempdimb\hsize \advance\@tempdimb-\@tempdima
20473 \xdef\WF@adjlw{\the\@tempdima}%
20474 \ifnum `l=\WF@place % fig on left
20475 \if@RTL%

```



```

20476 \kern\@tempdimb \kern\columnsep
20477 \def\@tempa{\hss}% position to left of the gap
20478 \else%
20479 \hss % figure overlaps space to the left
20480 \def\@tempa{\kern\columnsep}% position to left of the gap
20481 \fi%
20482 \else % fig on right
20483 \if@RTL%
20484 \hss
20485 \@tempdima\z@
20486 \def\@tempa{\kern\columnsep}
20487 \else%
20488 \@tempdima\z@ % no left indentation
20489 \kern\@tempdimb \kern\columnsep
20490 \def\@tempa{\hss}% figure overlaps space to the right
20491 \fi%
20492 \fi
20493 \ifdim\@tempdimb<\hsize
20494 \xdef\WF@wrapil{\the\@tempdima \the\@tempdimb}% indentation and length
20495 \xdef\WF@adjtlm{\the\@tempdima}%
20496 \else
20497 \xdef\WF@wrapil{\z@ \the\hsize}%
20498 \xdef\WF@adjlw{\z@}\xdef\WF@adjtlm{\z@}%
20499 \fi
20500 \ifdim\pagetotal=\z@ % \WF@info{Put \WF@wfname at top of p.\thepage}%
20501 \global\advance\WF@size-\intextsep
20502 \else % \WF@info{Putting \WF@wfname in middle of page}%
20503 \setbox\WF@box\hbox{\lower\intextsep\box\WF@box}%
20504 \fi \dp\WF@box\z@ \box\WF@box \@tempa
20505 }% end \hbox to Opt
20506 \aftergroup\WF@startwrapping % after the \endgroup which immediately follows
20507 \fi}

```

126 File xcolor-xetex-bidi.def

```

20508 \ProvidesFile{xcolor-xetex-bidi.def}[2013/04/08 v0.2 bidi adaptations for xcolor package for XeTeX]
20509 \long\def\color@b@x#1#2#3%
20510 {\leavevmode\ifmmode\else\if@RTL\beginL\fi\fi
20511 \setbox\z@\hbox{\kern\fbboxsep\setcolor\if@RTL\beginR\fi#3\if@RTL\endR\fi}\kern\fbboxsep}%
20512 \dimen@ht\z@\advance\dimen@\fbboxsep\ht\z@\dimen@
20513 \dimen@dp\z@\advance\dimen@\fbboxsep\dp\z@\dimen@
20514 {\#1{\#2\color@block{\wd\z@}{\ht\z@}{\dp\z@}\box\z@}}\ifmmode\else\if@RTL\endL\fi\fi}
20515 \def\normalcolor{\let\current@color\default@color\ifmmode\if@RTL\beginL\aftergroup\endR\fi\fi}
20516 \DeclareRobustCommand\color
20517 {\ifmmode\if@RTL\beginL\aftergroup\endR\fi\fi@ifnextchar[\@undeclaredcolor\@declaredcolor]}
20518 \def\@undeclaredcolor[#1]#2%
20519 {\begingroup
20520 \let\@cls\@empty
20521 \XC@getmodclr12{#1}{#2}{}%
20522 {\ifblendcolors

```



```

20523 \ifx\colorblend\@empty\else
20524 \edef\@mix{\expandafter\@gobble\colorblend}\@tempswafalse
20525 \XC@coremodel\@mod\@clr\@xcolor@{}{}\@mod\@clr
20526 \fi
20527 \fi
20528 \ifconvertcolorsU
20529 \edef\@tmp{\XC@tgt@mod{\@mod}}%
20530 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
20531 \fi
20532 \ifmaskcolors
20533 \convertcolorspec\@mod\@clr\XC@mmod\@clr
20534 \let\@mod\XC@mmod
20535 \XC@inflate\@mod\XC@mclr\@clr\@tmp
20536 \expandafter\XC@mul\@tmp,\@clr
20537 \fi
20538 \edef\@tmp{\noexpand\XC@undeclaredcolor{\@mod}{\@clr}}%
20539 \expandafter\endgroup\@tmp}}
20540 \def\@declaredcolor#1%
20541 {\XC@edef\XC@tmp{#1}\XC@tstfalse
20542 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
20543 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
20544 \ifconvertcolorsU\XC@tsttrue\fi
20545 \fi
20546 \ifXC@tst
20547 \expandafter\XC@declaredcolor\else
20548 \expandafter\XC@declaredcolor\fi}
20549 \def\XC@undeclaredcolor#1#2%
20550 {\@ifundefinedmodel{#1}%
20551 {\c@lor@error{model `#1'}}%
20552 {\@nameuse{color@#1}\current@color{#2}}%
20553 \edef\XC@current@color{\noexpand\xcolor@{}{\current@color}{#1}{#2}}%
20554 \XC@display\ifhmode\ifRTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
20555 \def\XC@declaredcolor
20556 {\XC@let\Nc\XC@current@color{\string\color\@XC@tmp}%
20557 \edef\current@color{\XC@current@color}%
20558 \XC@display\ifhmode\ifRTL\beginR\aftergroup\endL\fi\fi\ignorespaces}
20559 \DeclareRobustCommand\bidicolor
20560 {\@ifnextchar[\@bidiundeclaredcolor\@bidideclaredcolor]}
20561 \def\@bidiundeclaredcolor[#1]#2%
20562 {\beginR
20563 \let\@cls\@empty
20564 \XC@getmodclr12{#1}{#2}{}%
20565 {\ifblendcolors
20566 \ifx\colorblend\@empty\else
20567 \edef\@mix{\expandafter\@gobble\colorblend}\@tempswafalse
20568 \XC@coremodel\@mod\@clr\@xcolor@{}{}\@mod\@clr
20569 \fi
20570 \fi
20571 \ifconvertcolorsU
20572 \edef\@tmp{\XC@tgt@mod{\@mod}}%

```



```

20573 \convertcolorspec\@mod\@clr\@tmp\@clr \let\@mod\@tmp
20574 \fi
20575 \ifmaskcolors
20576 \convertcolorspec\@mod\@clr\XC@mmod\@clr
20577 \let\@mod\XC@mmod
20578 \XC@inflate\@mod\XC@mclr\@clr\@tmp
20579 \expandafter\XC@mul\@tmp,\@clr
20580 \fi
20581 \edef\@tmp{\noexpand\XC@bidiundeclaredcolor{\@mod}{\@clr}}%
20582 \expandafter\endgroup\@tmp}}
20583 \def\XC@bidiundeclaredcolor#1#2%
20584 {\@ifundefinedmodel{#1}%
20585 {\color@error{model `#1'}}%
20586 {\@nameuse{color@#1}\currentcolor{#2}%
20587 \edef\XC@currentcolor{\noexpand\xcolor@{\currentcolor}{#1}{#2}}%
20588 \XC@display}}
20589 \def\@bidideclaredcolor#1%
20590 {\XC@edef\XC@tmp{#1}\XC@tstfalse
20591 \ifcase\XC@type\XC@tmp\relax \XC@tsttrue\or \relax\else
20592 \ifblendcolors\XC@tsttrue\fi \ifmaskcolors\XC@tsttrue\fi
20593 \ifconvertcolorsU\XC@tsttrue\fi
20594 \fi
20595 \ifXC@tst
20596 \expandafter\XC@bidideclaredcolor\else
20597 \expandafter\XC@bidideclaredcolor\fi}
20598 \def\XC@bidideclaredcolor
20599 {\XC@split\XC@tmp
20600 \edef\@tmp{\noexpand\@bidiundeclaredcolor[\@mod]{\@clr}}%
20601 \expandafter\endgroup\@tmp}
20602 \def\XC@bidideclaredcolor
20603 {\XC@let\Nc\XC@currentcolor{\string\color@\XC@tmp}%
20604 \edef\currentcolor{\XC@currentcolor}%
20605 \XC@display}
20606 \def\color@box#1#2{\color@b@x\relax{\bidicolor#1{#2}}}
20607 \def\color@fbbox#1#2#3{\protect\color@fb@x{#1}{#2}{#3}}
20608 \def\color@fb@x#1#2#3#4%
20609 {\color@b@x{\fbboxsep\z@\bidicolor#1{#2}\XC@fbbox}%
20610 {\@ifxempty{#3}{\bidicolor#1}{\bidicolor#3}{#4}}}
20611 \def\color@setgroup{\begingroup\ifhmode\ifRTL\beginL\aftergroup\endR\fi\fi\setcolor\ifhmode

```

127 File latex-xetex-bidi.def

```

20612 \ProvidesFile{latex-xetex-bidi.def}[2018/10/11 v1.3.6 bidi adaptations for `latex.ltx' for Xe
20613 \newcommand{\TeXeTOn}{\TeXeTstate@ne}
20614 \newcommand{\TeXeTOff}{\TeXeTstate@z@}
20615 \TeXeTOn
20616 \def\bidi@RTL@everypar{{\setbox\z@\lastbox\ifRTL\beginR\else\beginL\fi\ifvoid\z@\else\usebox\z@}
20617 \let\bidi@o@everypar=everypar
20618 \newtoks\bidi@n@everypar
20619 \bidi@n@everypar\expandafter{\the\bidi@o@everypar}

```




```

20620 \bidi@o@everypar{\bidi@RTL@everypar\the\bidi@n@everypar}
20621 \let\everypar=\bidi@n@everypar
20622 \def\moreLRE{\bracetext \aftergroup\endL \beginL\@RTLfalse}
20623 \def\moreRLE{\bracetext \aftergroup\endR \beginR\@RTLtrue}
20624 \protected\def\hboxR{\hbox\bgroup
20625 \everyhbox{%
20626 \aftergroup\egroup
20627 \everyhbox{}}%
20628 \beginR
20629 \@hboxRconstructtrue
20630 \bgroup
20631 \aftergroup\endR
20632 \aftergroup\egroup
20633 }\hbox}
20634 \protected\def\hboxL{\hbox\bgroup
20635 \everyhbox{%
20636 \aftergroup\egroup
20637 \everyhbox{}}%
20638 \beginL
20639 \@hboxRconstructfalse
20640 \bgroup
20641 \aftergroup\endL
20642 \aftergroup\egroup
20643 }\hbox}
20644 \protected\def\vboxR{\vbox\bgroup
20645 \everyvbox{%
20646 \aftergroup\egroup
20647 \everyvbox{}}%
20648 \@RTLtrue
20649 \@RTLtabtrue
20650 \bgroup
20651 \aftergroup\egroup
20652 }\vbox}
20653 \protected\def\vboxL{\vbox\bgroup
20654 \everyvbox{%
20655 \aftergroup\egroup
20656 \everyvbox{}}%
20657 \@RTLfalse
20658 \@RTLtabfalse
20659 \bgroup
20660 \aftergroup\egroup
20661 }\vbox}
20662 \newcommand*{\bidi@leftskip}{\if@RTL\rightskip\else\leftskip\fi}
20663 \newcommand*{\bidi@rightskip}{\if@RTL\leftskip\else\rightskip\fi}
20664 \def\LTR{\par\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse\hsize\linewidth\parshape\z@}
20665 \def\endLTR{\par}
20666 \def\RTL{\par\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue\hsize\linewidth\parshape\z@}
20667 \def\endRTL{\par}
20668 \def\setRTL{\@RTLtrue\@RTL@footnotetrue\@RTLtabtrue}
20669 \def\setLTR{\@RTLfalse\@RTL@footnotefalse\@RTLtabfalse}

```



```

20670 \let\unsetRTL=\setLTR
20671 \let\unsetLTR=\setRTL
20672 \let\LR=\LRE
20673 \let\RL=\RLE
20674 \def\@ensureRTL#1{\ifRTL#1\else\RLE{#1}\fi}
20675 \def\@ensureLTR#1{\ifRTL\LRE{#1}\else#1\fi}
20676 \let\@ensureRL=\@ensureRTL
20677 \let\@ensureLR=\@ensureLTR
20678 \def\@ensure@dir#1{\ifRTL\RLE{#1}\else{#1}\fi}
20679 \let\@ensure@maindir=\@ensure@dir
20680 \def\@RTL{RTL}
20681 \def\@LTR{LTR}
20682 \def\save@dir{\ifRTL\gdef\save@@dir{RTL}\else\gdef\save@@dir{LTR}\fi}
20683 \def\reset@dir{\ifx\save@@dir\@RTL\setRTL\else\ifx\save@@dir\@LTR\setLTR\else\relax\fi\fi}
20684 \let\@TeX\TeX
20685 \def\TeX{\@ensureLTR{\@TeX}}
20686 \let\@LaTeX\LaTeX
20687 \def\LaTeX{\@ensureLTR{\@LaTeX}}
20688 \let\@LaTeXe\LaTeXe
20689 \def\LaTeXe{\@ensureLTR{\@LaTeXe}}
20690 \long\def\@bidi@reflect@box#1{%
20691   \leavevmode
20692   \setbox\z@\hbox{#1}%
20693   \setbox\tw@\hbox{\special{x:gsave}\special{x:scale -1 1}\rlap{\copy\z@}\special{x:grestore}}
20694   \hbext@wd\z@\kern\wd\z@\box\tw@\hss}%
20695 }
20696 \bidi@newrobustcmd*{\XeTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
20697   \hbox{\kern-.125em\@bidi@reflect@box{E}}\kern-.1667em \TeX}}$}}
20698 \bidi@newrobustcmd*{\XeLaTeX}{\LR{\leavevmode$\smash{\hbox{X\lower.5ex
20699   \hbox{\kern-.125em\@bidi@reflect@box{E}}\kern-.1667em \LaTeX}}$}}
20700 \let\setRL=\setRTL
20701 \let\setLR=\setLTR
20702 \let\unsetRL=\setLTR
20703 \def\@bidi@tabular@RTLcases{\let\@halignto\@empty\@bidi@tabular@RTLcases}
20704 \ifpackageloaded{array}{%
20705   \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
20706     \leavevmode
20707     \hbox \bgroup $\left.\col@sep\tabcolsep \let\d@llarbegin\begin\group
20708       \let\d@llarend\end\group
20709     \@tabarray}
20710 \def\endbidi@tabular@RTLcases{\endarray \right\rbrace$\egroup}
20711 }{%
20712 \def\@bidi@tabular@RTLcases{\@RTLtabtrue%
20713   \leavevmode \hbox \bgroup
20714   $\left.\let\@acol\@tabacol
20715   \let\@classz\@tabclassz
20716   \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
20717
20718 \def\endbidi@tabular@RTLcases{\crrc\egroup\ifRTLtab\egroup\endR\egroup\fi
20719   \egroup\right\rbrace $\egroup}}

```



```

20720 \def\RTLcases#1{\left.\vcenter{\normalbaselines\m@th
20721 \ialign{##\hfil$\quad{##}\hfil\crr#1\crr}}\,,\right\}}
20722 \renewenvironment{RTLcases}{%
20723 \bidi@matrix@check\RTLcases\env@RTLcases
20724 }{%
20725 \endbidi@tabular@RTLcases%
20726 }
20727 \def\env@RTLcases{%
20728 \let\@ifnextchar\bidi@new@ifnextchar
20729 \def\arraystretch{1.2}%
20730 \bidi@tabular@RTLcases{@{}r@{\quad}r@{}}%
20731 }
20732 \def\SepMark#1{\gdef\@SepMark{#1}}
20733 \SepMark{.}
20734 \def\@thmcountersep{\@SepMark}
20735 \def\setRTLbibitems{\@RTLbibitemstrue\@LTRbibitemsfalse}
20736 \def\setLTRbibitems{\@LTRbibitemstrue\@RTLbibitemsfalse}
20737 \def\setdefaultbibitems{\@RTLbibitemsfalse\@LTRbibitemsfalse}
20738 \newcommand*{\bidi@thebibliography@font@hook}{}
20739 \def\list#1#2{%
20740 \ifnum \@listdepth >5\relax
20741 \toodeep
20742 \else
20743 \global\advance\@listdepth\@ne
20744 \fi
20745 \rightmargin\z@
20746 \listparindent\z@
20747 \itemindent\z@
20748 \csname @list\romannumeral\the\@listdepth\endcsname
20749 \def\@itemlabel{#1}%
20750 \let\makelabel\@mklab
20751 \@nmbrlistfalse
20752 #2\relax
20753 \@trivlist
20754 \parskip\parsep
20755 \parindent\listparindent
20756 \advance\linewidth -\rightmargin
20757 \advance\linewidth -\leftmargin
20758 \if@bidi@list@minipage@parbox
20759 \if@RTL
20760 \advance\@totalleftmargin \leftmargin
20761 \else
20762 \advance\@totalleftmargin \rightmargin
20763 \fi
20764 \else
20765 \if@hboxRconstruct
20766 \if@bidi@list@minipage@parbox@not@nob
20767 \if@RTL
20768 \advance\@totalleftmargin \rightmargin
20769 \else

```



```

20770 \advance\@totalleftmargin \leftmargin
20771 \fi
20772 \else
20773 \if@RTL
20774 \advance\@totalleftmargin \leftmargin
20775 \else
20776 \advance\@totalleftmargin \rightmargin
20777 \fi\fi
20778 \else
20779 \if@RTL
20780 \advance\@totalleftmargin \rightmargin
20781 \else
20782 \advance\@totalleftmargin \leftmargin
20783 \fi\fi\fi
20784 \parshape \@ne \@totalleftmargin \linewidth
20785 \ignorespaces}
20786 \long\def\@iiiparbox#1#2[#3]#4#5{%
20787 \leavevmode
20788 \@pboxswfalse
20789 \if@hboxRconstruct
20790 \@bidi@list@minipage@parbox@not@nobtrue
20791 \fi
20792 \if@RTL
20793 \ifx#1t%
20794 \@bidi@list@minipage@parboxtrue
20795 \else
20796 \ifx#1b%
20797 \@bidi@list@minipage@parboxtrue
20798 \fi
20799 \fi
20800 \fi
20801 \setlength\@tempdima{#4}%
20802 \@begin@tempboxa\vbox{\hsize\@tempdima\@parboxrestore#5\@@par}%
20803 \ifx\relax#2\else
20804 \setlength\@tempdimb{#2}%
20805 \edef\@parboxto{to\the\@tempdimb}%
20806 \fi
20807 \if#1b\vbox
20808 \else\if #1t\top
20809 \else\ifmode\center
20810 \else\@pboxswtrue $\vcenter
20811 \fi\fi\fi
20812 \@parboxto{\let\hss\vss\let\unhbox\unvbox
20813 \csname bm#3\endcsname}%
20814 \if@pboxsw \m@th$\fi
20815 \@end@tempboxa}
20816 \newenvironment{LTRitems}
20817 {\par\@RTLfalse\@RTLtabfalse
20818 \if@bidi@list@minipage@parbox
20819 \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth

```



```

20820         \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20821         \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
20822         \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20823         \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\
20824         \ignorespaces}\{\vskip\z@}
20825 \newenvironment{RTLitems}
20826     {\par\@RTLtrue\@RTLtabtrue
20827     \if@bidi@list@minipage@parbox
20828     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
20829     \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20830     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
20831     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20832     \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\
20833     \ignorespaces}\{\vskip\z@}
20834 \newenvironment{LTRbibitems}
20835     {\par\@RTLfalse\@RTLtabfalse
20836     \if@bidi@list@minipage@parbox
20837     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth
20838     \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20839     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\else
20840     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi
20841     \else \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi\
20842     \ignorespaces}\{\vskip\z@}
20843 \newenvironment{RTLbibitems}
20844     {\par\@RTLtrue\@RTLtabtrue
20845     \if@bidi@list@minipage@parbox
20846     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth
20847     \else \if@hboxRconstruct\if@bidi@list@minipage@parbox@not@nob
20848     \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\else
20849     \parshape \@ne \dimexpr(\@totalleftmargin+\leftmargin) \linewidth\fi
20850     \else \parshape \@ne \dimexpr(\@totalleftmargin-\leftmargin) \linewidth\fi\
20851     \ignorespaces}\{\vskip\z@}
20852 \def\raggedright{%
20853     \let\\@centercr\@rightskip\@flushglue \rightskip\@rightskip
20854     \leftskip\z@skip
20855     \parindent\z@\parfillskip\z@skip}
20856 \let\bidi@orig@raggedleft\raggedleft
20857 \let\bidi@orig@raggedright\raggedright
20858 \renewcommand\raggedleft{\if@bidi@list@minipage@parbox\bidi@orig@raggedright\else\if@hboxRcons
20859 \renewcommand\raggedright{\if@bidi@list@minipage@parbox\bidi@orig@raggedleft\else\if@hboxRcons
20860 \newcommand{\bidi@raggedright}{\if@RTL\raggedleft\else\raggedright\fi}
20861 \newcommand{\bidi@raggedleft}{\if@RTL\raggedright\else\raggedleft\fi}
20862 \def\centerline#1{%
20863 \if@RTL\@@line{\hss\beginR#1\endR\hss}
20864 \else\@@line{\hss#1\hss}\fi}
20865 \def\leftline#1{%
20866 \if@RTL\@@line{\beginR#1\endR\hss}
20867 \else\@@line{#1\hss}\fi}
20868 \def\rightline#1{%
20869 \if@RTL\@@line{\hss\beginR#1\endR}

```



```

20870 \else\@line{\hss#1}\fi}
20871 \let\bidiorig@leftline\leftline
20872 \let\bidiorig@rightline\rightline
20873 \def\leftline#1{\ifhmode\if@RTL\bidiorig@rightline{#1}\else\bidiorig@leftline{#1}\fi\else\i
20874 \def\rightline#1{\ifhmode\if@RTL\bidiorig@leftline{#1}\else\bidiorig@rightline{#1}\fi\else\
20875 \def\bidirlap#1{\hb@xt@\z@{\if@RTL\hss\fi#1\if@RTL\else\hss\fi}}
20876 \def\bidillap#1{\hb@xt@\z@{\if@RTL\else\hss\fi#1\if@RTL\hss\fi}}
20877 \def\@hangfrom#1{\setbox\@tempboxa\hbox{#1}}%
20878 \hangindent \if@RTL-\else\fi\wd\@tempboxa\noindent\box\@tempboxa}
20879 \def\narrower{%
20880 \advance\if@RTL\rightskip\else\leftskip\fi\parindent
20881 \advance\if@RTL\leftskip\else\rightskip\fi\parindent}
20882 \def\underline#1{%
20883 \relax
20884 \ifmmode\@underline{#1}%
20885 \else
20886 \if@RTL $\@underline{\hbox{\beginR#1\endR}}\m@th$\relax
20887 \else
20888 $\@underline{\hbox{#1}}\m@th$\relax\fi\fi}
20889 \ifcompatibility
20890 \let\undertext=\underline
20891 \fi
20892 \def\@tabular{%
20893 \leavevmode \hbox \bgroup \if@RTLtab\beginR \fi
20894 $\let\@acol\@tabacol
20895 \let\@classz\@tabclassz
20896 \let\@classiv\@tabclassiv \let\\\@tabularcr\@tabarray}
20897 \def\endtabular{\crr\egroup\if@RTLtab\egroup\endR\egroup\fi
20898 \egroup $\if@RTLtab\endR\fi\egroup}
20899 \expandafter \let \csname endtabular*\endcsname = \endtabular
20900 \def\@array[#1]#2{%
20901 \if #1t\vtop \else \if#1b\vbox \else \vcenter \fi\fi
20902 \bgroup
20903 \setbox\@arstrutbox\hbox{%
20904 \vrule \@height\arraystretch\ht\strutbox
20905 \@depth\arraystretch \dp\strutbox
20906 \@width\z@}%
20907 \mkpream{#2}%
20908 \edef\@preamble{%
20909 \ialign \noexpand\@halignto
20910 \bgroup \@arstrut \@preamble \tabskip\z@skip \cr}%
20911 \let\@startpbox\@startpbox \let\@endpbox\@endpbox
20912 \let\@tabularnewline\%
20913 \let\par\@empty
20914 \let\sharp##%
20915 \set@typeset@protect
20916 \lineskip\z@skip\baselineskip\z@skip
20917 \ifhmode \@preamerr\z@ \@@par\fi
20918 \if@RTLtab\hbox\bgroup\beginR\hboxRconstructtrue\if #1t\vtop \else \vbox \fi\bgroup\fi
20919 \@preamble}

```



```

20920 \def\array{\let\@acol\@arrayacol \let\@classz\@arrayclassz
20921 \let\@classiv\@arrayclassiv
20922 \let\@arraycr\let\@halignto\@empty\@RTLtabfalse\@tabarray}
20923 \def\@testpach#1{\@chclass \ifnum \@lastchclass=\tw@ 4 \else
20924 \ifnum \@lastchclass=3 5 \else
20925 \z@ \if #1c\@chnum \z@ \else
20926 \if \if@RTLtab#1r\else#1l\fi\@chnum \@ne \else
20927 \if \if@RTLtab#1l\else#1r\fi\@chnum \tw@ \else
20928 \@chclass \if #1|\@ne \else
20929 \if #1@\tw@ \else
20930 \if #1p3 \else \z@ \@preamerr 0\fi
20931 \fi \fi \fi \fi \fi \fi
20932 \fi}
20933 \def\bm@l{\if@RTL\hss\unhbox\@tempboxa\else\unhbox\@tempboxa\hss\fi}
20934 \def\bm@r{\if@RTL\unhbox\@tempboxa\hss\else\hss\unhbox\@tempboxa\fi}
20935 \def\bm@t{\unhbox\@tempboxa\hss}
20936 \def\bm@b{\hss\unhbox\@tempboxa}
20937 \def\@dottedtocline#1#2#3#4#5{%
20938 \ifnum #1>\c@tocdepth \else
20939 \vskip \z@ \@plus.2\p@
20940 {\if@RTL\righskip\else\leftskip\fi #2\relax \if@RTL\leftskip\else\righskip\fi \@tocmargin
20941 \parindent #2\relax\@afterindenttrue
20942 \interlinepenalty\@M
20943 \leavevmode
20944 \@tempdima #3\relax
20945 \advance\if@RTL\righskip\else\leftskip\fi \@tempdima \null\nobreak\hskip -\if@RTL\righskip
20946 {#4}\nobreak
20947 \leaders\hbox{$\m@th
20948 \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
20949 mu$}\hfill
20950 \nobreak
20951 \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}}%
20952 \par}%
20953 \fi}
20954
20955 \newcount\@bidi@column@check@number
20956
20957 \def\@bidi@column@status#1{\gdef\@bidi@current@column@status{#1}}
20958
20959 \def\@bidi@set@column@status#1#2{%
20960 \global\expandafter\let\csname #1\endcsname\@bidi@current@column@status}
20961
20962 \if@twocolumn
20963 \newcommand\DetectColumn[3][1]{%
20964 \ifx\@bidi@firstcolumn@status@write\relax
20965 \PackageError{bidi}%
20966 {Option 'DetectColumn' not selected}%
20967 {\string\DetectColumn\space
20968 requires the use of the 'DetectColumn'
20969 option on the package}%

```



```

20970 \fi
20971 \global\advance\bidicolumn@check@number\@ne
20972 \edef\bidicolumn@type{\expandafter\ifx
20973     \csname bidicolumn-\the\bidicolumn@check@number\endcsname\relax
20974     0\else
20975     \csname bidicolumn-\the\bidicolumn@check@number\endcsname
20976     \fi}%
20977 \ifcase \bidicolumn@type\relax
20978     \ifcase #1\or #2\or #3\fi % 0 not known use first column as default
20979 \or
20980     #2% % 1 First column
20981 \or
20982     #3% % 2 Second (Last column)
20983 \else
20984     \ERROR
20985 \fi
20986 \edef\next{\write\@auxout
20987     {\string\bidicolumn@set@column@status{\bidicolumn-\the\bidicolumn@check@number}}%
20988     {\bidicolumn@type}}}%
20989 \next
20990 }
20991
20992 \AtEndDocument{\def\bidicolumn@set@column@status#1#2{%
20993     \ifnum #2=\bidicolumn@current@column@status\else
20994     \@tempwatrue
20995     \fi}%
20996 }
20997 \fi
20998
20999 \def\RTL@outputdblcol{%
21000     \if@firstcolumn
21001     \global\@firstcolumnfalse
21002     \global\setbox\@leftcolumn\copy\@outputbox
21003     \splitmaxdepth\maxdimen
21004     \vbadness\maxdimen
21005     \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
21006     \setbox\@outputbox\vsplit\@outputbox to\maxdimen
21007     \toks@{\expandafter\topmark}%
21008     \xdef\@firstcoltopmark{\the\toks@}%
21009     \toks@{\expandafter\splitfirstmark}%
21010     \xdef\@firstcolfirstmark{\the\toks@}%
21011     \ifx\@firstcolfirstmark\@empty
21012     \global\let\@setmarks\relax
21013     \else
21014     \gdef\@setmarks{%
21015         \let\firstmark\@firstcolfirstmark
21016         \let\topmark\@firstcoltopmark}%
21017     \fi
21018     \else
21019     \global\@firstcolumntrue

```




```

21020 \setbox\@outputbox\vbox{%
21021 \hb@xt@\textwidth{%
21022 \hskip \columnwidth
21023 \hfil
21024 {\normalcolor\vrule \@width\columnseprule}%
21025 \hfil
21026 \hb@xt@\columnwidth{%
21027 \bidi@firstcolumn@status@write%
21028 \box\@leftcolumn \hss}%
21029 \hskip -\textwidth
21030 \hb@xt@\columnwidth{%
21031 \bidi@lastcolumn@status@write%
21032 \box\@outputbox \hss}%
21033 \hskip \columnsep
21034 \hskip \columnwidth }}%
21035 \@combinedblfloats
21036 \@setmarks
21037 \@outputpage
21038 \begingroup
21039 \@dblfloatplacement
21040 \@startdblcolumn
21041 \@whiles\if@fcolmade \fi{\@outputpage
21042 \@startdblcolumn}%
21043 \endgroup
21044 \fi}%
21045
21046 \def\LTR@outputdblcol{%
21047 \if@firstcolumn
21048 \global\@firstcolumnfalse
21049 \global\setbox\@leftcolumn\copy\@outputbox
21050 \splitmaxdepth\maxdimen
21051 \vbadness\maxdimen
21052 \setbox\@outputbox\vbox{\unvbox\@outputbox\unskip}%
21053 \setbox\@outputbox\vsplit\@outputbox to\maxdimen
21054 \toks@\expandafter{\topmark}%
21055 \xdef\@firstcoltopmark{\the\toks@}%
21056 \toks@\expandafter{\splitfirstmark}%
21057 \xdef\@firstcolfirstmark{\the\toks@}%
21058 \ifx\@firstcolfirstmark\@empty
21059 \global\let\@setmarks\relax
21060 \else
21061 \gdef\@setmarks{%
21062 \let\firstmark\@firstcolfirstmark
21063 \let\topmark\@firstcoltopmark}%
21064 \fi
21065 \else
21066 \global\@firstcolumntrue
21067 \setbox\@outputbox\vbox{%
21068 \hb@xt@\textwidth{%
21069 \hb@xt@\columnwidth{%

```



```

21070         \bidi@firstcolumn@status@write%
21071         \box\@leftcolumn \hss}%
21072         \hfil
21073         {\normalcolor\vrule \@width\columnseprule}%
21074         \hfil
21075         \hb@xt@\columnwidth{%
21076         \bidi@lastcolumn@status@write%
21077         \box\@outputbox \hss}}}%
21078 \combinedblfloats
21079 \setmarks
21080 \outputpage
21081 \begingroup
21082 \dblfloatplacement
21083 \startdblcolumn
21084 \whiles\if@fcolmade \fi{\@outputpage
21085 \startdblcolumn}%
21086 \endgroup
21087 \fi}%
21088
21089
21090 \renewcommand{\@outputdblcol}{\if@RTLmain\RTL@outputdblcol\else\LTR@outputdblcol\fi}
21091 \newcommand{\RTLdblcol}{\renewcommand{\@outputdblcol}{\RTL@outputdblcol}}
21092 \newcommand{\LTRdblcol}{\renewcommand{\@outputdblcol}{\LTR@outputdblcol}}
21093
21094 \bidi@patchcmd\makecol{%
21095     \ifvoid\footins
21096     \setbox\@outputbox \box\@cclv
21097     \else
21098     \setbox\@outputbox \vbox {%
21099     \boxmaxdepth \@maxdepth
21100     \unvbox \@cclv
21101     \vskip \skip\footins
21102     \color@begingroup
21103     \normalcolor
21104     \footnoterule
21105     \unvbox \footins
21106     \color@endgroup
21107     }%
21108     \fi
21109 }{%
21110     \ifvoid\footins
21111     \ifvoid\@bidi@copyins@
21112     \setbox\@outputbox \box\@cclv
21113     \else
21114     \setbox\@outputbox \vbox {%
21115     \boxmaxdepth \@maxdepth
21116     \unvbox \@cclv
21117     \vskip \skip\@bidi@copyins@
21118     \color@begingroup
21119     \normalcolor

```



```

21120         \unvbox \@bidi@copyins@
21121         \color@endgroup
21122     }%
21123     \fi
21124 \else
21125     \setbox\@outputbox \vbox {%
21126         \boxmaxdepth \@maxdepth
21127         \unvbox \@cclv
21128         \vskip \skip\footins
21129         \color@begingroup
21130             \normalcolor
21131             \footnoterule
21132             \unvbox \footins
21133         \color@endgroup
21134         \ifvoid\@bidi@copyins@
21135         \else
21136             \vskip \skip\@bidi@copyins@
21137             \color@begingroup
21138                 \normalcolor
21139                 \unvbox \@bidi@copyins@
21140             \color@endgroup
21141         \fi
21142     }%
21143     \fi
21144 }{}{}
21145
21146 \def\LTRmarginpar{%
21147     \ifhmode
21148         \@bsphack
21149         \@floatpenalty -\@Mii
21150     \else
21151         \@floatpenalty-\@Miii
21152     \fi
21153     \ifinner
21154         \@parmoderr
21155         \@floatpenalty\z@
21156     \else
21157         \@next\@currbox\@freelist{}{}%
21158         \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
21159         {\@floatpenalty\z@
21160         \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
21161     \fi
21162     \@ifnextchar [\@LTRxmpar\@LTRympar}
21163 \long\def\@LTRxmpar[#1]#2{%
21164     \@LTRsavemarbox\@marbox{#1}%
21165     \@LTRsavemarbox\@currbox{#2}%
21166     \@xympar}
21167 \long\def\@LTRympar#1{%
21168     \@LTRsavemarbox\@marbox{#1}%
21169     \global\setbox\@currbox\copy\@marbox

```



```

21170 \@xympar}
21171 \long\def \@LTRsavemarbox #1#2{%
21172   \global\setbox #1%
21173     \color@vbox
21174     \vtop{%
21175       \hsize\marginparwidth
21176       \@parboxrestore
21177       \@LTRmarginparreset
21178       #2%
21179       \@minipagefalse
21180       \outer@nobreak
21181     }%
21182   \color@endbox
21183 }
21184 \def \@LTRmarginparreset {%
21185   \reset@font
21186   \normalsize
21187   \@minipagetrue
21188   \everypar{\@minipagefalse\everypar{}\beginL}%
21189 }
21190 \def\RTLmarginpar{%
21191   \ifhmode
21192     \@bsphack
21193     \@floatpenalty -\@Mii
21194   \else
21195     \@floatpenalty-\@Miii
21196   \fi
21197   \ifinner
21198     \@parmoderr
21199     \@floatpenalty\z@
21200   \else
21201     \@next\@currbox\@freelist{}\}%
21202     \@next\@marbox\@freelist{\global\count\@marbox\m@ne}%
21203     {\@floatpenalty\z@
21204       \@fltovf\def\@currbox{\@tempboxa}\def\@marbox{\@tempboxa}}%
21205   \fi
21206   \@ifnextchar [\@RTLxmpar\@RTLympar}
21207 \long\def\@RTLxmpar[#1]#2{%
21208   \@RTLsavemarbox\@marbox{#1}%
21209   \@RTLsavemarbox\@currbox{#2}%
21210   \@xympar}
21211 \long\def\@RTLympar#1{%
21212   \@RTLsavemarbox\@marbox{#1}%
21213   \global\setbox\@currbox\copy\@marbox
21214   \@xympar}
21215 \long\def \@RTLsavemarbox #1#2{%
21216   \global\setbox #1%
21217     \color@vbox
21218     \vtop{%
21219       \hsize\marginparwidth

```



```

21220         \@parboxrestore
21221         \@RTLmarginparreset
21222         #2%
21223         \@minipagefalse
21224         \outer@nobreak
21225     }%
21226     \color@endbox
21227 }
21228 \def \@RTLmarginparreset {%
21229     \reset@font
21230     \normalsize
21231     \@minipagetrue
21232     \everypar{\@minipagefalse\everypar{}\beginR}%
21233 }
21234 \def \@addmarginpar{\@next\@marbox\@currlist{\@cons\@freelist\@marbox
21235     \@cons\@freelist\@currbox}\@latexbug\@tempcnta\@ne
21236     \if@twocolumn
21237         \if@firstcolumn \@tempcnta\m@ne \fi
21238     \else
21239         \if@mparswitch
21240             \ifodd\c@page \else\@tempcnta\m@ne \fi
21241         \fi
21242         \if@reversemargin \@tempcnta -\@tempcnta \fi
21243     \fi
21244     \ifnum\@tempcnta <\z@ \global\setbox\@marbox\box\@currbox \fi
21245     \@tempdima\@mparbottom
21246     \advance\@tempdima -\@pageht
21247     \advance\@tempdima\ht\@marbox
21248     \ifdim\@tempdima >\z@
21249         \@latex@warning@no@line {Marginpar on page \thepage\space moved}%
21250     \else
21251         \@tempdima\z@
21252     \fi
21253     \global\@mparbottom\@pageht
21254     \global\advance\@mparbottom\@tempdima
21255     \global\advance\@mparbottom\dp\@marbox
21256     \global\advance\@mparbottom\marginparpush
21257     \advance\@tempdima -\ht\@marbox
21258     \global\setbox \@marbox
21259         \vbox {\vskip \@tempdima
21260             \box \@marbox}%
21261     \global \ht\@marbox \z@
21262     \global \dp\@marbox \z@
21263     \kern -\@pagedp
21264     \nointerlineskip
21265     \hb@xt@\columnwidth
21266     {\if@RTL\if@LTRmarginpar\beginL\else\beginR\fi\else\if@RTLmarginpar\beginR\else\beginL\fi
21267         \hskip\columnwidth \hskip\marginparsep
21268     \else
21269         \hskip -\marginparsep \hskip -\marginparwidth

```



```

21270     \fi
21271     \box\@marbox \hss\if@RTL\if@LTRmarginpar\endL\else\endR\fi\else\if@RTLmarginpar\endR\else
21272     \nointerlineskip
21273     \hbox{\vrule \@height\z@ \@width\z@ \@depth\@pagedp}}
21274 \long\def\@ympar#1{%
21275   \@savemarbox\@marbox{\if@RTL\if@LTRmarginpar\@RTLfalse\else\@RTLtrue\fi\else\if@RTLmarginpar
21276   \global\setbox\@currbox\copy\@marbox
21277   \@xympar}
21278 \def\setRTLmarginpar{\@RTLmarginpartrue\@LTRmarginparfalse}
21279 \def\setLTRmarginpar{\@LTRmarginpartrue\@RTLmarginparfalse}
21280 \def\setdefaultmarginpar{\@RTLmarginparfalse\@LTRmarginparfalse}
21281 \def\@stopline{\unskip\@stopfield\if@rjfield \global\@rjfieldfalse
21282   \@tempdima\@totalleftmargin \advance\@tempdima\linewidth
21283   \hbox to\@tempdima{\if@RTL\beginR\fi\@itemfudge\hskip\dimen\@curtabmar
21284     \box\@curline\hfil\box\@curfield\if@RTL\endR\fi}\else\@addfield
21285     \hbox to\linewidth{\if@RTL\beginR\fi\@itemfudge
21286     \hskip\dimen\@curtabmar\box\@curline\hfil\if@RTL\endR\fi}}%
21287 \fi}
21288
21289 \newcommand*{\@bidi@font@@outputpage}{\@}
21290
21291 \def\@outputpage{%
21292   \begingroup           % the \endgroup is put in by \aftergroup
21293   \let \protect \noexpand
21294   \@resetactivechars
21295   \global\let\@@if@newlist\if@newlist
21296   \global\@newlistfalse
21297   \@parboxrestore
21298   \global\let\@bidi@BeforeOutputPageShipOut\@firstofone
21299   \bidi@beforeoutputpageshipouthook
21300   \shipout \vbox{%
21301     \set@typeset@protect
21302     \aftergroup \endgroup
21303     \aftergroup \set@typeset@protect
21304                                     % correct? or just restore by ending
21305                                     % the group?
21306   \if@specialpage
21307     \global\@specialpagefalse\@nameuse{ps@\@specialstyle}%
21308   \fi
21309   \if@twoside
21310     \ifodd\count\z@ \let\@thehead\@oddhead \let\@thefoot\@oddfoot
21311     \if@RTLmain
21312       \let\@themargin\evensidemargin
21313     \else
21314       \let\@themargin\oddsidemargin
21315     \fi
21316   \else \let\@thehead\@evenhead \let\@thefoot\@evenfoot
21317     \if@RTLmain
21318       \let\@themargin\oddsidemargin
21319     \else

```



```

21320         \let\@themargin\evensidemargin
21321     \fi
21322 \fi
21323 \ifx\@thehead\@empty \let\@thehead\hfil \fi
21324 \ifx\@thefoot\@empty \let\@thefoot\hfil \fi
21325 \else %% not @twoside
21326 \ifx\@oddhead\@empty \let\@thehead\hfil \fi
21327 \ifx\@oddfoot\@empty \let\@thefoot\hfil \fi
21328 \fi
21329 \reset@font
21330 \normalsize
21331 \bidi@font@@outputpage
21332 \normalsfcodes
21333 \let\label\@gobble
21334 \let\index\@gobble
21335 \let\glossary\@gobble
21336 \baselineskip\z@skip \lineskip\z@skip \lineskiplimit\z@
21337 \begin@dv
21338 \vskip \topmargin
21339 \moveright\@themargin \vbox {%
21340     \global\let\bidi@BeforeHeader\@firstofone
21341     \bidi@beforeheaderhook
21342     \setbox\@tempboxa \vbox to\headheight{%
21343         \vfil
21344         \color@hbox
21345             \normalcolor
21346             \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@RTL
21347         \color@endbox
21348     }%
21349     \dp\@tempboxa \z@
21350     \box\@tempboxa
21351     \vskip \headsep
21352     \global\let\bidi@BeforeOutputBoxOutputPage\@firstofone
21353     \bidi@beforeoutputboxoutputpagehook
21354     \box\@outputbox
21355     \global\let\bidi@AfterOutputBoxOutputPage\@firstofone
21356     \bidi@afteroutputboxoutputpagehook
21357     \global\let\bidi@BeforeFooter\@firstofone
21358     \bidi@beforefooterhook
21359     \baselineskip \footskip
21360     \color@hbox
21361         \normalcolor
21362         \hb@xt@\textwidth{\if@RTLmain\@RTLtrue\beginR\else\@RTLfalse\beginL\fi\@thehead\if@RTL
21363     \color@endbox
21364     \global\let\bidi@AfterFooter\@firstofone
21365     \bidi@afterfooterhook
21366 }%
21367 }%
21368 \global\let\bidi@AfterOutputPageShipOut\@firstofone
21369 \bidi@afteroutputpageshipouthook

```



```

21370 \global\let\if@newlist\@if@newlist
21371 \global \colht \textheight
21372 \stepcounter{page}%
21373 \let\firstmark\botmark
21374 \global\let\bid@AtEndOutputPage\@firstofone
21375 \bid@atendoutputpagehook
21376 }
21377 \long\def\@makecaption#1#2{%
21378 \vskip\abovecaptionskip
21379 \sbox\@tempboxa{#1: #2}%
21380 \ifdim \wd\@tempboxa >\hsize
21381 \if@RTL\beginR\fi#1: #2\if@RTL\endR\fi\par
21382 \else
21383 \global \minipagefalse
21384 \hb@xt@\hsize{\if@RTL\beginR\fi\hfil\box\@tempboxa\hfil\if@RTL\endR\fi}%
21385 \fi
21386 \vskip\belowcaptionskip}
21387 \let\bid@saved@eqno=\eqno
21388 \let\bid@saved@leqno=\leqno
21389 \def\eqno{\ifnum\predisplaydirection<\z@ \bid@saved@leqno \else \bid@saved@eqno \fi}
21390 \def\leqno{\ifnum\predisplaydirection<\z@ \bid@saved@eqno \else \bid@saved@leqno \fi}
21391 \@ifpackageloaded{amsmath}{-}{-}
21392 \def\@eqnnum{\normalfont \normalcolor \if@RTL\beginR\fi(\theequation)\if@RTL\endR\fi}
21393 }
21394 \input{footnote-xetex-bidi.def}
21395 \if@twocolumn
21396 \let\autofootnoterule\relax
21397 \let\leftfootnoterule\relax
21398 \let\rightfootnoterule\relax
21399 \textwidthfootnoterule
21400 \fi
21401 \if@bid@csundef{\@idxitem}{-}{-}
21402 \renewcommand\@idxitem{\par\hangindent \if@RTL-\fi40\p@}%
21403 }
21404 \@ifpackageloaded{tocbasic}{\input{tocbasic-xetex-bidi.def}}{-}
21405 \@ifclassloaded{article}{\@ifclassloaded{svmult}}{-}{\input{article-xetex-bidi.def}}{-}
21406 \@ifclassloaded{extarticle}{\input{extarticle-xetex-bidi.def}}{-}
21407 \@ifclassloaded{artikel1}{\input{artikel1-xetex-bidi.def}}{-}
21408 \@ifclassloaded{artikel2}{\input{artikel2-xetex-bidi.def}}{-}
21409 \@ifclassloaded{artikel3}{\input{artikel3-xetex-bidi.def}}{-}
21410 \@ifclassloaded{amsart}{\input{amsart-xetex-bidi.def}}{-}
21411 \@ifclassloaded{letter}{\input{letter-xetex-bidi.def}}{-}
21412 \@ifclassloaded{scrlettr}{\input{scrlettr-xetex-bidi.def}}{-}
21413 \@ifclassloaded{extletter}{\input{extletter-xetex-bidi.def}}{-}
21414 \@ifclassloaded{memoir}{\input{memoir-xetex-bidi.def}}{-}
21415 \@ifclassloaded{refrep}{\input{refrep-xetex-bidi.def}}{-}
21416 \@ifclassloaded{extreport}{\input{extreport-xetex-bidi.def}}{-}
21417 \@ifclassloaded{report}{\@ifpackageloaded{flowfram}}{-}{\input{report-xetex-bidi.def}}{-}
21418 \@ifclassloaded{rapport1}{\input{rapport1-xetex-bidi.def}}{-}
21419 \@ifclassloaded{rapport3}{\input{rapport3-xetex-bidi.def}}{-}

```




```

21420 \ifclassloaded{scrartcl}{\input{scrartcl-xetex-bidi.def}}{}
21421 \ifclassloaded{scrbook}{\input{scrbook-xetex-bidi.def}}{}
21422 \ifclassloaded{scrreprt}{\input{scrreprt-xetex-bidi.def}}{}
21423 \ifclassloaded{amsbook}{\input{amsbook-xetex-bidi.def}}{}
21424 \ifclassloaded{extbook}{\input{extbook-xetex-bidi.def}}{}
21425 \ifclassloaded{boek}{\input{boek-xetex-bidi.def}}{}
21426 \ifclassloaded{boek3}{\input{boek3-xetex-bidi.def}}{}
21427 \ifclassloaded{book}{\ifpackageloaded{flowfram}}{\input{book-xetex-bidi.def}}{}
21428 \ifclassloaded{bookest}{\input{bookest-xetex-bidi.def}}{}
21429 \ifclassloaded{combine}{\input{combine-xetex-bidi.def}}{}
21430 \ifclassloaded{imsproc}{\input{imsproc-xetex-bidi.def}}{}
21431 \ifpackageloaded{amsmath}{}%
21432 \iftagsloaded{leqno}{\input{leqno-xetex-bidi.def}}{}
21433 \iftagsloaded{fleqn}{\input{fleqn-xetex-bidi.def}}{}
21434 }
21435 \ifpackageloaded{mathtools}{%
21436   \RequirePackage{graphicx}%
21437   \input{mathtools-xetex-bidi.def}%
21438 }{}
21439 \ifpackageloaded{crop}{\RequirePackage{graphicx}}{}
21440 \ifpackageloaded{sidecap}{\RequirePackage{ragged2e}}{}
21441 \ifpackageloaded{floatrow}{\RequirePackage{color}}{}
21442 \ifpackageloaded{algorithm2e}{\input{algorithm2e-xetex-bidi.def}}{}
21443 \ifpackagewith{algorithm2e}{algonl}{%
21444   \renewcommand{\theAlgoLine}{\expandafter\csname the\algocf@float\endcsname\@SepMark\arabic{AlgoLine}}
21445 }{}
21446 \ifpackagewith{algorithm2e}{algotpart}{\renewcommand{\algocf@within}{part}}{}
21447 \ifpackagewith{algorithm2e}{algotchapter}{\renewcommand{\algocf@within}{chapter}}{}
21448 \ifpackagewith{algorithm2e}{algotsection}{\renewcommand{\algocf@within}{section}}{}
21449 \ifpackageloaded{amsmath}{\input{amsmath-xetex-bidi.def}}{}
21450 \ifpackageloaded{amstext}{\input{amstext-xetex-bidi.def}}{}
21451 \ifpackageloaded{amsthm}{\input{amsthm-xetex-bidi.def}}{}
21452 \ifpackageloaded{breqn}{\input{breqn-xetex-bidi.def}}{}
21453 \ifpackageloaded{cals}{\input{cals-xetex-bidi.def}}{}
21454 \ifpackageloaded{caption}{\input{caption-xetex-bidi.def}}{}
21455 \ifpackageloaded{caption3}{\input{caption3-xetex-bidi.def}}{}
21456 \ifpackageloaded{floatrow}{\input{floatrow-xetex-bidi.def}}{}
21457 \ifpackageloaded{crop}{\ifclassloaded{memoir}}{\input{crop-xetex-bidi.def}}{}
21458 \ifpackageloaded{color}{\input{color-xetex-bidi.def}}{}
21459 \ifpackageloaded{cutwin}{\input{cutwin-xetex-bidi.def}}{}
21460 \ifpackageloaded{cuted}{\input{cuted-xetex-bidi.def}}{}
21461 \ifpackageloaded{xcolor}{\input{xcolor-xetex-bidi.def}}{}
21462 \ifpackageloaded{colortbl}{\input{colortbl-xetex-bidi.def}}{}
21463 \ifpackageloaded{float}{\ifpackageloaded{floatrow}}{\input{float-xetex-bidi.def}}{}
21464 \ifpackageloaded{flowfram}{\input{flowfram-xetex-bidi.def}}{}
21465 \ifpackageloaded{xltextra}{\input{xltextra-xetex-bidi.def}}{}
21466 \ifpackageloaded{wrapfig}{\input{wrapfig-xetex-bidi.def}}{}
21467 \ifpackageloaded{graphicx}{\input{graphicx-xetex-bidi.def}}{}
21468 \ifpackageloaded{geometry}{\input{geometry-xetex-bidi.def}}{}
21469 \ifpackageloaded{hvfloa}{\input{hvfloa-xetex-bidi.def}}{}

```



```

21470 \ifpackageloaded{ntheorem}{\input{ntheorem-xetex-bidi.def}}{}
21471 \ifpackageloaded{tabularx}{\input{tabularx-xetex-bidi.def}}{}
21472 \ifpackageloaded{longtable}{\input{longtable-xetex-bidi.def}}{}
21473 \ifpackageloaded{hyperref}{\input{hyperref-xetex-bidi.def}}{}
21474 \ifpackageloaded{ntheorem-hyper}{\input{ntheorem-hyper-xetex-bidi.def}}{}
21475 \ifpackageloaded{fancybox}{\input{fancybox-xetex-bidi.def}}{}
21476 \ifpackageloaded{fancyhdr}{\input{fancyhdr-xetex-bidi.def}}{}
21477 \ifpackageloaded{fix2col}{\input{fix2col-xetex-bidi.def}}{}
21478 \ifpackageloaded{ftnright}{\input{ftnright-xetex-bidi.def}}{}
21479 \ifpackageloaded{midfloat}{\input{midfloat-xetex-bidi.def}}{}
21480 \ifpackageloaded{draftwatermark}{\input{draftwatermark-xetex-bidi.def}}{}
21481 \ifpackageloaded{dblfnote}{\input{dblfnote-xetex-bidi.def}}{}
21482 \ifpackageloaded{diagbox}{\input{diagbox-xetex-bidi.def}}{}
21483 \ifpackageloaded{eso-pic}{\input{eso-pic-xetex-bidi.def}}{}
21484 \ifpackageloaded{empheq}{\input{empheq-xetex-bidi.def}}{}
21485 \ifpackageloaded{framed}{\input{framed-xetex-bidi.def}}{}
21486 \ifpackageloaded{overpic}{\input{overpic-xetex-bidi.def}}{}
21487 \ifpackageloaded{pdfbase}{\input{pdfbase-xetex-bidi.def}}{}
21488 \ifpackageloaded{pdfpages}{\input{pdfpages-xetex-bidi.def}}{}
21489 \ifpackageloaded{lettrine}{\input{lettrine-xetex-bidi.def}}{}
21490 \ifpackageloaded{lineno}{\input{lineno-xetex-bidi.def}}{}
21491 \ifpackageloaded{listings}{\input{listings-xetex-bidi.def}}{}
21492 \ifpackageloaded{media9}{\RequirePackage{bidi-media9}}{}
21493 \iftexfileloaded{pstricks}{\input{pstricks-xetex-bidi.def}}{}
21494 \iftexfileloaded{pgfcorescopes.code}{\input{pgfcorescopes.code-xetex-bidi.def}}{}
21495 \ifpackageloaded{titlesec}{\input{titlesec-xetex-bidi.def}}{}
21496 \ifpackageloaded{titletoc}{\input{titletoc-xetex-bidi.def}}{}
21497 \ifpackageloaded{array}{\input{array-xetex-bidi.def}}{}
21498 \ifpackageloaded{sidecap}{\input{sidecap-xetex-bidi.def}}{}
21499 \ifpackagewith{sidecap}{innercaption}{%
21500 \if@RTL \renewcommand*{\SC@FLOAT}[2]{%
21501 \isSC@ODD{#2}\hspace{\sidecaptionsep}{#1}} {{#1}\hspace{\sidecaptionsep}{#2}}
21502 \renewcommand*\SC@justify@caption{%
21503 \isSC@ODD{\RaggedRight}{\RaggedLeft}}\else
21504 \renewcommand*\SC@FLOAT[2]{%
21505 \isSC@ODD{#1}\hspace{\sidecaptionsep}{#2}} {{#2}\hspace{\sidecaptionsep}{#1}}
21506 \renewcommand*\SC@justify@caption{%
21507 \isSC@ODD{\RaggedLeft}{\RaggedRight}}\fi
21508 }{}
21509 \ifpackagewith{sidecap}{rightcaption}{%
21510 \if@RTL\renewcommand*\SC@FLOAT[2]{{#1}\hspace{\sidecaptionsep}{#2}}
21511 \def\SC@justify@caption{\RaggedLeft}\else%
21512 \renewcommand*\SC@FLOAT[2]{{#2}\hspace{\sidecaptionsep}{#1}}
21513 \def\SC@justify@caption{\RaggedRight}\fi%
21514 }{}
21515 \ifpackagewith{sidecap}{leftcaption}{%
21516 \if@RTL \renewcommand*\SC@FLOAT[2]{{#2}\hspace{\sidecaptionsep}{#1}}
21517 \def\SC@justify@caption{\RaggedRight}\else%
21518 \renewcommand*\SC@FLOAT[2]{{#1}\hspace{\sidecaptionsep}{#2}}
21519 \def\SC@justify@caption{\RaggedLeft}\fi%

```



```

21520 }{}
21521 \@ifpackageloaded{soul}{\input{soul-xetex-bidi.def}}{}
21522 \@ifpackageloaded{stabular}{\input{stabular-xetex-bidi.def}}{}
21523 \@ifpackageloaded{subfigure}{\input{subfigure-xetex-bidi.def}}{}
21524 \@ifpackageloaded{arydshln}{\input{arydshln-xetex-bidi.def}}{}
21525 \@ifpackageloaded{mdframed}{\input{mdframed-xetex-bidi.def}}{}
21526 \@ifpackageloaded{multicol}{\input{multicol-xetex-bidi.def}}{}
21527 \@ifpackageloaded{adjmulticol}{\input{adjmulticol-xetex-bidi.def}}{}
21528 \@ifpackageloaded{multienum}{\input{multienum-xetex-bidi.def}}{}
21529 \@ifpackageloaded{natbib}{\input{natbib-xetex-bidi.def}}{}
21530 \@ifpackageloaded{newfloat}{\input{newfloat-xetex-bidi.def}}{}
21531 \@ifpackageloaded{minitoc}{\input{minitoc-xetex-bidi.def}}{}
21532 \@ifpackageloaded{picinpar}{\input{picinpar-xetex-bidi.def}}{}
21533 \@ifpackageloaded{quotchap}{\input{quotchap-xetex-bidi.def}}{}
21534 \@ifpackageloaded{ragged2e}{\input{ragged2e-xetex-bidi.def}}{}
21535 \@ifpackageloaded{rotating}{\input{rotating-xetex-bidi.def}}{}
21536 \@ifpackageloaded{tabls}{\input{tabls-xetex-bidi.def}}{}
21537 \@ifpackageloaded{tabulary}{\input{tabulary-xetex-bidi.def}}{}
21538 \@ifpackageloaded{tcolorbox}{\input{tcolorbox-xetex-bidi.def}}{}
21539 \@ifpackageloaded{tocstyle}{\input{tocstyle-xetex-bidi.def}}{}
21540 \@ifpackageloaded{tocbibind}{\@ifclassloaded{memoir}}{\input{tocbibind-xetex-bidi.def}}{}
21541 \@ifpackageloaded{tocloft}{\@ifclassloaded{memoir}}{\input{tocloft-xetex-bidi.def}}{}
21542 \@ifdefinitionfileloaded{tc-xetex}{\input{tc-xetex-bidi.def}}{}
21543 \@ifpackageloaded{todonotes}{\input{todonotes-xetex-bidi.def}}{}

```

128 File xltextra-xetex-bidi.def

```

21544 \ProvidesFile{xltextra-xetex-bidi.def}[2010/07/25 v0.1 bidi adaptations for xltextra package for
21545 \let\@XeTeX\XeTeX
21546 \def\XeTeX{\@ensure@LTR{\@XeTeX}}
21547 \let\@XeLaTeX\XeLaTeX
21548 \def\XeLaTeX{\@ensure@LTR{\@XeLaTeX}}

```

129 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols	\- 1774, 11530, 13750, 15746	17691, 18374, 19035
\# . . . 3058, 3104, 3213, 3221		\/ 2040
\% 11411	\. 93, 296, 579,	\: 13894, 13953
\' . . . 11531, 13751, 15747	711, 974, 1224,	\< 18669
\(. 13852	1773, 6491, 6679,	\= . . . 11531, 13751, 15747
\) 13853	6991, 8512, 8786,	\> 18670
\, 5297, 11794,	10620, 12924,	\@ 3128
16341, 16384,	15141, 15909,	\@@ 18848, 18850
20330, 20341, 20721	16303, 16500,	\@@@bidi@AfterClass
	16703, 17111,	



..... 3983, 3988	\@if@newlist . 10942,	\@underline
\@@bidi@AfterPackage	10974, 21295, 21370	. 20884, 20886, 20888
..... 4028, 4032	\@input 3881, 3898	\@DEBUGfalse 2320
\@H@footnotetext	\@italiccorr	\@False 7014, 7016
..... 8830, 8845	... 336, 7035, 13731	\@LTRbibitemfalse
\@H@mpfootnotetext	\@line 9154, 20735, 20737
..... 8833, 8851	9158, 16729,	\@LTRbibitemstrue 20736
\@HLTR@LTRfootnotetext	16738, 16776,	\@LTRbidityftesidenote@sidenote
..... 8831, 8847	16787, 20863,	... 5413, 5472, 5476
\@HLTR@mpLTRfootnotetext	20864, 20866,	\@LTRbidityftesidenotemarginparreset
..... 8834, 8853	20867, 20869, 20870 5048, 5055
\@HRTL@RTLfootnotetext	\@makecaption	\@LTRbidityftesidenotesavemarbox
..... 8832, 8849	.. 17153, 17232, 5035,
\@HRTL@mpRTLfootnotetext	17254, 17733,	5036, 5039, 5042
..... 8835, 8855	17812, 17834,	\@LTRbidityftesidenotexmpar
\@LTR 15597,	18416, 18495, 18517 5033, 5034
15599, 20681, 20683	\@makefnmark . 16875,	\@LTRbidityftesidenoteympar
\@LaTeX ... 20686, 20687	16877, 17424, 5033, 5038
\@LaTeXe .. 20688, 20689	17426, 17994,	\@LTRfootgroupv@l .
\@RTL 15596,	17995, 18123, 18125 9053,
15599, 20680, 20683	\@math 7026	9061, 10208, 10266
\@Radio ... 12863, 12871	\@mix 20524, 20567	\@LTRfootnotetext 64,
\@TeX 15600,	\@mod .. 20525, 20529,	81, 155, 156, 157,
15601, 20684, 20685	20530, 20533,	266, 284, 2176,
\@XeLaTeX . 21547, 21548	20534, 20535,	2298, 5342, 5425,
\@XeTeX ... 21545, 21546	20538, 20568,	5432, 6148, 6159,
\@author 5913, 5916, 5919	20572, 20573,	6372, 6386, 7984,
\@bidi@AfterClass	20576, 20577,	7985, 8831, 8846,
..... 3982, 3999	20578, 20581, 20600	8847, 8917, 8965,
\@bidi@AfterPackage	\@par 13749,	8973, 9170, 9279,
..... 4027, 4042	15745, 16336,	9382, 9491, 9600,
\@bidi@PreventPackageFromLoading	6379, 16858,	9709, 9818, 9927,
... 4073, 4075, 4077	16865, 17407,	10036, 10195,
\@bidi@pop 3691,	17414, 17980,	10253, 11197,
3694, 3695, 3698, 3700	17985, 18106,	11203, 11247,
\@bidi@popinto ...	18113, 18960,	11273, 11331,
... 3691, 3694, 3695	18962, 20802, 20917	11356, 11362,
\@clr .. 20525, 20530,	\@para@footstart@v@l	12297, 12325,
20533, 20535, 10210, 10268	12404, 12423,
20536, 20538,	\@protect 2989	12617, 12621,
20568, 20573,	\@startpbox .. 13625,	12641, 12642,
20576, 20578,	18745, 18783, 20911	13686, 13807,
20579, 20581, 20600	\@title . 5912, 5915, 5918	14935, 14936,
\@cls 20520, 20563	\@tmp 20529,	14937, 16840,
\@date .. 5914, 5917, 5920	20530, 20535,	16846, 17159,
\@end 3353, 3354	20536, 20538,	17160, 17170,
\@endpbox ... 13626,	20539, 20572,	17389, 17395,
18745, 18783, 20911	20573, 20578,	17739, 17740,
\@footstart@v@l .	20579, 20581,	17750, 18088,
. 9060, 10210, 10268	20582, 20600, 20601	18094, 18422,



18423, 18433,	5064, 7505, 7514,	9986, 9998, 10050,
18814, 18831, 18923	7524, 7679, 7688,	10060, 10095,
\@LTRmarginparfalse	7698, 21149, 21193	10107, 10429,
..... 21278, 21280	\@Miii 2253, 4978, 5022,	10448, 10609,
\@LTRmarginparreset	5066, 21151, 21195	11215, 11248,
..... 21177, 21184	\@RTL@footnotefalse	11291, 11305,
\@LTRmarginpartrue 21279	... 1700, 11040,	12918, 13240,
\@LTRsavemarbox 21164,	11207, 15580,	13263, 13267,
21165, 21168, 21171	15585, 20664, 20669	13274, 13283,
\@LTRxmpar . 21162, 21163	\@RTL@footnotetrue	13740, 14547,
\@LTRympar . 21162, 21167	... 1698, 11040,	15132, 15296,
\@M . 6, 92, 105, 201, 225,	11206, 15582,	15344, 15542,
295, 551, 615, 616,	15584, 20666, 20668	15576, 15580,
640, 744, 867, 922,	\@RTLbibitemfalse	15585, 15634,
923, 996, 1116, 20736, 20737	15898, 16292,
1117, 1123, 1246,	\@RTLbibitemstrue 20735	16486, 16689,
2103, 2108, 5644,	\@RTLbidituftesidenote@sidenote	17089, 17669,
6412, 6413, 6419,	... 5442, 5473, 5477	18352, 19021,
6533, 6589, 6590,	\@RTLbidituftesidenotemarginparreset	20657, 20657,
6596, 6710, 6760, 5092, 5099	20664, 20669,
6955, 6963, 7030,	\@RTLbidituftesidenotesavemarbox	20817, 20835,
8479, 8492, 8749, 5079,	21275, 21346, 21362
8758, 9154, 9158,	5080, 5083, 5086	\@RTLfootnotetext 48,
10586, 10594,	\@RTLbidituftesidenotexmpar	80, 159, 160, 161,
10915, 12923, 5077, 5078	251, 283, 2177,
12937, 12961,	\@RTLbidituftesidenoteympar	2299, 5360, 5454,
14794, 14806, 5077, 5082	5461, 6149, 6160,
14818, 15685,	\@RTLcolumnfootnotesfalse	6373, 6387, 8005,
15807, 15808, 8983	8006, 8832, 8848,
15832, 15942,	\@RTLcolumnfootnotetrue	8849, 8903, 8966,
16081, 16204, 8982	8974, 9171, 9280,
16257, 16258,	\@RTLfalse 36,	9383, 9492, 9601,
16319, 16320,	66, 87, 239, 268,	9710, 9819, 9928,
16674, 16682,	290, 565, 700,	10037, 10196,
18839, 18946,	963, 1213, 1658,	10254, 11188,
18987, 19121,	1664, 1682, 2546,	11194, 11231,
19152, 19175,	6480, 6668, 6977,	11272, 11332,
19192, 19209,	6996, 7008, 7021,	11371, 11377,
19226, 19243,	8501, 8772, 8891,	12296, 12314,
19260, 19278,	8919, 8932, 8943,	12389, 12424,
19297, 19317,	9184, 9194, 9229,	12616, 12620,
19352, 19685,	9241, 9293, 9302,	12638, 12639,
20146, 20260, 20942	9335, 9346, 9396,	13687, 13808,
\@MM . . . 41, 55, 71, 244,	9406, 9441, 9453,	14939, 14940,
258, 273, 7982,	9505, 9515, 9550,	14941, 16841,
8003, 8050, 8057,	9562, 9614, 9624,	16850, 17161,
8102, 8109, 9081,	9658, 9670, 9723,	17162, 17172,
11220, 11237, 11253	9733, 9767, 9779,	17390, 17399,
\@Mi 7026, 13700	9832, 9842, 9877,	17741, 17742,
\@Mii . 2251, 4976, 5020,	9889, 9941, 9951,	17752, 18089,



18098, 18424,	15543, 15568,	14440, 14442,
18425, 18435,	15582, 15584,	14443, 14445,
18815, 18832, 18924	15898, 16292,	14446, 14447,
\@RTLmainfalse . 1583,	16486, 16689,	15175, 15183,
1587, 1864, 1868	17089, 17669,	15185, 15913,
\@RTLmaintrue . 1586, 1867	18352, 19021,	15914, 15915,
\@RTLmarginparfalse	20623, 20648,	15916, 15917,
..... 21279, 21280	20666, 20668,	15919, 15921,
\@RTLmarginparreset	20826, 20844,	15923, 16278,
..... 21221, 21228	21275, 21346, 21362	16279, 16280,
\@RTLmarginpartrue 21278	\@RTLxmpar . 21206, 21207	16281, 16282,
\@RTLsavemarbox 21208,	\@RTLympar . 21206, 21211	16284, 16286,
21209, 21212, 21215	\@Reset 12896, 12905	16288, 16473,
\@RTLtabfalse .. 402,	\@SepMark 19,	16475, 16477,
1562, 1670, 20658,	20, 21, 22, 168,	16478, 16479,
20664, 20669,	214, 215, 216, 217,	16480, 16481,
20817, 20835, 20922	334, 343, 539, 540,	16482, 16655,
\@RTLtabtrue	541, 542, 693, 694,	16657, 16659,
.... 1561, 1668,	695, 696, 947, 948,	16661, 16662,
20649, 20666,	949, 950, 1206,	16663, 16664,
20668, 20705,	1207, 1208, 1209,	16665, 17063,
20712, 20826, 20844	6506, 6507, 6508,	17064, 17066,
\@RTLtrue 36, 50, 87, 239,	6509, 6510, 6512,	17068, 17070,
253, 290, 565, 700,	6514, 6516, 6683,	17611, 17614,
963, 1213, 1656,	6684, 6685, 6686,	17616, 17620,
1662, 1680, 2546,	6687, 6689, 6691,	17622, 17624,
6480, 6668, 6977,	6693, 6934, 6936,	17626, 17630,
7035, 7037, 8501,	6938, 6940, 6941,	17632, 17638,
8772, 8891, 8905,	6942, 6943, 6944,	17640, 17646,
8932, 8954, 9184,	8612, 8613, 8614,	17648, 18310,
9204, 9229, 9254,	8615, 8728, 8730,	18312, 18315,
9293, 9311, 9335,	8732, 8734, 8735,	18317, 18319,
9358, 9396, 9416,	8736, 8737, 8738,	18321, 18324,
9441, 9466, 9505,	10712, 10713,	18328, 18332,
9525, 9550, 9575,	10714, 10715,	19095, 19339,
9614, 9634, 9658,	10716, 10718,	20732, 20734, 21444
9683, 9723, 9743,	10720, 10722,	\@Submit . . . 12879, 12888
9767, 9792, 9832,	10882, 10888,	\@TextField . 12847, 12855
9852, 9877, 9902,	11010, 11012,	\@True . . . 7009, 7015, 7047
9941, 9961, 9986,	11014, 11016,	\@Undottedtocline 14801
10011, 10050,	11017, 11018,	\@Undottedtoclinep 14813
10070, 10095,	11019, 11020,	\@acci 11531, 13751, 15747
10120, 10419,	11023, 11025,	\@accii 11531, 13751, 15747
10439, 10609,	11027, 11029,	\@acciii
11215, 11232,	11030, 11031,	. 11531, 13751, 15747
11277, 11305,	11032, 11033,	\@acol 1430, 1438, 2185,
12918, 13240,	12974, 12975,	13622, 18729,
13263, 13274,	12976, 12977,	20714, 20894, 20920
13283, 13743,	13300, 14434,	\@acolampacol . . 1428,
14547, 15132,	14436, 14438,	1430, 1436, 1438



\@addamp	1429, 1437	6936, 6938, 6939,	17070, 17092,
\@addfield	21284	6940, 6941, 6942,	17108, 17618,
\@addmarginpar . . .	21234	6943, 6944, 6979,	17620, 17622,
\@address	2438,	6986, 8503, 8510,	17624, 17626,
	7839, 7840, 7937, 7939	8612, 8613, 8614,	17634, 17642,
\@addresscolour	2407,	8615, 8728, 8730,	17650, 17672,
	2424, 7838, 7936	8732, 8733, 8734,	17688, 18313,
\@addtofilelist	3881, 3897	8735, 8736, 8737,	18315, 18317,
\@addtopreamble . . .		8738, 8774, 8781,	18319, 18321,
	. . . 1401, 1464, 7108	10611, 10618,	18325, 18329,
\@addtoreset		10712, 10713,	18333, 18355,
 332, 10885,	10714, 10715,	18371, 19023, 19030
	15173, 15179, 15181	10716, 10718,	\@argdef
\@adviper	7452	10720, 10722,	2949
\@afterheading		11010, 11012,	\@array 377, 398, 1363,
	. 561, 2086, 2096,	11014, 11015,	1364, 18766, 20900
	8489, 8497, 13763	11016, 11017,	\@arrayacol
\@afterindentfalse		11018, 11019,	20920
	. . 2086, 2096, 13762	11020, 11023,	\@arrayclassiv . . .
\@afterindenttrue .		11025, 11027,	20921
	. . 640, 867, 1123,	11028, 11029,	\@arrayclassz
	5643, 6419, 6596,	11030, 11031,	. 1428, 18770, 20920
	14793, 14805,	11032, 11033,	\@arraycr 397, 13631, 20922
	14817, 15832,	13300, 13302,	\@arrayleft
	16204, 19120,	14434, 14436,	390
	19151, 19174,	14438, 14440,	\@arrayparboxrestore
	19191, 19208,	14442, 14445, 13689, 15742
	19225, 19242,	14446, 14447,	\@arrayright
	19259, 19277,	15900, 15907,	399
	19296, 19316,	15913, 15914,	\@arrayrule 1383, 1384,
	19351, 19684,	15915, 15916,	1385, 1421, 1422, 1423
	20139, 20259, 20941	15917, 15919,	\@arstddepth
\@algocf@finish . . .	179	15921, 15923,	. 18763, 18768, 18786
\@algocf@start	171	16278, 16279,	\@arstheight 18768, 18786
\@ampacol	1428, 1436	16280, 16281,	\@arstrut 387,
\@arabic	168,	16282, 16284,	13645, 18744, 20910
	539, 540, 541, 542,	16286, 16288,	\@arstrutbox . . . 380,
	567, 574, 693, 694,	16294, 16301,	13633, 13690,
	695, 696, 702, 709,	16473, 16475,	18737, 18778,
	947, 948, 949, 950,	16477, 16478,	18782, 18786, 20903
	965, 972, 1206,	16479, 16480,	\@author 421,
	1207, 1208, 1209,	16481, 16482,	435, 471, 492, 755,
	1215, 1222, 2558,	16488, 16495,	757, 775, 820, 839,
	6482, 6489, 6506,	16655, 16657,	1007, 1009, 1027,
	6507, 6508, 6509,	16659, 16660,	1072, 1091, 1257,
	6510, 6512, 6514,	16661, 16662,	1259, 1277, 1322,
	6516, 6670, 6677,	16663, 16664,	1342, 1353, 1985,
	6683, 6684, 6685,	16665, 16691,	5845, 5847, 5916,
	6686, 6687, 6689,	16698, 17064,	6544, 6546, 6564,
	6691, 6693, 6934,	17066, 17068,	6721, 6723, 6741,
			6816, 6830, 6866,
			6887, 8539, 8551,
			8585, 8604, 8634,
			8648, 8684, 8705,
			10639, 10651,



10685, 10704,	4004, 4009, 4016	21134, 21136, 21139
14403, 15953,	\@bidi@AfterPackage	\@bidi@emptytoks ..
15955, 15973, 4028,	... 2650, 2655, 2679
16018, 16037,	4047, 4051, 4058	\@bidi@envbody
16092, 16094,	\@bidi@EqualStringX 2649, 2651,
16114, 16161,	... 3486, 3487, 3488	2653, 2654, 2655,
16183, 16194,	\@bidi@PreventPackageFromLoading	2675, 2677, 2678, 2679
16350, 16364,	... 4068, 4069, 4071	\@bidi@fi 3567,
16405, 16426,	\@bidi@UnPreventPackageFromLoading	3568, 3569, 3570,
16537, 16551,	... 4160, 4161, 4164	3574, 3575, 3579,
16587, 16608,	\@bidi@after@Hy@hyperfootnotes	3580, 3584, 3585,
16932, 16995, 8840,	3590, 3591, 3595, 3596
17046, 17481,	8978, 9179, 9288,	\@bidi@ifnxtc
17544, 17595,	9391, 9500, 9609,	... 3534, 3537, 3538
18180, 18243, 18294	9718, 9827, 9936,	\@bidi@info 1499, 1523,
\@auxout .. 1718, 1722,	10045, 10214, 10276	1525, 1821, 1845, 1847
2601, 6319, 20986	\@bidi@append@to@cslist	\@bidi@inslogo@ ...
\@badmath .. 10847, 10861	... 3633, 3637, 3643 1602, 1731,
\@begin@tempboxa ..	\@bidi@append@to@list	1733, 1883, 1908, 1933
..... 11807, 3637,	\@bidi@list@minipage@parbox@not@nobtrue
11903, 11910, 20802	3639, 3641, 3644, 3651 11320, 20790
\@begin@dv .. 10913, 21337	\@bidi@before@Hy@hyperfootnotes	\@bidi@list@minipage@parboxfalse
\@begin@parpenalty 8826, 18933
..... 2099,	8971, 9168, 9277,	\@bidi@list@minipage@parboxtrue
2108, 10850, 10864	9380, 9489, 9598,	. 11321, 20794, 20797
\@bib@break	9707, 9816, 9925,	\@bidi@logo 1618,
. 17084, 17664, 18347	10034, 10193, 10247	1637, 1891, 1907
\@biblabel .. 89, 292,	\@bidi@copy@stacktop	\@bidi@logo@
567, 568, 702, 703, 3697, 3700 1602, 1634,
965, 966, 1215,	\@bidi@copyins@ 1598,	1733, 1883, 1907, 1908
1216, 6482, 6483,	1599, 1600, 1601,	\@bidi@logo@hb@xt@
6670, 6671, 6979,	1602, 1879, 1880, 1884, 1907
6980, 8503, 8504,	1881, 1882, 1883,	\@bidi@logo@hb@xt@columwidth
8774, 8775, 10611,	9064, 9066, 9069, 1603, 1635
10612, 12920,	11559, 11560,	\@bidi@lst@makecaption
15134, 15900,	11561, 11562, 13237,
15901, 16294,	11572, 11573,	13253, 13254,
16295, 16488,	11621, 11622,	13285, 13286,
16489, 16691,	11678, 11679,	13287, 13291, 13293
16692, 17092,	11680, 11681,	\@bidi@mdf@RTLtrue 13739
17094, 17672,	11698, 11699,	\@bidi@patch@AfterPackage
17674, 18355,	11717, 11726, 4353, 4356
18357, 19023, 19024	11738, 11744,	\@bidi@pdfcreator .
\@bibsetup	11748, 11760, 1573,
\@bibtitlestyle ...	11762, 11765,	1806, 1909, 1923
..... 84, 287, 12915	11796, 14963,	\@bidi@pdfcustomproperties
\@bidi@stpelt	14964, 15053, 1579,
... 3421, 3427, 3431	15609, 15611,	1809, 1915, 1926
\@bidi@AfterClass .	15612, 21111,	\@bidi@pdfencryptfalse
..... 3983,	21117, 21120, 1786



\@bidi@pdfencrypttrue 1788, 1791	\@bidi@void@footinstrue 10518, 10533	\@biditytffloat@float@textwidth 4650, 4679
\@bidi@pdfm@markfalse 1740, 1931	\@bidi@w@w 3616	\@biditytffloat@fps 4591, 4606
\@bidi@pdfm@marktrue 1738, 1930	\@bidideclaredcolor 7160,	\@biditytffloat@fullwidth 4521,
\@bidi@pdfproducer 1576,	7167, 20560, 20589	4527, 4528, 4529, 4629
1807, 1912, 1924	\@biditytffloat@L@R@sidenote@normal@bidi@true 5208,	\@biditytffloat@justification 4489
\@bidi@perpage@footnotefalse 1750	5287, 5407, 5436,	\@biditytffloat@justification@autodetect 4429, 4559
\@bidi@perpage@footnotetrue 1748	5465, 5487, 5496, 5505	\@biditytffloat@label 4588, 4615
\@bidi@prepend@to@cslist ... 3635, 3683, 3685 5227,	\@biditytffloat@margin@floatbox ... 4537, 4540, 4551
\@bidi@removefromreset ... 2776, 2777, 2779	5288, 5408, 5437,	\@biditytffloat@margin@par 4459, 4546
\@bidi@replacefilewithext ... 3945, 3949, 3952	5466, 5488, 5497, 5506	\@biditytffloat@margin@font 4486, 4487
\@bidi@saveprimitive 2637	\@biditytffloat@caption 4581, 4614	\@biditytffloat@orig@caption ... 4612, 4640, 4670
\@bidi@stepcounter 3420, 3426 4522,	\@biditytffloat@orig@endfloat ... 4575, 4653, 4904
\@bidi@tabular@RTLcases ... 20703, 20705, 20712	4531, 4532, 4913	\@biditytffloat@orig@float ... 4574, 4627, 4903
\@bidi@todonotes@align 20306,	\@biditytffloat@caption@float 4487, 4488, 4542,	\@biditytffloat@orig@label 4739, 4910, 4916, 4929
20307, 20339, 4429, 4545, 4739	\@biditytffloat@caption@justification... 4613,
20380, 20383,	\@biditytffloat@caption@overhang 4576, 4577,	4621, 4641, 4671
20386, 20389,	4585, 4649, 4650, 4677	\@biditytffloat@overhang 4520, 4524, 4525,
20414, 20419, 20420 4504, 4601	4723, 4724, 4763, 4764
\@bidi@todonotes@figposition@orig@false 20321 4572,	\@biditytffloat@pkgname ... 4404, 4405, 4407
\@bidi@todonotes@figposition@orig@true 20319	4631, 4649, 4650, 4672	\@biditytffloat@stored@caption 4579,
\@bidi@todonotes@textdirection ... 20308, 20312,	\@biditytffloat@float@convert@true 4593,	4586, 4640, 4675
20315, 20419, 20420 4630, 4632	... 4580, 4589,
\@bidi@todonotes@textdirection@RTL@false 20314	\@biditytffloat@float@debug 4562, 4568,	4641, 4657, 4659, 4676
\@bidi@todonotes@textdirection@RTL@true 20311	4570, 4571, 4603,	\@biditytffloat@stored@shortcaption 4578,
\@bidi@unreplacefilewithext ... 3954, 3960, 3963	4604, 4607, 4609,	4583, 4584, 4640, 4674
\@bidi@void@cmpfootinsfalse 9120	4610, 4687, 4694,	\@biditytffloat@generalstructure@reset@par 5689, 5695
\@bidi@void@cmpfootinstrue 9118	4701, 4702, 4705, 4706	\@biditytffloat@heading@newlinetospace 4745, 4754
\@bidi@void@footinsfalse 10521, 10535	\@biditytffloat@float@debug@info 4561, 4563,	\@biditytffloat@heading@newlinetospace@i 4746, 4748
	4564, 4565, 4662, 4669	\@biditytffloat@heading@orig@cr 4753, 4757



\@bidityftesidenote@LTRcitations@font	\@bidityftesidenote@normal@font	\@bidityftesidenote@normal@font
... 5115, 5124, 5214	... 5189,	2250, 4975, 5019,
\@bidityftesidenote@LTRmarginfont	5286, 5406, 5435,	5063, 21148, 21192
... 5106,	5464, 5486, 5495, 5504	\@bsthanksheadpost 14409
5109, 5112, 5115	\@bidityftesidenote@print@font	\@bsthanksheadpre 14409
\@bidityftesidenote@LTRmarginnote@font	5405, 5434,	\@caption ...
... 5112, 5121, 5493	5463, 5485, 5494, 5503	. 4730, 14529, 14532
\@bidityftesidenote@LTRsidenote@font	\@bidityftesidenote@sidenote	\@captionabovefalse
... 5109, 5118	... 5384, 5471, 5475	. 17272, 17852, 18535
\@bidityftesidenote@RTLcitations@font	\@bidityftesidenote@sidenote@citations	\@captionabovetrue
... 5116, 5125	... 5280	. 17270, 17850, 18533
\@bidityftesidenote@RTLmarginfont	\@bidityftesidenote@sidenote@font	\@capttype ... 2190,
... 5107,	... 5108,	2238, 2286, 4543,
5110, 5113, 5116	5117, 5293, 5294, 5297	14522, 14526,
\@bidityftesidenote@RTLmarginnote@font	\@bidityftesidenote@sidenote@justification	14522, 14523, 16756
... 5113, 5122, 5502	... 5126, 5293, 5294	\@cclv 8017, 8074, 10490,
\@bidityftesidenote@RTLsidenote@font	\@bidityftesidenote@sidenote@vertical@offset	10491, 10519,
... 5110, 5119	... 5381,	10530, 11693,
\@bidityftesidenote@add@citation	5382, 5388, 5390,	11705, 11739,
... 5249, 5282	5396, 5403, 5417,	11742, 11743,
\@bidityftesidenote@check@multiple@sidenotes	5419, 5425, 5432,	11753, 11754,
... 5307, 5315	5446, 5448, 5454, 5461	13704, 13709,
\@bidityftesidenote@citation@font	\@bidityftesidenote@trim@b	13721, 15603,
... 5114,	... 5159, 5166	21096, 21100,
5123, 5195, 5233, 5261	\@bidityftesidenote@trim@c	21112, 21116, 21127
\@bidityftesidenote@citation@justification	... 5163, 5166, 5171	\@cclvi ... 10237,
... 5128, 5262	\@bidityftesidenote@trim@spaces	10239, 10299, 10301
\@bidityftesidenote@citations	5148, 5151, 5200,	\@centercr 5717, 15693,
... 5248, 5250,	5202, 5219, 5221,	15706, 15719,
5251, 5253, 5258,	5238, 5240, 5270, 5272	18939, 18968, 20853
5267, 5386, 5415,	\@bidityftesidenotemargin@reset	\@cftasnum ... 19125,
5444, 5483, 5492, 5501	... 5004, 5011	19156, 19179,
\@bidityftesidenote@infotnote@cite	\@bidityftesidenotesavem@box	19196, 19213,
5281, 5385, 5414,	... 4991,	19230, 19247,
5443, 5482, 5491, 5500	4992, 4995, 4998	19264, 19282,
\@bidityftesidenote@justification@autodetect	\@bidityftesidenotexmpar	19301, 19321, 19356
... 5126,	... 4989, 4990	\@cftasnumb ... 19126,
5127, 5128, 5129	\@bidityftesidenoteympar	19157, 19180,
\@bidityftesidenote@margin@par	... 4989, 4994	19197, 19214,
... 5130,	\@bidityftetoc@lof@line	19231, 19248,
5263, 5330, 5348,	... 5636, 5652	19265, 19283,
5366, 5484, 5493, 5502	\@bidityftetoc@pkgname	19302, 19322, 19357
\@bidityftesidenote@margin@font	... 5512, 5513	\@cftbsnum ... 19124,
... 5105,	\@bidiundeclaredcolor	19155, 19178,
5108, 5111, 5114	7160, 7161,	19195, 19212,
\@bidityftesidenote@marginnote@font	20560, 20561, 20600	19229, 19246,
... 5111, 5120, 5484	\@bscontmark	19263, 19281,
\@bidityftesidenote@marginnote@justification	\@bsmarkseries ... 14407	19300, 19320, 19355
... 5127,	\@bsmttitleempty ... 14395	\@cftdopartfalse . 19098
5484, 5493, 5502		



\@cftdoparttrue ...	10936, 11671,	\@contcshortstyle 14477
..... 19101, 19105	11683, 11684,	\@contcstyle
\@cftl@subfig 19289	11685, 11687,	. 14482, 14488, 14493
\@cftl@subtab 19309	11689, 11777,	\@contcwidth 14471, 14472
\@chapapp . 6755, 6950,	13715, 13716,	\@contdelim
8744, 10582, 16670	14570, 14573,	.. 14465, 14476,
\@chapterlistsgap@off	14575, 14577,	14480, 14487, 14492
..... 15167	14582, 14583,	\@contfield
\@chapterlistsgap@on	14584, 14603,	... 6336, 6351, 6383
..... 15174, 15182	14604, 14605,	\@contfinal
\@chclass .. 345, 357,	14609, 14670,	.. 14465, 14477,
368, 1370, 1382,	14673, 14675,	14483, 14489, 14493
1395, 1415, 1420,	14677, 14682,	\@contfmark . 14464, 14467
18867, 18883,	14683, 14684,	\@contfnote . 14463, 14466
18894, 20923, 20928	14703, 14704,	\@contindw
\@checkend 2668,	14705, 14709, 21371	\@contfont
2692, 4238, 4239	\@colourfalse 14465, 14476,
\@chnum . 346, 353, 364,	\@colourgreenfalse	14480, 14487, 14492
1371, 1378, 1391, 7757, 7855	\@contpost
1401, 1417, 1418,	\@colourgreentruer .	\@contpre 14475,
1419, 1432, 1440, 7758, 7856	14481, 14486, 14491
1466, 7110, 18868,	\@colourgreyfalse .	\@conttfont
18875, 18890, 7761, 7859	.. 14465, 14477,
20925, 20926, 20927	\@colourgreytrue ..	14483, 14489, 14493
\@circlefnt 7762, 7860	\@curfield
\@classiv	\@colouorangefalse	6335, 6350, 6370,
13623, 18731, 7755, 7853	6384, 6394, 21284
20716, 20896, 20921	\@colouorangertrue	\@curline 6333,
\@classx . 1398, 1457, 7104 7756, 7854	6348, 21284, 21286
\@classz	\@colouredfalse ..	\@currbox . 2258, 2289,
1457, 1491, 1492, 7759, 7857	2293, 4940, 4943,
2186, 7104, 13623,	\@colouredtrue 7760, 7858	4984, 4987, 4992,
18730, 18770,	\@colourtrue	4996, 5028, 5031,
20715, 20895, 20920	\@colroom	5036, 5040, 5072,
\@cleartopmattertags	7541, 7544, 7546,	5075, 5080, 5084,
..... 129, 12997	7547, 7716, 7719,	21157, 21160,
\@cliptoboxdim ... 18897	7721, 7722, 8017,	21165, 21169,
\@clsextension	8074, 11671,	21201, 21204,
3952, 3963, 3979,	11685, 11688,	21209, 21213,
3989, 3998, 4001, 4010	11690, 13715, 13724	21235, 21244, 21276
\@clubpenalty	\@combinedblfloats	\@currentHlabel ...
. 577, 6989, 8784, 7373, 7432,	. 12382, 12397, 12412
16498, 16701, 19033	10800, 10836,	\@currentHref
\@colht	10917, 11604,	.. 12383, 12398,
7530, 7540, 7541,	11657, 14634,	12413, 12472,
7548, 7563, 7597,	14731, 21035, 21078	12510, 12543,
7600, 7622, 7623,	\@combinefloats ...	12574, 12605,
7692, 7704, 7705, 10475, 11773	12827, 12838, 12840
7715, 7716, 7723,	\@compactenum@ 5699	\@currentlabel .. 43,
7740, 7744, 10480,	\@cons	57, 73, 246, 260,
	21234, 21235	



275, 5332, 5350,	6743, 6819, 6831,	\@dischyph
5368, 8897, 8911,	6867, 6890, 8542,	. 11530, 13750, 15746
8925, 8937, 8948,	8552, 8586, 8607,	\@displaypagenumbersfalse
8959, 9188, 9198,	8637, 8649, 8685, 2529
9208, 9234, 9247,	8708, 8793, 8798,	\@displaypagenumberstrue
9259, 9297, 9306,	10642, 10652, 2528
9315, 9340, 9352,	10686, 10707,	\@dmath 6996, 7025
9363, 9400, 9410,	13006, 13011,	\@docolbox 10990
9420, 9446, 9459,	14404, 15961,	\@dodynamicthefoot 10914
9471, 9509, 9519,	15963, 15975,	\@dodynamicthehead 10914
9529, 9555, 9568,	16020, 16040,	\@dofilelist
9580, 9618, 9628,	16100, 16102,	. . . 4249, 4250, 4252
9638, 9664, 9677,	16116, 16163,	\@dotsep 20157,
9689, 9727, 9737,	16186, 16195,	20158, 20266, 20948
9747, 9773, 9786,	16353, 16365,	\@dottedtocline . . .
9798, 9836, 9846,	16406, 16428,	. . 20272, 20273,
9856, 9882, 9895,	16540, 16552,	20275, 20293, 20937
9907, 9945, 9955,	16588, 16611,	\@dseries 7021
9965, 9991, 10004,	16936, 16996,	\@eha 2645, 19343
10016, 10054,	17050, 17485,	\@ehc 2748, 2750,
10064, 10074,	17545, 17599,	2756, 2758, 2764,
10100, 10113,	18066, 18067,	2766, 2772, 2774,
10125, 10320,	18070, 18075,	2965, 3822, 10186,
10332, 10344,	18184, 18244, 18298	13206, 13213,
10381, 10395,	\@datefield 18006	13702, 14776, 14782
10409, 11222,	\@dblarg 14529	\@ehd 14523
11239, 11255,	\@dblfloatplacement	\@eightcol@footgroupv@r
11283, 11297, 11311 7377, 7436, 9823
\@currentlabelname	10801, 10840,	\@eightcolLTRfootfmt
. 12384,	10924, 11608,	. . . 9849, 9870, 9898
12399, 12414,	11661, 14638,	\@eightcolLTRfootnotetext
12473, 12511,	14735, 21039, 21082 9818, 9842
12544, 12575, 12606	\@declaredcolor 7145,	\@eightcolRTLfootfmt
\@currenvir	7146, 20517, 20540	. . . 9859, 9873, 9910
2654, 2657, 2658,	\@dedication	\@eightcolRTLfootnotetext
2678, 2681, 2682, 2709	. . 16952, 16954, 9819, 9852
\@currlist 21234	17005, 17053,	\@eightcolfootfmt .
\@curtabmar . 21283, 21286	17055, 17501,	. . . 9839, 9867, 9885
\@cvtheme 2430, 2433	17503, 17554,	\@eightcolfootnotetext
\@cvthemeoptions . .	17602, 17604, 9817, 9832
. 2431, 2433	18200, 18202,	\@elt 2778, 2781,
\@date . . 424, 436, 472,	18253, 18301, 18303	4828, 4829, 4830,
495, 763, 765, 777,	\@dedicatory 323	4831, 4832, 4833,
822, 842, 1015,	\@deferlist 11669	4834, 4835, 4836,
1017, 1029, 1074,	\@definitionfileextension	4837, 4838, 4839,
1094, 1265, 1267, 2723, 2726	4869, 4870, 4871,
1279, 1324, 1345,	\@depth . . . 382, 13635,	4872, 4873, 4874,
1354, 1986, 5863,	18710, 18739,	4875, 4876, 4877,
5917, 6552, 6554,	18779, 20905, 21273	4878, 4879, 4880,
6566, 6729, 6731,	\@dgroup 7008	4881, 4882, 4883,



4884, 4885, 4886,	10404,	10474,	17002,	17003,
7047, 7983, 8004,	10617,	10650,	17004,	17005,
8010, 8045, 8047,	10651,	10652,	17023,	17027,
8049, 8055, 8067,	10653,	10684,	17035,	17041,
8097, 8099, 8101,	10685,	10686,	17053,	17077,
8107, 18798, 18800	10687,	10780,	17107,	17132,
\@email . . 2442, 7845, 7943	10816,	11367,	17133,	17406,
\@empty 86, 115, 134, 136,	11382,	11582,	17459,	17464,
289, 397, 434, 435,	11631,	11669,	17471,	17477,
436, 437, 470, 471,	11772,	11787,	17501,	17543,
472, 473, 573, 708,	11788,	11789,	17544,	17545,
774, 775, 776, 777,	11790,	11791,	17546,	17547,
819, 820, 821, 822,	12384,	12399,	17548,	17549,
971, 1026, 1027,	12414,	12473,	17550,	17551,
1028, 1029, 1071,	12511,	12544,	17552,	17553,
1072, 1073, 1074,	12575,	12606,	17554,	17572,
1221, 1276, 1277,	12917,	12983,	17576,	17584,
1278, 1279, 1321,	13004,	13046,	17590,	17602,
1322, 1323, 1324,	13258,	13264,	17656,	17687,
1733, 1908, 1984,	13287,	13291,	17712,	17713,
1985, 1986, 1987,	13293,	13649,	17979,	18007,
2245, 2557, 2566,	14401,	14402,	18008,	18009,
2666, 2690, 3652,	14403,	14404,	18010,	18011,
4065, 4078, 4079,	14563,	14663,	18012,	18013,
4085, 4108, 4138,	15161,	15651,	18014,	18018,
4146, 4165, 4168,	15906,	15972,	18024,	18030,
4179, 4183, 4193,	15973,	15974,	18036,	18042,
4199, 4200, 4201,	15975,	16017,	18048,	18054,
4214, 4226, 4230,	16018,	16019,	18060,	18066,
4297, 4308, 5191,	16020,	16113,	18075,	18105,
5210, 5229, 5250,	16114,	16115,	18158,	18163,
5257, 5845, 5912,	16116,	16160,	18170,	18176,
5913, 5914, 6488,	16161,	16162,	18200,	18242,
6563, 6564, 6565,	16163,	16300,	18243,	18244,
6566, 6676, 6740,	16363,	16364,	18245,	18246,
6741, 6742, 6743,	16365,	16366,	18247,	18248,
6829, 6830, 6831,	16404,	16405,	18249,	18250,
6832, 6865, 6866,	16406,	16407,	18251,	18252,
6867, 6868, 6985,	16494,	16550,	18253,	18271,
7011, 7341, 7404,	16551,	16552,	18275,	18283,
8044, 8096, 8509,	16553,	16586,	18289,	18301,
8550, 8551, 8552,	16587,	16588,	18339,	18370,
8553, 8584, 8585,	16589,	16697,	18395,	18396,
8586, 8587, 8647,	16857,	16910,	18668,	18785,
8648, 8649, 8650,	16915,	16922,	18833,	19029,
8683, 8684, 8685,	16928,	16952,	19329,	19331,
8686, 8780, 8791,	16994,	16995,	20520,	20523,
8807, 8811, 10316,	16996,	16997,	20563,	20566,
10328, 10340,	16998,	16999,	20703,	20913,
10371, 10390,	17000,	17001,	20922,	21011,



21058, 21323, 21324, 21326, 21327 \@emptycol 7533, 7536, 7552, 7555, 7708, 7711, 7727, 7730 \@emptytoks 7010 \@end@tempboxa 11814, 11908, 11925, 20815 \@endfloatbox 2310 \@endmodernpoem 6346, 6366 \@endparentv 6250, 6363, 15208, 15228 \@endparpenalty 2103, 2112, 10851, 10865 \@endpbox 1408, 1409, 1450, 1474, 1475, 1476, 7118, 7119, 7120, 13620, 13626, 18745, 18783, 20911 \@endtraditionalpoem 6230, 6302 \@ensure@LR . 15593, 20677 \@ensure@LTR . . 15591, 15593, 15601, 20675, 20677, 20685, 20687, 20689, 21546, 21548 \@ensure@RL . 15592, 20676 \@ensure@RTL . . 15590, 15592, 20674, 20676 \@ensure@dir . . 15594, 15595, 20678, 20679 \@ensure@maindir 15595, 20679 \@enumctr 5700, 5701 \@eqnnum 10872, 13000, 21392 \@evenfoot 1948, 10907, 21316 \@evenhead . 10906, 21316 \@expandtwoargs . . 4184 \@extrafootnotefeaturesfalse 1712 \@extrafootnotefeaturestrue 1710 \@extrainfo 2443, 7846, 7944 \@extratitle 16910, 16911,	16999, 17023, 17024, 17459, 17460, 17548, 17572, 17573, 18158, 18159, 18247, 18271, 18272 \@familyname 2375, 2377, 2378, 2436, 7820, 7910, 7931 \@familynamecolour 2405, 2422 \@fax 2441, 7844, 7942 \@fcolmadefalse . . 11670 \@ff@do@allframes 10916, 10921 \@ff@fbox 10999 \@ff@setoffset . . . 10996 \@ffbackground . . . 10986 \@filebordercolor 12685, 12687 \@filecolor 12703 \@filef@und . . . 3881, 3898 \@finalstrut . . . 8875, 8881, 8887, 11227, 11244, 11260, 11287, 11301, 11315 \@firstampfalse 1430, 1438 \@firstcolfirstmark 7340, 7341, 7345, 7403, 7404, 7408, 10779, 10780, 10784, 10815, 10816, 10820, 11581, 11582, 11586, 11630, 11631, 11635, 14562, 14563, 14567, 14662, 14663, 14667, 21010, 21011, 21015, 21057, 21058, 21062 \@firstcoltopmark 7338, 7346, 7401, 7409, 10777, 10785, 10813, 10821, 11579, 11587, 11628, 11636, 14560, 14568, 14660,	14668, 21008, 21016, 21055, 21063 \@firstcolumnfalse 7331, 7394, 7748, 10771, 10807, 10931, 11568, 11617, 14553, 14653, 21001, 21048 \@firstcolumntrue . 7349, 7412, 7702, 10787, 10824, 10895, 11592, 11641, 14612, 14712, 21019, 21066 \@firstdetailselementfalse 7925 \@firstdetailselementtrue 7922 \@firstfooterelementfalse 7841, 7842, 7843, 7844, 7845, 7846 \@firstfooterelementtrue 7826 \@firstname 2375, 2377, 2378, 2435, 7820, 7910, 7931 \@firstnamecolour 2404, 2421 \@firstofone . . . 3297, 3304, 3310, 3321, 3335, 3341, 3349, 3355, 4351, 10944, 10962, 10966, 10969, 10972, 10978, 12809, 12810, 12811, 12812, 14527, 17232, 17812, 18495, 21298, 21340, 21352, 21355, 21357, 21364, 21368, 21374 \@firstoftwo . . . 1529, 1535, 1541, 2787, 2795, 2799, 2807, 2811, 2819, 2825, 2829, 2842, 2850, 2856, 2860, 2868, 2874, 2877, 2880, 2894, 2901, 3074,
--	---	--



3092, 3098, 3122, 3149, 3179, 3239, 3249, 3889, 15142	9714, 9823, 9932, 10041, 10201, 10259	5235, 5258, 5267, 7309
\@fivecol@footgroupv@r	\@footnote 5794	\@fourcol@footgroupv@r
. 9496	\@footnotemark . 2218, 9387
\@fivecollTRfootfmt	2226, 2234, 5303,	\@fourcollTRfootfmt
. . . 9522, 9543, 9571	5396, 5403, 5425,	. . . 9413, 9434, 9462
\@fivecollTRfootnotetext	5432, 5454, 5461,	\@fourcollTRfootnotetext
. 9491, 9515	6284, 6291, 6298, 9382, 9406
\@fivecolRTLfootfmt	11188, 11194,	\@fourcolRTLfootfmt
. . . 9532, 9546, 9583	11197, 11203,	. . . 9423, 9437, 9474
\@fivecolRTLfootnotetext	12425, 12614,	\@fourcolRTLfootnotetext
. 9492, 9525	12618, 12632, 12633 9383, 9416
\@fivecolfootfmt . .	\@footnotetext . . 34,	\@fourcolfootfmt . .
. . . 9512, 9540, 9558	79, 151, 152, 153,	. . . 9403, 9431, 9449
\@fivecolfootnotetext	237, 282, 2175,	\@fourcolfootnotetext
. 9490, 9505	2297, 5324, 5396, 9381, 9396
\@float 4574, 4903	5403, 6147, 6158,	\@fps 2239,
\@floatboxreset . . . 2308	6371, 6385, 7963,	2240, 2242, 2245, 2262
\@floatpenalty . 2251,	7964, 8830, 8844,	\@fpsadddefault 2243, 2246
2253, 2256, 4976,	8845, 8889, 8964,	\@freelist 2258,
4978, 4982, 4986,	8972, 9169, 9278,	4828, 4869, 4984,
5020, 5022, 5026,	9381, 9490, 9599,	4985, 5028, 5029,
5030, 5064, 5066,	9708, 9817, 9926,	5072, 5073, 10473,
5070, 5074, 21149,	10035, 10194,	11771, 21157,
21151, 21155,	10249, 10251,	21158, 21201,
21159, 21193,	11214, 11271,	21202, 21234, 21235
21195, 21199, 21203	11330, 12295,	\@fs@capt 4917, 4930, 4938
\@fltovf	12303, 12374,	\@fs@cfont 4910,
2291, 4987, 5031,	12422, 12615,	4916, 4926, 4929,
5075, 21160, 21204	12619, 12635,	4937, 10876, 10877
\@flushglue 6132, 6133,	12636, 13685,	\@fs@iftopcapt
13756, 16462,	13806, 14931,	. . . 4921, 4934, 4947
19687, 19691,	14932, 14933,	\@fs@mid . 4920, 4933, 4945
19695, 19741, 20853	16839, 16842,	\@fs@post 4919, 4932, 4946
\@fnsymbol . 446, 738,	17157, 17158,	\@fs@pre . 4918, 4931, 4939
797, 990, 1049,	17168, 17388,	\@g@tnextcol 10893
1240, 1299, 1972,	17391, 17737,	\@getcirc 10737
6527, 6704, 6841,	17738, 17748,	\@gnewline . . . 15695,
8562, 8659, 10662,	18087, 18090,	15708, 15721, 15732
15936, 15995,	18420, 18421,	\@gobble . . 2155, 2665,
16075, 16136,	18431, 18813,	2689, 2711, 2716,
16332, 16375,	18830, 18920, 18922	3202, 3203, 3204,
16562, 16907,	\@footstartv@l	3205, 3206, 3299,
16971, 17456,	. 9052, 10209, 10267	3312, 3327, 3369,
17520, 18155, 18219	\@footstartv@r	3383, 3395, 3409,
\@footgroupv@r . 9057,	. 9056, 10202, 10260	4095, 4230, 4407,
9146, 9175, 9284,	\@for 4106,	5967, 6032, 10954,
9387, 9496, 9605,	4167, 4180, 4202,	10955, 10956,
	4206, 5192, 5197,	14524, 17158,
	5211, 5216, 5230,	17160, 17162,
		17738, 17740,



17742, 18421,	7641, 7654, 7662, 7670	\@ifpackagelater ..
18423, 18425,	\@hyper@launch ... 12708	.. 4391, 4396, 11057
20524, 20567,	\@idxitem 102, 107, 222,	\@ifpackageloaded .
21333, 21334, 21335	227, 596, 611, 860, 170,
\@gobbletwo	1112, 5758, 5765,	1447, 3135, 4055,
2736, 2737, 2740,	6408, 6585, 6796,	4115, 4350, 4368,
2741, 3429, 13063	12934, 12939,	4390, 4395, 4896,
\@gtempa 2918, 2919	15803, 16058,	4901, 4954, 8414,
\@halignto 386,	16518, 19091, 21402	8415, 9151, 10159,
401, 18743, 18781,	\@ifclasslater 4393, 4398	12419, 12439,
20703, 20909, 20922	\@ifclassloaded ...	12517, 12816,
\@hangfrom ... 17185, 4013, 4392,	13280, 13405,
17197, 17199,	4397, 4427, 5807,	13662, 14503,
17765, 17777,	5809, 6798, 8981,	17240, 17820,
17779, 18448,	11008, 11021,	18503, 19015,
18460, 18462, 20877	21405, 21406,	20704, 21391,
\@hboxRconstructfalse	21407, 21408,	21404, 21417,
..... 15559, 20639	21409, 21410,	21427, 21431,
\@hboxRconstructtrue	21411, 21412,	21435, 21439,
397, 15549, 18750,	21413, 21414,	21440, 21441,
18789, 20629, 20918	21415, 21416,	21442, 21449,
\@height 381, 1488, 7132,	21417, 21418,	21450, 21451,
11511, 13634,	21419, 21420,	21452, 21453,
13690, 13776,	21421, 21422,	21454, 21455,
16885, 16892,	21423, 21424,	21456, 21457,
17434, 17441,	21425, 21426,	21458, 21459,
18133, 18140,	21427, 21428,	21460, 21461,
18710, 18738,	21429, 21430,	21462, 21463,
18779, 20904, 21273	21457, 21540, 21541	21464, 21465,
\@highpenalty .. 6433,	\@ifdefinable .. 2906,	21466, 21467,
6449, 6456, 6466,	2909, 2912, 2921,	21468, 21469,
6610, 6626, 6633,	2952, 2967, 11111	21470, 21471,
6643, 6897, 6912,	\@ifdefinitionfileloaded	21472, 21473,
6922, 8715, 10550, 2726, 21542	21474, 21475,
10565, 10575,	\@ifempty .. 7, 202, 12962	21476, 21477,
15846, 15862,	\@ifl@aded 2725, 2726, 2727	21478, 21479,
15869, 15879,	\@ifnextchar ... 163,	21480, 21481,
16218, 16234,	398, 2123, 2153,	21482, 21483,
16241, 16251,	2168, 2942, 3982,	21484, 21485,
16434, 16448,	3983, 4027, 4028,	21486, 21487,
16458, 16618,	4072, 4989, 5033,	21488, 21489,
16633, 16643,	5077, 7145, 7160,	21490, 21491,
19111, 19146,	11186, 11195,	21492, 21495,
19535, 19555, 19643	11354, 11369,	21496, 21497,
\@hintcolour .. 2412, 2428	11880, 12622,	21498, 21521,
\@holdpg .. 7463, 7469,	12646, 14943,	21522, 21523,
7476, 7487, 7497,	15212, 15232,	21524, 21525,
7597, 7598, 7600,	20517, 20560,	21526, 21527,
7603, 7607, 7612,	20728, 21162, 21206	21528, 21529,
7617, 7621, 7629,		21530, 21531,



21532, 21533,	\@iiiminipage 11317	10793, 10808,
21534, 21535,	\@iiiparbox	10829, 11569,
21536, 21537,	. 9130, 11348, 20786	11597, 11618,
21538, 21539,	\@indextitlestyle .	11650, 14554,
21540, 21541, 21543 100, 220, 12932	14613, 14626,
\@ifpackagewith ...	\@inlabelfalse 6999	14654, 14713,
... 7286, 13192,	\@insertfalse . 7454, 7562	14722, 21002,
13195, 15780,	\@inserttrue .. 7527, 7701	21028, 21049, 21071
15783, 19040,	\@iprintcites 15687	\@let@token ... 2702, 2705
21443, 21446,	\@itemfudge . 21283, 21285	\@lettrine 13026
21447, 21448,	\@itemlabel 20749	\@listI 4444
21499, 21509, 21515	\@ixpt 5658	\@listdepth
\@ifstar .. 3059, 3981,	\@keywords 324	.. 11170, 11333,
4026, 4068, 4160,	\@kludgeins . 10477, 11774	11535, 11539,
4746, 8418, 8979,	\@komalongtablefalse	20740, 20743, 20748
9182, 9291, 9394,	. 17240, 17820, 18503	\@listi .. 4444, 4452, 5662
9503, 9612, 9721,	\@lastchclass .. 346,	\@loadwithoptions .
9830, 9939, 10048,	347, 348, 349, 351,	... 3905, 3907, 3914
10243, 10305, 11883	1371, 1372, 1373,	\@lowertitleback ..
\@iftagsloaded	1374, 1376, 1415, 16949,
. 2725, 21432, 21433	1416, 1428, 1436,	17004, 17498,
\@iftexfileloaded .	18868, 18869,	17553, 18197, 18252
. 2727, 21493, 21494	18870, 18871,	\@lowpenalty . 2099, 20066
\@ifundefined .. 330,	18873, 20923, 20924	\@m 93, 296, 579, 711, 974,
331, 2532, 2746,	\@lastvipertrue 7538,	1224, 6491, 6679,
2749, 2754, 2757,	7557, 7713, 7732	6991, 8512, 8786,
2762, 2765, 2770,	\@latex@error	10620, 11570,
2773, 3970, 3974, 2644, 4089,	11572, 11619,
4124, 4217, 5138,	14523, 14776, 14782	11621, 12924,
5621, 5629, 5744,	\@latex@warning ...	15141, 15909,
5746, 5751, 5841,	... 95, 298, 581,	16303, 16500,
5858, 7147, 7154,	713, 976, 1226,	16703, 17111,
7162, 7168, 10879,	2562, 6493, 6681,	17691, 18374, 19035
11104, 12819,	6993, 8514, 8788,	\@mainaux 15272
12820, 13216,	10622, 12926,	\@mainmatterfalse .
13227, 13290,	15911, 16305, 5994,
13292, 13297,	16502, 16705,	6024, 6973, 8768
15315, 15777,	17115, 17122,	\@mainmattertrue ..
19330, 19334,	17695, 17702, 5991, 6007
19410, 19432,	18378, 18385, 19037	\@makecaption
19433, 19481,	\@latex@warning@no@line 4741, 7093,
19482, 19565, 7531, 7549,	14460, 14510,
19587, 19588,	7706, 7724, 21249	14542, 17226,
19816, 19839,	\@latexbug 21235	17806, 18489, 21377
19867, 19927,	\@latexerr	\@makechapterhead .
19976, 19993, 20023	. 11708, 11718, 11728 301, 6750,
\@ifundefinedmodel	\@leftcolumn ... 7332,	6945, 8739, 10578,
..... 20550, 20584	7358, 7395, 7417,	15678, 16666, 19056
\@ifxempty 20610	7570, 7598, 7604,	\@makecol 10541, 10542,
\@ignoretrue 7032	7613, 10772,	11694, 11704,



13710, 13722, 21094	1977, 1983, 6848,	10540, 11785,
\@makefnmark . . . 447,	6850, 6855, 6864,	21099, 21115, 21126
798, 1300, 1973,	6874, 8569, 8571,	\@memtempa . . . 14460,
5299, 5310, 6842,	8576, 8583, 8593,	14462, 14476,
7968, 7989, 8563,	8666, 8668, 8673,	14483, 14487, 14492
8660, 10663,	8682, 8692, 10669,	\@menubordercolor .
12949, 14408,	10671, 10676, 12779, 12781
15996, 16137,	10683, 10693,	\@menucolor 12790
16333, 16376,	12988, 14413,	\@midlist 10473,
16563, 16908,	14415, 14422,	10474, 11771, 11772
16909, 16972,	16002, 16004,	\@minipagefalse . . .
16973, 17457,	16009, 16016, 2312, 5006,
17458, 17521,	16026, 16143,	5015, 5050, 5059,
17522, 18156,	16145, 16150,	5094, 5103, 9127,
18157, 18220, 18221	16159, 16169,	11345, 13249,
\@makefnmark 45,	16387, 16389,	14516, 17216,
59, 75, 248, 262,	16394, 16403,	17796, 18479,
277, 448, 735, 800,	16413, 16569,	21179, 21188,
987, 1050, 1237,	16571, 16576,	21223, 21232, 21383
1302, 1974, 5297,	16585, 16595,	\@minipagerestore 11334
5336, 5354, 5372,	16976, 16978,	\@minipagetrue
6524, 6701, 6843,	16983, 16993, 5014, 5058,
8564, 8661, 10664,	17018, 17525,	5102, 21187, 21231
11226, 11243,	17527, 17532,	\@minus 2479, 2565, 4440,
11259, 11286,	17542, 17567,	4442, 4449, 4451,
11300, 11314,	18224, 18226,	4453, 4454, 5659,
11792, 14410,	18231, 18241, 18266	5661, 5663, 5664,
15933, 15998,	\@maketitle@hook . .	11449, 11487,
16072, 16139, 118, 12986	15138, 17339,
16335, 16378,	\@makewincaption . 15406	17349, 17359,
16564, 16855,	\@marbox 4985,	17369, 17379,
17404, 17978, 18103	4987, 4991, 4995,	17928, 17938,
\@makeother 3058,	4996, 5029, 5031,	17948, 17958,
3104, 3213, 3221	5035, 5039, 5040,	17968, 18611,
\@makeschapterhead	5073, 5075, 5079,	18621, 18631,
6404, 6581, 6770,	5083, 5084, 21158,	18641, 18651, 18675
6791, 6959, 8754,	21160, 21164,	\@mkboth 564,
10590, 15799,	21168, 21169,	592, 608, 699, 857,
16054, 16513,	21202, 21204,	962, 1109, 1212,
16678, 19062, 19067	21208, 21212,	6405, 6479, 6582,
\@makespecialcolbox	21213, 21234,	6667, 6792, 6976,
. 10478, 11775	21244, 21247,	8500, 8771, 10608,
\@maketitle 120,	21255, 21257,	15800, 15897,
316, 320, 453, 455,	21258, 21260,	16055, 16291,
460, 469, 479,	21261, 21262,	16485, 16514, 16688
804, 806, 811,	21271, 21275, 21276	\@mklab 20750
818, 828, 1056,	\@mathmargin . . . 8370,	\@mkpream . 385, 13639,
1058, 1063, 1070,	8377, 8385, 8392	18741, 18773, 20907
1080, 1306, 1308,	\@maxdepth 9047, 10489,	\@mobile . 2439, 7842, 7940
1313, 1320, 1330,	10504, 10527,	\@modernpoem . . 6322, 6366



\@mpLTRfootnotetext	11186, 11191,	10270, 10272,
.... 8834, 8852,	11195, 11200,	11303, 11330,
8853, 8942, 8968,	11329, 11359,	12303, 12338,
8976, 9177, 9286,	11374, 12300,	12341, 12426,
9389, 9498, 9607,	12311, 12322,	13806, 18920, 18922
9716, 9825, 9934,	12522, 12553,	\@mpfourcol@footgroupv@r
10043, 10212,	12584, 12647, 9393
10274, 11289,	13803, 18855, 18862	\@mpfourcolLTRfootnotetext
11331, 12325,	\@mpfootins 9389, 9452
12340, 12363,	8932, 8933, 8943,	\@mpfourcolRTLfootnotetext
12427, 13807, 18923	8944, 8954, 8955, 9390, 9465
\@mpRTLfootnotetext	9091, 9099, 9107,	\@mpfourcolfootnotetext
.... 8835, 8854,	9117, 9121, 9124, 9388, 9440
8855, 8953, 8969,	11277, 11278,	\@mplistdepth 11170, 11333
8977, 9178, 9287,	11291, 11292,	\@mpninecol@footgroupv@r
9390, 9499, 9608,	11305, 11306, 9938
9717, 9826, 9935,	11339, 11340,	\@mpninecolLTRfootnotetext
10044, 10213,	11343, 13792, 13797 9934, 9997
10275, 11275,	\@mpfootinsv@l . 9089,	\@mpninecolRTLfootnotetext
11332, 12314,	9105, 9148, 10368, 9935, 10010
12339, 12352,	10377, 10389, 10392	\@mpninecolfootnotetext
12428, 13808, 18924	\@mpfootinsv@r . 9088, 9933, 9985
\@mparbottom	9147, 9229, 9230,	\@mppara@LTRfootgroupv@l
.. 21245, 21253,	9241, 9242, 9254, 10218, 10280
21254, 21255, 21256	9255, 9335, 9336,	\@mppara@footgroupv@r
\@mpargs 9130, 11323, 11348	9346, 9347, 9358, 10217, 10279
\@mparswitchfalse . 4423	9359, 9441, 9442,	\@mpparaLTRfootnotetext
\@mparswitchtrue .. 4418	9453, 9454, 9466,	. 10212, 10274, 10388
\@mpeightcol@footgroupv@r	9467, 9550, 9551,	\@mpparaRTLfootnotetext
..... 9829	9562, 9563, 9575, 10213, 10402
\@mpeightcolLTRfootnotetext	9576, 9659, 9660,	\@mpparafootnotetext
..... 9825, 9888	9671, 9672, 9684,	. 10211, 10272, 10363
\@mpeightcolRTLfootnotetext	9685, 9768, 9769,	\@mpsevendcol@footgroupv@r
..... 9826, 9901	9780, 9781, 9793, 9720
\@mpeightcolfootnotetext	9794, 9877, 9878,	\@mpsevendcolLTRfootnotetext
..... 9824, 9876	9889, 9890, 9902, 9716, 9779
\@mpfivecol@footgroupv@r	9903, 9986, 9987,	\@mpsevendcolRTLfootnotetext
..... 9502	9998, 9999, 10011, 9717, 9792
\@mpfivecolLTRfootnotetext	10012, 10095,	\@mpsevendcolfootnotetext
..... 9498, 9561	10096, 10107, 9715, 9767
\@mpfivecolRTLfootnotetext	10108, 10120,	\@mpsixcol@footgroupv@r
..... 9499, 9574	10121, 10366, 9611
\@mpfivecolfootnotetext	10375, 10403, 10406	\@mpsixcolLTRfootnotetext
..... 9497, 9549	\@mpfootnotetext 9607, 9670
\@mpfn 2193, 2196, 2199, 8833, 8850,	\@mpsixcolRTLfootnotetext
2215, 2223, 2231,	8851, 8931, 8967, 9608, 9683
5394, 5400, 5423,	8975, 9176, 9285,	\@mpsixcolfootnotetext
5429, 5452, 5458,	9388, 9497, 9606, 9606, 9658
6261, 6264, 6267,	9715, 9824, 9933,	\@mptencol@footgroupv@r
6281, 6288, 6295,	10042, 10211, 10047



\@mptencolLTRfootnotetext	19439,	19440,	9372, 9376, 9377,
..... 10043, 10106	19442,	19445,	9480, 9481, 9485,
\@mptencolRTLfootnotetext	19448,	19456,	9486, 9589, 9590,
..... 10044, 10119	19457,	19459,	9594, 9595, 9698,
\@mptencolfootnotetext	19462,	19465,	9699, 9703, 9704,
..... 10042, 10094	19478,	19483,	9807, 9808, 9812,
\@mptthreecol@footgroupv@r	19484,	19485,	9813, 9916, 9917,
..... 9290	19487,	19488,	9921, 9922, 10025,
\@mptthreecolLTRfootnotetext	19490,	19493,	10026, 10030,
..... 9286, 9345	19496,	19504,	10031, 10134,
\@mptthreecolRTLfootnotetext	19505,	19507,	10135, 10139,
..... 9287, 9357	19510,	19513,	10140, 10418,
\@mptthreecolfootnotetext	19525,	19566,	10424, 10428,
..... 9285, 9334	19567,	19568,	10434, 10438,
\@mptwocol@footgroupv@r	19569,	19570,	10443, 10447,
..... 9181	19571,	19572,	10452, 10899,
\@mptwocolLTRfootnotetext	19573,	19574,	17613, 17629,
..... 9177, 9240	19589,	19590,	17637, 17645,
\@mptwocolRTLfootnotetext	19591,	19592,	19074, 19346,
..... 9178, 9253	19594,	19595,	19347, 19348,
\@mptwocolfootnotetext	19597,	19600,	19351, 19354,
..... 9176, 9228	19603,	19611,	19359, 19360,
\@namedef . 3974, 4125,	19612,	19614,	19365, 19369,
6319, 9132, 9167,	19617,	19620,	19370, 19372,
9266, 9271, 9276,	19633,	19817,	19373, 19375,
9369, 9374, 9379,	19818,	19819,	19376, 19378,
9478, 9483, 9488,	19820,	19821,	19379, 19381,
9587, 9592, 9597,	19822,	19823,	19382, 19389,
9696, 9701, 9706,	19824,	19825,	19394, 19395,
9805, 9810, 9815,	19864,	19868,	19478, 19525,
9914, 9919, 9924,	19869,	19870,	19529, 19530,
10023, 10028,	19871,	19873,	19542, 19549,
10033, 10132,	19874,	19876,	19550, 19633,
10137, 10192,	19879,	19882,	19637, 19638,
10246, 10417,	19890,	19891,	19657, 19672,
10427, 10437,	19893,	19896,	19675, 19677,
10446, 10455,	19899,	19924,	19680, 19683,
10467, 13730,	19928,	19929,	19700, 19701,
19345, 19384,	19930,	19932,	19703, 19704,
19385, 19386,	19933,	19935,	19714, 19716,
19387, 19388,	19938,	19941,	19718, 19719,
19389, 19390,	19949,	19950,	19721, 19723,
19391, 19392,	19952,	19955,	19724, 19733,
19393, 19411,	19958,	19978,	19735, 19739,
19412, 19413,	19981,	19985,	19740, 19744,
19414, 19415,	20025, 20028, 20032		19748, 19750,
19416, 19417,	\@nameuse . 3971, 6317,		19751, 19811,
19418, 19419,	8300, 8350, 8353,		19844, 19851,
19434, 19435,	8399, 9268, 9269,		19856, 19857,
19436, 19437,	9273, 9274, 9371,		19864, 19917,



19924, 19995,	4984, 4985, 5028,	\@nobreaktrue . . 512,
20552, 20586, 21307	5029, 5072, 5073,	664, 908, 1147,
\@ne 137,	21157, 21158,	6442, 6619, 6906,
142, 346, 355, 358,	21201, 21202, 21234	8723, 10559,
452, 803, 1055,	\@nextchar 352,	15855, 16227,
1305, 1371, 1380,	354, 355, 356,	16442, 16627,
1383, 1384, 1385,	358, 359, 360, 361,	19132, 19136, 19664
1418, 1421, 1422,	362, 365, 366, 367,	\@nocnterr 331
1423, 1770, 1775,	1377, 1379, 1380,	\@nocounterr 330
1776, 2268, 2570,	1381, 1383, 1384,	\@nodocument 2237
2598, 2633, 3552,	1385, 1386, 1387,	\@noitemerr 95,
3703, 3774, 3835,	1388, 1389, 1392,	298, 580, 712,
4332, 4341, 6847,	1393, 1394, 1406,	975, 1225, 2562,
7297, 8568, 8665,	1408, 1409, 1474,	6492, 6680, 6992,
10668, 11276,	1475, 1476, 7118,	8513, 8787, 10621,
11290, 11304,	7119, 7120, 18874,	12926, 15148,
11549, 12655,	18876, 18877,	15910, 16304,
12656, 12661,	18878, 18879,	16501, 16704,
13149, 13204,	18880, 18881,	17114, 17121,
13211, 13220,	18882, 18884,	17694, 17701,
13231, 13641,	18885, 18886,	18377, 18384, 19036
14412, 14489,	18887, 18888,	\@nonlatinfalse 1556,
14752, 15211,	18891, 18892, 18893	1674, 13238, 13282
15231, 16001,	\@nil 1459,	\@nonlatintrue . 1557,
16142, 16339,	1460, 1462, 1463,	1676, 13238, 13282
16382, 16386,	7107, 8011, 8068,	\@normalLTRfootfmt
16568, 16861,	12822, 12831,	. . . 8883, 8928, 8951
16975, 17410,	12833, 12845, 18989	\@normalRTLfootfmt
17524, 17983,	\@ninecol@footgroupv@r	. . . 8877, 8914, 8962
18109, 18223, 9932	\@normalcr 13759
18803, 18807,	\@ninecolLTRfootfmt	\@normalfootfmt . . .
18868, 18877,	. . 9958, 9979, 10007	. . . 8871, 8900, 8940
18884, 19186,	\@ninecolLTRfootnotetext	\@notprerr . . . 3299, 3312
19529, 19530, 9927, 9951	\@nx 124,
19637, 19638,	\@ninecolRTLfootfmt	125, 334, 12992, 12993
19811, 20466,	. . 9968, 9982, 10019	\@nxtcol
20613, 20743,	\@ninecolRTLfootnotetext	. 10891, 10893, 10934
20784, 20819, 9928, 9961	\@oddfoot 1943, 10904,
20821, 20822,	\@ninecolfootfmt . .	10911, 21310, 21327
20823, 20828,	. . . 9948, 9976, 9994	\@oddhead 10903,
20830, 20831,	\@ninecolfootnotetext	10910, 21310, 21326
20832, 20837, 9926, 9941	\@oldmakefnmark 16908,
20839, 20840,	\@nmbrlistfalse . . 20751	16909, 16972,
20841, 20846,	\@nobreakfalse . 513,	16973, 17457,
20848, 20849,	665, 909, 1148,	17458, 17521,
20850, 20926,	6443, 6620, 6907,	17522, 18156,
20928, 20971, 21235	8724, 10560,	18157, 18220, 18221
\@newlistfalse	15856, 16228,	\@onefilewithoptions
. 10943, 21296	16443, 16628,	. . . 3921, 3922, 3929
\@next 2258,	19133, 19137, 19665	\@onelevel@sanitize 2240



\@onlypreamble	21049, 21052,	\@paraLTRfootfmt . .
. . . . 1651, 4144,	21053, 21067,	. 10336, 10355, 10399
4154, 4158, 10308	21077, 21096,	\@paraLTRfootnotetext
\@openbib@code	21098, 21112,	. 10195, 10253, 10327
. 571, 706,	21114, 21125, 21354	\@paraRTLfootfmt . .
969, 1219, 2555,	\@outputdblcol 10890,	. 10348, 10359, 10413
2566, 6486, 6674,	21090, 21091, 21092	\@paraRTLfootnotetext
6983, 8507, 8778,	\@outputpage . . . 7375, 10196, 10339
10615, 15904,	7379, 7434, 7438,	\@parafootfmt
16298, 16492,	10800, 10803,	. 10324, 10351, 10385
16695, 17097,	10838, 10842,	\@parafootnotetext
17677, 18360, 19027	10918, 10922,	. 10194, 10251, 10309
\@otarlinesep 18763, 18769	10927, 10938,	\@parboxrestore 42, 56,
\@outerparskip 6247, 6360	11606, 11610,	72, 245, 259, 274,
\@outputbox 7332, 7335,	11659, 11663,	2307, 4735, 5003,
7336, 7350, 7362,	13711, 13723,	5047, 5091, 7037,
7367, 7369, 7395,	14636, 14641,	8936, 8947, 8958,
7398, 7399, 7413,	14733, 14738,	9084, 9233, 9245,
7423, 7426, 7428,	15269, 15270,	9258, 9339, 9350,
9046, 9048, 10480,	21037, 21041,	9362, 9445, 9457,
10482, 10483,	21080, 21084, 21291	9470, 9554, 9566,
10488, 10503,	\@ovbtrue 10726	9579, 9663, 9675,
10505, 10519,	\@ovdx 10739, 10747	9688, 9772, 9784,
10530, 10772,	\@ovdy 10740, 10748	9797, 9881, 9893,
10775, 10788,	\@ovhorz . . . 10745, 10746	9906, 9990, 10002,
10797, 10808,	\@ovltrue 10726	10015, 10099,
10811, 10825,	\@ovri 10738	10111, 10124,
10835, 10916,	\@ovro 10738, 10747, 10748	10380, 10394,
10921, 10968,	\@ovrtrue 10726	10408, 10422,
11569, 11576,	\@ovttrue 10726	10432, 10943,
11577, 11593,	\@ovvert . . . 10743, 10744	11221, 11238,
11603, 11618,	\@ovxx 10728,	11254, 11282,
11625, 11626,	10729, 10732,	11296, 11310,
11642, 11654,	10739, 10744,	11328, 14537,
11693, 11705,	10745, 10749, 10750	14751, 20802,
11739, 11741,	\@ovyy . . 10730, 10731,	21176, 21220, 21297
11752, 11777,	10732, 10740, 10746	\@parboxto . 20805, 20812
11780, 11781,	\@pagedp . . . 21263, 21273	\@parmoderr
14554, 14557,	\@pageht 7455,	2256, 4981, 5025,
14558, 14588,	7564, 21246, 21253	5069, 21154, 21198
14613, 14616,	\@par 19754	\@part 543, 8471
14618, 14630,	\@para@LTRfootgroupv@l	\@pboxswfalse 11319, 20788
14654, 14657, 10208, 10266	\@pboxswtrue 20810
14658, 14688,	\@para@footgroupv@r	\@pdfm@mark
14713, 14716, 10201, 10259	. . 12663, 12679,
14718, 14728,	\@para@footstartv@l	12713, 12744,
15280, 15283, 10209, 10267	12773, 12848,
15288, 21002,	\@para@footstartv@r	12853, 12864,
21005, 21006, 10202, 10260	12869, 12880,
21020, 21032,		12886, 12897, 12903



\@pdfremotestartview	17350,	17359,	10570,	10574,
..... 12694	17360,	17369,	12968,	12970,
\@phone .. 2440, 7843, 7941	17379,	17432,	14823,	15850,
\@photo 2445,	17439,	17463,	15851,	15853,
7816, 7818, 7947, 7949	17486,	17504,	15873,	15874,
\@photowidth ... 2444,	17575,	17600,	15878,	16222,
2445, 7818, 7914	17719,	17724,	16223,	16225,
\@pkgextension	17877,	17896,	16245,	16246,
3949, 3960, 4024,	17928,	17929,	16250,	16437,
4033, 4041, 4044, 4052	17938,	17939,	16438,	16440,
\@plus 24,	17948,	17949,	16452,	16453,
103, 223, 503, 520,	17958,	17968,	16457,	16622,
595, 610, 639, 642,	18131,	18138,	16623,	16625,
655, 673, 680, 859,	18162,	18185,	16637,	16638,
866, 869, 882, 899,	18203,	18274,	16642,	18996,
917, 1111, 1122,	18299,	18402,	19005,	19007,
1125, 1138, 1156,	18407,	18560,	19395,	19544,
1164, 2479, 2565,	18579,	18611,	19545,	19553,
4440, 4441, 4442,	18612,	18621,	19652,	19653,
4449, 4450, 4451,	18622,	18631,	19659,	20051,
4453, 4454, 5659,	18632,	18641,	20164, 20269, 20951	
5660, 5661, 5663,	18651,	18674,	\@preamble 386,	
5664, 5730, 6407,	18940,	18969,	387, 397, 399,	
6418, 6421, 6434,	19090,	19365,	1431, 1439, 13645,	
6450, 6457, 6584,	19533,	19536,	18742, 18744,	
6595, 6598, 6611,	19540,	19641,	18751, 18781,	
6627, 6634, 6795,	19644,	19648,	18782, 18790,	
6898, 6913, 8447,	19681,	19978,	20908, 20910, 20919	
8461, 8716, 10353,	19981,	19985,	\@preameightfmt 9862,	
10357, 10361,	20073, 20257, 20939		9868, 9871, 9874	
10551, 10566,	\@pnumwidth ... 13, 15,		\@preamerr	
11449, 11487,	208, 210, 506, 507,		. 368, 1395, 1425,	
12935, 12955,	509, 523, 524, 528,		18894, 20917, 20930	
14803, 14815,	658, 659, 661, 683,		\@preamfivefmt . 9535,	
15138, 15802,	684, 688, 885, 886,		9541, 9544, 9547	
15831, 15834,	890, 902, 903, 905,		\@preamfntext	
15847, 15863,	1141, 1142, 1144,	 8895, 8909,	
15870, 16057,	1167, 1168, 1172,		8923, 9079, 9187,	
16203, 16206,	6437, 6438, 6440,		9197, 9207, 9296,	
16219, 16235,	6460, 6461, 6465,		9305, 9314, 9399,	
16242, 16435,	6614, 6615, 6617,		9409, 9419, 9508,	
16449, 16517,	6637, 6638, 6642,		9518, 9528, 9617,	
16619, 16634,	6901, 6902, 6904,		9627, 9637, 9726,	
16883, 16890,	6916, 6917, 6921,		9736, 9746, 9835,	
16914, 16937,	7182, 7187, 7188,		9845, 9855, 9944,	
16955, 17026,	8450, 8451, 8455,		9954, 9964, 10053,	
17051, 17139,	8464, 8465, 8467,		10063, 10073,	
17144, 17297,	8718, 8719, 8721,		10319, 10331, 10343	
17316, 17339,	10554, 10555,		\@preamfourfmt . 9426,	
17340, 17349,	10557, 10569,		9432, 9435, 9438	



\@preamninefmt . 9971, 9977, 9980, 9983	\@raggedtwoe@spaceskipfalse 15738	14604, 14608, 14614, 14680,
\@preamnormalfmt 8867, 8872, 8878, 8884	\@raggedtwoe@spaceskiptrue . 15701, 15714, 15727	14685, 14686, 14695, 14696,
\@preamsevenfmt 9753, 9759, 9762, 9765	\@rc@ifdefinable 2921, 2967	14704, 14708, 14714 \@rightskip ... 13755,
\@preamsixfmt .. 9644, 9650, 9653, 9656	\@reffalse 18006	15697, 15698,
\@preamtenfmt . 10080, 10086, 10089, 10092	\@reftrue 18007, 18008, 18009, 18010, 18011, 18012, 18013, 18014	15710, 15711, 15723, 15724, 15734, 15735, 20853
\@preamthreelfmt 9320, 9326, 9329, 9332	\@regtocline ... 636, 674, 691, 863, 893, 918, 1119, 1157, 1175, 6415, 6451, 6469, 6592, 6628, 6646, 15828, 15864, 15882, 16200, 16236, 16254	\@rjfieldfalse ... 21281 \@runbordercolor 12719, 12721
\@preamtwofmt .. 9214, 9220, 9223, 9226	\@rememsize . 18773, 18776	\@runcolor 12735
\@printcites 15689	\@removefromreset 15157, 15159	\@s@size 18776
\@pstrickserr 15643	\@reqcolroom 7455, 7456, 7457, 7458, 7518, 7563, 7564, 7565, 7566, 7567, 7568, 7692	\@s@bidi@AfterClass 3981, 3990, 4002, 4011
\@ptsize 2343, 2344, 2345, 2346, 2353	\@resetactivechars 10941, 21294	\@s@bidi@AfterPackage 4026, 4034, 4045, 4053
\@publisher ... 5822, 5875	\@resetdyn@mics .. 10929	\@sarray 18735
\@publishers 16938, 17002, 17052, 17487, 17551, 17601, 18186, 18250, 18300	\@resetst@tics ... 10928	\@savemarbox 21275
\@quote 2446, 7822, 7824, 7951, 7953	\@restonecolfalse 98, 218, 585, 601, 850, 1102, 6398, 6575, 6785, 12930, 15793, 16048, 16507, 19048	\@secondoftwo .. 1531, 1537, 1543, 2789, 2793, 2801, 2805, 2813, 2817, 2823, 2831, 2844, 2853, 2862, 2871, 2877, 2880, 2891, 2896, 2903, 3065, 3075, 3076, 3077, 3078, 3084, 3093, 3099, 3123, 3151, 3179, 3228, 3240, 3241, 3250, 3886, 4014, 4056
\@quotebox 15688	\@restonecoltrue 98, 218, 587, 603, 852, 1104, 6400, 6577, 6787, 12930, 15795, 16050, 16509, 19050	\@secpenalty .. 5, 200, 502, 519, 654, 672, 679, 881, 898, 916, 1137, 1155, 1163, 8446, 8460, 12960, 18981, 19113, 19168, 19532, 19539, 19640, 19647
\@quotecolour 2408, 2425, 2535	\@resumenamename .. 2378, 2434	\@sectiontitlecolour 2409, 2426
\@r@m@size 18776	\@revlabeltrue . 736, 988, 1238, 6525, 6702, 15934, 16073	\@seesize .. 18773, 18776
\@raggedtwoe@abdhook . 15763, 15768, 15778	\@rightcolumn . 14580, 14585, 14586, 14595, 14596,	\@setcol 10935
\@raggedtwoe@document@opt . 15762, 15766, 15784		\@setcolbox . 10896, 10932
\@raggedtwoe@everyselectfont 15702, 15715, 15728, 15739		\@setcopyright 112, 12980
\@raggedtwoe@footmisctrue 15765		
\@raggedtwoe@gnewline . 15695, 15708, 15721		
\@raggedtwoe@raggedrightboxes@opt 15741, 15760, 15764, 15781		
\@raggedtwoe@saved@gnewline 15732		
\@raggedtwoe@saved@cr 15692, 15705, 15718, 15731		



\@setfontsize	\@sixcolLTRfootfmt	\@subjclass 324
4439, 4448, 5658,	. . . 9631, 9652, 9680	\@subject 16922, 16923,
5668, 5669, 5670,	\@sixcolLTRfootnotetext	17001, 17035,
5671, 5672, 5673, 5674 9600, 9624	17036, 17471,
\@setfpsbit	\@sixcolRTLfootfmt	17472, 17550,
. . . 2272, 2275, 2278	. . . 9641, 9655, 9692	17584, 17585,
\@setmarks 7342,	\@sixcolRTLfootnotetext	18170, 18171,
7344, 7374, 7405, 9601, 9634	18249, 18283, 18284
7407, 7433, 10781,	\@sixcolfootfmt . . .	\@subsectioncolour
10783, 10800,	. . . 9621, 9649, 9667 2411, 2427
10817, 10819,	\@sixcolfootnotetext	\@subtitle
10837, 11583, 9599, 9614	. . 16928, 16998,
11585, 11605,	\@skip@bove . 18767, 18769	17041, 17477,
11632, 11634,	\@spaces	17547, 17590,
11658, 14564,	. 18805, 18846, 18851	18176, 18246, 18289
14566, 14635,	\@spart 8490	\@tabacol 2185, 13622,
14664, 14666,	\@specialpagefalse	18729, 20714, 20894
14732, 21012, 10898, 21307	\@tabarray . 374, 398,
21014, 21036,	\@specialstyle	402, 2187, 13609,
21059, 21061, 21079 10899, 21307	13611, 20709,
\@setminipage . . 4737,	\@stabarray 18731	20716, 20896, 20922
11335, 11543, 14539	\@stabular 18727	\@tabclassiv
\@setpar 16336,	\@star@or@long . 2916,	. . . 2187, 13623,
16379, 16858,	2937, 2961, 2972	18731, 20716, 20896
16865, 17407,	\@startcolumn 11668	\@tabclasssz
17414, 17980,	\@startdblcolumn . .	1436, 2186, 13623,
17985, 18106, 18113 7378, 7380,	18730, 20715, 20895
\@settab 6327	7437, 7439, 10801,	\@tabcr 6330, 6340
\@sevendcol@footgroupv@r	10803, 10841,	\@tabminus 6328
. 9714	10842, 10925,	\@tabplus 6327
\@sevendcolLTRfootfmt	10927, 11609,	\@tabular 370, 2173, 20892
. . . 9740, 9761, 9789	11611, 11662,	\@tabularcr
\@sevendcolLTRfootnotetext	11664, 14639,	. . . 2187, 13627,
. 9709, 9733	14642, 14736,	18731, 20716, 20896
\@sevendcolRTLfootfmt	14739, 21040,	\@tagsextension 2722, 2725
. . . 9750, 9764, 9801	21042, 21083, 21085	\@tarlinesep . . 18769,
\@sevendcolRTLfootnotetext	\@startfield 6369	18770, 18771,
. 9710, 9743	\@startpbox 1408,	18772, 18775, 18777
\@sevendcolfootfmt .	1409, 1474, 1475,	\@temp@bibkey . . 5192,
. . . 9730, 9758, 9776	1476, 7118, 7119,	5211, 5230, 5258
\@sevendcolfootnotetext	7120, 13624,	\@temp@bibkeyx
. 9708, 9723	13625, 13631, 5197, 5198,
\@sharp 393,	18745, 18783, 20911	5200, 5201, 5202,
1433, 1434, 1435,	\@startsection 23, 12954	5203, 5216, 5217,
1441, 1442, 1443,	\@starttoc . . . 5625, 5633	5219, 5220, 5221,
12822, 12828,	\@stopfield 6334, 6349,	5222, 5235, 5236,
13637, 18747,	6353, 6381, 21281	5238, 5239, 5240,
18782, 18788, 20914	\@stopline . . 6353, 21281	5241, 5267, 5268,
\@sixcol@footgroupv@r	\@stpelt . 3417, 3421, 3423	5270, 5271, 5272, 5273
. 9605	\@strip 14748	



\@temp@last@bibkey	18856, 18861,	17206, 17207,
. . . . 5191, 5192,	18863, 20255,	17209, 17210,
5198, 5210, 5211,	20272, 20276,	17212, 17217,
5217, 5229, 5230,	20277, 20278,	17222, 17743,
5236, 5257, 5258, 5268	20287, 20301,	17757, 17761,
\@tempa 123, 126,	20477, 20480,	17763, 17786,
133, 134, 135, 136,	20486, 20490, 20504	17787, 17789,
783, 785, 787, 791,	\@tempb 2638,	17790, 17792,
1035, 1037, 1039,	2639, 2641, 2642,	17797, 17802,
1043, 1285, 1287,	11845, 11846,	18426, 18440,
1289, 1293, 2600,	11886, 11888,	18444, 18446,
2607, 2638, 2639,	11916, 11918,	18469, 18470,
2642, 2745, 2746,	11919, 11921,	18472, 18473,
2749, 2751, 2753,	11924, 15164,	18475, 18480,
2754, 2757, 2759,	15165, 15171,	18485, 18828,
2761, 2762, 2765,	15172, 15177, 15178	18848, 20216,
2767, 2769, 2770,	\@tempboxa 4987,	20219, 20224,
2773, 2775, 10727,	5031, 5075, 7478,	20228, 20232,
11845, 11846,	7502, 7511, 7570,	20236, 20240,
11847, 11848,	7614, 7655, 7676,	20244, 20248,
11885, 11888,	7685, 8034, 8035,	20252, 20877,
11889, 11895,	8036, 8037, 8039,	20878, 20933,
11906, 11907,	8088, 8089, 8090,	20934, 20935,
11913, 11918,	8091, 8093, 9130,	20936, 21160,
11919, 11921,	10738, 10742,	21204, 21342,
11924, 11981,	10750, 10751,	21349, 21350,
11982, 11983,	10876, 10877,	21379, 21380, 21384
11984, 12441,	10878, 11324,	\@tempc . 11887, 11889,
12445, 12448,	11348, 11386,	11895, 13073, 13078
12460, 12479,	11431, 11438,	\@tempcnta 1399, 1458,
12483, 12486,	11448, 11451,	1459, 1460, 1462,
12498, 12991,	11455, 11457,	1463, 2260, 2266,
12994, 13045,	11463, 11497,	2268, 2281, 2282,
13046, 13692,	11499, 11505,	2288, 2289, 2615,
13693, 13695,	11518, 11522,	2617, 2621, 7105,
13696, 15160,	11523, 11811,	7107, 8009, 8066,
15161, 15162,	11907, 11924,	13112, 13114,
15165, 15172,	12073, 12254,	13117, 13140,
15178, 15981,	12256, 13241,	13141, 13149,
15983, 15985,	13246, 13250,	15236, 15238,
15989, 16122,	13654, 13655,	15239, 15245,
16124, 16126,	13658, 14465,	15249, 15262,
16130, 16713,	14468, 14472,	15313, 15315,
16714, 16756,	14474, 14480,	15319, 15322,
16757, 16857,	14482, 14483,	15324, 16961,
17099, 17102,	14512, 14513,	16963, 17156,
17406, 17679,	14517, 15407,	17175, 17510,
17682, 17979,	15408, 15411,	17512, 17736,
18105, 18362,	17163, 17177,	17755, 18209,
18365, 18854,	17181, 17183,	18211, 18419,



20262,	20263,	20096,	20099,	\@tencolfootnotetext
20276,	20278,	20103,	20107, 10035, 10050
20286,	20293,	20115,	20117,	\@testopt 2939,
20439,	20440,	20118,	20131,	2957, 13616, 13617
20459,	20470,	20137,	20139,	\@testpach 345, 1370,
20471,	20472,	20442,	20443,	1415, 18867, 20923
20473,	20485,	20445,	20447,	\@texfileextension
20488,	20494,	20450,	20451, 2724, 2727
20495,	20801,	20453,	20456,	\@textbottom .. 10485,
20802,	20944,	20470,	20471,	11783, 16883,
20945,	21245,	20472,	20476,	16890, 17139,
21246,	21247,	20489,	20493,	17144, 17432,
21248,	21251,	20494, 20804, 20805		17439, 17719,
21254,	21257,	\@tempdimc 7100, 16856,		17724, 18131,
21259, 21282, 21283		16863, 16864,		18138, 18402, 18407
\@tempdimb 7099, 7461,		16874, 17405,		\@textsuperscript .
7464, 7465, 7466,		17412, 17413,		447, 450, 737, 799,
7467, 7470, 7471,		17423, 18104,		801, 989, 1053,
7472, 7473, 7474,		18111, 18112, 18122		1239, 1301, 1303,
7475, 7476, 7627,		\@tempskipa 6246, 6247,		1973, 1976, 5297,
7630, 7631, 7633,		6248, 6359, 6360, 6361		5299, 6526, 6703,
7635, 7638, 7642,		\@tempswafalse . 4161,		6842, 6845, 8563,
7645, 7648, 7652,		4208, 8021, 8078,		8566, 8660, 8663,
7654, 7980, 7981,		11852, 20524, 20567		10663, 10666,
8001, 8002, 8053,		\@tempswatru 14408,		15935,
8055, 8058, 8105,	 4160, 4205,		15997, 15999,
8107, 8110, 8256,		8015, 8072, 20994		16074, 16138,
8258, 8271, 8272,		\@temptokena 121, 125,		16140, 16334,
8273, 8274, 8276,		12989, 12993, 15299		16341, 16377,
8303, 8306, 10238,		\@tempx 6261,		16384, 16563, 16566
10239,	10240,	6262, 12519, 12531		\@texttop .. 10481, 11779
10300,	10301,	\@tempxi 6264,		\@tfor 2261, 10727
10302,	10732,	6265, 12550, 12562		\@thanks 426,
10733,	10734,	\@tempxii 6267,		434, 462, 470,
10735,	10737,	6268, 12581, 12593		768, 774, 813, 819,
11905,	11906,	\@tempy 2193, 2194		1020, 1026, 1065,
11912,	11913,	\@tempyi 2196, 2197		1071, 1270, 1276,
11915,	11916,	\@tempyii 2199, 2200		1315, 1321, 1978,
13110,	13111,	\@tencol@footgroupv@r		1984, 6557, 6563,
13113,	14748, 10041		6734, 6740, 6821,
14773,	16868,	\@tencolLTRfootfmt		6829, 6857, 6865,
16869,	16870,	. 10067, 10088, 10116		8544, 8550, 8578,
17417,	17418,	\@tencolLTRfootnotetext		8584, 8639, 8647,
17419,	17988, 10036, 10060		8675, 8683, 10644,
17989,	17990,	\@tencolRTLfootfmt		10650, 10678,
18116,	18117,	. 10077, 10091, 10128		10684, 11350,
18118,	18774,	\@tencolRTLfootnotetext		11364, 11367,
18777,	18779, 10037, 10070		14401, 14424,
20081,	20087,	\@tencolfootfmt ...		15966, 15972,
20089,	20094,	. 10057, 10085, 10103		16011, 16017,



16105, 16113,	10382, 10396,	\@threecolfootnotetext
16152, 16160,	10410, 10663, 9278, 9293
16355, 16363,	10666, 11187,	\@title 320,
16396, 16404,	11192, 11196,	416, 437, 473, 487,
16542, 16550,	11201, 11223,	746, 748, 776, 821,
16578, 16586,	11240, 11256,	834, 998, 1000,
16941, 16985,	11284, 11298,	1028, 1073, 1086,
16994, 17490,	11312, 11355,	1248, 1250, 1278,
17534, 17543,	11360, 11370,	1323, 1337, 1348,
18189, 18233, 18242	11375, 11794,	1987, 2376, 2437,
\@thefnmark 44,	12301, 12312,	5830, 5915, 6535,
58, 74, 247, 261,	12323, 12334,	6537, 6565, 6712,
276, 447, 450,	12452, 12490,	6714, 6742, 6811,
737, 799, 801, 989,	12523, 12554,	6832, 6868, 6882,
1053, 1239, 1301,	12585, 12648,	7932, 8534, 8553,
1303, 1973, 1976,	12951, 15935,	8587, 8599, 8629,
2216, 2224, 2232,	15997, 15999,	8650, 8686, 8700,
5297, 5299, 5333,	16074, 16138,	10634, 10653,
5351, 5369, 5395,	16140, 16334,	10687, 10699,
5401, 5424, 5430,	16341, 16377,	14402, 15944,
5453, 5459, 6282,	16384, 16563, 16566	15946, 15974,
6289, 6296, 6526,	\@thefoot 10904,	16019, 16032,
6703, 6842, 6845,	10907, 10911,	16083, 16085,
8563, 8566, 8660,	21310, 21316,	16115, 16162,
8663, 8898, 8912,	21324, 21327, 21362	16178, 16189,
8926, 8938, 8949,	\@thehead 10903,	16345, 16366,
8960, 9001, 9005,	10906, 10910,	16407, 16421,
9007, 9013, 9017,	21310, 21316,	16532, 16553,
9019, 9025, 9029,	21323, 21326, 21346	16589, 16603,
9031, 9189, 9199,	\@themargin ... 10960,	16926, 16997,
9209, 9235, 9248,	11949, 11951,	17039, 17475,
9260, 9298, 9307,	11956, 11958,	17546, 17588,
9316, 9341, 9353,	11962, 11964,	18174, 18245, 18287
9364, 9401, 9411,	21312, 21314,	\@titlecolour . 2406, 2423
9421, 9447, 9460,	21318, 21320, 21339	\@titlehead
9472, 9510, 9520,	\@thm 15193, 15214	.. 16915, 16917,
9530, 9556, 9569,	\@thmcountersep 343, 20734	17000, 17027,
9581, 9619, 9629,	\@threecol@footgroupv@r	17029, 17464,
9639, 9665, 9678, 9284	17466, 17549,
9690, 9728, 9738,	\@threecolLTRfootfmt	17576, 17578,
9748, 9774, 9787,	... 9309, 9328, 9355	18163, 18165,
9799, 9837, 9847,	\@threecolLTRfootnotetext	18248, 18275, 18277
9857, 9883, 9896, 9279, 9302	\@tocextra
9908, 9946, 9956,	\@threecolRTLfootfmt	.. 19074, 19075,
9966, 9992, 10005,	... 9318, 9331, 9366	19079, 19081, 19084
10017, 10055,	\@threecolRTLfootnotetext	\@tocline .. 2, 197, 12957
10065, 10075, 9280, 9311	\@tocpagenum 15, 210, 12970
10101, 10114,	\@threecolfootfmt .	\@tocrmarg
10126, 10321,	... 9300, 9325, 9343	.. 14792, 14804,
10333, 10345,		14816, 15777,



19118, 19149,	\@toodeep 20741	\@twosidetrue 4418
19172, 19189,	\@topnum . . . 111, 314,	\@typeset@protect .
19206, 19223,	459, 810, 1062, 2132,
19240, 19257,	1312, 5908, 6854,	2138, 2144, 2159
19275, 19294,	8575, 8672, 10675,	\@undeclaredcolor .
19314, 19349,	12979, 14421, 7145,
19400, 19678,	16008, 16149,	7153, 20517, 20518
20141, 20258, 20940	16393, 16575,	\@undefined
\@todonotes@MissingFigureDown	16982, 17531, 18230	. 2190, 13621, 14522
. 20420	\@topsep . . . 15207, 15227	\@undottedtocline 14789
\@todonotes@MissingFigureText	\@topsepadd	\@unexpandable@protect
. 20397	. 2104, 15208, 15228 2990, 4320
\@todonotes@MissingFigureUp	\@totalleftmargin .	\@unrecurse . 18764, 18767
. 20419 11533,	\@uppertitleback . .
\@todonotes@author	11537, 11540, 16945,
. 20330,	11549, 13754,	17003, 17494,
20341, 20366, 20384	15210, 15211,	17552, 18193, 18251
\@todonotes@currentfigcolor	15230, 15231,	\@urlbordercolor . .
. 20401	15751, 20760, 12750, 12752
\@todonotes@currentfigheight	20762, 20768,	\@urlcolor 12764
. 20402	20770, 20774,	\@viiipt 4448,
\@todonotes@currentfigwidth	20776, 20780,	5668, 15248, 15261
. 20402,	20782, 20784,	\@viipt 5668, 15248, 15261
20404, 20414, 20417	20819, 20821,	\@viper 7381, 7383, 7385,
\@todonotes@drawInlineNote	20822, 20823,	7440, 7442, 7444,
. 20325	20828, 20830,	7457, 7521, 7567,
\@todonotes@drawLineToLeftMargin	20831, 20832,	7695, 7744, 14749,
. 20353, 20356	20837, 20839,	14764, 14766, 14771
\@todonotes@drawLineToRightMargin	20840, 20841,	\@viperoutput . 7387, 7446
. 20353, 20356	20846, 20848,	\@vipt 5669
\@todonotes@drawMarginNote	20849, 20850, 21282	\@vpt 5669
. 20352, 20355, 20359	\@traditionalpoem .	\@whilenum 13141
\@todonotes@drawMarginNoteWithLine 6203, 6302	\@whilesw . 7379, 7438,
. 20347	\@trivlist	10802, 10842,
\@todonotes@ifdisabled	. 15204, 15224, 20753	10926, 11610,
. 20426	\@twocol@footgroupv@r	11663, 14640,
\@todonotes@sizecommand 9175	14737, 21041, 21084
. 20330,	\@twocolLTRfootfmt	\@wholewidth
20332, 20339,	. . . 9201, 9222, 9250	. 10729, 10731, 10749
20341, 20343,	\@twocolLTRfootnotetext	\@width 31, 235,
20366, 20368, 9170, 9194	383, 533, 718, 953,
20380, 20383,	\@twocolRTLfootfmt	1198, 1488, 6498,
20384, 20386, 20389	. . . 9211, 9225, 9262	6651, 6927, 7132,
\@todonotes@text . .	\@twocolRTLfootnotetext	7354, 7419, 7494,
. . 20330, 20332, 9171, 9204	7668, 7962, 8518,
20341, 20343,	\@twocolfootfmt . . .	8817, 8866, 10600,
20366, 20368,	. . . 9191, 9219, 9237	10831, 11134,
20381, 20387, 20390	\@twocolfootnotetext	11136, 11511,
\@todonotes@textwidth 9169, 9184	11599, 11646,
. 20364	\@twosidefalse 4423	12948, 13019,



13636, 13690,	\@xivpt 303, 5672	18731, 18746,
13776, 14622,	\@xmakefntext . . 800,	18762, 18763,
14724, 14867,	1302, 15998, 16139	18939, 18968,
14881, 14913,	\@exp 121, 308,	20363, 20370,
14961, 15887,	333, 334, 7046, 12989	20716, 20853,
16310, 16466,	\@xpt 4439	20896, 20912, 20922
16648, 16885,	\@xstartcol 11686	\{ 2049, 13896, 13940
17140, 17434,	\@xthm 15212, 15232	\} 2050, 13896, 20721
17720, 18133,	\@xtitle 320	\] 6328, 10856
18403, 18740,	\@xxpt 5673	\^ 1820,
18779, 20906,	\@xxxii 2287	6103, 6104, 6106, 6107
21024, 21073, 21273	\@xympar	\` 11531, 13751, 15747
\@x 6319, 6320	4993, 4997, 5037,	\ 11410, 11411, 11526
\@xsf 5306, 5311, 5317, 5320	5041, 5081, 5085,	
\@xLTRfootnote	21166, 21170,	Numbers
. . . . 2181, 2303,	21210, 21214, 21277	\0 1775
6153, 6164, 6377,	\@yargdef 2959	\1 13838, 13889, 13941
6391, 11195, 11198	\@ympar 21274	\9 1775
\@xLTRfootnotenext	\@ythm 15212, 15232	
. 2180,	\[. 6327, 10846	_ 1591, 1872, 5199, 5203,
2302, 6152, 6163,	\ \ 122, 397, 744,	5218, 5222, 5237,
6376, 6390, 11354,	789, 996, 1041,	5241, 5269, 5273,
11357, 12320, 18814	1246, 1291, 2187,	11403, 11405, 18075
\@xRTLfootnote	2484, 2490, 2637,	
. . . . 2183, 2305,	3442, 3458, 3462,	A
6155, 6166, 6379,	3683, 3685, 3686,	\abovecaptionskip .
6393, 11186, 11189	3687, 3695, 3700, 13239,
\@xRTLfootnotenext	3701, 3703, 4753,	13678, 13680,
. 2182,	4754, 4755, 4757,	14461, 14511,
2304, 6154, 6165,	5717, 6086, 6224,	17230, 17234,
6378, 6392, 11369,	6533, 6710, 7820,	17249, 17257,
11372, 12309, 18815	7821, 7824, 7840,	17810, 17814,
\@xaddress 321	7927, 7932, 7939,	17829, 17837,
\@xauthor 321	7949, 7953, 8797,	18493, 18497,
\@xcolor@ . . 20525, 20568	8801, 8810, 12153,	18512, 18520, 21378
\@xcurraddr 322	12156, 12169,	\abovedisplayshortskip
\@xemail 322	12172, 12272, 4441, 4450, 5660
\@xepersian@pdfcustomproperties	12693, 12708,	\abovedisplayskip .
. 1811	12727, 12990, 4440, 4443, 4449,
\@xfloat 2236	13010, 13014,	4456, 4490, 5659, 5666
\@xfootnote 2179,	13203, 13204,	\abstractname 622, 628,
2301, 6151, 6162,	13210, 13211,	631, 929, 935, 937,
6375, 6389, 12646	13614, 13759,	1181, 1187, 1190,
\@xfootnotemark . . 12331	15317, 15329,	6474, 6662, 15814,
\@xfootnotenext . . .	15692, 15693,	15820, 15823,
. . . . 2178, 2300,	15705, 15706,	16264, 16270, 16273
6150, 6161, 6374,	15718, 15719,	\Acrobatmenu 12769
6388, 12298, 18813	15731, 15942,	\active 6103,
\@xipt 5671	15987, 16081,	6104, 6106, 6107
\@xipt 5670	16128, 18081,	



\add@strip	14773	5683, 7918, 7919,	\adl@argarraydashrule	
\addcontentsline . .		7920, 8309, 12006,	1385, 1423
.. 546, 548, 2481,		12007, 13099,	\adl@array . . .	1363, 1368
4732, 8474, 8476,		13101, 13103,	\adl@arraydashrule	
13270, 13275,		13104, 13122,	1384, 1422
14534, 19057,		13124, 13125,	\adl@arrayinit	1365
19064, 19081, 20397		13127, 13128,	\adl@arrayrestore .	1360
\AddExtraParaSkip .		13130, 13131,	\adl@arrayrule	1383, 1421
. 10180, 10183, 10308		13132, 13147,	\adl@box .	1406, 1408, 1409
\addfontfeature 2404,		13148, 16860,	\adl@class@iiiorvii	
2405, 2406, 2407,		16863, 16864,	1412, 1445
2408, 2409, 2411, 2412		16867, 16869,	\adl@class@start . .	
\addpenalty	5,	17207, 17208,	1411, 1444
200, 502, 519, 654,		17409, 17412,	\adl@CT@setup	
672, 679, 881, 898,		17413, 17416,	. . .	1448, 1451, 1452
916, 1137, 1155,		17418, 17787,	\adl@depth	1455
1163, 6433, 6449,		17788, 17982,	\adl@endarray	1360
6456, 6610, 6626,		17987, 17989,	\adl@endmbox	1407
6633, 6897, 6912,		18108, 18111,	\adl@everyvbox	1364, 1365
8446, 8460, 8715,		18112, 18115,	\adl@extract@arc . .	1460
10550, 10565,		18117, 18470,	\adl@extract@dgc . .	1463
12960, 15846,		18471, 19000,	\adl@extract@drsc .	1461
15862, 15869,		19001, 19681,	\adl@height	1454
16218, 16234,		19687, 19691, 19695	\adl@inactivate	1366, 1448
16241, 16434,	\addvspace	5,	\adl@LT@array	12820
16448, 16618,		200, 503, 520, 655,	\adl@noalign	1367
16633, 18981,		673, 680, 882,	\adl@org@activate .	1449
18983, 19111,		899, 917, 1138,	\adl@org@classz . . .	1492
19113, 19146,		1156, 1164, 5711,	\adl@org@endpbox . .	1450
19168, 19532,		5768, 6434, 6450,	\adl@org@inactivate	1448
19535, 19539,		6611, 6627, 6898,	\adl@putlrc	1403, 1404,
19640, 19643, 19647		8447, 8461, 8716,	1405, 1433, 1434,	
\address	321, 2438	10551, 12960,	1435, 1441, 1442, 1443	
\addresscolour		15847, 15863,	\adl@startmbox	1406
2407, 7772, 7870,		16219, 16235,	\advance	12,
7876, 7882, 7888, 7894		16435, 16619,	90, 207, 293, 311,	
\addressfont		19115, 19169,	379, 526, 570, 686,	
2416, 2424, 2535,		19533, 19540,	705, 872, 888, 968,	
7810, 7838, 7902, 7936		19641, 19644,	1170, 1218, 1453,	
\addresssymbol		19648, 19675, 20075	1487, 1775, 1776,	
. . . 2398, 7840, 7939		\adjmc@inner	1946, 1951, 2268,	
\addresstyle	2424	\adjmc@outer	2282, 2288, 2554,	
\addtocontents . . .	19397	\adjmc@page@sofar@orig	2598, 2633, 3552,	
\addtocounter	13133, 13134	3703, 3709, 3719,	
\addtolength . . .	2358,	\adjmult@cols	3774, 3791, 3800,	
2359, 2360, 2361,		\adjmulticols	4332, 4941, 5647,	
2362, 2363, 2461,		\adl@act@classz . . .	5722, 6073, 6081,	
2462, 2464, 2466,		\adl@act@CT@setup .	6082, 6247, 6360,	
2467, 2470, 4525,		6463, 6485, 6640,	
4528, 4529, 4532,		1449, 1456	6673, 6919, 6982,	
		\adl@activate .	1366, 1449	



7131, 7139, 7140,	14708,	14762,	20471,	20472,
7180, 7292, 7457,	14763,	14764,	20501,	20512,
7458, 7467, 7528,	14765,	14774,	20513,	20743,
7529, 7544, 7564,	14796,	14809,	20756,	20757,
7567, 7568, 7577,	14821,	14834,	20760,	20762,
7579, 7585, 7586,	14963,	14964,	20768,	20770,
7589, 7592, 7595,	14969,	14970,	20774,	20776,
7638, 7703, 7704,	14973,	14974,	20780,	20782,
7719, 7739, 7740,	15205,	15209,	20880,	20881,
7970, 7980, 7981,	15210,	15225,	20945,	20971,
7991, 8001, 8002,	15229,	15230,	21246,	21247,
8018, 8019, 8020,	15238,	15324,	21254,	21255,
8037, 8046, 8053,	15346,	15374,	21256, 21257, 21282	
8075, 8076, 8077,	15381,	15423,	\afterassignment ..	
8091, 8098, 8105,	15428,	15429,	1593, 1595, 1874,	
8253, 8254, 8267,	15430,	15459,	1876, 2991, 3783,	
8269, 8272, 8273,	15460,	15486,	5171, 18837, 18838	
8274, 8453, 8506,	15497,	15652,	\aftergroup	
8777, 9161, 9163,	15654,	15659,	2086, 2096, 3990,	
10188, 10223,	15662,	15685,	3992, 4002, 4004,	
10225, 10230,	15876,	15903,	4014, 4016, 4034,	
10234, 10285,	16248,	16297,	4036, 4045, 4047,	
10287, 10292,	16338,	16381,	4056, 4058, 5155,	
10296, 10572,	16455,	16491,	5170, 7143, 7145,	
10614, 10729,	16640,	16694,	7152, 7158, 7177,	
10731, 10733,	16759,	17096,	10947, 10949,	
10739, 10740,	17676,	18079,	15542, 15543,	
10747, 10748,	18359,	18692,	15546, 15551,	
10749, 10919,	18763,	18777,	15552, 15556,	
10920, 11406,	18787,	18807,	15561, 15562,	
11420, 11433,	18902,	18940,	15566, 15570,	
11434, 11466,	18956,	18969,	15574, 15578,	
11471, 11472,	18973,	19005,	18974, 20066,	
11475, 11484,	19006,	19026,	20506, 20515,	
11548, 11675,	19127,	19158,	20517, 20554,	
11676, 11680,	19181,	19198,	20558, 20611,	
11681, 11683,	19215,	19232,	20622, 20623,	
11684, 11687,	19249,	19266,	20626, 20631,	
11688, 11689,	19284,	19303,	20632, 20636,	
11690, 11809,	19323,	19358,	20641, 20642,	
12655, 12665,	19399,	19548,	20646, 20651,	
12921, 12967,	19549,	19657,	20655, 20660,	
13111, 13114,	19708,	20064,	21292, 21302, 21303	
13115, 13149,	20084,	20089,	\ALG@floatstyle ...	
13629, 13641,	20139,	20140,	... 4956, 4957, 4958	
13707, 14575,	20141,	20144,	\algocf@float 21444	
14577, 14604,	20148,	20173,	\algocf@makecaption 188	
14605, 14608,	20184,	20263,	\algocf@within	
14675, 14677,	20286,	20440, 166, 168,	
14704, 14705,	20442,	20452,	21446, 21447, 21448	



<code>\alignL</code>	7078	16557, 16593,	<code>\AtPageUpperLeft</code> . .
<code>\alignR</code>	7085	17016, 17565, 18264	. . . 8243, 8257, 8275
<code>\allowbreak</code> 7976, 7997,		<code>\andify</code>	<code>\AtTextUpperLeft</code> . .
9221, 9224, 9227,		<code>\andname</code> 8247, 8263
9327, 9330, 9333,		1291, 15987, 16128	<code>\author</code>
9433, 9436, 9439,		<code>\andnext</code>	321,
9542, 9545, 9548,		14400	439, 475, 779, 824,
9651, 9654, 9657,		<code>\AppendToList</code>	1031, 1076, 1281,
9760, 9763, 9766,		3651	1326, 1989, 5814,
9869, 9872, 9875,		<code>\arabic</code>	5846, 6568, 6745,
9978, 9981, 9984,		19,	6834, 6870, 8555,
10087, 10090, 10093		20, 21, 22, 86, 214,	8589, 8652, 8688,
<code>\Alph</code>	14443	215, 216, 217, 289,	10655, 10689,
<code>\AM@CheckAtEnd</code> . . .	15337	329, 10882, 10888,	15977, 16022,
<code>\AM@ClearShipoutPicture</code>		12917, 12974,	16118, 16165,
.	15339	12975, 12976,	16368, 16409,
<code>\AM@currentdocname</code>		12977, 19339, 21444	16555, 16591,
.	15302, 15308	<code>\array</code>	17006, 17555, 18254
<code>\AM@findfile</code>	15306	<code>\arraycolsep</code>	<code>\auto@footnoterule</code>
<code>\AM@output</code>	15335	400, 20920 11150, 11161
<code>\AM@pagecount</code>	15304	<code>\arraylinesep</code>	<code>\autodot</code>
<code>\AM@pageref</code>	15319, 15322	18770	17063,
<code>\AM@pagetemp</code>		<code>\arrayrulecolor</code> . . .	17611, 18310, 20276
.	15312, 15317,	<code>\arrayrulewidth</code> . .	<code>\autofootnoterule</code> .
15318, 15321,		18787	1686, 7956, 8860,
15329, 15330, 15334		<code>\arraystretch</code> 381, 382,	11159, 11790, 21396
<code>\AM@readlist</code>	15334	2080, 2091, 13634,	
<code>\AM@split@options</code> 15298		13635, 18738,	B
<code>\AM@temp</code>	15299, 15300	18739, 18774,	<code>\backmatter</code>
<code>\AM@threadname</code>		20729, 20904, 20905	. . . 6018, 6967, 8762
.	15297, 15307, 15308	<code>\aslice</code>	<code>\baselineskip</code>
<code>\AM@xrprefix</code>		15466, 15467,	395,
.	15315, 15319, 15322	15469, 15471,	717, 719, 723,
<code>\and</code>	441, 477,	15472, 15474,	725, 1197, 1199,
755, 781, 784, 826,		15487, 15488, 15490	1203, 1205, 2931,
1007, 1033, 1036,		<code>\At@ViperColsBreak</code>	4467, 4469, 4472,
1078, 1257, 1283,	 7606, 7616, 7620	4474, 4476, 4479,
1286, 1328, 1350,		<code>\AtBeginCaption</code> . .	4634, 5264, 5331,
1991, 6544, 6570,		13281	5349, 5367, 5484,
6721, 6747, 6836,		<code>\AtBeginDocument</code> . .	5493, 5502, 5583,
6872, 8557, 8591,	 1584, 1731,	5590, 5597, 5604,
8654, 8690, 10657,		2373, 2433, 2530,	5611, 5711, 5768,
10691, 14399,		3303, 4385, 4534,	6111, 6172, 6236,
15301, 15953,		4761, 4895, 4900,	6242, 6497, 6499,
15979, 15982,		4953, 5764, 5964,	6503, 6505, 6650,
16024, 16092,		6029, 7849, 7963,	6652, 6656, 6658,
16120, 16123,		7984, 8005, 8413,	7293, 7294, 7311,
16167, 16191,		11263, 11798,	7315, 7530, 7705,
16370, 16411,		12270, 13289,	10957, 11421,
		13296, 13379,	13109, 13117,
		15763, 18753, 20213	13650, 13660,
		<code>\AtBeginPackage</code> . .	13757, 13774,
		14504	15421, 15424,
		<code>\AtEndDocument</code> . .	
		1802,	
		2537, 3327, 4237,	
		6256, 6312, 13881,	
		13932, 13950, 20992	
		<code>\AtEndOfClass</code>	
		2372	
		<code>\AtPageLowerLeft</code> . .	
		8243	



15438,	15462,	\BCmd 2085	8538, 8597, 8603,
15466,	15471,	\BDefaboveskip	8618, 8628, 8633,
15475,	15487,	. . . 2100, 2115, 2118	8696, 8704, 8796,
15498,	15525,	\BDefbelowskip	10625, 10633,
15758,	15886,	. . . 2104, 2116, 2119	10638, 10697,
15888,	15892,	\BDefinlineskip . . .	10703, 10849,
15894,	16309,	. . . 2109, 2117, 2120	12021, 12026,
16311,	16315,	\begin 405, 415,	12044, 12147,
16317,	18073,	420, 483, 491, 729,	12149, 12163,
18076,	18078,	742, 753, 832, 838,	12165, 13009,
18083,	18749,	981, 994, 1005,	14549, 15245,
18788,	20440,	1084, 1090, 1231,	15927, 15940,
20448,	20452,	1244, 1255, 1335,	15951, 16030,
20916, 21336, 21359		1341, 1350, 1352,	16036, 16064,
\baselinestretch . .		1353, 2079, 2081,	16079, 16090,
. . . . 2388, 5327,		2090, 2092, 2095,	16174, 16182,
5345, 5363, 8892,		2488, 2492, 2494,	16191, 16193,
8906, 8920, 8934,		2496, 2498, 2502,	16194, 16324,
8945, 8956, 9185,		2510, 2513, 2548,	16344, 16349,
9195, 9205, 9231,		2661, 2665, 2685,	16425, 16521,
9243, 9256, 9267,		2689, 2716, 3362,	16531, 16536,
9272, 9294, 9303,		3368, 3390, 3394,	16599, 16607,
9312, 9337, 9348,		4094, 4540, 4541,	16896, 16916,
9360, 9370, 9375,		4554, 4557, 4631,	16921, 16931,
9397, 9407, 9417,		4632, 4638, 4639,	16944, 16948,
9443, 9455, 9468,		4646, 4647, 4672,	17028, 17034,
9479, 9484, 9506,		4673, 4710, 4713,	17045, 17087,
9516, 9526, 9552,		4716, 4719, 4723,	17445, 17465,
9564, 9577, 9588,		4724, 4908, 4909,	17470, 17480,
9593, 9615, 9625,		5527, 5583, 5590,	17493, 17497,
9635, 9661, 9673,		5597, 5604, 5611,	17577, 17583,
9686, 9697, 9702,		5624, 5632, 5754,	17594, 17667,
9724, 9734, 9744,		5759, 5892, 5939,	18144, 18164,
9770, 9782, 9795,		5962, 6344, 6518,	18169, 18179,
9806, 9811, 9833,		6531, 6542, 6695,	18192, 18196,
9843, 9853, 9879,		6708, 6719, 6763,	18276, 18282,
9891, 9904, 9915,		6775, 6800, 6810,	18293, 18350,
9920, 9942, 9952,		6815, 6878, 6886,	19019, 20327,
9962, 9988, 10000,		7196, 7206, 7219,	20334, 20337,
10013, 10024,		7229, 7242, 7252,	20348, 20361,
10029, 10051,		7265, 7275, 7824,	20364, 20371,
10061, 10071,		7930, 7935, 7953,	20377, 20400,
10097, 10109,		8122, 8125, 8129,	20404, 20410, 20417
10122, 10133,		8131, 8136, 8138,	\begin@bidi@stack .
10138, 10220,		8142, 8145, 8148, 2655, 2665,
10282, 10317,		8152, 8154, 8158,	2666, 2679, 2689, 2690
10329, 10341,		8160, 8164, 8167,	\begingroup . . . 6, 119,
10372, 10391,		8170, 8174, 8176,	201, 302, 315, 372,
10405, 10423,		8181, 8183, 8332,	384, 445, 505, 522,
10433, 10442, 10451		8398, 8525, 8533,	656, 682, 796, 884,



900, 1048, 1139,	15295, 15343,	7138, 7143, 7152,
1166, 1298, 1479,	15634, 15848,	7158, 7177, 8241,
1971, 2214, 2222,	15872, 15994,	9154, 9158, 10878,
2230, 2609, 2637,	16135, 16220,	11802, 11807,
2656, 2680, 2899,	16244, 16374,	11864, 11903,
2918, 3057, 3103,	16436, 16451,	11910, 12279,
3110, 3140, 3156,	16561, 16621,	12287, 12669,
3172, 3212, 3220,	16636, 16970,	12705, 12737,
3253, 3301, 3425,	17086, 17179,	12766, 12792,
3633, 3635, 3657,	17519, 17666,	12798, 12805,
3667, 3677, 3807,	17759, 18218,	13002, 13242,
3884, 3908, 3923,	18349, 18442,	13654, 13718,
3989, 4000, 4012,	18836, 18953,	13721, 13731,
4033, 4043, 4054,	18977, 19116,	13822, 13830,
4204, 4318, 4330,	19543, 19651,	14021, 14347,
4365, 4734, 5153,	20062, 20179,	14512, 14514,
5399, 5428, 5457,	20519, 20562,	15411, 15536,
5831, 5848, 5864,	20611, 20707,	15543, 15548,
5876, 5909, 6213,	21038, 21081, 21292	15630, 15631,
6280, 6287, 6294,	\beginL 176,	15632, 16800,
6324, 6435, 6459,	1464, 1628, 1901,	16810, 16821,
6612, 6636, 6840,	2535, 5015, 5059,	16828, 17222,
6900, 6915, 7004,	7108, 7137, 7143,	17802, 18485,
7123, 7177, 7186,	7145, 7177, 9194,	18728, 18750,
7376, 7435, 8248,	9246, 9302, 9351,	18789, 18911,
8264, 8449, 8462,	9406, 9458, 9515,	20511, 20515,
8561, 8658, 8717,	9567, 9624, 9676,	20554, 20558,
10219, 10281,	9733, 9785, 9842,	20611, 20616,
10552, 10568,	9894, 9951, 10003,	20623, 20628,
10661, 10801,	10060, 10112,	20863, 20866,
10839, 10923,	10742, 10853,	20869, 20886,
10939, 11190,	10868, 11035,	20893, 20918,
11199, 11358,	11800, 11806,	21232, 21266,
11373, 11380,	11815, 11835,	21283, 21285,
11432, 11465,	11851, 11861,	21346, 21362,
11607, 11660,	12654, 13242,	21381, 21384, 21392
11834, 11850,	15344, 15536,	\belowcaptionskip .
12020, 12299,	15542, 15558, 13252,
12310, 12321,	15634, 16806,	13678, 13680,
12332, 12430,	16817, 16824,	14502, 14519,
12450, 12488,	16834, 18904,	17228, 17236,
12521, 12552,	20510, 20515,	17247, 17259,
12583, 12817,	20517, 20611,	17808, 17816,
12832, 12961,	20616, 20622,	17827, 17839,
12987, 13056,	20638, 21188,	18491, 18499,
13086, 13273,	21266, 21346, 21362	18510, 18522, 21386
13638, 14406,	\beginR 174,	\belowdisplayshortskip
14536, 14637,	336, 341, 372, 397,	. . . 4442, 4451, 5661
14734, 14944,	1465, 2184, 5015,	\belowdisplayskip .
14948, 14952,	5103, 7035, 7109, 4443,



4456, 4491, 5666	20659, 20707,	\bidi@@diagbox@double@iii
\bf 1907, 15407, 15409	20713, 20893, 8126, 8134
\bfseries . . . 25, 303,	20902, 20910, 20918	\bidi@@diagbox@triple@setbox@NW@tabular@i@ii
509, 525, 554, 557,	\bib@after@hook 17131,	. . . 8143, 8146, 8150
661, 685, 887, 905,	17133, 17711,	\bidi@@diagbox@triple@setbox@NW@tabular@iii
1144, 1169, 1636,	17713, 18394, 18396 8149, 8156
2035, 2505, 5891,	\bib@before@hook . .	\bidi@@diagbox@triple@setbox@SE@tabular@i
6440, 6462, 6617, 17081, 8165, 8172
6639, 6764, 6776,	17132, 17661,	\bidi@@diagbox@triple@setbox@SE@tabular@ii@iii
6904, 6918, 6950,	17712, 18344, 18395	. . . 8168, 8171, 8179
6956, 6964, 8452,	\bib@beginhook 17074,	\bidi@@end . . . 3353, 3357
8467, 8482, 8485,	17080, 17654,	\bidi@@footnotetext@font
8494, 8721, 8744,	17660, 18337, 18343	. . 38, 241, 5329,
8750, 8759, 10557,	\bib@endhook	11210, 11217, 11308
10571, 10582,	. 17135, 17715, 18398	\bidi@@loadwithoptions
10587, 10595,	\bib@heading 3903,
12956, 15853,	. 17076, 17659, 18342	3910, 3913, 3917
15875, 16225,	\bibcleanup 15152	\bidi@@LTRfootnotetext@font
16247, 16421,	\bibentry 5201,	. . 68, 270, 5347,
16440, 16454,	5203, 5220, 5222,	11211, 11250, 11294
16625, 16639,	5239, 5241, 5271, 5273	\bidi@@null . . . 3525, 3526
16670, 16675,	\bibfont 15131	\bidi@@onefilewithoptions
16683, 19547,	\bibindent . . . 2539, 2540	. . . 3925, 3928, 3931
19656, 20005,	\bibitem@fin 15146	\bidi@@patchcmd 3105, 3107
20009, 20014, 20043	\bibliofont 85, 288, 12916	\bidi@@RTLfootnotetext@font
\bgroup 171, 172,	\bibliographyitemlabel	. . 52, 255, 5365,
372, 387, 392, 397, 2541, 2548	11212, 11234, 11280
630, 1189, 1465,	\bibname . . 5747, 5748,	\bidi@@thebibliography@font@hook
1597, 1878, 2174,	6478, 6479, 6666,	. . . 88, 291, 566,
2296, 6145, 6370,	6667, 6975, 6976,	701, 964, 1214,
6384, 7037, 7109,	8770, 8771, 10607,	2547, 6481, 6669,
10853, 10854,	10608, 15896,	6978, 8502, 8773,
10868, 11324,	15897, 16290,	10610, 12919,
11485, 13642,	16291, 16484,	14548, 15133,
13644, 13684,	16485, 16687, 16688	15899, 16293,
13718, 13721,	\bibpostamble 15147	16487, 16690,
13741, 14749,	\bibpreamble	17090, 17670,
15355, 15544,	. . 15130, 17077,	18353, 19022, 20738
15550, 15554,	17078, 17656,	\bidi@@addto@envbody
15560, 15564,	17657, 18339, 18340	. . . 2651, 2669, 2671
15569, 15572,	\bibsection 5742, 5745,	\bidi@@addto@long@envbody
15577, 15822,	5747, 5748, 14546,	. . . 2675, 2693, 2695
16272, 18728,	15128, 19016, 19018	\bidi@AfterAtEndOfClass
18736, 18744,	\bidi@@convert@dimen@t@pt 3992, 3997
18750, 18781, 2837	\bidi@AfterAtEndOfPackage
18785, 18789,	\bidi@@convert@dimen@t@unit 4036, 4040
20171, 20624, 2834	\bidi@AfterClass . . 3980
20630, 20634,	\bidi@@diagbox@double@ii	\bidi@AfterEndDocument
20640, 20644, 8123, 8127	. . . 3344, 3349, 3355
20650, 20653,		



\bidi@AfterEndDocumentCheck	\bidi@AfterBegin ... 2993,	\bidi@beforeoutputpageshipouthook
... 2588, 3316, 3321	3037, 3309, 4347 3270,
\bidi@AfterEndDocumentHook	\bidi@AspToDocHook...	3271, 10945, 21299
... 3316, 3317, 3322	.. 3210, 3211, 18932	\bidi@BeforePackage 4023
\bidi@AfterEndDocumentHook	\bidi@Are@these@correct	\bidi@bswitch . 3584, 3586
..... 3344, 3618, 3621	\bidi@CharsBefore .
3345, 3350, 3356	\bidi@AtBeginEnvironment	3499, 3501, 3502,
\bidi@AfterEndEnvironment 3359, 3369	3507, 3511, 3512, 3517
..... 3399, 3409	\bidi@AtEndEnvironment	\bidi@CharsBeforeNC 3500
\bidi@AfterEndPreamble 3373, 3383	\bidi@clearpage 3338, 3340
3306, 3310, 3312,	\bidi@AtEndOutputPage	\bidi@collect@@body
3327, 4389, 5905, 5928 2632, 2657, 2664
\bidi@AfterEndPreambleHook	3292, 10978, 21374	\bidi@collect@body 2652
..... 3306,	\bidi@AtEndOutputPageHook	\bidi@collect@long@@body
3307, 3311, 3313 3292, 2681, 2688
\bidi@AfterFile 3977,	3293, 10979, 21375	\bidi@collect@long@body
17239, 17819, 18502	\bidi@AtEndPreamble 2676
\bidi@AfterFooter 1779,	\bidi@column@check@number
..... 3285, 21364	3267, 3297, 3299,	.. 20955, 20971,
\bidi@AfterFooterHook	3304, 4387, 5185,	20973, 20975, 20987
.. 3285, 3286, 21365	13255, 14910, 14966	\bidi@column@status
\bidi@AfterLastShipout	\bidi@autofooterulefalse	.. 1719, 1723, 20957
... 3329, 3335, 3341	. 11138, 11142, 11145	\bidi@column@type .
\bidi@AfterLastShipoutHook	\bidi@autofooteruletrue	. 20972, 20977, 20988
..... 3329, 11160	\bidi@copy@stacktop 3696
3330, 3336, 3342	\bidi@backslash 3442, 3443	\bidi@copyins@amount
\bidi@AfterOutputBoxOutputPage	\bidi@BeforeBeginEnvironment	.. 11679, 11680,
. 3279, 10969, 21355 3387, 3395	11681, 11684,
\bidi@AfterOutputBoxOutputPageHook	\bidi@BeforeClass . 3978	11689, 11690, 11702
..... 3279,	\bidi@BeforeClosingMainAux	\bidi@counter@page
3280, 10970, 21356 4270, 4281, 2602, 2631
\bidi@AfterOutputPageShipOut	4285, 4288, 4296, 4299	\bidi@cs@a ... 3527, 3528
. 3289, 10972, 21368	\bidi@BeforeFile .. 3976	\bidi@cs@e 3690, 3691,
\bidi@AfterOutputPageshipouthook	\bidi@BeforeFooter	3693, 3694, 3697, 3699
..... 3289, 3282, 21357	\bidi@cs@lista
3290, 10973, 21369	\bidi@BeforeFooterHook 3663, 3664,
\bidi@AfterPackage 4025	.. 3282, 3283, 21358	3665, 3666, 3675, 3676
\bidi@AfterPreamble	\bidi@BeforeHeader	\bidi@cs@listb 3660, 3662
.. 3303, 3304, 13186	. 3273, 10962, 21340	\bidi@cs@liste 3658, 3663
\bidi@AfterReadingMainAux	\bidi@BeforeHeaderHook	\bidi@csappto 3037
..... 4307, 4310 3273,	\bidi@csarg
\bidi@Append .. 3214, 3264	3274, 10963, 21341	3454, 3470, 3544,
\bidi@Append@cslist@to@cslist 3642, 3711	3551, 3569, 3574,
..... 3642, 3711	\bidi@BeforeOutputBoxOutputPage	3579, 3584, 3590,
\bidi@Append@list@to@list	. 3276, 10966, 21352	3595, 3637, 3649,
..... 3640, 3720	\bidi@BeforeOutputBoxOutputPageHook	3654, 3665, 3675,
\bidi@Append@to@list 3276,	3684, 3694, 3698, 3702
..... 3621, 3639	3277, 10967, 21353	\bidi@csdefcs 2905
\bidi@Append@toks@cs@to@list	\bidi@BeforeOutputPageShipOut	\bidi@cs@eappto 3038, 3041
..... 3644	. 3270, 10944, 21298	\bidi@cs@epreto 3047, 3050



\bidi@csgappto . 3039,	\bidi@empty@stack .	9888, 9901, 9913,
3360, 3374, 3388, 3400 3701, 3707	9918, 9923, 9941,
\bidi@csgpreto 3048	\bidi@empty@toks ..	9951, 9961, 9971,
\bidi@cslet 2911	... 3714, 3717, 3721	9976, 9979, 9982,
\bidi@csletcs 2908	\bidi@endpreamblehook	9985, 9997, 10010,
\bidi@csname ... 3466, 3267,	10022, 10027,
3617, 3623, 3660, 3694	3268, 3298, 3300	10032, 10050,
\bidi@cspreto 3046	\bidi@ensure@new@command	10060, 10070,
\bidi@csprotect ... 3763 2916, 2917	10080, 10085,
\bidi@csuse 2980,	\bidi@ensure@newcommand	10088, 10091,
3364, 3378, 3391, 3404 2916,	10094, 10106,
\bidi@cswitch . 3579, 3581	8970, 8982, 8983,	10119, 10131,
\bidi@csxappto 3040, 3042	8984, 8990, 8991,	10136, 10141,
\bidi@csxpreto 3049, 3051	8995, 8996, 8997,	10149, 10156,
\bidi@current@column@status	8998, 9010, 9022,	10160, 10170,
. 20957, 20960, 20993	9044, 9045, 9073,	10178, 10191,
\bidi@dbg@fail	9074, 9075, 9076,	10309, 10327,
3065, 3075, 3076,	9079, 9085, 9087,	10339, 10351,
3077, 3078, 3084,	9112, 9113, 9131,	10355, 10359,
3093, 3099, 3206,	9146, 9149, 9152,	10363, 10388,
3228, 3240, 3241, 3250	9157, 9160, 9162,	10402, 10416,
\bidi@dbg@info . 3066,	9166, 9184, 9194,	10426, 10436,
3068, 3071, 3073,	9204, 9214, 9219,	10445, 10454,
3074, 3085, 3087,	9222, 9225, 9228,	10466, 10472,
3089, 3091, 3092,	9240, 9253, 9265,	10476, 10487, 10488
3094, 3096, 3098,	9270, 9275, 9293,	\bidi@ensure@newlength
3204, 3229, 3231,	9302, 9311, 9320,	... 2923, 8994, 9077
3233, 3236, 3242, 3244	9325, 9328, 9331,	\bidi@epreto
\bidi@dbg@init . 3063,	9334, 9345, 9357,	... 3019, 3032, 3047
3082, 3203, 3226	9368, 9373, 9378,	\bidi@eqs@a ... 3480, 3481
\bidi@dbg@succ . 3109,	9396, 9406, 9416,	\bidi@eqs@b ... 3480, 3481
3205, 3237, 3245, 3247	9426, 9431, 9434,	\bidi@EqualString . 3480
\bidi@dbg@trce . 3056,	9437, 9440, 9452,	\bidi@EqualStringX 3485
3102, 3202, 3211, 3219	9465, 9477, 9482,	\bidi@error 2925,
\bidi@default	9487, 9505, 9515,	2965, 3554, 3653, 3822
.... 3569, 3574,	9525, 9535, 9540,	\bidi@everyjob . 1524,
3579, 3584, 3590, 3595	9543, 9546, 9549,	1525, 1846, 1847
\bidi@del@tok@from@list	9561, 9574, 9586,	\bidi@excludedpackages
..... 3657	9591, 9596, 9614,	4064, 4065, 4085,
\bidi@digits	9624, 9634, 9644,	4121, 4138, 4146,
... 1769, 1775, 1776	9649, 9652, 9655,	4156, 4178, 4179,
\bidi@digits@charclass	9658, 9670, 9683,	4187, 4188, 4193, 4206
..... 1771,	9695, 9700, 9705,	\bidi@expandonce ..
1775, 1776, 1777	9723, 9733, 9743,	2985, 2996, 3000,
\bidi@dummies	9753, 9758, 9761,	3004, 3008, 3018,
... 3549, 3551, 3552	9764, 9767, 9779,	3022, 3026, 3030, 3248
\bidi@eappto	9792, 9804, 9809,	\bidi@ff@box 10986, 11004
... 2997, 3010, 3038	9814, 9832, 9842,	\bidi@firstcolumn@status@write
\bidi@empty 1784,	9852, 9862, 9867, 1717,
1785, 3524, 3527, 3528	9870, 9873, 9876,	1725, 7357, 7416,



10792, 10828,	\bidi@ifpatchable@i	13368, 13369,
11596, 11649, 3059, 3080	13370, 13371,
14625, 14721,	\bidi@ifpattern 3072, 3171	13372, 13373,
20964, 21027, 21070	\bidi@ifscanable 3069,	13374, 13375,
\bidi@font@@outputpage	3090, 3139, 3234	13376, 13377,
. 10952, 21289, 21331	\bidi@in@front@of@csl	13378, 13381,
\bidi@footdir@footnote 3666, 3667	13384, 13387,
..... 79, 282,	\bidi@in@front@of@list	13390, 13393,
11265, 11267, 11271 3665	13396, 13399,
\bidi@fswitch . 3595, 3597	\bidi@info 2927	13402, 13406,
\bidi@gappto	\bidi@init@mult@footinsv@l	13409, 13412,
2626, 3001, 3039, 14980, 14994	13415, 13418,
3267, 3270, 3273,	\bidi@init@mult@footinsv@r	13421, 13424,
3276, 3279, 3282, 14976, 14992	13427, 13430,
3285, 3289, 3292,	\bidi@invert@csstack	13433, 13436,
3306, 3316, 3329, 3344 3706	13439, 13442,
\bidi@gobbleopt 4227, 4236	\bidi@IsEmptyList . 3528	13445, 13448,
\bidi@gpreto .. 3023, 3048	\bidi@isloaded	13451, 13454,
\bidi@hook@acma 4251,	... 3131, 13305,	13457, 13460,
4295, 4308, 4309, 4314	13306, 13307,	13463, 13466,
\bidi@hook@bcma 4245,	13308, 13309,	13469, 13472,
4294, 4297, 4298, 4304	13310, 13311,	13475, 13478,
\bidi@hooktocmd ...	13312, 13313,	13481, 13484,
... 3214, 3222, 3224	13314, 13315,	13487, 13490,
\bidi@hooktocmd@i .	13316, 13317,	13493, 13496,
..... 3238, 3252	13318, 13319,	13499, 13502,
\bidi@hop@ES .. 3488, 3490	13320, 13321,	13505, 13508,
\bidi@ifblank@i ...	13322, 13323,	13511, 13514,
... 2877, 2878, 2880	13324, 13325,	13517, 13520,
\bidi@ifdefmacro 2883,	13326, 13327,	13523, 13526,
2885, 2886, 2887	13328, 13329,	13529, 13532,
\bidi@ifdefparam 3184,	13330, 13331,	13535, 13538,
3186, 3187, 3188	13332, 13333,	13541, 13544,
\bidi@ifdefprotected	13334, 13335,	13547, 13550,
..... 3193,	13336, 13337,	13553, 13556,
3195, 3196, 3197	13338, 13339,	13559, 13562,
\bidi@ifEmpty 3527	13340, 13341,	13565, 13568,
\bidi@ifempty 3525	13342, 13343,	13571, 13574,
\bidi@ifEmptyX 3526	13344, 13345,	13577, 13580,
\bidi@ifhashcheck .	13346, 13347,	13583, 13586,
... 3070, 3155, 3235	13348, 13349,	13589, 13592, 13595
\bidi@ifhashcheck@i	13350, 13351,	\bidi@lastcolumn@status@write
..... 3159, 3161	13352, 13353, 1721, 1726,
\bidi@ifhashcheck@ii	13354, 13355,	7361, 7422, 10796,
..... 3163,	13356, 13357,	10834, 11602,
3166, 3167, 3168	13358, 13359,	11653, 14629,
\bidi@ifNextChar .. 3535	13360, 13361,	14727, 21031, 21076
\bidi@ifpatchable .	13362, 13363,	\bidi@leave@mult@copyins
... 3059, 3061, 3108	13364, 13365, 14962, 15054
	13366, 13367,	\bidi@leave@mult@footins@vl



..... 14972, 15050	\bidi@looprepeat@traceexit	\bidi@namedef 3411
\bidi@leave@mult@footins@vr 3765, 3800	\bidi@nameedef 3413
..... 14968, 15046	\bidi@looprepeat@traceinit	\bidi@namegdef 2631, 3412
\bidi@leftskip 3765, 3773	\bidi@namelongdef . 2914
.. 19548, 19549,	\bidi@looprepeat@zero	\bidi@namexdef 3414
19550, 19657,	... 3780, 3799, 3837	\bidi@new@command .
19677, 19708,	\bidi@lst@caption@direction 2937,
19709, 19741, 20662 13204,	2939, 2968, 2976
\bidi@length@of@csstack	13205, 13217, 13220	\bidi@new@ifnch 2702, 2704
... 3702, 3703, 3706	\bidi@lst@caption@script	\bidi@new@ifnextchar
\bidi@length@of@stack 13211, 2699, 20728
..... 3702, 3716	13212, 13228, 13231	\bidi@newcommand ..
\bidi@load@hook 3896,	\bidi@lst@ensure@caption@direction 2939, 2941
3899, 3932, 3969 13215,	\bidi@newrobustcmd
\bidi@loadwithoptions	13240, 13242, 1592,
... 3904, 3905, 3910	13244, 13263,	1594, 2936, 2937,
\bidi@local@in@front@of@list	13267, 13274, 13283	2961, 2972, 2993,
..... 3670, 3687	\bidi@lst@ensure@caption@script	2997, 3001, 3005,
\bidi@local@push@onto	. 13226, 13238, 13282	3010, 3011, 3015,
..... 3686	\bidi@make@mppara@LTRfootgroup	3019, 3023, 3027,
\bidi@looprepeat@comp	. 10216, 10278, 10445	3032, 3033, 3037,
... 3780, 3816, 3821	\bidi@make@para@footstart@	3038, 3039, 3040,
\bidi@looprepeat@csarg	. 10207, 10265, 10466	3041, 3042, 3046,
..... 3758, 3810	\bidi@make@para@LTRfootgroup	3047, 3048, 3049,
\bidi@looprepeat@csargroman	. 10205, 10263, 10426	3050, 3051, 3055,
..... 3760,	\bidi@make@colbf ...	3101, 3200, 3210,
3775, 3776, 3777, 10528, 10542	3218, 3267, 3270,
3778, 3779, 3782,	\bidi@matrix@check	3273, 3276, 3279,
3787, 3788, 3789, 2708, 20723	3282, 3285, 3289,
3790, 3791, 3793,	\bidi@matrix@error	3292, 3303, 3306,
3799, 3812, 3814, 2710, 2714	3316, 3329, 3344,
3815, 3816, 3823,	\bidi@mopfn@bottom	3359, 3373, 3387,
3824, 3826, 3831, 3839 9133,	3399, 20696, 20698
\bidi@looprepeat@csroman	10457, 10493,	\bidi@next 3501, 3502, 3504,
..... 3759, 3783,	10506, 10543, 10544	3506, 3507, 3509,
3791, 3794, 3810, 3838	\bidi@mopfootnotebf	3514, 3516, 3517, 3519
\bidi@looprepeat@depth 10502, 10536	\bidi@NextChar 3532
..... 3759,	\bidi@mpfootnoterule	\bidi@normal@footmarkwidth
3760, 3762, 3774, 3800	.. 11042, 11276, 8979, 9037,
\bidi@looprepeat@dxbody	11290, 11304,	9043, 9182, 9291,
..... 3783, 3787	11342, 13796, 18930	9394, 9503, 9612,
\bidi@looprepeat@setup	\bidi@mswitch . 3590, 3592	9721, 9830, 9939,
..... 3780, 3806	\bidi@multicol@align@columns	10048, 10243, 10305
\bidi@looprepeat@sign 14849,	\bidi@notblank . 2879,
... 3780, 3791, 3821	14903, 14906, 14908	2887, 3188, 3197
\bidi@looprepeat@tmp	\bidi@n@everypar ..	\bidi@nxt@a 3533, 3536, 3538
3781, 3782, 3809,	.. 15538, 15539,	\bidi@nxt@b 3533, 3536, 3539
3811, 3814, 3819,	15540, 15541,	
3826, 3829, 3831, 3834	20433, 20618,	
	20619, 20620, 20621	



\bidi@nxt@c	\bidi@patch@@AfterPackage	\bidi@pdfencrypt@keylength
... 3534, 3537, 3538	... 4359, 4364	... 1645, 1797
\bidi@nxt@ch	\bidi@patch@Add 4346, 4375	\bidi@pdfencrypt@ownerpassword
... 3533, 3536, 3538	\bidi@patch@AfterPackage 1642, 1784, 1796
\bidi@o@everypar 4349, 5297, 5299, 5302, 5323, 5474, 5524, 5580, 5824	\bidi@pdfencrypt@permissionflags
... 15537, 15539, 15540, 20617, 20619, 20620	\bidi@patch@counter 1648, 1798
\bidi@oldwbuskip 4327, 4331, 4334, 4340, 4341, 4360	\bidi@pdfencrypt@userpassword
... 3652, 3655	\bidi@patch@ctemp 1639, 1785, 1795
\bidi@onefilewithoptions 4367, 4374	\bidi@pdfm@mark 1919, 1934
... 3920, 3921, 3925	\bidi@patch@list 4345, 4347, 4385, 4387, 4394	\bidi@pickeescape . . 3475
\bidi@orig@leftline	\bidi@patch@OrgIfClassLater	\bidi@pop@cs@into
... 20871, 20873, 20874	... 4393, 4398	... 3690, 3709
\bidi@orig@raggedleft	\bidi@patch@OrgIfClassLoaded	\bidi@pop@into 3693, 3719
... 20856, 20858, 20859	... 4392, 4397	\bidi@prepend . 3222, 3265
\bidi@orig@raggedright	\bidi@patch@OrgIfPackageLater	\bidi@preto
... 20857, 20858, 20859	... 4391, 4396	... 3015, 3046, 3295
\bidi@orig@rightline	\bidi@patch@OrgIfPackageLoaded	\bidi@pretocmd . 3218, 3219, 3390, 3434
... 20872, 20873, 20874	... 4390, 4395	\bidi@PreventPackageFromLoading
\bidi@oswitch 3574	\bidi@patch@stepcounter 4067, 4081, 4111, 4144
\bidi@p@ftn 2128, 2191, 2193, 2194, 2196, 2197, 2199, 2200, 2204, 2207, 2210, 2315	\bidi@patch@temp	\bidi@process@envbody
\bidi@p@ftntext 4329, 4339, 4358	... 2654, 2658, 2659, 2673, 2678, 2682, 2683, 2697
... 2175, 2192, 2297	\bidi@patch@try 4376, 4379	\bidi@protected
\bidi@p@LTrftntext	\bidi@patchcmd 2988, 3010, 3011, 3032, 3033, 3041, 3042, 3050, 3051
... 2176, 2195, 2298	... 171, 179, 188, 3101, 3102, 3319, 3332, 3347, 3362, 3376, 3402, 4618, 8121, 8124, 8141, 8144, 8147, 8163, 8166, 8169, 8187, 8195, 8203, 8212, 8221, 8230, 11947, 12847, 12855, 12863, 12871, 12879, 12888, 12896, 12905, 13162, 13168, 13176, 13256, 13269, 14988, 14997, 15018, 15025, 15032, 15040, 18919, 18927, 21094	\bidi@protected@cs@appto
\bidi@p@RTLftntext 3041
... 2177, 2198, 2299		\bidi@protected@cs@epreto
\bidi@p@xfootnote 3050
... 2179, 2213, 2301		\bidi@protected@cs@xappto
\bidi@p@xftntext 2178, 2203, 2218, 2300		... 3042
\bidi@p@xLTrfootnote		\bidi@protected@cs@xpreto
... 2181, 2221, 2303		... 3051
\bidi@p@xLTrftntext		\bidi@protected@e@appto
... 2180, 2206, 2226, 2302		... 3010
\bidi@p@xRTLftntext		\bidi@protected@epreto
... 2183, 2229, 2305		... 3032
\bidi@p@xRTLftntext		\bidi@protected@immediate@write
... 2182, 2209, 2234, 2304		... 4300, 4311, 4317
\bidi@page@count 2569, 2570, 2604, 2633		\bidi@protected@x@appto
\bidi@paraskip 10227, 10230, 10234, 10289, 10292, 10296	\bidi@patchcmd@scantoks 3011
	... 3119, 3125, 3260	\bidi@protected@x@preto
		... 3033
		\bidi@provide@command
		... 2972, 2974



\bidi@providerobustcmd	\bidi@replacefile@msg	15628, 15629, 21387, 21389, 21390
..... 2972 3888,	
\bidi@push@begins .	3912, 3927, 3965	\bidi@saved@leqno .
... 2661, 2662, 2665	\bidi@ReplaceInput 3935 15627,
\bidi@push@cs@onto@cs	\bidi@ReplacePackage	15628, 15629, 21388, 21389, 21390
..... 3683, 3710 3948	\bidi@saved@newpage
\bidi@push@long@begins	\bidi@RequirePackage 4262, 4273
... 2685, 2686, 2689	... 4087, 4147, 4198	\bidi@saved@RequirePackage
\bidi@push@onto ... 3684	\bidi@ResetPreventPackageFromLoading 4066, 4086, 4097, 4149, 4151, 4229
\bidi@push@onto@cs 4139,	\bidi@sepmark@charclass
..... 3684, 3685	4145, 4154, 4193 1772, 1773, 1774, 1777
\bidi@raggedleft 2482,	\bidi@resrvda	\bidi@set@column@status
2489, 2494, 2513,	3111, 3112, 3113,	. 20959, 20987, 20992
7820, 7936, 10760,	3116, 3117, 3118,	\bidi@set@cslist ..
10766, 12063, 20861	3119, 3120, 3121, 3676, 3677
\bidi@raggedright .	3126, 3129, 3141,	\bidi@set@list 3675
.. 10758, 10764,	3142, 3143, 3144,	\bidi@set@load@hook
15062, 15065,	3145, 3147, 3148, 3973, 3976, 3977, 3979, 3998, 4010, 4024, 4041, 4052
15067, 15070,	3157, 3159, 3173,	\bidi@SOUL@ulleaders
15072, 15074,	3174, 3176, 3178, 18709, 18715
15077, 15079,	3179, 3254, 3255,	\bidi@stack@length
15081, 15083,	3256, 3257, 3258,	3701, 3703, 3704, 3708, 3709, 3718, 3719
15086, 15088,	3259, 3260, 3261, 3262	\bidi@star@footmarkwidth
15090, 15092,	\bidi@resrvdb . 3113, 3114 8979, 9040, 9182, 9291, 9394, 9503, 9612, 9721, 9830, 9939, 10048, 10243, 10305
15094, 15097,	\bidi@restore@newpage	\bidi@storecatcode 3452
15099, 15102,	... 4246, 4263, 4293	\bidi@storePreventPackageFromLoading
15104, 15107,	\bidi@restorecatcode 4155, 4158
15109, 15111, 3459	\bidi@StringBefore 3510
15114, 15116,	\bidi@rightskip 19544,	\bidi@StringBeforeNC
15118, 15121,	19652, 19678, 3498
15123, 15125, 20860	19679, 19687,	\bidi@switch ... 3558, 3569, 3571, 3576
\bidi@rcol@copyinsskip	19691, 19695, 20663	\bidi@switch@exit .
..... 11559,	\bidi@RTL@everypar	3568, 3569, 3570, 3574, 3575, 3579, 3580, 3584, 3585, 3590, 3591, 3595, 3596
11564, 11573, 11622	.. 10316, 10328,	\bidi@t@w@w 3619
\bidi@redefine@newpage	10340, 10371,	\bidi@tabular@RTLcases
..... 4261, 4301	10390, 10404, 20703, 20730
\bidi@reflect@box .	15536, 15540,	
.. 15615, 15622,	18668, 20616, 20620	
20690, 20697, 20699	\bidi@s@tfftextcol	
\bidi@reinsert@footnotesv@l 10983, 10987	
.. 14986, 14995,	\bidi@saved@checkend	
15023, 15030, 15037	... 4238, 4241, 4259	
\bidi@reinsert@footnotesv@r	\bidi@saved@clearpage	
.. 14984, 14993,	... 4243, 4244, 4247	
15022, 15029, 15036	\bidi@saved@dofilelist	
\bidi@renew@command 4249,	
... 2961, 2963, 2977	4252, 4253, 4260	
\bidi@renewrobustcmd	\bidi@saved@eqno ..	
..... 2961 15626,	
\bidi@ReplaceClass 3951		



\bidi@tempa	\bidi@UnReplacePackage 3959	\bidipoem@hvlen 6068, 6073, 6075, 6086, 6088
1654, 1660, 1666,	\bidi@version . . 1496,	\bidipoem@hvsep 6068,
1672, 1678, 1684,	1497, 1511, 1526,	6081, 6082, 6089
1696, 1702, 1708,	1528, 1534, 1540,	\bidipoem@next 6074, 6075
1715, 1729, 1736, 1746	1574, 1577, 1580,	\bidipoem@openbox .
\bidi@tempb 1654,	1818, 1833, 1851, 6113, 6118
1655, 1660, 1661,	1853, 1910, 1913, 1916	\bidipoem@p@ftn 6120,
1666, 1667, 1672,	\bidi@w@w 3606	6130, 6261, 6262,
1673, 1678, 1679,	\bidi@warning . . 2926,	6264, 6265, 6267,
1684, 1685, 1696,	3367, 3381, 3393, 3407	6268, 6271, 6274,
1697, 1702, 1703,	\bidi@willbeunhskip . . . 3646, 3652, 3655	6277, 6382, 12520,
1708, 1709, 1715,	\bidi@x@stack@to@list 3716	12530, 12551,
1716, 1729, 1730,	\bidi@xappto	12561, 12582, 12592
1736, 1737, 1746, 1747	. . . 3005, 3011, 3040	\bidipoem@p@ftntext
\bidi@tempcountb 3446,	\bidi@xargdef . 2943, 2951	6147, 6158, 6260,
3707, 3708, 3717, 3718	\bidi@xparaskip 10188,	6371, 6385, 12518
\bidi@temptoksa 3447,	10226, 10288, 10307	\bidipoem@p@LTRftntext
3707, 3710, 3711,	\bidi@xpreto	6148, 6159, 6263,
3712, 3714, 3717, 3721	. . . 3027, 3033, 3049	6372, 6386, 12549
\bidi@temptoksb 3448,	\bidicolor 7103,	\bidipoem@p@RTLftntext
3709, 3710, 3711, 3712	7159, 7174, 7176,	6149, 6160, 6266,
\bidi@todonotes@tempa 20309, 20317	10984, 20559,	6373, 6387, 12580
\bidi@todonotes@tempb 20309,	20606, 20609, 20610	\bidipoem@p@xfootnote
20310, 20317, 20318	\bidics 3443 6151,
\bidi@tok@SM . . 3658, 3663	\bididate . 1495, 1497,	6162, 6279, 6375, 6389
\bidi@toks@lista . .	1511, 1574, 1577,	\bidipoem@p@xftntext
3631, 3633, 3634,	1816, 1833, 1910, 1913 6150, 6161,
3635, 3636, 3659,	\bidiGscale@box . .	6270, 6284, 6374, 6388
3661, 3667, 3668, 11883, 11884	\bidipoem@p@xLTRfootnote
3670, 3672, 3677, 3678	\bidiGscale@box 6153,
\bidi@toks@listb . .	. 11860, 11861, 11880	6164, 6286, 6377, 6391
. . . 3631, 3659, 3661	\bidiGscale@box@dd . 11892, 11896, 11902	\bidipoem@p@xLTRftntext
\bidi@undef 3121, 11898, 11909 6152, 6163,
3200, 3262, 3300,	\bidillap 20876	6273, 6291, 6376, 6390
3313, 19403,	\bidipdfinfooff . . . 1931	\bidipoem@p@xRTLfootnote
19404, 19560,	\bidipdfinfoon 1930, 1936 6155,
19561, 19762, 19763	\bidipoem@hvlen 6069,	6166, 6293, 6379, 6393
\bidi@undefined . . . 3200	6075, 6078, 6081, 6090	\bidipoem@p@xRTLftntext
\bidi@undefinedcs .	\bidipoem@half@verses . . . 6095, 6096, 6099 6154, 6165,
3544, 3551, 3606,	\bidipoem@half@verses@next . . . 6095, 6096, 6097	6276, 6298, 6378, 6392
3610, 3616, 3620, 3653	\bidipoem@hvind . .	\bidipoem@set@verse
\bidi@UnPreventPackageFromLoading . . 6095, 6096, 6099	6069, 6072, 6073,	. . . 6075, 6078, 6080
. 4159	6081, 6082, 6085, 6088	\bidipoem@set@verseI
\bidi@UnReplaceClass 3962	 6074, 6077
\bidi@UnReplaceInput 3939		\bidipoem@spreadbox
	 6064,
		6086, 6088, 6089, 6090
		\bidirlap 20875



\bidituftefloatDebugInfoNL	4481, 4506, 4602,	15275, 15283,
..... 4406,	4617, 4628, 4648,	15288, 15411,
4494, 4498, 4793, 4842	4655, 4663, 4680,	15415, 15431,
\bidituftefloatError	4700, 4704, 4722,	15465, 15469,
..... 4405, 4888	4723, 4726, 4727,	15474, 15478,
\bidituftefloatInfoNL	4762, 4771, 4782,	15490, 15501,
... 4406, 4407, 4957	5527, 5531, 5579,	15515, 15518,
\bidituftefloatRecalculate	5792, 5929, 5998,	15522, 15527,
..... 4523, 4534	6009, 10998, 15301	15603, 15619,
\bidituftehyperrefLoadHyperrefmark	... 10977, 21373	15664, 15667,
..... 5782, 5793	\box 1629,	16731, 16740,
\bidituftesidenotemarginpar	1902, 4943, 7010,	16778, 16789,
... 4973, 5325, 5484	7074, 7142, 7299,	17212, 17222,
\biditufetetocError	7302, 7319, 7323,	17792, 17802,
... 5513, 5560, 5569	7358, 7362, 7368,	18022, 18028,
\bidiversion .. 1526, 1848	7369, 7417, 7423,	18034, 18040,
\bigskip 15677	7427, 7428, 7484,	18046, 18052,
\bigskipamount	7487, 7492, 7497,	18058, 18064,
9140, 9145, 10228,	7521, 7660, 7662,	18070, 18475,
10232, 10290, 10294	7666, 7670, 7695,	18485, 18911,
\bl 15442, 15443,	7977, 7998, 8014,	18957, 18975,
15446, 15447,	8071, 9152, 9157,	20503, 20504,
15448, 15452,	10153, 10167,	20514, 20694,
15507, 15514, 15518	10176, 10519,	20878, 21028,
\blacktriangleleft	10530, 10793,	21032, 21071,
..... 11401, 11403	10797, 10829,	21077, 21096,
\blacktriangleright	10835, 10878,	21112, 21244,
..... 11401, 11403	10968, 11001,	21260, 21271,
\bm@b 20936	11006, 11499,	21284, 21286,
\bm@l 20933	11506, 11509,	21350, 21354, 21384
\bm@r 20934	11523, 11597,	\boxdef 2077,
\bm@t 20935	11603, 11650,	2079, 2085, 2090, 2095
\bool ... 13822, 13830,	11654, 11693,	\boxmaxdepth ... 7969,
13961, 13978,	11705, 11716,	7974, 7990, 7995,
13979, 14023,	11726, 11739,	8022, 8079, 9047,
14029, 14044,	11811, 11828,	10489, 10504,
14067, 14070,	11831, 11874,	10725, 11452,
14090, 14095,	11877, 11907,	11454, 11778,
14107, 14124,	11924, 13250,	21099, 21115, 21126
14125, 14128,	13658, 13712,	\br 15442, 15444,
14145, 14170,	13718, 14040,	15446, 15447,
14177, 14183,	14298, 14309,	15448, 15452,
14189, 14199,	14314, 14348,	15508, 15514, 15522
14206, 14228,	14349, 14350,	\BR@b@bibitem . 5178, 5179
14340, 14343,	14351, 14353,	\BR@bibitem ... 5181, 5182
14351, 14352,	14483, 14517,	\BR@c@bibitem 5183
15276, 15278, 15287	14626, 14630,	\bracetext 1596, 1877, 15542,
\boolean 14722, 14728,	14865, 14871,	15543, 20622, 20623
4406, 4466, 4468,	14889, 14897,	\break 13615
4471, 4475, 4478,		



\BreakBibliography	\bx@KK 4853, 4883	C
. 17083,	\bx@L 4830, 4871	\c 14024, 14025, 14039,
17116, 17118,	\bx@l 4813, 4836, 4877	14096, 14301, 14382
17124, 17663,	\bx@LL 4854, 4883	\c@abspage 11073
17696, 17698,	\bx@M 4830, 4871	\c@addvipersep 14570,
17704, 18346,	\bx@m 4814, 4836, 4877	14588, 14593,
18379, 18381, 18387	\bx@MM 4855, 4883	14615, 14645,
\breaklooprepeat 3744,	\bx@N 4830, 4871	14670, 14688,
3746, 3798, 3799,	\bx@n 4815, 4836, 4877	14693, 14715, 14742
3817, 3828, 3833, 3847	\bx@NN 4856, 4883	\c@algocf 168
\breakrepeatloop . . 3773	\bx@O 4831, 4872	\c@chapter 6512, 6514,
\bs 2045, 2046, 2048	\bx@o 4816, 4837, 4878	6516, 6689, 6691,
\bslice 15462,	\bx@OO 4857, 4884	6693, 6934, 6936,
15463, 15465,	\bx@P 4831, 4872	6938, 6939, 8728,
15475, 15476,	\bx@p 4817, 4837, 4878	8730, 8732, 8733,
15478, 15498,	\bx@PP 4858, 4884	10718, 10720,
15499, 15501,	\bx@Q 4831, 4872	10722, 11010,
15525, 15526, 15527	\bx@q 4818, 4837, 4878	11012, 11014,
\bx@A 4828, 4869	\bx@QQ 4859, 4884	11015, 11023,
\bx@a 4802, 4834, 4875	\bx@R 4831, 4872	11025, 11027,
\bx@AA . . . 4841, 4843, 4881	\bx@r 4819, 4837, 4878	11028, 13300,
\bx@B 4828, 4869	\bx@RR 4860, 4884	14445, 15175,
\bx@b 4803, 4834, 4875	\bx@S 4792, 4794, 4832, 4873	15919, 15921,
\bx@BB 4844, 4881	\bx@s 4820, 4838, 4879	15923, 16284,
\bx@C 4828, 4869	\bx@SS 4861, 4885	16286, 16288,
\bx@c 4804, 4834, 4875	\bx@T 4795, 4832, 4873	16473, 16475,
\bx@CC 4845, 4881	\bx@t 4821, 4838, 4879	16477, 16655,
\bx@D 4828, 4869	\bx@TT 4862, 4885	16657, 16659, 16660
\bx@d 4805, 4834, 4875	\bx@U 4796, 4832, 4873	\c@colht 14570,
\bx@DD 4846, 4881	\bx@u 4822, 4838, 4879	14582, 14608,
\bx@E 4828, 4869	\bx@UU 4863, 4885	14609, 14670,
\bx@e 4806, 4834, 4875	\bx@V 4797, 4832, 4873	14682, 14708, 14709
\bx@EE 4847, 4881	\bx@v 4823, 4838, 4879	\c@curpg
\bx@F 4829, 4870	\bx@VV 4864, 4885	. 10892, 10919, 10920
\bx@f 4807, 4835, 4876	\bx@W 4798, 4833, 4874	\c@DFNsloppiness . .
\bx@FF 4848, 4882	\bx@w 4824, 4839, 4880 7967, 7988
\bx@G 4829, 4870	\bx@WW 4865, 4886	\c@enumiv 567,
\bx@g 4808, 4835, 4876	\bx@X 4799, 4833, 4874	574, 702, 709,
\bx@GG 4849, 4882	\bx@x 4825, 4839, 4880	965, 972, 1215,
\bx@H 4829, 4870	\bx@XX 4866, 4886	1222, 2558, 6482,
\bx@h 4809, 4835, 4876	\bx@Y 4800, 4833, 4874	6489, 6670, 6677,
\bx@HH 4850, 4882	\bx@y 4826, 4839, 4880	6979, 6986, 8503,
\bx@I 4829, 4870	\bx@YY 4867, 4886	8510, 8774, 8781,
\bx@i 4810, 4835, 4876	\bx@Z 4801, 4833, 4874	10611, 10618,
\bx@II 4851, 4882	\bx@z 4827, 4839, 4880	15900, 15907,
\bx@J 4829, 4870	\bx@ZZ 4868, 4886	16294, 16301,
\bx@j 4811, 4835, 4876	\bye 1934	16488, 16495,
\bx@JJ 4852, 4882	\bystep 3726,	16691, 16698,
\bx@K 4830, 4871	3738, 3822, 3835,	17092, 17101,
\bx@k 4812, 4836, 4877	3845, 3858, 3871, 3872	17108, 17672,



17681, 17688,	\c@NAT@ctr 15134	11031, 14438,
18355, 18364,	\c@page 5936,	15915, 16280,
18371, 19023, 19030	8249, 8266, 10892,	16480, 16663,
\c@equation 6512,	10919, 20466, 21240	17066, 17622, 18317
6689, 6934, 8342,	\c@paragraph	\c@table . . 6516, 6693,
8411, 8728, 10718,	. . 541, 695, 949,	6938, 8732, 10722,
11010, 11023,	1208, 6509, 6686,	11014, 11027,
14445, 15919,	6943, 8614, 8737,	14447, 15923,
16288, 16473,	10715, 11019,	16286, 16477,
16655, 17650, 18333	11032, 14440,	16659, 17642, 18329
\c@figure . 6514, 6691,	15916, 16281,	\c@thisframe
6936, 8730, 10720,	16481, 16664,	. . 10891, 10896,
11012, 11025,	17068, 17624, 18319	10932, 10934, 10935
14446, 15921,	\c@poem@no 6205,	\c@tocdepth . . . 3, 198,
16284, 16475,	6255, 6306, 6317	501, 518, 637, 653,
16657, 17634, 18325	\c@secnumdepth	671, 864, 897, 915,
\c@footnote 128, 304, 544,	1120, 1136, 1154,
318, 446, 738,	553, 6753, 6948,	6416, 6432, 6448,
797, 990, 1049,	8472, 8481, 8742,	6593, 6609, 6625,
1240, 1299, 1972,	10581, 15681, 16669	6896, 6911, 8445,
6527, 6704, 6841,	\c@section 6506,	8459, 8714, 10549,
8562, 8659, 10662,	6683, 6940, 8734,	10564, 12958,
11351, 11365,	10712, 11016,	14790, 14802,
12333, 12443,	11029, 14434,	14814, 15829,
12451, 12481,	15185, 15913,	15845, 15861,
12489, 12996,	16278, 16478,	16201, 16217,
13692, 13695,	16661, 17618, 18313	16233, 16433,
15936, 15995,	\c@subparagraph . . .	16447, 16617,
16075, 16136,	. . 542, 696, 950,	16632, 19099,
16332, 16375,	1209, 6510, 6687,	19103, 19145,
16562, 16907,	6944, 8615, 8738,	19164, 19186,
16971, 17456,	10716, 11020,	19203, 19220,
17520, 18155, 18219	11033, 14442,	19237, 19529,
\c@Hy@AnnotLevel . .	15917, 16282,	19637, 19672,
. 12655,	16482, 16665,	20060, 20256, 20938
12656, 12661, 12665	17070, 17626, 18321	\c@tracingmulticols
\c@L@lines	\c@subsection 14998, 15016
. 13136, 13138, 13141	. . 539, 693, 947,	\c@twb 7309
\c@ll@chapseci 7184	1206, 6507, 6684,	\c@twcompctr 7290
\c@ll@chapsecii . . . 7179	6941, 8612, 8735,	\c@twcompoddctr . . . 7306
\c@lofdepth . 19254, 19291	10713, 11017,	\c@twfirst 7291, 7297,
\c@lor@error	11030, 14436,	7304, 7308, 7317, 7320
7148, 7155, 7163,	15914, 16279,	\c@twlftside 7295
7169, 20551, 20585	16479, 16662,	\c@twlspec 7309, 7312, 7316
\c@lotdepth . 19272, 19311	17064, 17620, 18315	\c@twprune 7295,
\c@lstlisting 13300, 13302	\c@subsubsection . .	7296, 7312, 7316
\c@LT@chunks 13641	. . 540, 694, 948,	\c@twrounds 7307,
\c@mpfootnote	1207, 6508, 6685,	7310, 7313, 7325
. . 11276, 11290,	6942, 8613, 8736,	\c@twrtside 7296
11304, 11329, 13805	10714, 11018,	



\c@twslicea 7293, 7295, 7299, 7302, 7311, 7312, 7319, 7323	\cap@left 17211, 17222, 17791, 17802, 18474, 18485	\caption@prepare@stepcounter 13674
\c@twsliceb 7294, 7296, 7299, 7302, 7315, 7316, 7319, 7323	\cap@margin 17154, 17734, 18417	\caption@setautoposition 13672
\c@twwinlines . 7292, 7305	\cap@right . . . 17213, 17222, 17793, 17802, 18476, 18485	\caption@setoptions 13669, 13670
\c@zabspage 11073	\cap@width 17177, 17180, 17183, 17757, 17760, 17763, 18440, 18443, 18446	\caption@settype . 13665
\cals@activate@rtl 7058	\capfont 17164, 17185, 17190, 17195, 17199, 17218, 17222, 17744, 17765, 17770, 17775, 17779, 17798, 17802, 18427, 18448, 18453, 18458, 18462, 18481, 18485	\caption@starfalse 13286, 13673
\cals@AtBeginTable 7075	\caplabelfont . 17165, 17186, 17191, 17196, 17201, 17219, 17745, 17766, 17771, 17776, 17781, 17799, 18428, 18449, 18454, 18459, 18464, 18482	\caption@startrue . . 13287, 13293, 13673
\cals@AtEndTable . . 7077	\captionabove . 17270, 17275, 17850, 17855, 18533, 18538	\captionbelow . 17272, 17277, 17852, 17857, 18535, 18540
\cals@backup@row . . 7074	\captionformat 17165, 17186, 17191, 17196, 17201, 17219, 17745, 17766, 17771, 17776, 17781, 17799, 18428, 18449, 18454, 18459, 18464, 18482	\captionlabelfalse 13291
\cals@borderB 7073	\catcode 1817, 1935, 3128, 3455, 3456, 3457, 3497, 5150, 5172, 6103, 6104, 6106, 6107, 11410, 11411, 11526	\Captioning 15691
\cals@borderL 7070	\caption 4611, 4612, 4614, 4670, 12036, 12054, 13618, 14521, 14523	\centering 303, 7824, 7837, 7953, 10759, 10765, 12066, 12151, 12167, 14468, 14470, 14472, 16954, 17503, 18202
\cals@borderR 7071	\caption@@make . . . 13679	\CenteringLeftskip 15696
\cals@borderT 7072	\caption@@par 7095	\CenteringParfillskip 15699
\cals@current@context 7064	\caption@begin . . . 13675	\CenteringParindent 15700
\cals@last@context 7063	\caption@end 13681	\CenteringRightskip 15697
\cals@paddingL . 7080, 7082, 7087, 7089	\caption@hangindent 7096	\centerline 307, 11506, 11523, 15630, 20862
\cals@paddingR 7084, 7091	\caption@iftop 13678, 13680	
\cals@set@tohsize . 7067	\caption@LT@make . 13664	
\cals@setcellprevdepth 7067	\caption@LT@setup 13671	
\cals@setpadding . . 7067	\caption@makecaption 7093, 13285	
\cals@setup@alignment 7051, 7066	\caption@normalsize 13676	
\cals@table@alignment 7056, 7057	\caption@parindent 7096	
\cals@tbreak@tokens 7061		
\cals@tfoot@height 7062		
\cals@tfoot@tokens 7060, 7077		
\cals@thead@tokens 7059		
\cals@vfillAdd . 7052, 7054, 7080, 7089		
\cals@vfillDrop 7053, 7054, 7082, 7084, 7087, 7091		
\CAny 2066		
\cAny 2074		
\cap@indent 17189, 17192, 17197, 17199, 17200, 17769, 17772, 17777, 17779, 17780, 18452, 18455, 18460, 18462, 18463		



\cftbeforechapskip 19147	\cftpartindent	\cftsubsubsecindent
\cftbeforefigskip 19255 19117, 19120 19205, 19208
\cftbeforeparaskip 19221	\cftpartnumwidth . 19123	\cftsubsubsecnumwidth
\cftbeforepartskip 19115	\cftpartpresnum 19211
\cftbeforesecskip 19124, 19128	\cftsubsubsecpresnum
..... 19166, 19169	\cftsecaftersnum . 19179 19212
\cftbeforesubfigskip	\cftsecaftersnumb 19180	\cftsubtabaftersnum
..... 19292	\cftsecfillnum ... 19183 19321
\cftbeforesubparaskip	\cftsecfont 19182	\cftsubtabaftersnumb
..... 19238	\cftsecindent 19171, 19174 19322
\cftbeforesubsecskip	\cftsecnumwidth .. 19177	\cftsubtabfillnum 19325
..... 19187	\cftsecpresnum ... 19178	\cftsubtabfont ... 19324
\cftbeforesubsubsecskip	\cftsubfigaftersnum	\cftsubtabindent ..
..... 19204 19301 19313, 19316
\cftbeforesubtabskip	\cftsubfigaftersnumb	\cftsubtabnumwidth 19319
..... 19312 19302	\cftsubtabpresnum 19320
\cftbeforetabskip 19273	\cftsubfigfillnum 19305	\cfttabaftersnum . 19282
\cftchapaftersnum 19156	\cftsubfigfont ... 19304	\cfttabaftersnumb 19283
\cftchapaftersnumb 19157	\cftsubfigindent ..	\cfttabfillnum ... 19286
\cftchapfillnum .. 19160 19293, 19296	\cfttabfont 19285
\cftchapfont 19159	\cftsubfignumwidth 19299	\cfttabindent 19274, 19277
\cftchapindent	\cftsubfigpresnum 19300	\cfttabnumwidth .. 19280
. 19148, 19151, 19398	\cftsubparaaftersnum	\cfttabpresnum ... 19281
\cftchapnumwidth 19247	\chapnumfont 15680
..... 19154, 19399	\cftsubparaaftersnumb	\chapter 5525,
\cftchappresnum .. 19155 19248	5553, 5623, 5631,
\cftchapterprecistoc	\cftsubparafillnum 19251	5747, 5753, 6478,
..... 19397	\cftsubparafont .. 19250	6666, 6975, 8770,
\cftdot 19095	\cftsubparaindent .	10607, 15896,
\cftdotfill 19389 19239, 19242	16290, 16484, 16687
\cftdotsep 19388	\cftsubparanumwidth	\chapterheadendvskip
\cftfigaftersnum . 19264 19245 15686
\cftfigaftersnumb 19265	\cftsubparapresnum 19246	\chapterheadstartvskip
\cftfigfillnum ... 19268	\cftsubsecaftersnum 15678
\cftfigfont 19267 19196	\chaptermark . 6010, 19058
\cftfigindent 19256, 19259	\cftsubsecaftersnumb	\chaptername .. 308, 14454
\cftfignumwidth .. 19262 19197	\chapterstyle 14449
\cftfigpresnum ... 19263	\cftsubsecfillnum 19200	\char 1778, 2049, 2050, 3443
\cftparaaftersnum 19230	\cftsubsecfont ... 19199	\chardef 3442,
\cftparaaftersnumb 19231	\cftsubsecindent ..	11410, 13204,
\cftparafillnum .. 19234 19188, 19191	13205, 13211, 13212
\cftparafont 19233	\cftsubsecnumwidth 19194	\check@floats . 7542, 7717
\cftparaindent	\cftsubsecpresnum 19195	\CheckCommand
..... 19222, 19225	\cftsubsubsecaftersnum	. 3879, 12440, 12478
\cftparanumwidth . 19228 19213	\checkoddpage 4505
\cftparapresnum .. 19229	\cftsubsubsecaftersnumb	\CIIIAAny 2067
\cftpartaftersnum 19125 19214	\ciiiiAny 2075
\cftpartaftersnumb 19126	\cftsubsubsecfillnum	\circle 7198, 7201, 7208,
\cftpartfillnum .. 19129 19217	7211, 7221, 7224,
\cftpartfont 19128	\cftsubsubsecfont 19216	7231, 7234, 7244,



7247, 7254, 7257, 7267, 7270, 7277, 7280	6988, 6989, 8511, 8783, 8784, 10619, 12923, 15140, 15908, 16302, 16497, 16498, 16700, 16701, 17110, 17690, 18373, 19032, 19033	9521, 9531, 9557, 9570, 9582, 9620, 9630, 9640, 9666, 9679, 9691, 9729, 9739, 9749, 9775, 9788, 9800, 9838, 9848, 9858, 9884, 9897, 9909, 9947, 9957, 9967, 9993, 10006, 10018, 10056, 10066, 10076, 10102, 10115, 10127, 10323, 10335, 10347, 10384, 10398, 10412, 10495, 10508, 11225, 11242, 11258, 11285, 11299, 11313, 11325, 11746, 11756, 11763, 13742, 21102, 21118, 21129, 21137
\cite 5187, 5279, 5285, 5286, 5380, 5385, 5406, 5414, 5435, 5443, 5464, 5482, 5486, 5491, 5495, 5500, 5504, 15143, 15144	\coffeeont 14810	
\citeasnoun 15144	\col@number 132, 137, 139, 142, 143, 150, 452, 803, 1055, 1305, 6847, 8568, 8665, 10668, 14412, 14752, 14834, 14839, 14875, 14916, 14917, 14919, 14922, 14923, 14930, 14977, 14978, 14981, 14982, 15044, 15048, 16001, 16142, 16386, 16568, 16975, 17524, 18223	\color@block . 7141, 20514 \color@box . . 7174, 20606 \color@endbox . . 2316, 5009, 5053, 5097, 16803, 16813, 16831, 21182, 21226, 21347, 21363
\citeN 15143	\col@sep 372, 400, 7099, 7100, 13630, 20707	\color@endgroup 5339, 5357, 5375, 6382, 8901, 8915, 8929, 8941, 8952, 8963, 9070, 9128, 9192, 9202, 9212, 9238, 9251, 9263, 9301, 9310, 9319, 9344, 9356, 9367, 9404, 9414, 9424, 9450, 9463, 9475, 9513, 9523, 9533, 9559, 9572, 9584, 9622, 9632, 9642, 9668, 9681, 9693, 9731, 9741, 9751, 9777, 9790, 9802, 9840, 9850, 9860, 9886, 9899,
\cites 5280	\color 2006, 2007, 2008, 2009, 2010, 2482, 7144, 7147, 7150, 7168, 7171, 7818, 7821, 7831, 7949, 13062, 13768, 20516	
\cl@ckpt 18799	\color@ 20556, 20603	
\ClassInfo 5967, 6032, 17281, 17861, 18544	\color@b@x 7136, 7174, 7176, 20509, 20606, 20609	
\ClassWarning 16964, 17513, 18212	\color@begingroup 5335, 5353, 5371, 6380, 6394, 8899, 8913, 8927, 8939, 8950, 8961, 9067, 9190, 9200, 9210, 9236, 9249, 9261, 9299, 9308, 9317, 9342, 9354, 9365, 9402, 9412, 9422, 9448, 9461, 9473, 9511,	
\ClassWarningNoLine 14505		
\clear 4284		
\cleardoubleemptypage 16911, 16956, 17460, 17505, 18159, 18204		
\cleardoublepage 5889, 5934, 5936, 5993, 6006, 6020, 6969, 8764		
\clearpage . 597, 613, 862, 1114, 3333, 3334, 3338, 3339, 4243, 4244, 4247, 4889, 5901, 5936, 6022, 6410, 6587, 6797, 6971, 8766, 15805, 16060, 16519, 17019, 17568, 18267, 19092		
\clipbox@@ 15666		
\CloneTOCEntryStyle 17287, 17300, 17319, 17325, 17867, 17880, 17899, 17905, 18550, 18563, 18582, 18588		
\closing 8804, 18078		
\clubpenalty 92, 295, 576, 577, 710, 973, 1223, 2559, 6221, 6490, 6678,		



9911, 9949, 9959,	7419, 7482, 7494,	11601, 11644,
9969, 9995, 10008,	7659, 7668, 10790,	11648, 11652,
10020, 10058,	10831, 11599,	11656, 12008,
10068, 10078,	11646, 12931,	12009, 12945,
10104, 10117,	14622, 14724,	13019, 13023,
10129, 10325,	14867, 14881,	13745, 14620,
10337, 10349,	15797, 16052,	14624, 14628,
10386, 10400,	16511, 21024, 21073	14631, 14720,
10414, 10499,	\columnseprulecolor	14726, 14749,
10512, 11228, 14866, 14880	14778, 14784,
11245, 11261,	\columnwidth 28,	14946, 14950,
11288, 11302,	41, 55, 71, 232,	14954, 14958,
11316, 11346,	244, 258, 273,	15893, 16316,
11749, 11759,	533, 537, 724, 958,	16466, 16470,
11766, 21106,	1204, 1606, 1612,	16648, 16652,
21121, 21133, 21140	2306, 6504, 6657,	16892, 17140,
\color@fb@x . 20607, 20608	6927, 6931, 7039,	17145, 17441,
\color@fbox .. 7175, 20607	7352, 7356, 7360,	17720, 17725,
\color@hbox	7364, 7415, 7421,	18000, 18004,
.. 16800, 16810,	7481, 7483, 7486,	18140, 18403,
16828, 21344, 21360	7489, 7491, 7496,	18408, 21022,
\color@setgroup ...	7658, 7660, 7662,	21026, 21030,
..... 7177, 20611	7664, 7666, 7670,	21034, 21069,
\color@vbox	7967, 7988, 8518,	21075, 21265, 21267
2294, 5000, 5044,	8522, 8817, 8821,	\contentslabel . 5584,
5088, 21173, 21217	8866, 8896, 8910,	5591, 5598, 5605, 5612
\colorA .. 6755, 6764, 6776	8924, 8936, 8947,	\contentsline 12271
\colorB	8958, 9233, 9245,	\contentsmargin .. 18997
6767, 6773, 6779	9258, 9339, 9350,	\contentspush 18971
\colorblend ... 20523,	9362, 9445, 9457,	\convertcolorspec .
20524, 20566, 20567	9470, 9554, 9566, 20530,
\colorbox 2122, 2124, 2125	9579, 9663, 9675,	20533, 20573, 20576
\columncolor .. 1459, 7107	9688, 9772, 9784,	\Coord 2063
\columnsep 99, 219, 590,	9797, 9881, 9893,	\coord 2068
606, 855, 1107,	9906, 9990, 10002,	\CoordIII 2065
1955, 2391, 6403,	10015, 10099,	\coordiia 2070
6580, 6790, 7363,	10111, 10124,	\Coordn 2064
7488, 7663, 10798,	10238, 10300,	\coordn 2069
11655, 12931,	10380, 10394,	\Coordx 2060,
14632, 14749,	10408, 10600,	2063, 2064, 2065,
14842, 14891,	10604, 10789,	2066, 2067, 2068,
15798, 16053,	10791, 10795,	2069, 2070, 2074, 2075
16512, 20471,	10799, 10827,	\coordx 2071
20476, 20480,	10833, 11131,	\Coordy 2061,
20486, 20489, 21033	11134, 11136,	2063, 2064, 2065,
\columnseprule	11221, 11238,	2066, 2067, 2068,
... 99, 219, 589,	11254, 11281,	2069, 2070, 2074, 2075
605, 854, 1106,	11295, 11309,	\coordy 2072
1956, 2392, 6402,	11327, 11541,	\Coordz 2062,
6579, 6789, 7354,	11548, 11595,	2065, 2067, 2070, 2075



\coordz 2073	\crrc . 399, 2188, 6171,	3759, 3760, 3776,
\copy 4996,	18732, 18762,	3777, 3778, 3779,
5040, 5084, 7043,	20718, 20721, 20897	3885, 3888, 3892,
7332, 7395, 7463,	\CROP@llc 7240	3909, 3912, 3914,
7469, 7629, 7641,	\CROP@lrc 7263	3924, 3927, 3929,
7978, 7999, 10772,	\CROP@ulc 7194	3936, 3941, 3946,
10808, 11569,	\CROP@urc 7217	3956, 3972, 3975,
11618, 11819,	\CROP@execopt 7287	3989, 4001, 4033,
11865, 13709,	\cs 13879, 13930,	4044, 4128, 4131,
13721, 13725,	13948, 14002,	4171, 4220, 4360,
14554, 14654,	14017, 14305,	4381, 4732, 4733,
15535, 15618,	14307, 15269, 15270	4740, 4741, 5333,
15688, 20693,	\cs@a 3528	5351, 5369, 5400,
21002, 21049,	\csname 8, 44, 58, 74, 166,	5429, 5458, 5700,
21169, 21213, 21276	168, 203, 247, 261,	6226, 6261, 6264,
\cor@height . . . 14577,	276, 333, 334, 376,	6267, 6281, 6288,
14578, 14605,	1362, 2151, 2152,	6295, 6303, 6304,
14606, 14645,	2166, 2167, 2193,	6342, 6367, 6368,
14677, 14678,	2196, 2199, 2215,	7150, 7156, 7164,
14705, 14706, 14742	2223, 2231, 2286,	7171, 7743, 8898,
\count 1601, 1882,	2573, 2576, 2579,	8912, 8926, 8938,
2289, 3753, 4985,	2581, 2583, 2586,	8949, 8960, 9189,
5029, 5073, 9141,	2589, 2597, 2598,	9199, 9209, 9235,
9173, 9282, 9385,	2603, 2610, 2612,	9248, 9260, 9298,
9494, 9603, 9712,	2614, 2615, 2616,	9307, 9316, 9341,
9821, 9930, 10039,	2617, 2620, 2622,	9353, 9364, 9401,
10198, 10204,	2626, 2628, 2657,	9411, 9421, 9447,
10256, 10262,	2658, 2681, 2682,	9460, 9472, 9510,
10902, 11561,	2709, 2736, 2740,	9520, 9530, 9556,
11570, 11572,	2751, 2759, 2767,	9569, 9581, 9619,
11619, 11621,	2775, 2777, 2779,	9629, 9639, 9665,
11948, 11954,	2783, 2784, 2848,	9678, 9690, 9728,
14977, 14981,	2890, 2900, 2906,	9738, 9748, 9774,
21158, 21202, 21310	2907, 2909, 2910,	9787, 9799, 9837,
\count@ . . . 1399, 1458,	2912, 2913, 2915,	9847, 9857, 9883,
2729, 2734, 4331,	2958, 2959, 2982,	9896, 9908, 9946,
4332, 4334, 7105,	3037, 3038, 3039,	9956, 9966, 9992,
14829, 14830,	3040, 3046, 3047,	10005, 10017,
14832, 14834,	3048, 3049, 3132,	10055, 10065,
14841, 14862,	3133, 3136, 3137,	10075, 10101,
14863, 14865,	3363, 3365, 3377,	10114, 10126,
14885, 14886,	3379, 3411, 3412,	10321, 10333,
14889, 15241,	3413, 3414, 3437,	10345, 10382,
15249, 15262, 18838	3461, 3466, 3470,	10396, 10410,
\counterwithout 14450,	3486, 3504, 3506,	10727, 10880,
14451, 14452, 14453	3514, 3516, 3525,	10881, 10886,
\cr 388, 6168,	3526, 3606, 3610,	10887, 10992,
6175, 6231, 9155,	3641, 3649, 3650,	10993, 10994,
9159, 9161, 13645,	3663, 3671, 3673,	10995, 10997,
18744, 18782, 20910	3700, 3721, 3758,	10999, 11000,



11001,	11002,	19796,	19810,	5950, 5951, 5952,
11004,	11005,	19826,	19827,	5972, 5973, 5974,
11006,	11063,	19843,	19850,	5975, 5976, 7764, 7862
11087,	11105,	19855,	19916,	\customername 18038
11191,	11200,	19971,	19973,	\CustomFBox 11390
11223,	11240,	19975,	19991,	\cvcomputer 2514
11256,	11284,	19994,	20000,	\cvdoubleitem . 2491, 2515
11298,	11312,	20002,	20005,	\cventry 2503
11359,	11374,	20009,	20014,	\cvlanguage 2512
12273,	12276,	20018,	20022,	\cvline 2486, 2487, 2492,
12278,	12282,	20036,	20040,	2496, 2498, 2504, 2513
12286,	12300,	20043,	20046,	\cvlistdoubleitem . 2497
12311,	12322,	20050,	20052,	\cvlistitem 2495
12522,	12553,	20088,	20090,	\cvtheme 2429, 2432
12584,	12963,	20097,	20098,	
13066,	13069,	20102,	20107,	D
13498,	13564,	20111,	20122,	\d 13849
14534,	14535,	20123,	20127,	\d@llarbegin
14542,	16844,	20133,	20188,	. . 372, 401, 1403,
16848,	16852,	20189,	20193,	1404, 1405, 1468,
17290,	17292,	20289,	20290,	1471, 1472, 7112,
17294,	17297,	20292,	20295,	7115, 7116, 20707
17303,	17312,	20296,	20300,	\d@llarend
17314,	17316,	20748,	20813,	. . 373, 401, 1403,
17322,	17393,	20899,	20960,	1404, 1405, 1470,
17397,	17401,	20973, 20975, 21444		1471, 1472, 7114,
17870,	17872,	\CT@@do@color 7102		7115, 7116, 20708
17874,	17877,	\CT@cell@color 1483, 7127		\dashgapcolor 1463
17883,	17891,	\CT@color 7101		\date 440, 476, 780, 825,
17893,	17896,	\CT@column@color . .		1032, 1077, 1282,
17902,	18092, 1481, 7125		1327, 1990, 5814,
18096,	18100,	\CT@do@color		5862, 6569, 6746,
18553,	18555,	. . . 1484, 7102, 7128		6835, 6871, 8556,
18557,	18560,	\CT@extract . . . 1459, 7107		8590, 8653, 8689,
18566,	18574,	\CT@row@color . 1482, 7126		10656, 10690,
18576,	18579,	\CT@setup 1448,		15978, 16023,
18585,	18734,	1449, 1451, 1452,		16119, 16166,
18760,	18762,	1456, 1480, 7098, 7124		16369, 16410,
18794,	18816,	\cumpartcl 15439		16556, 16592,
18818,	18834,	\cumtcl 15439		17015, 17564, 18263
18835,	18855,	\curraddr 322		\datename 18068
18862,	19075,	\current@color		\deadcycles . . . 3348, 3351
19338,	19339, 7143, 7149,		\debugfootnotedirection
19355,	19356,	7156, 7164, 7170,	 11050
19357,	19364,	11388, 11393,		\DeclareOption
19366,	19367,	20515, 20552,		2321, 2324, 2327,
19420,	19421,	20553, 20557,		2330, 2333, 2336,
19575,	19576,	20586, 20587, 20604		2339, 2344, 2345,
19686,	19690,	\CurrentOption		2346, 2347, 2348,
19694,	19793, 5948, 5949,		2350, 4410, 4412,



4414, 4417, 4422, 5519, 5520, 5778, 5779, 5804, 5805, 5948, 5949, 5950, 5951, 5952, 5972, 5973, 5974, 5975, 5976, 7754, 7756, 7758, 7760, 7762, 7763, 7852, 7854, 7856, 7858, 7860, 7861	1225, 1237, 1238, 1246, 1285, 1286, 1288, 1293, 1295, 1300, 1302, 1330, 1350, 1360, 1361, 1364, 1370, 1398, 1411, 1412, 1415, 1428, 1436, 1444, 1445, 1448, 1449, 1452, 1457, 1495, 1496, 1593, 1595, 1596, 1639, 1642, 1645, 1648, 1717, 1721, 1816, 1818, 1848, 1865, 1873, 1874, 1875, 1876, 1877, 1883, 1884, 1891, 1907, 1908, 1909, 1912, 1915, 1919, 1930, 1931, 1934, 1943, 1948, 1973, 1974, 2056, 2057, 2058, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2080, 2091, 2122, 2123, 2124, 2125, 2132, 2138, 2144, 2152, 2157, 2159, 2167, 2172, 2173, 2188, 2192, 2195, 2198, 2203, 2206, 2209, 2213, 2221, 2229, 2236, 2238, 2239, 2241, 2310, 2404, 2405, 2406, 2407, 2408, 2409, 2411, 2412, 2430, 2431, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2562, 2631, 2651, 2652, 2655, 2661, 2664, 2675, 2676, 2679, 2685, 2688, 2699,	2701, 2704, 2708, 2714, 2722, 2723, 2724, 2725, 2726, 2727, 2728, 2735, 2736, 2740, 2745, 2753, 2761, 2769, 2776, 2778, 2878, 2886, 2907, 2915, 2916, 2917, 2923, 2925, 2926, 2927, 2937, 2939, 2941, 2947, 2951, 2954, 2963, 2974, 2976, 2977, 2988, 3061, 3080, 3112, 3113, 3114, 3125, 3139, 3142, 3143, 3155, 3167, 3171, 3174, 3187, 3196, 3224, 3252, 3255, 3256, 3264, 3265, 3299, 3312, 3339, 3354, 3411, 3412, 3413, 3414, 3423, 3443, 3452, 3459, 3466, 3470, 3475, 3480, 3485, 3487, 3490, 3493, 3501, 3502, 3504, 3506, 3507, 3514, 3516, 3517, 3524, 3525, 3526, 3527, 3528, 3532, 3533, 3535, 3536, 3538, 3544, 3550, 3568, 3569, 3574, 3579, 3584, 3590, 3595, 3606, 3610, 3616, 3619, 3633, 3635, 3637, 3639, 3640, 3642, 3644, 3649, 3650, 3651, 3652, 3657, 3658, 3665, 3667, 3670, 3675, 3677, 3683, 3684, 3685, 3686, 3690, 3693, 3695, 3696, 3700, 3702, 3703, 3706, 3716, 3758, 3759, 3760, 3763, 3773, 3780,
<code>\DeclareRobustCommand</code> 2048, 2049, 2050, 2051, 2052, 2053, 2054, 4745, 4752, 7144, 7159, 20516, 20559		
<code>\DeclareSectionCommand</code> 17327, 17335, 17345, 17355, 17365, 17375, 17907, 17916, 17924, 17934, 17944, 17954, 17964, 18590, 18599, 18607, 18617, 18627, 18637, 18647		
<code>\DeclareTOCEntryStyle</code> . 19405, 19562, 19764		
<code>\dedication</code> 17014, 17563, 18262		
<code>\dedicatory</code> 323		
<code>\def</code> ... 2, 23, 26, 30, 34, 48, 64, 95, 98, 107, 108, 109, 110, 122, 132, 133, 135, 197, 218, 227, 228, 229, 230, 234, 237, 251, 266, 298, 301, 313, 319, 336, 338, 343, 345, 370, 375, 377, 398, 399, 400, 401, 447, 448, 479, 543, 580, 712, 735, 736, 744, 783, 784, 786, 791, 793, 798, 800, 828, 975, 987, 988, 996, 1035, 1036, 1038, 1043, 1045, 1050, 1051, 1080,		



3782, 3787, 3799,
3806, 3808, 3812,
3813, 3820, 3822,
3825, 3830, 3837,
3839, 3910, 3913,
3922, 3925, 4077,
4088, 4127, 4240,
4250, 4263, 4317,
4327, 4329, 4334,
4339, 4345, 4346,
4349, 4356, 4364,
4379, 4452, 4543,
4564, 4568, 4581,
4661, 4730, 4748,
4754, 4791, 4916,
4918, 4919, 4920,
4929, 4931, 4932,
4933, 4937, 4939,
4945, 4946, 4973,
4987, 4990, 4994,
4998, 5011, 5017,
5031, 5034, 5038,
5042, 5055, 5061,
5075, 5078, 5082,
5086, 5099, 5151,
5166, 5171, 5297,
5299, 5327, 5345,
5363, 5384, 5413,
5442, 5662, 5699,
5707, 5936, 6074,
6075, 6077, 6095,
6096, 6099, 6109,
6110, 6111, 6112,
6118, 6121, 6132,
6133, 6134, 6144,
6170, 6174, 6181,
6203, 6222, 6223,
6224, 6230, 6260,
6263, 6266, 6270,
6273, 6276, 6279,
6286, 6293, 6303,
6304, 6305, 6315,
6319, 6322, 6327,
6328, 6329, 6331,
6340, 6346, 6367,
6368, 6492, 6524,
6525, 6533, 6680,
6701, 6702, 6710,
6750, 6770, 6842,
6843, 6874, 6945,

6959, 6992, 6996,
7008, 7021, 7028,
7032, 7035, 7098,
7101, 7104, 7136,
7143, 7146, 7153,
7161, 7167, 7174,
7175, 7177, 7291,
7304, 7307, 7308,
7313, 7320, 7325,
7329, 7392, 7452,
7961, 7965, 7968,
7986, 7989, 8007,
8064, 8241, 8283,
8310, 8312, 8317,
8348, 8349, 8422,
8471, 8490, 8513,
8563, 8564, 8593,
8660, 8661, 8692,
8739, 8754, 8787,
8865, 8892, 8906,
8920, 8934, 8945,
8956, 8985, 8986,
8987, 8995, 8996,
8997, 9114, 9185,
9195, 9205, 9231,
9243, 9256, 9267,
9272, 9294, 9303,
9312, 9337, 9348,
9360, 9370, 9375,
9397, 9407, 9417,
9443, 9455, 9468,
9479, 9484, 9506,
9516, 9526, 9552,
9564, 9577, 9588,
9593, 9615, 9625,
9635, 9661, 9673,
9686, 9697, 9702,
9724, 9734, 9744,
9770, 9782, 9795,
9806, 9811, 9833,
9843, 9853, 9879,
9891, 9904, 9915,
9920, 9942, 9952,
9962, 9988, 10000,
10013, 10024,
10029, 10051,
10061, 10071,
10097, 10109,
10122, 10133,
10138, 10188,

10220, 10282,
10317, 10329,
10341, 10372,
10391, 10405,
10423, 10433,
10442, 10451,
10543, 10578,
10590, 10621,
10663, 10664,
10693, 10724,
10756, 10762,
10769, 10805,
10879, 10890,
10938, 11042,
11129, 11133,
11135, 11137,
11139, 11141,
11143, 11144,
11146, 11150,
11159, 11161,
11168, 11169,
11186, 11189,
11195, 11198,
11206, 11207,
11208, 11214,
11231, 11247,
11275, 11289,
11303, 11317,
11323, 11329,
11336, 11349,
11353, 11357,
11363, 11368,
11372, 11384,
11398, 11400,
11402, 11404,
11412, 11517,
11527, 11558,
11566, 11615,
11668, 11704,
11792, 11800,
11806, 11815,
11817, 11833,
11844, 11845,
11847, 11860,
11861, 11863,
11879, 11881,
11884, 11886,
11887, 11902,
11909, 11969,
11970, 11971,



11972,	11981,	13804,	14408,	16081,	16122,
11983,	12019,	14410,	14460,	16123,	16125,
12271,	12298,	14462,	14510,	16130,	16132,
12309,	12320,	14521,	14532,	16137,	16139,
12331,	12341,	14551,	14651,	16169,	16191,
12352,	12363,	14748,	14756,	16304,	16333,
12374,	12389,	14789,	14801,	16335,	16376,
12404,	12421,	14813,	14827,	16378,	16413,
12447,	12464,	14860,	14874,	16501,	16563,
12472,	12485,	14912,	14916,	16564,	16595,
12502,	12510,	14944,	14948,	16666,	16678,
12518,	12535,	14952,	14956,	16704,	16708,
12543,	12549,	14960,	14962,	16751,	16798,
12566,	12574,	14968,	14972,	16801,	16808,
12580,	12597,	14976,	14980,	16811,	16819,
12605,	12613,	14984,	14986,	16826,	16829,
12627,	12631,	15148,	15162,	16855,	16857,
12645,	12653,	15164,	15171,	16877,	17061,
12660,	12668,	15177,	15257,	17062,	17114,
12671,	12674,	15304,	15308,	17121,	17270,
12708,	12740,	15312,	15314,	17272,	17404,
12769,	12796,	15330,	15342,	17406,	17426,
12799,	12801,	15356,	15406,	17610,	17694,
12804,	12813,	15413,	15532,	17701,	17850,
12814,	12818,	15533,	15535,	17852,	17978,
12820,	12821,	15536,	15542,	17995,	17999,
12822,	12824,	15543,	15544,	18002,	18006,
12833,	12835,	15554,	15564,	18078,	18103,
12926,	12930,	15572,	15580,	18105,	18125,
12939,	12940,	15581,	15582,	18309,	18377,
12941,	12943,	15583,	15584,	18384,	18533,
12947,	12949,	15585,	15590,	18535,	18667,
12954,	12957,	15591,	15594,	18671,	18688,
12978,	12990,	15596,	15597,	18709,	18712,
13026,	13027,	15598,	15599,	18727,	18732,
13045,	13062,	15601,	15602,	18735,	18758,
13064,	13065,	15615,	15621,	18762,	18766,
13072,	13077,	15628,	15629,	18776,	18792,
13087,	13136,	15630,	15631,	18798,	18806,
13138,	13237,	15632,	15634,	18827,	18836,
13253,	13254,	15635,	15741,	18837,	18853,
13286,	13287,	15762,	15768,	18857,	18860,
13291,	13293,	15788,	15789,	18864,	18867,
13599,	13611,	15910,	15933,	18897,	18942,
13615,	13616,	15934,	15942,	18976,	18998,
13617,	13624,	15981,	15982,	19004,	19007,
13652,	13683,	15984,	15989,	19009,	19012,
13691,	13694,	15991,	15996,	19036,	19689,
13699,	13729,	15998,	16026,	19713,	20255,
13737,	13803,	16072,	16073,	20276,	20278,



20434,	20477,	21278,	21279,	\DefineTOCEntryLengthOption
20480,	20486,	21280,	21281,	.. 19406, 19408,
20490,	20509,	21291,	21377,	19563, 19765,
20515,	20518,	21389,	21390,	19777, 19803, 19805
20540,	20549,	21392,	21511,	\DefineTOCEntryOption
20555,	20561,	21513,	21517, 19789
20583,	20589,	21519, 21546,	21548	\DefNewDummy .. 3550, 3567
20598,	20602,	\default@color	7143, 20515	\delimiter 11381
20606,	20607,	\DefaultFindent	.. 13034	\DEPTH 18900, 18907
20608,	20611,	\DefaultLhang 13030	\depth 11809,
20616,	20622,	\DefaultLoversize	13031	14350, 14357, 14382
20623,	20624,	\DefaultLraise	... 13032	\depthof .. 8290, 8295,
20634,	20644,	\DefaultNindent	.. 13035	8304, 8305, 8309, 8314
20653,	20664,	\DefaultOptionsFile		\descriptionlabel . 5740
20665,	20666,	. 13054, 13057, 13060		\DetectColumn 20963, 20967
20667,	20668,	\DefaultSlope 13036	\detokenize 2884,
20669,	20674,	\deffootnote	.. 16854,	2886, 3112, 3114,
20675,	20678,	16879,	17403,	3115, 3142, 3157,
20680,	20681,	17428,	17977,	3174, 3177, 3185,
20682,	20683,	17997, 18102,	18127	3187, 3255, 3256, 4123
20685,	20687,	\define@choicekey	.	\dfn@afteroutput 8056,
20689,	20690,	1654, 1660, 1666,		8059, 8108, 8111
20703,	20705,	1672, 1678, 1684,		\dfn@boxa . 7965, 7970,
20710,	20712,	1696, 1702, 1708,		7973, 7977, 7978,
20718,	20720,	1715, 1729, 1736,		7979, 7986, 7991,
20727,	20729,	1746, 20309, 20317		7994, 7998, 7999,
20732,	20734,	\define@key	1638, 1641,	8000, 8013, 8020,
20735,	20736,	1644, 1647, 20307		8023, 8025, 8032,
20737,	20739,	\definecolor	8040, 8070, 8077,
20749,	20786, 1997, 1998,		8080, 8082, 8086, 8094
20852,	20862,	1999, 2000, 2001,		\dfn@boxb
20865,	20868,	2403, 2410, 7768,		7979, 8000, 8017,
20873,	20874,	7773, 7776, 7777,		8018, 8025, 8030,
20875,	20876,	7778, 7780, 7781,		8074, 8075, 8082, 8085
20877,	20879,	7784, 7785, 7787,		\dfn@countins . 8009, 8066
20882,	20892,	7788, 7791, 7792,		\dfn@dima 7970,
20897,	20900,	7794, 7795, 7798,		7971, 7972, 7983,
20920,	20923,	7799, 7801, 7802,		7991, 7992, 7993,
20933,	20934,	7805, 7806, 7871,		8004, 8008, 8025,
20935,	20936,	7872, 7877, 7878,		8045, 8065, 8082, 8097
20937,	20957,	7883, 7884, 7889,		\dfn@dimb
20959,	20992,	7890, 7895, 7896, 8415		8045, 8046, 8048,
20999,	21046,	\DefineTOCEntryCommandOption		8049, 8051, 8097,
21146,	21160, 19771,		8098, 8100, 8101, 8103
21163,	21167,	19773, 19775,		\dfn@elt@adjust 8045, 8097
21171,	21184,	19779, 19781,		\dfn@elt@getht 8010, 8067
21190,	21204,	19783, 19785, 19787		\dfn@fnht . 7981, 8002,
21207,	21211,	\DefineTOCEntryIfOption		8043, 8046, 8052,
21215,	21228,	. 19767, 19769, 19801		8053, 8054, 8095,
21234,	21274,			8098, 8104, 8105, 8106



\dfn@fnmaxdp	\diagbox@double@pict@SE	9164, 9172, 9281,
7969, 7974, 7979,	8187, 8194	9384, 9493, 9602,
7990, 7995, 8000,	\diagbox@double@pict@SW	9711, 9820, 9929,
8022, 8025, 8079, 8082	8202	10038, 10197,
\dfn@footnoterule .	\diagbox@font	10203, 10255,
8063, 8115	8122, 8125, 8129,	10261, 11562,
\dfn@footnotetext . 7964	8131, 8136, 8138,	14846, 14853,
\dfn@gobble . . . 7966, 7987	8142, 8145, 8148,	14854, 14862,
\dfn@ins . . 7974, 7975,	8152, 8154, 8158, 8160	14863, 14868,
7976, 7978, 7995,	\diagbox@ht 8189,	14869, 14885,
7996, 7997, 7999,	8192, 8197, 8200	14886, 14893,
8013, 8014, 8070, 8071	\diagbox@insepl . . .	14894, 21283, 21286
\dfn@latex@footnotetext	8122, 8129, 8131,	\dimen@ . . . 7139, 7140,
7963	8142, 8145, 8152,	10482, 10484,
\dfn@latex@LTRfootnotetext	8154, 8164, 8174, 8176	11420, 11421,
7969, 7984	\diagbox@insepr . . .	11422, 11432,
\dfn@latex@makecol	8125, 8136, 8138,	11433, 11434,
8062, 8114	8148, 8158, 8160,	11437, 11438,
\dfn@latex@RTLfootnotetext	8167, 8170, 8181, 8183	11439, 11445,
7990, 8005	\diagbox@setlinecolor	11455, 11457,
\dfn@list . 7983, 8004,	8188, 8191,	11466, 11468,
8011, 8044, 8046,	8196, 8199, 8204,	11475, 11476,
8049, 8055, 8068,	8208, 8213, 8217,	11477, 11478,
8096, 8098, 8101, 8107	8222, 8226, 8231, 8235	13706, 13707,
\dfn@LTRfootnotetext	\diagbox@triple@pict@NE	13708, 14963,
7965, 7985	8212	14964, 14969,
\dfn@LTRmakecol . . .	\diagbox@triple@pict@NW	14970, 14973,
8064, 8116, 8118	8203	14974, 15603,
\dfn@makecol	\diagbox@triple@pict@SE	15608, 18690,
8116, 8117, 8118	8230	18692, 18698,
\dfn@makefnmark 7968, 7989	\diagbox@triple@pict@SW	18704, 20448,
\dfn@RTLfootnotetext	8221	20449, 20450,
7986, 8006	\diagbox@triple@setbox@NE	20451, 20452,
\dfn@RTLmakecol . . .	8186	20453, 20512, 20513
8007, 8116, 8117	\diagbox@triple@setbox@NW	\dimen@i 18691,
\dfn@split 7979, 8000,	8141,	18692, 18697, 18703
8013, 8025, 8070, 8082	8144, 8147, 8162	\dimen@iii 11470,
\DFNalwaysdouble . . 8119	\diagbox@triple@setbox@SE	11471, 11472,
\DFNcolumnsep	8163,	11478, 11480,
8028, 8041, 8085	8166, 8169, 8186	11483, 11484, 11485
\DFNcolumnwidth . . .	\diagbox@triple@setbox@SW	\dimexpr 28,
7962, 7967,	8162	232, 724, 958,
7988, 8027, 8029,	\diagbox@wd 8189,	1204, 2835, 2838,
8032, 8042, 8084, 8086	8192, 8197, 8200	2931, 6504, 6657,
\diagbox@double 8121, 8124	\DigitsDotDashInterCharToks	12945, 13774,
\diagbox@double@pict@NE	1777, 1778	13783, 14749,
8195, 8202	\dim 14024, 14025,	14958, 15893,
\diagbox@double@pict@NW	14348, 14349, 14350	16316, 16882,
8194	\dimen 1600, 1881, 9078,	16889, 16892,
	9142, 9162, 9163,	17431, 17438,



17441, 18130,	1455, 1625, 1898,	1524, 1821, 1846,
18137, 18140,	7140, 7141, 7589,	2150, 2165, 2193,
19550, 19716,	7970, 7991, 8018,	2196, 2199, 2600,
19723, 19733,	8037, 8039, 8075,	2638, 2641, 2654,
19735, 20819,	8091, 8093, 8289,	2658, 2665, 2678,
20821, 20822,	8294, 8307, 8313,	2682, 2689, 2882,
20823, 20828,	8427, 8432, 8436,	2885, 2995, 2996,
20830, 20831,	8439, 9083, 10151,	2999, 3000, 3017,
20832, 20837,	10482, 10490,	3018, 3021, 3022,
20839, 20840,	10738, 10751,	3111, 3116, 3126,
20841, 20846,	11220, 11237,	3141, 3144, 3157,
20848, 20849, 20850	11253, 11675,	3161, 3166, 3173,
\DiscardVskip 13037	11680, 11780,	3176, 3183, 3186,
\display@setup 6997, 7022	11821, 11822,	3192, 3195, 3248,
\displayindent 7038	11825, 11867,	3254, 3257, 3413,
\displaystyle 10853, 10869	11868, 11871,	3454, 3464, 3542,
\displaywidth	13085, 13635,	3551, 3613, 3660,
7038, 8286, 8288,	13782, 13785,	3663, 3690, 3693,
8293, 10872, 13001	14846, 14862,	3697, 3781, 3786,
\divide 3868, 6082, 9163,	14863, 14868,	3787, 3809, 3814,
10239, 10240,	14869, 14885,	3826, 3831, 3928,
10301, 10302,	14886, 14893,	3936, 3946, 4078,
10739, 10740,	14894, 15427,	4121, 4165, 4187,
11808, 11809,	15428, 15429,	4201, 4229, 4321,
15044, 15048,	15603, 15647,	4333, 4340, 4357,
15447, 15448, 18772	16717, 16759,	5161, 5306, 5317,
\do 319, 320,	16762, 16816,	6261, 6264, 6267,
321, 322, 323, 324,	16823, 17207,	8339, 8342, 10880,
2263, 4107, 4167,	17210, 17787,	10886, 10991,
4182, 4203, 4206,	17790, 18470,	10993, 10994,
5192, 5197, 5211,	18473, 18739,	10995, 11080,
5216, 5230, 5235,	18774, 18786,	11101, 11452,
5258, 5267, 7309,	18900, 18902,	12441, 12448,
10727, 13141, 19998	20504, 20513,	12479, 12486,
\do@@hvFloat 11969	20514, 20905,	12519, 12550,
\document 3295, 3309	21255, 21262, 21349	12581, 12991,
\documentclass . 4090,	\dquad 7030, 7032	13143, 13145,
4093, 11715, 11725	\draw 20328,	13151, 13153,
\doloopbody 3728, 3729,	20335, 20339,	13692, 13695,
3773, 3846, 3853,	20362, 20372,	15160, 15299,
3860, 3863, 3865,	20380, 20383,	15318, 15321,
3869, 3871, 3873, 3877	20386, 20389,	15347, 15777,
\doubleitemmaincolumnwidth	20401, 20406,	16713, 16756,
2452, 2465, 2466,	20413, 20419, 20420	17099, 17679,
2467, 2468, 2492, 2494	\dseries@display@setup	17979, 18362,
\doublerulesepcolor 1462 7022	18742, 18767,
\downtovalue . . . 3726,		18781, 18799,
3738, 3820, 3859	E	18854, 18861,
\dp 40, 54, 70,	\edef . . 123, 352, 1377,	18874, 19338,
243, 257, 272, 382,	1431, 1439, 1499,	19810, 19843,



19850,	19855,	362, 365, 366, 367,	2710, 2780, 2788,
19916,	20070,	391, 397, 443, 454,	2794, 2800, 2806,
20174,	20287,	457, 506, 523, 526,	2812, 2818, 2824,
20524,	20529,	527, 547, 550, 565,	2830, 2843, 2851,
20538,	20553,	586, 597, 602, 613,	2855, 2861, 2869,
20557,	20567,	617, 625, 629, 630,	2873, 2895, 2902,
20572,	20581,	634, 638, 641, 642,	2946, 3150, 3475,
20587,	20600,	647, 658, 669, 683,	3488, 3489, 3502,
20604,	20805,	686, 687, 690, 700,	3503, 3505, 3507,
20908, 20972, 20986		747, 756, 764, 788,	3515, 3517, 3539,
\EdefEscapeName .. 12772		792, 794, 805, 808,	3553, 3606, 3610,
\egroup	179,	851, 862, 865, 868,	3616, 3622, 3654,
185, 375, 399, 634,		869, 875, 885, 888,	3823, 3832, 3887,
1193, 1360, 1361,		889, 892, 902, 913,	3911, 3926, 3991,
1478, 2188, 2189,		924, 932, 936, 945,	4003, 4035, 4046,
2314, 6171, 6382,		963, 999, 1008,	4084, 4096, 4097,
7041, 7122, 9129,		1016, 1040, 1044,	4114, 4123, 4168,
10858,	10859,	1046, 1057, 1060,	4183, 4186, 4213,
10873,	11347,	1103, 1114, 1118,	4214, 4228, 4509,
11492,	11496,	1121, 1124, 1125,	4515, 4710, 4713,
13718,	13721,	1130, 1141, 1152,	4716, 4719, 4749,
14757,	15390,	1167, 1170, 1171,	4977, 4983, 5015,
15400,	15415,	1174, 1184, 1188,	5021, 5027, 5065,
15546,	15552,	1189, 1193, 1213,	5071, 5250, 5647,
15556,	15562,	1249, 1258, 1266,	5648, 5936, 6021,
15566,	15570,	1290, 1294, 1296,	6074, 6087, 6096,
15574,	15578,	1307, 1310, 1347,	6186, 6207, 6232,
15641,	15826,	1352, 1353, 1366,	6244, 6312, 6332,
16276,	18732,	1371, 1372, 1373,	6333, 6348, 6353,
18733,	18758,	1375, 1376, 1379,	6357, 6399, 6410,
18764,	20174,	1380, 1381, 1383,	6414, 6417, 6420,
20626,	20632,	1384, 1385, 1386,	6421, 6426, 6437,
20636,	20642,	1387, 1388, 1389,	6446, 6460, 6463,
20646,	20651,	1392, 1393, 1394,	6464, 6468, 6480,
20655,	20660,	1414, 1415, 1416,	6536, 6545, 6553,
20710,	20718,	1417, 1418, 1419,	6576, 6587, 6591,
20719, 20897, 20898		1421, 1422, 1423,	6594, 6597, 6598,
\eightcolumnfootnotes		1424, 1425, 1530,	6603, 6614, 6623,
.....	9814	1536, 1542, 1585,	6637, 6640, 6641,
\eject	7599,	1587, 1596, 1607,	6645, 6668, 6713,
11423, 11492, 11512		1610, 1613, 1787,	6722, 6730, 6752,
\else .. 4, 12, 13, 25, 36,		1790, 1852, 1866,	6763, 6765, 6786,
87, 104, 116, 134,		1868, 1877, 1887,	6797, 6838, 6849,
136, 151, 155, 159,		2134, 2140, 2146,	6852, 6901, 6916,
167, 175, 182, 191,		2161, 2244, 2252,	6919, 6920, 6947,
199, 207, 208, 224,		2257, 2267, 2506,	6961, 6970, 6977,
239, 290, 305, 309,		2507, 2508, 2510,	7000, 7030, 7056,
346, 347, 348, 350,		2546, 2613, 2619,	7081, 7088, 7137,
351, 354, 355, 356,		2640, 2643, 2662,	7142, 7180, 7181,
358, 359, 360, 361,		2670, 2686, 2694,	7187, 7205, 7228,



7251, 7274, 7299,	10479,	10520,	11963,	11982,
7300, 7302, 7314,	10534,	10554,	11985,	11991,
7319, 7321, 7323,	10569,	10572,	11992,	11995,
7343, 7348, 7366,	10573,	10580,	12002,	12004,
7382, 7406, 7411,	10592,	10609,	12010,	12021,
7425, 7441, 7459,	10659,	10670,	12029,	12031,
7467, 7490, 7508,	10673,	10732,	12032,	12033,
7535, 7539, 7554,	10782,	10787,	12036,	12041,
7561, 7580, 7590,	10818,	10823,	12047,	12049,
7602, 7611, 7625,	10848,	10861,	12050,	12051,
7637, 7665, 7682,	10878,	10905,	12054,	12064,
7710, 7714, 7729,	10909,	10930,	12066,	12079,
7738, 7830, 7912,	11036,	11040,	12085,	12088,
7926, 7971, 7975,	11066,	11090,	12092,	12098,
7977, 7992, 7996,	11172,	11175,	12101,	12104,
7998, 8007, 8012,	11215,	11266,	12110,	12115,
8021, 8032, 8036,	11304,	11305,	12118,	12122,
8044, 8064, 8069,	11321,	11339,	12124,	12127,
8078, 8086, 8090,	11383,	11401,	12131,	12133,
8096, 8116, 8130,	11403,	11419,	12135,	12139,
8137, 8153, 8159,	11424,	11444,	12144,	12148,
8175, 8182, 8244,	11473,	11479,	12155,	12160,
8251, 8268, 8292,	11495,	11502,	12164,	12171,
8374, 8389, 8404,	11507,	11520,	12176,	12180,
8405, 8406, 8407,	11550,	11584,	12184,	12186,
8434, 8450, 8453,	11589,	11633,	12189,	12193,
8454, 8464, 8475,	11638,	11672,	12195,	12197,
8478, 8491, 8501,	11673,	11678,	12201,	12205,
8559, 8570, 8573,	11695,	11696,	12209,	12215,
8656, 8667, 8670,	11698,	11706,	12218,	12222,
8718, 8741, 8756,	11707,	11717,	12228,	12231,
8765, 8772, 8793,	11736,	11740,	12234,	12240,
8794, 8796, 8801,	11742,	11751,	12255,	12265,
8807, 8809, 8813,	11753,	11761,	12274,	12285,
8891, 8932, 9003,	11776,	11800,	12305,	12316,
9006, 9015, 9018,	11802,	11805,	12327,	12345,
9027, 9030, 9051,	11806,	11807,	12356,	12367,
9055, 9059, 9065,	11813,	11815,	12378,	12393,
9090, 9098, 9106,	11823,	11829,	12408,	12468,
9119, 9184, 9229,	11832,	11835,	12506,	12539,
9293, 9335, 9396,	11842,	11849,	12570,	12601,
9441, 9505, 9550,	11851,	11857,	12654,	12666,
9614, 9658, 9723,	11861,	11864,	12669,	12686,
9767, 9832, 9877,	11869,	11875,	12695,	12705,
9941, 9986, 10050,	11878,	11891,	12720,	12728,
10095, 10229,	11894,	11897,	12737,	12751,
10233, 10250,	11903,	11910,	12766,	12780,
10271, 10291,	11920,	11933,	12792,	12918,
10295, 10312,	11942,	11950,	12936,	12956,
10367, 10376,	11957,	11960,	12959,	12967,



12968,	12984,	13603,	13604,	15685,	15696,
13006,	13007,	13605,	13628,	15698,	15709,
13009,	13014,	13657,	13666,	15711,	15722,
13038,	13039,	13672,	13703,	15724,	15733,
13040,	13041,	13718,	13720,	15735,	15754,
13050,	13055,	13792,	14414,	15774,	15788,
13068,	13093,	14417,	14428,	15789,	15794,
13102,	13137,	14429,	14430,	15805,	15809,
13144,	13152,	14431,	14432,	15817,	15821,
13171,	13181,	14433,	14462,	15822,	15826,
13189,	13219,	14478,	14484,	15830,	15833,
13230,	13248,	14490,	14515,	15834,	15839,
13258,	13264,	14525,	14547,	15850,	15859,
13301,	13380,	14565,	14581,	15873,	15876,
13383,	13386,	14594,	14607,	15877,	15881,
13389,	13392,	14611,	14665,	15898,	15945,
13395,	13398,	14681,	14694,	15954,	15962,
13401,	13404,	14707,	14711,	15986,	15990,
13408,	13411,	14767,	14775,	15992,	16003,
13414,	13417,	14781,	14790,	16006,	16049,
13420,	13423,	14792,	14796,	16060,	16084,
13426,	13429,	14797,	14802,	16093,	16101,
13432,	13435,	14804,	14809,	16127,	16131,
13438,	13441,	14814,	14816,	16133,	16144,
13444,	13447,	14821,	14831,	16147,	16188,
13450,	13453,	14844,	14877,	16193,	16194,
13456,	13459,	14909,	14931,	16202,	16205,
13462,	13465,	14935,	14939,	16206,	16211,
13468,	13471,	14984,	14986,	16222,	16231,
13474,	13477,	15002,	15009,	16245,	16248,
13480,	13483,	15045,	15049,	16249,	16253,
13486,	13489,	15053,	15132,	16259,	16267,
13492,	13495,	15137,	15170,	16271,	16272,
13498,	13501,	15176,	15184,	16276,	16292,
13504,	13507,	15187,	15211,	16321,	16372,
13510,	13513,	15231,	15246,	16388,	16391,
13516,	13519,	15320,	15344,	16437,	16452,
13522,	13525,	15402,	15410,	16455,	16456,
13528,	13531,	15444,	15470,	16461,	16462,
13534,	13537,	15508,	15509,	16486,	16508,
13540,	13543,	15510,	15536,	16519,	16559,
13546,	13549,	15590,	15591,	16570,	16573,
13552,	13555,	15594,	15598,	16622,	16637,
13558,	13561,	15599,	15602,	16640,	16641,
13564,	13567,	15604,	15610,	16668,	16680,
13570,	13573,	15628,	15629,	16689,	16721,
13576,	13579,	15634,	15642,	16766,	16800,
13582,	13585,	15651,	15661,	16802,	16806,
13588,	13591,	15667,	15670,	16810,	16812,
13594,	13602,	15677,	15679,	16817,	16821,



16824,	16828,	18009,	18010,	18973,	18980,
16830,	16834,	18011,	18012,	18982,	18987,
16861,	16862,	18013,	18014,	18992,	18993,
16870,	16883,	18018,	18021,	18996,	19001,
16890,	16910,	18024,	18027,	19005,	19006,
16915,	16922,	18030,	18033,	19021,	19045,
16928,	16952,	18036,	18039,	19049,	19059,
16959,	16963,	18042,	18045,	19065,	19071,
16977,	16980,	18048,	18051,	19076,	19082,
17023,	17027,	18054,	18057,	19092,	19104,
17035,	17041,	18060,	18063,	19112,	19117,
17053,	17061,	18066,	18069,	19118,	19119,
17062,	17075,	18074,	18075,	19127,	19134,
17077,	17089,	18081,	18109,	19148,	19149,
17104,	17120,	18110,	18118,	19150,	19158,
17130,	17139,	18131,	18138,	19167,	19171,
17144,	17147,	18158,	18163,	19172,	19173,
17148,	17149,	18170,	18176,	19181,	19188,
17151,	17176,	18200,	18207,	19189,	19190,
17188,	17193,	18211,	18225,	19198,	19205,
17198,	17215,	18228,	18271,	19206,	19207,
17229,	17235,	18275,	18283,	19215,	19222,
17248,	17258,	18289,	18301,	19223,	19224,
17276,	17306,	18309,	18338,	19232,	19239,
17410,	17411,	18339,	18352,	19240,	19241,
17419,	17432,	18367,	18383,	19249,	19256,
17439,	17459,	18393,	18402,	19257,	19258,
17464,	17471,	18407,	18410,	19266,	19274,
17477,	17501,	18411,	18412,	19275,	19276,
17508,	17512,	18414,	18439,	19284,	19293,
17526,	17529,	18451,	18456,	19294,	19295,
17572,	17576,	18461,	18478,	19303,	19313,
17584,	17590,	18492,	18498,	19314,	19315,
17602,	17610,	18511,	18521,	19323,	19333,
17615,	17631,	18539,	18569,	19348,	19349,
17639,	17647,	18661,	18664,	19350,	19358,
17655,	17656,	18700,	18717,	19380,	19398,
17669,	17684,	18750,	18763,	19399,	19400,
17700,	17710,	18771,	18784,	19538,	19646,
17719,	17724,	18789,	18868,	19663,	19673,
17727,	17728,	18869,	18870,	19688,	19692,
17729,	17731,	18872,	18873,	19795,	20060,
17756,	17768,	18876,	18877,	20074,	20078,
17773,	17778,	18878,	18879,	20101,	20116,
17795,	17809,	18880,	18881,	20126,	20130,
17815,	17828,	18882,	18884,	20140,	20141,
17838,	17856,	18885,	18886,	20142,	20143,
17886,	17983,	18887,	18888,	20148,	20150,
17984,	17990,	18891,	18892,	20151,	20159,
18007,	18008,	18893,	18956,	20165,	20182,



20192,	20198,	20929,	20930,	4727, 4728, 4911,
20204,	20207,	20933,	20934,	4912, 5531, 5587,
20218,	20256,	20938,	20940,	5594, 5601, 5608,
20258,	20263,	20945,	20974,	5615, 5626, 5634,
20272,	20277,	20983,	20993,	5761, 5762, 5898,
20279,	20286,	21013,	21018,	5941, 5963, 6354,
20293,	20324,	21060,	21065,	6548, 6556, 6559,
20331,	20336,	21090,	21097,	6725, 6733, 6736,
20342,	20353,	21113,	21124,	6765, 6777, 6817,
20356,	20367,	21135,	21150,	6820, 6823, 6888,
20374,	20388,	21156,	21194,	6891, 7204, 7214,
20438,	20445,	21200,	21238,	7227, 7237, 7250,
20446,	20448,	21240,	21250,	7260, 7273, 7283,
20456,	20464,	21266,	21268,	7824, 7933, 7945,
20466,	20467,	21271,	21275,	7953, 8336, 8410,
20478,	20482,	21284,	21313,	8540, 8543, 8546,
20487,	20496,	21316,	21319,	8605, 8608, 8635,
20502,	20510,	21325,	21346,	8638, 8641, 8706,
20514,	20523,	21362,	21382,	8709, 8798, 10640,
20542,	20547,	21389,	21390,	10643, 10646,
20566,	20591,	21503, 21511, 21517		10705, 10708,
20596,	20616,	\em 5740		10860, 12039,
20662,	20663,	\email 322, 2442		12057, 12159,
20674,	20675,	\emailink 2524, 7845, 7943		12175, 12266,
20678,	20682,	\emailsymbol		13011, 14549,
20683,	20742,	. . . 2402, 7845, 7943		15265, 15957,
20761,	20764,	\empty 11982, 18670		15965, 15968,
20769,	20772,	\EmptyList 3650		16038, 16041,
20775,	20778,	\end 179, 186, 422,		16096, 16104,
20781,	20795,	425, 428, 493, 496,		16107, 16184,
20803,	20808,	759, 767, 770, 840,		16187, 16192,
20809,	20810,	843, 1011, 1019,		16193, 16194,
20820,	20821,	1022, 1092, 1095,		16351, 16354,
20823,	20829,	1261, 1269, 1272,		16357, 16429,
20830,	20832,	1343, 1346, 1351,		16538, 16541,
20838,	20839,	1352, 1353, 1934,		16544, 16609,
20841,	20847,	2083, 2094, 2095,		16612, 16709,
20848,	20850,	2490, 2492, 2494,		16752, 16918,
20858,	20859,	2496, 2498, 2502,		16933, 16940,
20860,	20861,	2510, 2513, 2563,		16946, 16950,
20864,	20867,	2654, 2662, 2664,		16958, 17030,
20870,	20873,	2665, 2671, 2678,		17047, 17057,
20874,	20875,	2686, 2688, 2689,		17085, 17467,
20876,	20878,	2695, 3376, 3382,		17482, 17489,
20880,	20881,	3402, 3408, 4549,		17495, 17499,
20885,	20887,	4550, 4555, 4558,		17507, 17579,
20901,	20918,	4635, 4636, 4643,		17596, 17606,
20923,	20924,	4644, 4651, 4652,		17665, 18166,
20925,	20926,	4672, 4673, 4711,		18181, 18188,
20927,	20928,	4714, 4717, 4720,		18194, 18198,



18206,	18278,	3133, 3136, 3137,	10017,	10055,
18295,	18305,	3363, 3365, 3377,	10065,	10075,
18348,	18823,	3379, 3411, 3412,	10101,	10114,
19019,	20328,	3413, 3414, 3424,	10126,	10321,
20335,	20345,	3437, 3461, 3466,	10333,	10345,
20350,	20363,	3470, 3486, 3504,	10382,	10396,
20370,	20373,	3506, 3514, 3516,	10410,	10727,
20392,	20409,	3525, 3526, 3606,	10880,	10882,
20416, 20422, 20424		3610, 3641, 3649,	10886,	10888,
\end@dblfloat 16796		3650, 3663, 3671,	10992,	10993,
\end@float		3673, 3700, 3721,	10994,	10995,
. . 4575, 4904, 16747		3758, 3759, 3760,	10997,	10999,
\end@rotdblfloat . 16751		3776, 3777, 3778,	11000,	11001,
\end@rotfloat		3779, 3885, 3888,	11002,	11004,
. 16708, 16749, 16750		3893, 3909, 3912,	11005,	11006,
\endarray 375,		3914, 3924, 3927,	11063,	11087,
399, 1360, 1361,		3929, 3936, 3940,	11105,	11191,
18758, 18762, 20710		3941, 3946, 3955,	11200,	11223,
\endBCmd 2085		3956, 3972, 3975,	11240,	11256,
\endbidi@switch . . .		3989, 4001, 4033,	11284,	11298,
. . . 3563, 3567, 3568		4044, 4129, 4131,	11312,	11359,
\endbidi@tabular@RTLcases		4169, 4171, 4177,	11374,	12273,
. 20710, 20718, 20725		4220, 4360, 4381,	12276,	12278,
\endcsname 8, 44, 58, 74,		4732, 4733, 4740,	12282,	12286,
166, 168, 203, 247,		4741, 5333, 5351,	12300,	12311,
261, 276, 333, 334,		5369, 5400, 5429,	12322,	12522,
376, 1362, 2151,		5458, 5700, 6226,	12553,	12584,
2152, 2166, 2167,		6261, 6264, 6267,	12963,	13066,
2193, 2196, 2199,		6281, 6288, 6295,	13069,	13498,
2215, 2223, 2231,		6303, 6304, 6342,	13564,	14534,
2286, 2573, 2576,		6367, 6368, 7150,	14535,	14542,
2579, 2581, 2584,		7156, 7164, 7171,	15156,	15166,
2586, 2589, 2597,		7743, 8898, 8912,	15180,	16844,
2598, 2603, 2611,		8926, 8938, 8949,	16848,	16852,
2612, 2614, 2616,		8960, 9189, 9199,	17290,	17292,
2618, 2621, 2622,		9209, 9235, 9248,	17294,	17297,
2627, 2628, 2657,		9260, 9298, 9307,	17303,	17312,
2658, 2681, 2682,		9316, 9341, 9353,	17314,	17316,
2709, 2737, 2741,		9364, 9401, 9411,	17322,	17393,
2751, 2759, 2767,		9421, 9447, 9460,	17397,	17401,
2775, 2777, 2779,		9472, 9510, 9520,	17870,	17872,
2783, 2784, 2841,		9530, 9556, 9569,	17874,	17877,
2847, 2848, 2890,		9581, 9619, 9629,	17883,	17891,
2900, 2906, 2907,		9639, 9665, 9678,	17893,	17896,
2909, 2910, 2912,		9690, 9728, 9738,	17902,	18092,
2913, 2915, 2958,		9748, 9774, 9787,	18096,	18100,
2959, 2981, 2982,		9799, 9837, 9847,	18553,	18555,
3037, 3038, 3039,		9857, 9883, 9896,	18557,	18560,
3040, 3046, 3047,		9908, 9946, 9956,	18566,	18574,
3048, 3049, 3132,		9966, 9992, 10005,	18576,	18579,



18585,	18734,	3325, 3332, 3347	12834,	12972,
18760,	18762,	\endflushleft . 2105, 2113	12995,	13071,
18794,	18816,	\endgraf 13660, 13679,	13095,	13277,
18818,	18834,	17255, 17835, 18518	13646,	14425,
18835,	18855,	\endgroup 17, 127, 212,	14543,	14643,
18862,	19075,	310, 317, 373, 389,	14740,	14947,
19338,	19339,	463, 515, 529, 667,	14951,	14955,
19355,	19356,	689, 814, 891, 911,	15338,	15388,
19357,	19364,	1066, 1150, 1173,	15393,	15395,
19366,	19367,	1316, 1485, 1979,	15398,	15403,
19420,	19421,	2217, 2225, 2233,	15640,	15671,
19575,	19576,	2609, 2648, 2667,	15857,	15880,
19686,	19690,	2691, 2899, 2918,	16012,	16153,
19694,	19793,	3062, 3081, 3126,	16229,	16252,
19796,	19810,	3148, 3158, 3175,	16397,	16444,
19826,	19827,	3225, 3296, 3320,	16459,	16579,
19843,	19850,	3323, 3428, 3634,	16629,	16644,
19855,	19916,	3636, 3664, 3669,	16986,	17086,
19971,	19973,	3678, 3836, 3884,	17224,	17535,
19975,	19991,	3908, 3923, 3994,	17666,	17804,
19994,	20000,	4006, 4018, 4038,	18234,	18349,
20002,	20005,	4049, 4060, 4224,	18487,	18837,
20009,	20014,	4323, 4333, 4373,	18961,	19140,
20018,	20022,	4742, 5169, 5171,	19556,	19667,
20036,	20040,	5402, 5431, 5460,	20068,	20196,
20043,	20046,	5837, 5854, 5870,	20506,	20539,
20050,	20052,	5881, 5921, 6240,	20582,	20601,
20085,	20086,	6283, 6290, 6297,	20708,	21043,
20088,	20090,	6355, 6444, 6467,	21086, 21292, 21302	
20095,	20097,	6621, 6644, 6858,	\endL 183, 1489,	
20099,	20103,	6908, 6923, 7129,	1630, 1903, 2535,	
20106,	20107,	7389, 7448, 8260,	7133, 7142, 7143,	
20110,	20111,	8278, 8456, 8469,	7152, 7158, 7177,	
20120,	20122,	8579, 8676, 8725,	10746,	10859,
20124,	20128,	10242, 10304,	10873,	11035,
20132,	20133,	10561, 10576,	11805,	11813,
20186,	20188,	10679, 10803,	11832,	11842,
20190,	20194,	10843, 10927,	11857,	11878,
20214,	20215,	10948, 11193,	12666,	13244,
20223,	20227,	11202, 11361,	15402,	15542,
20231,	20235,	11376, 11395,	15561,	15670,
20239,	20243,	11436, 11467,	16806,	16817,
20247,	20251,	11612, 11665,	16824,	16834,
20289,	20290,	11843, 11858,	18912,	20514,
20292,	20295,	12264, 12302,	20515,	20554,
20296,	20300,	12313, 12324,	20558,	20611,
20748,	20813,	12335, 12436,	20622,	20641,
20899,	20960,	12461, 12499,	21271, 21346, 21362	
20973, 20975, 21444		12532, 12563,	\endlist 96, 299,	
\enddocument . . . 3319,		12594, 12823,	582, 714, 945, 977,	



1227, 5725, 5733,	20517, 20611,	8395, 8397, 8400,
5738, 6494, 6682,	20623, 20631,	8404, 8405, 8406,
6994, 8515, 8789,	20718, 20863,	8407, 8419, 8421, 8422
10623, 12927,	20866, 20869,	\eq@addpunct 7032
15151, 15912,	20886, 20897,	\EQ@box 7037, 7043
16306, 16503,	20898, 21271,	\eq@group 7000, 7009
16706, 17128,	21284, 21286,	\eq@GRP@first@dmath 7009
17708, 18391, 19038	21346, 21362,	\eq@if . . . 2732, 2733, 2735
\endlooprepeat	21381, 21384, 21392	\eq@isIntertext . . . 7047
. . . 3763, 3792, 3799	\endrotate 16811	\eq@prelim . . . 7000, 7017
\endLTR 15581, 20665	\endRTL 15583, 20667	\eq@setnumber 7003
\endMakeFramed . . . 11409	\ends@math 7027	\eq@setup@a 7005
\endmath 7027	\endsideways 16829	\eq@startup 7006
\endmdf@lrbox 13777	\endsidewaysfigure 16749	\eq@wdCond 7024
\endminipage	\endsidewaystable 16750	\eqnewif 1552,
. 9114, 11336, 18916	\endstabular 18732, 18734	1553, 1558, 1570, 2728
\endmodernpoem 6368	\endstrip 14756	\eqno 327, 15626,
\endmulticols 15018	\endtabular . 375, 376,	15628, 21387, 21389
\endpgfpicture . . . 15356	1361, 1362, 2188,	\eqnumform 7035
\endpspicture 15635	18758, 18760,	\eqstyle 7002
\endR 181,	18844, 20897, 20899	\equal 2500,
336, 341, 375, 399,	\endtabularx	2517, 2521, 2525,
1360, 1361, 1478,	. 18795, 18824, 18835	4563, 4597, 4608,
2188, 2189, 7035,	\endtcbl@lrbox 18916, 18917	4640, 4641, 4657,
7122, 7138, 7143,	\endtcbl@savebox . . 18917	4698, 4956, 5198,
7145, 7177, 8241,	\endtcbl@vbox 18927	5199, 5217, 5218,
9155, 9159, 10878,	\endtitlepage . . 624,	5236, 5237, 5268,
11802, 11807,	931, 1183, 6476,	5269, 7932, 10983
11864, 11903,	6664, 15816, 16266	\errmessage
11910, 12279,	\endtraditionalpoem 6304	. . 1597, 1878, 14844
12287, 12669,	\endtrivlist 10874	\ERROR 20984
12705, 12737,	\endturn 16801	\escapechar 2637, 2729,
12766, 12792,	\endwindow 15413	2734, 2918, 3453,
12802, 12805,	\enskip 20181, 20206	3458, 3460, 3462, 3475
13002, 13244,	\enspace 308, 15407, 15409	\ESO@isMEMOIR 8246
13654, 13718,	\ensuremath 1526	\evenpage . 1940, 1943,
13721, 13731,	\env@RTLcases 20723, 20727	1944, 1945, 1947,
13822, 13830,	\EQ 8283, 8289,	1948, 1949, 1950, 1952
14021, 14347,	8290, 8294, 8295,	\evensidemargin . . .
14512, 14514,	8304, 8305, 8307, 1964, 8269,
15411, 15543,	8309, 8310, 8312,	11951, 11956,
15551, 15630,	8313, 8314, 8315,	11964, 21312, 21320
15631, 15632,	8317, 8318, 8319,	\everycr 13650
16802, 16812,	8331, 8334, 8336,	\everydisplay 6997
16821, 16830,	8338, 8339, 8341,	\everyhbox . . . 15545,
17222, 17802,	8344, 8346, 8348,	15547, 15555,
18485, 18732,	8349, 8351, 8352,	15557, 20625,
18733, 18758,	8354, 8357, 8358,	20627, 20635, 20637
18764, 18911,	8359, 8362, 8365,	\everyjob 1524,
20511, 20515,	8373, 8380, 8388,	1525, 1846, 1847



<code>\everymath</code>	339	2677, 2681, 2682,	4170, 4180, 4181,
<code>\everypar</code> 513, 665, 909,		2686, 2689, 2709,	4202, 4219, 4230,
1148, 5015, 5059,		2711, 2716, 2736,	4232, 4359, 4360,
5103, 6443, 6620,		2737, 2740, 2741,	5159, 5700, 6130,
6907, 8724, 10560,		2777, 2779, 2783,	6262, 6265, 6268,
10754, 15537,		2787, 2789, 2793,	6271, 6274, 6277,
15541, 15749,		2795, 2799, 2801,	6303, 6304, 6367,
15856, 16228,		2805, 2807, 2811,	6368, 6382, 6535,
16443, 16628,		2813, 2817, 2819,	6544, 6552, 6712,
19133, 19137,		2823, 2825, 2829,	6721, 6729, 6997,
19665, 20617,		2831, 2842, 2844,	7107, 7149, 7170,
20621, 21188, 21232		2848, 2849, 2850,	7337, 7339, 7400,
<code>\everyvbox</code>	1364,	2852, 2853, 2856,	7402, 9130, 10776,
1365, 15565,		2860, 2862, 2867,	10778, 10812,
15567, 15573,		2868, 2870, 2871,	10814, 10880,
15575, 20645,		2874, 2883, 2890,	10881, 10886,
20647, 20654, 20656		2894, 2896, 2899,	10887, 10984,
<code>\ExecuteOptions</code> . . .		2900, 2901, 2903,	11001, 11006,
. . . . 2351, 4427,		2906, 2907, 2909,	11065, 11068,
5808, 5810, 7765, 7863		2910, 2912, 2913,	11089, 11092,
<code>\ExecuteOptionsX</code> . .	1753	2915, 2919, 2953,	11105, 11119,
<code>\exhyphenpenalty</code> . .		2954, 2955, 2956,	11120, 11121,
. 616, 923,		2957, 2959, 2982,	11122, 11124,
1117, 6413, 6590,		2986, 3037, 3038,	11348, 11436,
15808, 16258, 16320		3039, 3040, 3046,	11458, 11459,
<code>\exp</code> 13898, 13901,		3047, 3048, 3049,	11467, 11578,
13955, 14130, 14184		3132, 3133, 3147,	11580, 11627,
<code>\expandafter</code> . . .	166,	3148, 3149, 3151,	11629, 11848,
352, 376, 746, 755,		3158, 3159, 3162,	11886, 11887,
763, 789, 792,		3177, 3184, 3193,	12304, 12306,
998, 1007, 1015,		3411, 3412, 3413,	12315, 12317,
1041, 1044, 1248,		3414, 3429, 3456,	12326, 12328,
1257, 1265, 1291,		3457, 3466, 3470,	12431, 12445,
1294, 1362, 1377,		3525, 3526, 3538,	12459, 12483,
1459, 1460, 1461,		3539, 3634, 3636,	12497, 12530,
1463, 1529, 1531,		3641, 3643, 3644,	12561, 12592,
1535, 1537, 1541,		3663, 3665, 3668,	12823, 12824,
1543, 2133, 2135,		3671, 3672, 3673,	12831, 12845,
2139, 2141, 2145,		3675, 3678, 3683,	13066, 13074,
2147, 2151, 2152,		3746, 3758, 3760,	13079, 13258,
2160, 2162, 2166,		3776, 3777, 3778,	13259, 13264,
2167, 2191, 2194,		3779, 3817, 3828,	13265, 13647,
2197, 2200, 2204,		3833, 3847, 3884,	13693, 13696,
2207, 2210, 2261,		3885, 3886, 3889,	14524, 14527,
2262, 2315, 2573,		3892, 3908, 3909,	14559, 14561,
2576, 2579, 2583,		3923, 3924, 3936,	14659, 14661,
2597, 2609, 2610,		3941, 3946, 3956,	15300, 15317,
2615, 2626, 2651,		3972, 3975, 4001,	15329, 15334,
2653, 2657, 2658,		4044, 4106, 4115,	15539, 15944,
2662, 2665, 2675,		4127, 4129, 4130,	15953, 15961,



15987,	15990,	20127,	20189,	\fancyfoot 2535,
16083,	16092,	20193,	20289,	4783, 4784, 7835
16100,	16128,	20290,	20292,	\fancyhead 4772,
16131,	16714,	20295,	20296,	4773, 4774, 5999,
16726,	16736,	20299,	20524,	6000, 6011, 6012, 6013
16757,	16772,	20536,	20539,	\fancyhf . . 2384, 4770,
16784,	17289,	20547,	20548,	4779, 4789, 5997, 6008
17291,	17293,	20567,	20579,	\fancyhfoffset 4763, 4764
17296,	17302,	20582,	20596,	\fancypagestyle 2381,
17311,	17313,	20597,	20601,	2534, 4778, 4788, 7834
17315,	17321,	20619,	20899,	\FAX 2401
17869,	17871,	20960,	20972,	\fax 2441
17873,	17876,	21007,	21009,	\faxsymbol 2401, 7844, 7942
17882,	17890,	21054, 21056, 21444		\fb@adjheight
17892,	17895,	\ExplSyntaxOff . . . 15292		. 11423, 11493, 11513
17901,	18552,	\ExplSyntaxOn 15268		\fb@afterframe
18554,	18556,	\extrafeetendmini .		. 11418, 11443, 11501
18559,	18565, 9087, 9113		\FB@captype
18573,	18575,	\extrafeetendminihook		. 10885, 10886, 10888
18578,	18584, 9111, 9112		\fb@frh . 11430, 11434,
18734,	18760,	\extrafeetins . 9044, 9045		11449, 11484, 11487
18793,	18796,	\extrafeetinshook .		\fb@put@frame . 11412,
18816,	18819, 9072, 9073		11423, 11494, 11514
18821,	18823,	\extrafeetminihook 9086		\fb@putboxa . . . 11417,
18834,	18835,	\extrainfo 2443		11442, 11500, 11517
18843,	18847,	\extrarowheight . . .		\fb@resto@set
18849,	18856,	. . 379, 13621, 13629		. 11452, 11492, 11496
18858,	18863,	\extrarulesep 18787		\fb@sizeofframe . . .
18865,	18874,	\extratitle 11425, 11447
19338,	19339,	. 17008, 17557, 18256		\fbox 2085,
19355,	19356,			2095, 7176, 8423,
19357,	19364,	F		12078, 12084,
19366,	19367,	\f@nch@everypar . . 10754		12091, 12097,
19420,	19575,	\f@nch@foot 10762		12103, 12109,
19686,	19690,	\f@nch@head 10756		12117, 12121,
19694,	19793,	\f@nch@reset 10756, 10762		12126, 12130,
19796,	19810,	\f@nch@vbox . 10757, 10763		12134, 12138,
19826,	19843,	\f@size 340		12153, 12154,
19850,	19855,	\FamilyKeyState . . 19791		12169, 12170,
19916,	19970,	\FamilyKeyStateProcessed		12179, 12183,
19972,	19974, 19791		12188, 12192,
19990,	19994,	\familyname 2436		12196, 12200,
19999,	20001,	\familynamecolour .		12208, 12214,
20004,	20008,	. . . 2405, 7769, 7867		12221, 12227,
20013,	20017,	\familynamefont 2414,		12233, 12239, 15669
20021,	20035,	2422, 7809, 7903		\fboxrule 2033, 11386,
20040,	20042,	\familynamestyle 2422,		11392, 11398,
20045,	20049,	7820, 7910, 7931		11400, 11402, 11404
20052,	20098,	\FamilySetBool . . . 19790		\fboxsep . . 2034, 2101,
20102,	20123,	\fancy@oval 10724		2110, 7138, 7139,



7140, 7176, 11386,
 11398, 11400,
 11402, 11404,
 15668, 20511,
 20512, 20513, 20609
 \fcolorbox 2035
 \FeetAboveFloat ...
 10541, 10545
 \FeetAtBottom 10543
 \FeetBelowFloat .. 10542
 \FeetBelowRagged ..
 10544, 10546
 \ff@backcol 10995
 \ff@col 10993
 \ff@frametype 10991, 11002
 \ff@txtcol
 . 10983, 10984, 10994
 \fi 12, 13, 18,
 25, 36, 87, 98, 104,
 107, 108, 109, 117,
 134, 136, 142, 150,
 154, 158, 162, 169,
 177, 184, 193, 207,
 208, 213, 218, 224,
 227, 228, 229, 239,
 290, 305, 309, 328,
 336, 341, 355, 356,
 368, 369, 372, 375,
 391, 397, 399, 456,
 461, 499, 506, 514,
 516, 523, 526, 527,
 530, 549, 550, 556,
 565, 588, 597, 604,
 613, 617, 630, 633,
 634, 635, 641, 642,
 647, 650, 658, 666,
 668, 675, 676, 683,
 686, 687, 692, 700,
 739, 749, 758, 766,
 790, 792, 807, 812,
 846, 853, 862, 868,
 869, 875, 878, 885,
 888, 889, 894, 902,
 910, 912, 919, 920,
 924, 944, 945, 946,
 963, 991, 1001,
 1010, 1018, 1042,
 1044, 1059, 1064,
 1098, 1105, 1114,
 1118, 1124, 1125,

1130, 1133, 1141,
 1149, 1151, 1158,
 1159, 1167, 1170,
 1171, 1176, 1189,
 1192, 1193, 1194,
 1213, 1241, 1251,
 1260, 1268, 1292,
 1294, 1309, 1314,
 1352, 1353, 1355,
 1358, 1360, 1361,
 1366, 1380, 1381,
 1395, 1396, 1410,
 1418, 1419, 1425,
 1426, 1430, 1435,
 1438, 1443, 1446,
 1454, 1455, 1464,
 1465, 1477, 1478,
 1489, 1532, 1538,
 1544, 1588, 1589,
 1596, 1597, 1609,
 1615, 1616, 1659,
 1665, 1671, 1677,
 1683, 1695, 1701,
 1707, 1713, 1727,
 1734, 1741, 1751,
 1768, 1778, 1783,
 1789, 1792, 1800,
 1808, 1854, 1869,
 1870, 1877, 1878,
 1889, 1925, 2136,
 2142, 2148, 2163,
 2184, 2188, 2189,
 2191, 2247, 2248,
 2254, 2269, 2270,
 2273, 2276, 2279,
 2283, 2284, 2292,
 2506, 2507, 2508,
 2510, 2538, 2546,
 2594, 2608, 2623,
 2624, 2646, 2647,
 2662, 2672, 2686,
 2696, 2705, 2712,
 2782, 2790, 2796,
 2802, 2808, 2814,
 2820, 2826, 2832,
 2845, 2854, 2857,
 2863, 2872, 2875,
 2897, 2904, 2948,
 2983, 3134, 3152,
 3320, 3323, 3430,

3475, 3480, 3485,
 3488, 3489, 3490,
 3498, 3508, 3510,
 3518, 3525, 3528,
 3532, 3539, 3544,
 3555, 3567, 3568,
 3606, 3610, 3617,
 3621, 3623, 3654,
 3746, 3780, 3818,
 3824, 3828, 3833,
 3847, 3890, 3916,
 3930, 3942, 3957,
 3993, 4005, 4037,
 4048, 4102, 4104,
 4105, 4134, 4136,
 4140, 4141, 4150,
 4152, 4173, 4174,
 4176, 4190, 4191,
 4193, 4194, 4209,
 4222, 4223, 4231,
 4248, 4303, 4313,
 4324, 4511, 4517,
 4710, 4713, 4716,
 4719, 4738, 4749,
 4979, 4988, 5015,
 5023, 5032, 5067,
 5076, 5252, 5309,
 5311, 5321, 5647,
 5648, 5765, 5766,
 5767, 5945, 6023,
 6075, 6088, 6096,
 6127, 6128, 6183,
 6184, 6188, 6195,
 6200, 6209, 6238,
 6249, 6251, 6254,
 6256, 6310, 6312,
 6316, 6335, 6337,
 6338, 6339, 6350,
 6352, 6353, 6362,
 6364, 6401, 6410,
 6414, 6420, 6421,
 6426, 6429, 6437,
 6445, 6452, 6453,
 6460, 6463, 6464,
 6470, 6480, 6512,
 6514, 6516, 6528,
 6538, 6547, 6555,
 6578, 6587, 6591,
 6597, 6598, 6603,
 6606, 6614, 6622,



6629, 6630, 6637,	8060, 8061, 8080,	10523,	10537,
6640, 6641, 6647,	8093, 8094, 8103,	10554,	10562,
6668, 6689, 6691,	8112, 8113, 8116,	10569,	10572,
6693, 6705, 6715,	8132, 8139, 8155,	10573,	10577,
6724, 6732, 6752,	8161, 8177, 8184,	10580,	10585,
6758, 6759, 6763,	8241, 8244, 8255,	10592,	10609,
6765, 6788, 6797,	8258, 8270, 8276,	10672,	10677,
6851, 6856, 6894,	8296, 8380, 8395,	10711,	10718,
6901, 6909, 6916,	8404, 8405, 8406,	10720,	10722,
6919, 6920, 6924,	8407, 8437, 8450,	10732,	10736,
6934, 6936, 6938,	8453, 8454, 8457,	10743,	10744,
6947, 6953, 6954,	8464, 8470, 8477,	10745,	10746,
6961, 6972, 6977,	8478, 8484, 8491,	10786,	10802,
6996, 6998, 6999,	8501, 8572, 8577,	10804,	10822,
7000, 7008, 7019,	8611, 8669, 8674,	10842,	10844,
7021, 7030, 7035,	8712, 8718, 8726,	10855,	10862,
7037, 7052, 7053,	8728, 8730, 8732,	10878,	10900,
7054, 7056, 7058,	8741, 8747, 8748,	10908,	10912,
7083, 7090, 7096,	8756, 8767, 8772,	10926,	10933,
7108, 7109, 7121,	8793, 8796, 8799,	11010,	11012,
7122, 7133, 7137,	8801, 8808, 8809,	11014,	11023,
7138, 7142, 7143,	8813, 8836, 8856,	11025,	11027,
7145, 7152, 7158,	8891, 8932, 9008,	11035,	11038,
7177, 7180, 7181,	9009, 9020, 9021,	11040,	11055,
7187, 7192, 7215,	9032, 9033, 9054,	11069,	11093,
7238, 7261, 7284,	9062, 9063, 9071,	11177,	11179,
7299, 7302, 7303,	9095, 9097, 9103,	11215,	11268,
7319, 7323, 7324,	9109, 9110, 9125,	11276,	11290,
7326, 7347, 7372,	9154, 9155, 9158,	11304,	11305,
7379, 7388, 7390,	9159, 9161, 9184,	11320,	11321,
7410, 7431, 7438,	9194, 9229, 9246,	11344,	11387,
7447, 7449, 7459,	9293, 9302, 9335,	11401,	11403,
7498, 7505, 7514,	9351, 9396, 9406,	11413,	11481,
7517, 7524, 7537,	9441, 9458, 9505,	11482,	11510,
7545, 7551, 7556,	9515, 9550, 9567,	11515,	11524,
7558, 7559, 7560,	9614, 9624, 9658,	11537,	11538,
7593, 7594, 7610,	9676, 9723, 9733,	11539,	11553,
7619, 7624, 7625,	9767, 9785, 9832,	11588,	11610,
7671, 7679, 7688,	9842, 9877, 9894,	11613,	11637,
7691, 7698, 7712,	9941, 9951, 9986,	11663,	11666,
7720, 7726, 7731,	10003, 10050,	11677,	11682,
7733, 7734, 7735,	10060, 10095,	11691,	11697,
7736, 7750, 7785,	10112, 10179,	11699,	11700,
7792, 7799, 7806,	10224, 10231,	11716,	11726,
7831, 7880, 7886,	10235, 10252,	11735,	11745,
7892, 7898, 7912,	10273, 10286,	11750,	11755,
7927, 7973, 7976,	10293, 10297,	11767,	11769,
7977, 7994, 7997,	10314, 10369,	11770,	11784,
7998, 8023, 8039,	10378, 10458,	11800,	11802,
8040, 8042, 8051,	10465, 10486,	11805,	11806,



11807,	11813,	12287,	12291,	13388,	13391,
11815,	11826,	12292,	12307,	13394,	13397,
11832,	11835,	12318,	12329,	13400,	13403,
11842,	11851,	12349,	12360,	13407,	13410,
11857,	11859,	12371,	12386,	13413,	13416,
11861,	11864,	12401,	12416,	13419,	13422,
11872,	11878,	12475,	12513,	13425,	13428,
11893,	11899,	12546,	12577,	13431,	13434,
11900,	11903,	12608,	12634,	13437,	13440,
11910,	11922,	12637,	12640,	13443,	13446,
11923,	11936,	12643,	12652,	13449,	13452,
11946,	11952,	12654,	12658,	13455,	13458,
11959,	11965,	12664,	12666,	13461,	13464,
11966,	11982,	12669,	12683,	13467,	13470,
11986,	11991,	12688,	12697,	13473,	13476,
11995,	11996,	12705,	12717,	13479,	13482,
12006,	12007,	12722,	12730,	13485,	13488,
12012,	12013,	12737,	12748,	13491,	13494,
12014,	12022,	12753,	12759,	13497,	13500,
12031,	12033,	12766,	12777,	13503,	13506,
12034,	12035,	12782,	12792,	13509,	13512,
12036,	12037,	12798,	12802,	13515,	13518,
12049,	12051,	12805,	12833,	13521,	13524,
12052,	12053,	12837,	12852,	13527,	13530,
12054,	12055,	12860,	12868,	13533,	13536,
12060,	12066,	12876,	12885,	13539,	13542,
12067,	12068,	12893,	12902,	13545,	13548,
12081,	12087,	12910,	12918,	13551,	13554,
12094,	12100,	12930,	12936,	13557,	13560,
12106,	12112,	12939,	12940,	13563,	13566,
12113,	12114,	12941,	12956,	13569,	13572,
12119,	12123,	12967,	12968,	13575,	13578,
12128,	12132,	12973,	12985,	13581,	13584,
12136,	12140,	13002,	13006,	13587,	13590,
12141,	12142,	13009,	13012,	13593,	13596,
12143,	12150,	13014,	13038,	13602,	13604,
12158,	12166,	13039,	13040,	13607,	13616,
12174,	12181,	13041,	13052,	13617,	13632,
12185,	12190,	13053,	13070,	13654,	13659,
12194,	12198,	13081,	13093,	13668,	13672,
12202,	12203,	13105,	13118,	13713,	13714,
12204,	12211,	13120,	13139,	13718,	13719,
12217,	12224,	13146,	13154,	13721,	13726,
12230,	12236,	13173,	13183,	13731,	13739,
12242,	12243,	13191,	13222,	13743,	13776,
12244,	12245,	13223,	13233,	13798,	13822,
12246,	12247,	13234,	13251,	13830,	14021,
12248,	12257,	13260,	13266,	14347,	14416,
12262,	12263,	13300,	13303,	14420,	14423,
12267,	12279,	13382,	13385,	14428,	14429,



14430,	14431,	15344,	15359,	16076,	16086,
14432,	14433,	15367,	15402,	16095,	16103,
14445,	14459,	15411,	15412,	16129,	16131,
14462,	14468,	15430,	15434,	16146,	16151,
14472,	14473,	15441,	15442,	16193,	16194,
14494,	14495,	15444,	15446,	16196,	16199,
14496,	14501,	15447,	15448,	16205,	16206,
14512,	14514,	15454,	15479,	16211,	16214,
14518,	14528,	15481,	15492,	16222,	16230,
14540,	14547,	15503,	15510,	16237,	16238,
14569,	14576,	15516,	15518,	16245,	16248,
14579,	14600,	15521,	15522,	16249,	16255,
14610,	14640,	15536,	15590,	16259,	16272,
14646,	14647,	15591,	15594,	16275,	16276,
14669,	14676,	15598,	15599,	16277,	16284,
14679,	14700,	15602,	15607,	16286,	16288,
14710,	14737,	15608,	15613,	16292,	16321,
14743,	14744,	15628,	15629,	16390,	16395,
14749,	14769,	15630,	15631,	16431,	16437,
14779,	14780,	15632,	15634,	16445,	16452,
14785,	14786,	15637,	15645,	16455,	16456,
14792,	14796,	15656,	15661,	16460,	16461,
14797,	14800,	15666,	15669,	16462,	16473,
14804,	14809,	15670,	15677,	16475,	16477,
14812,	14816,	15679,	15683,	16486,	16510,
14821,	14825,	15685,	15694,	16519,	16572,
14833,	14844,	15696,	15698,	16577,	16615,
14858,	14863,	15707,	15709,	16622,	16630,
14869,	14886,	15711,	15720,	16637,	16640,
14894,	14900,	15722,	15724,	16641,	16645,
14909,	14922,	15733,	15735,	16655,	16657,
14930,	14934,	15756,	15776,	16659,	16668,
14938,	14942,	15788,	15789,	16673,	16680,
14985,	14987,	15796,	15805,	16689,	16723,
15008,	15015,	15809,	15822,	16727,	16737,
15047,	15051,	15825,	15826,	16768,	16773,
15055,	15132,	15827,	15833,	16774,	16785,
15139,	15158,	15834,	15839,	16786,	16800,
15163,	15168,	15842,	15850,	16802,	16806,
15175,	15185,	15858,	15865,	16810,	16812,
15186,	15189,	15866,	15873,	16817,	16821,
15190,	15191,	15876,	15877,	16824,	16828,
15196,	15201,	15883,	15898,	16830,	16834,
15205,	15211,	15919,	15921,	16861,	16870,
15217,	15222,	15923,	15937,	16872,	16883,
15225,	15231,	15947,	15956,	16890,	16913,
15250,	15263,	15964,	15988,	16919,	16925,
15264,	15309,	15990,	16005,	16928,	16951,
15323,	15331,	16010,	16044,	16956,	16957,
15332,	15336,	16051,	16060,	16969,	16979,



16984,	16987,	18011,	18012,	18994,	18995,
17024,	17025,	18013,	18014,	18996,	19001,
17031,	17038,	18021,	18023,	19005,	19006,
17041,	17056,	18027,	18029,	19021,	19044,
17061,	17062,	18033,	18035,	19051,	19069,
17063,	17079,	18039,	18041,	19070,	19086,
17082,	17089,	18045,	18047,	19087,	19088,
17106,	17127,	18051,	18053,	19092,	19093,
17134,	17139,	18057,	18059,	19102,	19106,
17144,	17147,	18063,	18065,	19107,	19108,
17148,	17149,	18069,	18071,	19114,	19117,
17151,	17178,	18075,	18077,	19118,	19119,
17202,	17203,	18081,	18109,	19127,	19138,
17204,	17222,	18118,	18120,	19139,	19141,
17223,	17231,	18131,	18138,	19142,	19148,
17237,	17250,	18161,	18167,	19149,	19150,
17260,	17278,	18173,	18176,	19158,	19161,
17284,	17308,	18199,	18204,	19162,	19170,
17410,	17419,	18205,	18217,	19171,	19172,
17421,	17432,	18227,	18232,	19173,	19181,
17439,	17462,	18235,	18272,	19184,	19188,
17468,	17474,	18273,	18279,	19189,	19190,
17477,	17500,	18286,	18289,	19198,	19201,
17505,	17506,	18304,	18309,	19205,	19206,
17518,	17528,	18310,	18341,	19207,	19215,
17533,	17536,	18345,	18352,	19218,	19222,
17573,	17574,	18369,	18390,	19223,	19224,
17580,	17587,	18397,	18402,	19232,	19235,
17590,	17605,	18407,	18410,	19239,	19240,
17610,	17611,	18411,	18412,	19241,	19249,
17614,	17617,	18414,	18441,	19252,	19256,
17630,	17633,	18465,	18466,	19257,	19258,
17638,	17641,	18467,	18485,	19266,	19269,
17646,	17649,	18486,	18494,	19274,	19275,
17658,	17662,	18500,	18513,	19276,	19284,
17669,	17686,	18523,	18541,	19287,	19293,
17707,	17714,	18547,	18571,	19294,	19295,
17719,	17724,	18662,	18665,	19303,	19306,
17727,	17728,	18707,	18723,	19313,	19314,
17729,	17731,	18728,	18732,	19315,	19323,
17758,	17782,	18733,	18750,	19326,	19340,
17783,	17784,	18758,	18764,	19348,	19349,
17802,	17803,	18771,	18778,	19350,	19358,
17811,	17817,	18784,	18789,	19361,	19383,
17830,	17840,	18820,	18877,	19398,	19399,
17858,	17864,	18878,	18894,	19400,	19541,
17888,	17983,	18895,	18911,	19557,	19649,
17990,	17991,	18949,	18956,	19663,	19666,
18007,	18008,	18958,	18973,	19668,	19696,
18009,	18010,	18984,	18987,	19697,	19698,



19705,	19720,	20531,	20537,	21240,	21241,
19737,	19759,	20543,	20544,	21242,	21243,
19798,	19799,	20545,	20548,	21244,	21252,
20067,	20069,	20554,	20558,	21266,	21270,
20076,	20078,	20569,	20570,	21271,	21275,
20091,	20092,	20574,	20580,	21283,	21284,
20093,	20100,	20592,	20593,	21285,	21286,
20104,	20109,	20594,	20597,	21287,	21308,
20113,	20119,	20611,	20616,	21315,	21321,
20125,	20129,	20662,	20663,	21322,	21323,
20135,	20138,	20674,	20675,	21324,	21326,
20140,	20141,	20678,	20682,	21327,	21328,
20142,	20145,	20683,	20718,	21346,	21362,
20148,	20151,	20744,	20763,	21381,	21384,
20152,	20161,	20771,	20777,	21385,	21389,
20167,	20176,	20783,	20791,	21390,	21392,
20177,	20185,	20798,	20799,	21400,	21402,
20191,	20195,	20800,	20806,	21507,	21513, 21519
20198,	20199,	20811,	20814,	\figcaption .	12031, 12049
20210,	20211,	20822,	20823,	\fill	5938, 5942,
20221,	20222,	20831,	20832,	12066,	12261,
20226,	20230,	20840,	20841,	13602,	13604, 13606
20234,	20238,	20849,	20850,	\filright ..	18936, 18965
20242,	20246,	20858,	20859,	\FirstFrameCommand	
20250,	20254,	20860,	20861,	11400, 11446
20258,	20263,	20864,	20867,	\firstmark	7345,
20271,	20274,	20870,	20873,	7408,	10784,
20281,	20282,	20874,	20875,	10820,	10977,
20286,	20293,	20876,	20878,	11586,	11635,
20316,	20322,	20880,	20881,	14567,	14667,
20333,	20338,	20888,	20891,	21015,	21062, 21373
20344,	20346,	20893,	20897,	\firstname	2435
20353,	20356,	20898,	20901,	\firstnamecolour ..	
20369,	20378,	20917,	20918,	. . .	2404, 7770, 7866
20391,	20394,	20926,	20927,	\firstnamefont	
20405,	20411,	20930,	20931,	2413, 2421,
20412,	20418,	20932,	20933,	7808, 7809, 7900, 7903	
20423,	20426,	20934,	20940,	\firstnamestyle	2421,
20440,	20445,	20945,	20953,	7820,	7910, 7931
20448,	20449,	20970,	20976,	\fivecolumnfootnotes	
20450,	20451,	20978,	20985,	9487
20455,	20458,	20995,	20997,	\Fld@width . . .	12851,
20460,	20466,	21017,	21041,	12859,	12867, 12875
20467,	20481,	21044,	21064,	\flnew@within	10885
20491,	20492,	21084,	21087,	\float@newx	10879
20499,	20504,	21090,	21108,	\floatalignment . . .	
20507,	20510,	21123,	21141,	4567, 4568,
20511,	20514,	21143,	21152,	4609, 4610, 4632,	
20515,	20517,	21161,	21196,	4639, 4647, 4698, 4909	
20526,	20527,	21205,	21237,	\FloatBarrier .	4539, 4889



\floatc@biditytfloatplain	\footdir@debugtrue	8064, 8065, 8076,
..... 4907, 1704, 11050	8079, 8083, 8102,
4917, 4924, 4930, 4938	\footdir@fntext ...	8108, 8890, 8904,
\floatc@biditytfloatplaintop	. 11098, 11115, 11117	8918, 9078, 9137,
..... 4924	\footdir@LeftRightElse	10462, 10471,
\floatc@biditytfloatruled	. 11058, 11074, 11151	10494, 10498,
..... 4925	\footdir@name	10507, 10511,
\floatc@plain 10876	. 11101, 11104, 11105	10517, 10532,
\floatingpenalty ..	\footdir@ORG@bidi@amsart@footnotetext,	11231,
.. 41, 55, 71, 244, 79	11247, 11570,
258, 273, 7982,	\footdir@ORG@bidi@amsart@LTRfootnotetext	11619,
8003, 8050, 8057, 81	11620, 11673,
8102, 8109, 9081,	\footdir@ORG@bidi@amsart@RTLfootnotetext	11675,
11220, 11237, 11253 80	11676, 11696,
\floatstyle 4958	\footdir@ORG@bidi@amsbook@footnotetext	11707,
\flushleft ... 2102, 2111 282	11716, 11737,
\FN@sfc@footnote ..	\footdir@ORG@bidi@amsbook@LTRfootnotetext	11758,
..... 2129, 2133 284	15604, 15605,
\FN@sfc@footnotemark	\footdir@ORG@bidi@amsbook@RTLfootnotetext	21095,
..... 2158, 2160 283	21101, 21105,
\FN@sfc@LTRfootnote	\footdir@ORG@bidi@footnotetext	21110, 21128, 21132
..... 2130, 2139 11271	\footinsdim 9077, 9078,
\FN@sfc@RTLfootnote	\footdir@ORG@bidi@LTRfootnotetext	9142, 9172, 9281,
..... 2131, 2145 11273	9384, 9493, 9602,
\FN@sfc@gobble@bracket	\footdir@ORG@bidi@RTLfootnotetext	9711, 9820, 9929,
..... 2169, 2172 11272	10038, 10197,
\FN@sfc@gobble@opt .	\footdir@temp	10203, 10255, 10261
..... 2135,	.. 79, 80, 81, 282,	\footinsv@l 9050,
2141, 2147, 2150	283, 284, 11110,	9058, 9144, 9145,
\FN@sfc@gobble@optonly	11271, 11272, 11273	10203, 10204,
..... 2162, 2165	\footdir@toks	10232, 10234,
\FN@sfc@gobble@twobracket	.. 11051, 11118,	10261, 10262,
..... 2154, 2157	11119, 11120, 11124	10294, 10296,
\font 18674, 18675	\footdir@write	10313, 10327,
\fontdimen . 18674, 18675	. 11045, 11075, 11114	14973, 14974,
\fontsize	\footersymbol	14981, 14982,
. 303, 5893, 5895, 7827, 7828,	14986, 14987,
5897, 7808, 7900,	7843, 7844, 7845, 7846	15001, 15048, 15049
12951, 15248, 15261	\footfootmark	\footinsv@r 9049,
\foo 15314,	8873, 8998, 9221,	9139, 9140, 9141,
15316, 15326, 15328	9327, 9433, 9542,	9142, 9172, 9173,
\footdir@abspage ..	9651, 9760, 9869,	9184, 9194, 9204,
..... 11080,	9978, 10087, 10354	9281, 9282, 9293,
11083, 11084,	\footfudgefactor ..	9302, 9311, 9384,
11087, 11088, 11091	. 10152, 10241, 10303	9385, 9396, 9406,
\footdir@debug 11052,	\footins 35, 49,	9416, 9493, 9494,
11060, 11064,	65, 238, 252, 267,	9505, 9515, 9525,
11067, 11077,	7982, 8003, 8007,	9602, 9603, 9614,
11084, 11088, 11091	8008, 8019, 8022,	9624, 9634, 9711,
\footdir@debugfalse 1706	8026, 8050, 8056,	9712, 9723, 9733,



9743, 9820, 9821, 9832, 9842, 9852, 9929, 9930, 9941, 9951, 9961, 10038, 10039, 10050, 10060, 10070, 10197, 10198, 10228, 10230, 10255, 10256, 10290, 10292, 10311, 10339, 14969, 14970, 14977, 14978, 14984, 14985, 15000, 15044, 15045 \footmarkstyle 8995, 9034 \footmarkwidth 8994, 8999, 9000, 9002, 9004, 9007, 9011, 9012, 9014, 9016, 9019, 9023, 9024, 9026, 9028, 9031, 9038, 9041 \footnote 410, 484, 734, 833, 986, 1085, 1236, 1336, 2129, 2132, 5475, 5794, 5825, 6523, 6700, 6805, 6879, 8530, 8598, 8623, 8697, 10630, 10698, 14463, 14466, 15932, 16031, 16069, 16175, 16329, 16417, 16526, 16600, 16904, 17020, 17453, 17569, 18152, 18268 \footnotelayout 5293, 5294, 5297 \footnotemark 2158, 2159, 11349, 11363, 14464, 14467 \footnoterule 7961, 8023, 8029, 8034, 8062, 8063, 8080, 8084, 8088, 8114, 8115, 8865, 9094, 9102,	9123, 9138, 10464, 10497, 10510, 11042, 11139, 11143, 11146, 11161, 11166, 11167, 11169, 11758, 11791, 14912, 15606, 18928, 21104, 21131 \footnotes 5290 \footnotesep .. 29, 31, 40, 46, 54, 60, 70, 76, 233, 235, 243, 249, 257, 263, 272, 278, 7979, 8000, 8025, 8082, 8874, 8880, 8886, 9082, 10222, 10284, 11219, 11227, 11236, 11244, 11252, 11260, 11287, 11301, 11315, 12946, 12948 \footnotesize ... 38, 52, 68, 106, 226, 241, 255, 270, 406, 730, 982, 1232, 2513, 2535, 4447, 4448, 4486, 5105, 5106, 5107, 5299, 5329, 5347, 5365, 6519, 6696, 6801, 8526, 8619, 9074, 9075, 9076, 10626, 11210, 11211, 11212, 11217, 11234, 11250, 11280, 11294, 11308, 12938, 15407, 15409, 15928, 16065, 16325, 16522, 16900, 17449, 18148 \footnotetext .. 2193, 2204, 6261, 6271 \footrule 10763 \footrulewidth 2383, 4768 \footscript 8995, 9001, 9005, 9007 \footskip .. 10763, 21359	\foottextfont .. 8874, 8894, 8936, 9074, 9167, 9186, 9221, 9232, 9276, 9295, 9327, 9338, 9379, 9398, 9433, 9444, 9488, 9507, 9542, 9553, 9597, 9616, 9651, 9662, 9706, 9725, 9760, 9771, 9815, 9834, 9869, 9880, 9924, 9943, 9978, 9989, 10033, 10052, 10087, 10098, 10157, 10192, 10221, 10246, 10283, 10318, 10354, 10379 \forcerectofloat .. 4570 \forceversofloat .. 4571 \forvariable 3726, 3732, 3808, 3844, 3851, 3856, 3862, 3867, 3871, 3872 \fourcolumnfootnotes 9378 \fp 14119, 14120, 14121, 14122 \fps@figure 12019 \framebox 7818, 7949, 14778, 14784 \FrameCommand 11398 \FrameHeightAdjust 11472 \FrameRestore . 11406, 11410, 11526, 11527 \fromaddress 8791, 8797, 8807, 13004, 13010 \fromname 8812 \fromplace 18075 \fromsig 8811, 8813, 18082 \fromvalue 3726, 3812, 3835, 3857, 3872 \frontmatter 5992 \fs@biditytfloatboxed 4936 \fs@biditytfloatplain 4915, 4923 \fs@biditytfloatplaintop 4923
--	--	--



\Gin@angle	15254	1281, 1282, 1283,	6866, 6867, 6868,
\Gin@bboxtrue	11836	1312, 1318, 1319,	6869, 6870, 6871,
\Gin@defaultbp		1320, 1321, 1322,	6872, 6906, 6907,
.	11837, 11838,	1323, 1324, 1325,	6999, 7009, 7010,
11839, 11840,		1326, 1327, 1328,	7011, 7012, 7013,
18899, 18900, 18903		1454, 1455, 1981,	7014, 7015, 7016,
\Gin@eheight	15256	1982, 1983, 1984,	7024, 7037, 7042,
\Gin@esetsize	11855	1985, 1986, 1987,	7046, 7102, 7331,
\Gin@ewidth	15255, 15256	1988, 1989, 1990,	7332, 7342, 7349,
\Gin@exclamation		1991, 2191, 2194,	7383, 7394, 7395,
.	11885, 15255, 15258	2197, 2200, 2204,	7405, 7412, 7442,
\Gin@gridfalse	15241	2207, 2210, 2289,	7501, 7509, 7519,
\Gin@ii	11844	2293, 2315, 2598,	7529, 7538, 7540,
\Gin@iii	11833, 11847	2612, 2614, 2620,	7541, 7544, 7547,
\Gin@llx	11837	2622, 2633, 2639,	7557, 7571, 7572,
\Gin@lly	11838	2651, 2675, 2759,	7574, 7576, 7577,
\Gin@outer@scalex	15252	2775, 3634, 3636,	7579, 7585, 7586,
\Gin@outer@scaley	15253	3649, 3650, 3660,	7589, 7591, 7592,
\Gin@scalex	15257	3668, 3678, 3791,	7595, 7598, 7603,
\Gin@scaley	15258	3810, 3812, 3814,	7612, 7620, 7675,
\Gin@urx	11839	3826, 3831, 4434,	7683, 7693, 7702,
\Gin@ury	11840	4568, 4612, 4613,	7704, 7713, 7715,
\Gin@include@graphics	11841, 11853	4985, 4996, 4999,	7716, 7719, 7722,
\Gin@input@path	14017	5029, 5040, 5043,	7732, 7740, 7741,
\global	301,	5073, 5084, 5087,	7748, 7974, 7981,
430, 431, 432, 433,		5141, 5908, 6105,	7995, 8002, 8014,
434, 435, 436, 437,		6108, 6126, 6130,	8022, 8026, 8043,
438, 439, 440, 441,		6146, 6157, 6183,	8046, 8054, 8059,
459, 465, 466, 467,		6184, 6211, 6224,	8071, 8079, 8083,
468, 469, 470, 471,		6225, 6253, 6262,	8095, 8098, 8106,
472, 473, 474, 475,		6265, 6268, 6271,	8111, 8411, 8548,
476, 477, 512, 513,		6274, 6277, 6309,	8549, 8550, 8551,
664, 665, 772, 773,		6319, 6333, 6335,	8552, 8553, 8554,
774, 775, 776, 777,		6340, 6341, 6347,	8555, 8556, 8557,
778, 779, 780, 781,		6348, 6350, 6370,	8575, 8581, 8582,
810, 816, 817, 818,		6382, 6384, 6442,	8583, 8584, 8585,
819, 820, 821, 822,		6443, 6561, 6562,	8586, 8587, 8588,
823, 824, 825, 826,		6563, 6564, 6565,	8589, 8590, 8591,
908, 909, 1024,		6566, 6567, 6568,	8643, 8644, 8645,
1025, 1026, 1027,		6569, 6570, 6619,	8646, 8647, 8648,
1028, 1029, 1030,		6620, 6738, 6739,	8649, 8650, 8651,
1031, 1032, 1033,		6740, 6741, 6742,	8652, 8653, 8654,
1062, 1068, 1069,		6743, 6744, 6745,	8672, 8678, 8679,
1070, 1071, 1072,		6746, 6747, 6825,	8680, 8681, 8682,
1073, 1074, 1075,		6826, 6827, 6828,	8683, 8684, 8685,
1076, 1077, 1078,		6829, 6830, 6831,	8686, 8687, 8688,
1147, 1148, 1274,		6832, 6833, 6834,	8689, 8690, 8723,
1275, 1276, 1277,		6835, 6836, 6854,	8724, 8932, 8943,
1278, 1279, 1280,		6860, 6861, 6862,	8954, 9118, 9120,
		6863, 6864, 6865,	9161, 9229, 9241,



9254,	9335,	9346,	11619,	11620,	14863,	14869,
9358,	9441,	9453,	11621,	11622,	14886,	14894,
9466,	9550,	9562,	11632,	11641,	15134,	15346,
9575,	9659,	9671,	11670,	11671,	15363,	15364,
9684,	9768,	9780,	11683,	11684,	15365,	15366,
9793,	9877,	9889,	11685,	11687,	15374,	15381,
9902,	9986,	9998,	11688,	11689,	15414,	15438,
10011,	10095,		11690,	11772,	15439,	15440,
10107,	10120,		11785,	12445,	15639,	15689,
10143,	10157,		12459,	12483,	15855,	15856,
10230,	10234,		12497,	12530,	15970,	15971,
10292,	10296,		12561,	12592,	15972,	15973,
10364,	10389,		12655,	12665,	15974,	15975,
10403,	10474,		13249,	13641,	15976,	15977,
10518,	10521,		13642,	13693,	15978,	15979,
10527,	10533,		13696,	13715,	16008,	16014,
10535,	10540,		13716,	13724,	16015,	16016,
10559,	10560,		14396,	14397,	16017,	16018,
10648,	10649,		14398,	14399,	16019,	16020,
10650,	10651,		14400,	14401,	16021,	16022,
10652,	10653,		14402,	14403,	16023,	16024,
10654,	10655,		14404,	14421,	16109,	16110,
10656,	10657,		14516,	14553,	16111,	16112,
10675,	10681,		14554,	14564,	16113,	16114,
10682,	10683,		14570,	14573,	16115,	16116,
10684,	10685,		14575,	14577,	16117,	16118,
10686,	10687,		14578,	14580,	16119,	16120,
10688,	10689,		14585,	14593,	16149,	16155,
10690,	10691,		14595,	14603,	16156,	16157,
10771,	10772,		14604,	14605,	16158,	16159,
10781,	10787,		14606,	14608,	16160,	16161,
10807,	10808,		14609,	14612,	16162,	16163,
10817,	10824,		14613,	14644,	16164,	16165,
10895,	10898,		14645,	14653,	16166,	16167,
10931,	10934,		14654,	14664,	16227,	16228,
10936,	10942,		14670,	14673,	16359,	16360,
10943,	10944,		14675,	14677,	16361,	16362,
10962,	10966,		14678,	14680,	16363,	16364,
10969,	10972,		14685,	14693,	16365,	16366,
10974,	10978,		14695,	14703,	16367,	16368,
11276,	11277,		14704,	14705,	16369,	16370,
11290,	11291,		14706,	14708,	16393,	16399,
11304,	11305,		14709,	14712,	16400,	16401,
11559,	11560,		14713,	14741,	16402,	16403,
11561,	11562,		14742,	14748,	16404,	16405,
11568,	11569,		14749,	14761,	16406,	16407,
11570,	11571,		14762,	14763,	16408,	16409,
11572,	11573,		14764,	14765,	16410,	16411,
11583,	11592,		14766,	14768,	16442,	16443,
11617,	11618,		14774,	14846,	16546,	16547,



16548,	16549,	18261,	18262,	11934,	11935,
16550,	16551,	18263,	18264,	11936,	11939,
16552,	16553,	18479,	18533,	11940,	11941,
16554,	16555,	18535,	18763,	11944, 11945, 11946	
16556,	16557,	18767,	18768,	\Gm@vrules@mpi ...	11927
16575,	16581,	18769,	18786,	\Gm@vrules@mpii ..	11937
16582,	16583,	18798,	18803,	\grid	15249, 15262
16584,	16585,	18807,	18819,	\Grot@box	11805,
16586,	16587,	18856,	18858,	11813,	16806,
16588,	16589,	18863,	18865,	16817, 16824, 16834	
16590,	16591,	19132,	19133,	\Grot@box@kv	11806
16592,	16593,	19136,	19137,	\Grot@box@std	11800
16627,	16628,	19664,	19665,	\Grot@setangle	11801,
16982,	16994,	19715,	19719,	11812,	16799,
16995,	16996,	20288,	20436,	16809, 16820, 16827	
16997,	16998,	20444,	20454,	\Grot@x	11803,
16999,	17000,	20457,	20501,	11808,	16804,
17001,	17002,	20743,	20960,	16814, 16822, 16832	
17003,	17004,	20971,	21001,	\Grot@y	11804,
17005,	17006,	21002,	21012,	11809,	16805,
17007,	17008,	21019,	21048,	16815, 16822, 16833	
17009,	17010,	21049,	21059,	\group ..	13998, 14019,
17011,	17012,	21066,	21158,	14306,	14319,
17013,	17014,	21169,	21172,	14324, 14331, 14387	
17015,	17016,	21202,	21213,	\grp@aligned	7015
17216,	17270,	21216,	21244,	\GRP@box .	7010, 7042, 7044
17272,	17531,	21253,	21254,	\grp@eqs@numbered .	7014
17543,	17544,	21255,	21256,	\grp@hasNumber	7019
17545,	17546,	21258,	21261,	\GRP@label	7011
17547,	17548,	21262,	21276,	\grp@linewidth	7013
17549,	17550,	21281,	21295,	\GRP@queue . . .	7010, 7046
17551,	17552,	21296,	21298,	\grp@setnumber	7019
17553,	17554,	21307,	21340,	\grp@shiftnumber ..	7016
17555,	17556,	21352,	21355,	\grp@wdL	7012
17557,	17558,	21357,	21364,	\grp@wdNum	7013
17559,	17560,	21368,	21370,	\grp@wdR	7012
17561,	17562,	21371, 21374, 21383		\grp@wdT	7012
17563,	17564,	\GlobalSetatBoolean	2768	\Gscale@box	
17565,	17796,	\GlobalSetBoolean .		. 11815, 11907, 11924	
17850,	17852,	2752, 4570,	\Gscale@div	
18230,	18242,	4571, 4598, 4599,		. 11906, 11913, 11916	
18243,	18244,	4603, 4604, 4897, 4898		\Gscale@end .	11819, 11865
18245,	18246,	\glossary ..	10956, 21335	\Gscale@start	11819, 11865
18247,	18248,	\glueexpr	19844,	\Gscale@x ..	11817, 11863
18249,	18250,	19851,	19856,	\Gscale@y ..	11817, 11863
18251,	18252,	19917,	19978,	\gsetlength	
18253,	18254,	19981, 19985, 19991		4432, 4585, 4677,	
18255,	18256,	\Gm@pageframes . . .	11947	5139, 5388, 5390,	
18257,	18258,	\Gm@vrule	11930,	5417, 5419, 5446, 5448	
18259,	18260,	11931,	11932,		



H			
\H@@footnotemark ..	11939, 13000,	11943, 13163,	7298, 7301, 7318,
... 12336, 12425,	13170,	13177,	7322, 8026, 8029,
12618, 12632, 12649	13182,	13250,	8032, 8083, 8084,
\H@@footnotetext ..	14517,	14619,	8086, 8288, 8293,
... 8844, 12295,	14624,	14628,	8299, 8522, 8821,
12306, 12375,	14719,	14720,	10150, 10162,
12422, 12536,	14726,	14823,	10167, 10171,
12619, 12635, 12649	15853,	15878,	10176, 10421,
\H@@mpfootnotetext	16225,	16250,	10431, 10441,
... 8850, 12304,	16341,	16384,	10450, 10604,
12338, 12342, 12426	16457,	16565,	10742, 10756,
\H@refstepcounter 12825	16625,	16642,	10757, 10762,
\halign 6145, 13644	17182,	17222,	10764, 10788,
\hangafter ... 7192, 14489	17762,	17802,	10791, 10795,
\hangindent 107,	18445,	18485,	10872, 10876,
108, 109, 227,	18710,	19395,	10878, 10916,
228, 229, 640,	19553,	19659,	10921, 11131,
867, 1123, 5765,	20051,	20164,	11793, 11794,
5766, 5767, 6419,	20201,	20203,	11802, 11807,
6596, 7096, 7192,	20269,	20276,	11818, 11819,
12939, 12940,	20278,	20694,	11864, 11865,
12941, 14482,	20875,	20876,	11903, 11910,
14488, 15832,	20951,	21021,	12945, 12951,
16204, 20878, 21402	21026,	21030,	12970, 13023,
\hb@xt@ 449,	21068,	21069,	13633, 13653,
509, 528, 661, 688,	21075,	21265,	13658, 13718,
890, 905, 1052,	21346, 21362, 21384		13721, 14003,
1144, 1172, 1975,	\hbadness 14019, 14020,		14038, 14298,
6440, 6465, 6617,	4940, 7967, 7988,		14300, 14310,
6642, 6844, 6904,	18839, 18841,		14346, 14381,
6921, 7182, 7351,	20375, 20376, 20393		14796, 14830,
7356, 7360, 7414,	\hbox . 15, 28, 188, 210,		14846, 14848,
7415, 7421, 7479,	232, 338, 372, 380,		14958, 15280,
7483, 7486, 7491,	397, 537, 647, 724,		15282, 15285,
7496, 7656, 7660,	875, 958, 1130,		15358, 15407,
7662, 7666, 7670,	1204, 1406, 1465,		15411, 15431,
8455, 8467, 8565,	1620, 1893, 2174,		15464, 15468,
8662, 8721, 9000,	4544, 4632, 4634,		15473, 15477,
9007, 9012, 9019,	4639, 4672, 4673,		15489, 15500,
9024, 9031, 10557,	4682, 4689, 4909,		15517, 15527,
10574, 10665,	4942, 5260, 5299,		15544, 15553,
10826, 10827,	5326, 5344, 5362,		15554, 15563,
10833, 10853,	5484, 5493, 5502,		15617, 15618,
10868, 10987,	5937, 5945, 6064,		15619, 15621,
11594, 11595,	6114, 6118, 6129,		15622, 15648,
11601, 11643,	6146, 6157, 6370,		15666, 15677,
11648, 11652,	6384, 6426, 6504,		15839, 15893,
11828, 11874,	6603, 6657, 6931,		16211, 16316,
11929, 11934,	7043, 7109, 7138,		16440, 16470,



16652,	16821,	\headwidth	2472, 10756,	19395,	19553,
16875,	16877,		10758, 10759,	19659,	20051,
16892,	17145,		10760, 10762,	20164,	20201,
17253,	17424,		10764, 10765, 10766	20203,	20269,
17426,	17441,	\height	. 11809, 11883,	20276,	20278,
17725,	17833,		12091, 12093,	20721,	20951,
17994,	17995,		12097, 12099,	21023,	21025,
18004,	18020,		12126, 12127,	21072,	21074,
18026,	18032,		12130, 12131,	21284,	21286,
18038,	18044,		12188, 12189,	21323,	21324,
18050,	18056,		12192, 12193,	21326, 21327, 21384	
18062,	18068,		12221, 12223,	\hfill	1471, 1472, 2493,
18123,	18125,		12227, 12229,	2499, 2513, 4701,	
18140,	18408,		14349, 14357, 14382	4702, 4705, 4706,	
18516,	18689,	\hfil 15, 210, 509,	6086, 6096, 7115,	
18737,	18750,		528, 661, 688, 890,	7116, 7819, 10758,	
18778,	18789,		905, 1053, 1144,	10759, 10764,	
18828,	18898,		1172, 1402, 1403,	10765, 14798,	
20156,	20157,		1404, 1405, 1433,	14822, 15061,	
20206,	20208,		1434, 1435, 1441,	15064, 15065,	
20265,	20266,		1442, 1443, 1947,	15066, 15069,	
20469,	20503,		1952, 6115, 6117,	15070, 15071,	
20505,	20511,		6222, 6440, 6465,	15072, 15073,	
20624,	20633,		6617, 6642, 6904,	15076, 15077,	
20634,	20643,		6921, 7182, 7299,	15078, 15079,	
20692,	20693,		7302, 7319, 7323,	15080, 15081,	
20696,	20697,		7353, 7355, 7418,	15082, 15085,	
20698,	20699,		7420, 7482, 7493,	15086, 15087,	
20707,	20713,		7495, 7659, 7667,	15088, 15089,	
20877,	20886,		7669, 8455, 8467,	15090, 15091,	
20888,	20893,		8721, 9160, 10557,	15092, 15093,	
20903,	20918,		10574, 10790,	15096, 15097,	
20947,	20948,		10830, 10832,	15098, 15101,	
21273, 21283, 21285			10858, 10871,	15102, 15103,	
\hboxL	192,		10878, 11598,	15106, 15107,	
1612, 1614, 1888,			11600, 11645,	15108, 15109,	
11506, 11523,			11647, 11936,	15110, 15113,	
13165, 15554, 20634			11941, 12970,	15114, 15115,	
\hboxR 190, 1606, 1608,			13250, 13658,	15116, 15117,	
1886, 15544, 20624			14517, 14621,	15120, 15121,	
\head@style	614,		14623, 14723,	15122, 15123,	
921, 1115, 1348,			14725, 14823,	15124, 15518,	
6411, 6588, 15806,			15411, 15465,	15522, 16892,	
16189, 16256, 16318			15469, 15474,	17290, 17307,	
\headheight	1957, 8273,		15478, 15490,	17441, 17870,	
10757, 10964, 21342			15501, 15527,	17887, 18022,	
\headrule	10760		15853, 15878,	18028, 18034,	
\headrulewidth	2382, 4767		16225, 16250,	18040, 18046,	
\headsep . .	1965, 1968,		16440, 16457,	18052, 18058,	
8274, 10965, 21351			16625, 16642,	18064, 18140,	



18553, 18570,	12424, 12503,	9906, 9972, 9990,
18938, 18967,	12598, 12620, 12638	10002, 10015,
20025, 20028,	\hrule 31, 235, 533, 718,	10081, 10099,
20032, 20158,	953, 1198, 4931,	10111, 10124,
20267, 20424, 20949	4932, 4942, 4943,	10161, 10322,
\hfilneg 9154, 9158	6116, 6498, 6651,	10334, 10346,
\hfuzz . 8286, 18840, 18842	6761, 6767, 6773,	10380, 10383,
\hintcolour 2412	6779, 6927, 7962,	10394, 10397,
\hintfont 2420,	8518, 8817, 8866,	10408, 10411,
2428, 2482, 2489, 2494	10600, 11134,	10877, 10878,
\hintColor 2448,	11136, 11168,	11221, 11238,
2462, 2466, 2474,	11511, 12948,	11254, 11281,
2482, 2488, 2494, 2551	13019, 13776,	11295, 11309,
\hintstyle 2428	14913, 14961,	11326, 11327,
\hline 13610, 13612, 13618	15519, 15887,	11406, 11511,
\HLOFF 2037	16310, 16466,	11541, 11544,
\HLON 2031	16648, 16885,	11548, 11551,
\HLTR@LTRfootnotetext	16892, 17140,	11552, 13246,
. . . 8846, 12297,	17434, 17441,	13250, 13644,
12328, 12405,	17720, 18000,	13655, 13658,
12423, 12465,	18133, 18140, 18403	13688, 13745,
12567, 12621, 12641	\hrulefill 28,	13746, 13753,
\HLTR@mpLTRfootnotetext	232, 537, 724, 958,	13776, 14513,
. . . 8852, 12326,	1204, 6504, 6657,	14517, 14750,
12340, 12364, 12427	6931, 8522, 8821,	14830, 14832,
\hoffset 1961	10604, 11131,	14840, 14879,
\hold@viper 7365,	12945, 13023,	14883, 14887,
7368, 7424, 7427,	14958, 15893,	14890, 14895,
7459, 7500, 7501,	16316, 16470,	14898, 14945,
7509, 7510, 7519,	16652, 17145,	14949, 14953,
7520, 7528, 7625,	17725, 18004, 18408	15580, 15582,
7674, 7675, 7683,	\hsize 41, 55, 71,	15750, 15809,
7684, 7693, 7694,	244, 258, 273, 617,	16259, 16321,
7703, 7739, 7741, 7742	924, 1118, 1907,	16337, 16380,
\holder . 15421, 15424,	2306, 4941, 4942,	16859, 16866,
15433, 15443,	5002, 5046, 5090,	16868, 17182,
15444, 15462,	5687, 6414, 6591,	17183, 17222,
15466, 15471,	7039, 7299, 7302,	17408, 17415,
15475, 15487,	7319, 7323, 8896,	17417, 17762,
15491, 15498, 15502	8910, 8924, 8936,	17763, 17802,
\href 2518, 2519,	8947, 8958, 9153,	17981, 17986,
2522, 2523, 2526, 2527	9215, 9233, 9245,	17988, 18107,
\HRTL@mpRTLfootnotetext	9258, 9321, 9339,	18114, 18116,
. . . 8854, 12315,	9350, 9362, 9427,	18445, 18446,
12339, 12353, 12428	9445, 9457, 9470,	18485, 20216,
\HRTL@RTLfootnotetext	9536, 9554, 9566,	20219, 20224,
. . . 8848, 12296,	9579, 9645, 9663,	20228, 20232,
12317, 12390,	9675, 9688, 9754,	20236, 20240,
	9772, 9784, 9797,	20244, 20248,
	9863, 9881, 9893,	20252, 20472,



20493,	20497,	14895,	14898,	546,	2483,	2488,
20664,	20666,	14899,	14958,	2494,	4684,	4691,
20802,	21175,	15061,	15064,	4913,	5591,	5592,
21219,	21380,	15066,	15069,	5598,	5599,	5605,
21384		15071,	15073,	5606,	5612,	5613,
\hskip	14,	15076,	15078,	5740,	5766,	5767,
28,	209,	15080,	15082,	7949,	8122,	8125,
309,	527,	15085,	15087,	8129,	8131,	8136,
648,	687,	15089,	15091,	8138,	8142,	8145,
876,	889,	15093,	15096,	8148,	8152,	8154,
1130,	1131,	15098,	15101,	8158,	8160,	8164,
1204,	1351,	15103,	15106,	8167,	8170,	8174,
1405,	1443,	15108,	15110,	8176,	8181,	8183,
1470,	2565,	15113,	15115,	8474,	8808,	9002,
6088,	6132,	15117,	15120,	9014,	9026,	12066,
6136,	6138,	15122,	15124,	12082,	12095,	
6142,	6426,	15138,	15375,	12107,	12120,	
6464,	6504,	15382,	15839,	12129,	12137,	
6604,	6641,	15840,	15877,	12182,	12191,	
6657,		15893,	16192,	12199,	12212,	
6920,	6931,	16211,	16212,	12225,	12237,	
7114,	7181,	16249,	16316,	12261,	12940,	
7359,	7363,	16456,	16470,	12941,	17177,	
7364,		16641,	16652,	17192,	17197,	
7481,	7485,	16730,	16732,	17199,	17200,	
7488,		16739,	16741,	17757,	17772,	
7489,	7658,	16777,	16779,	17777,	17779,	
7661,		16788,	16790,	17780,	18080,	
7663,	7664,	16892,	17145,	18440,	18455,	
8027,		17441,	17725,	18460,	18462,	
8028,	8031,	18004,	18140,	18463,	18661,	
8041,		18408,	18698,	18662,	18943,	
8042,	8085,	18704,	18716,	18955,	21501,	
8454,		18721,	18937,	21505,	21510,	
8522,	8821,	18966,	19127,	21512,	21516,	21518
10148,		19158,	19181,	\hss	450,	
10573,	10604,	19198,	19215,	509,	528,	661,
10789,	10794,	19232,	19249,	688,	890,	905,
10798,	10799,	19266,	19284,	1144,	1172,	1636,
10854,	10870,	19303,	19323,	1907,	1976,	5707,
11131,	11644,	19358,	19550,	6440,	6465,	6617,
11651,	11655,	19709,	19741,	6642,	6845,	6904,
11656,	11929,	20151,	20198,	6921,	7182,	7358,
11931,	11932,	20208,	20263,	7362,	7417,	7423,
11935,	11940,	20945,	21022,	7484,	7487,	7492,
11943,	11945,	21029,	21033,	7497,	7660,	7662,
11946,	12851,	21034,	21267,	7666,	7670,	8030,
12859,	12867,	21269,	21283,	8040,	8085,	8094,
12875,	12884,	21286		8288,	8291,	8293,
12892,	12901,	\hspace	108,	8296,	8299,	8455,
12909,	12945,	109,	228,	8467,		
12969,	13001,					
13023,	13158,					
14620,	14627,					
14631,	14632,					
14797,	14809,					
14821,	14879,					
14883,	14887,					
14890,	14891,					



8566, 8663, 8721,	7585, 7597, 7621,	18774, 18786,
9001, 9007, 9013,	7625, 7635, 7643,	18901, 20512,
9019, 9025, 9031,	7644, 7647, 7648,	20514, 20904,
10557, 10574,	7650, 7651, 7703,	21247, 21257, 21261
10666, 10793,	7739, 7970, 7979,	\ht@strip 14761, 14762,
10797, 10829,	7991, 8000, 8008,	14763, 14764,
10835, 10987,	8018, 8020, 8036,	14765, 14768, 14770
11597, 11603,	8065, 8075, 8077,	\ht@viper
11650, 11654,	8090, 8439, 9162,	7456, 7461, 7484,
11828, 11874,	9268, 9273, 9371,	7487, 7492, 7497,
11932, 11946,	9376, 9480, 9485,	7565, 7566, 7621,
13170, 13177,	9589, 9594, 9698,	7622, 7623, 7627,
13182, 13653,	9703, 9807, 9812,	7660, 7662, 7666, 7670
13661, 14040,	9916, 9921, 10025,	\httplink 2520
14301, 14382,	10030, 10134,	\Huge 5674, 6764,
14626, 14630,	10139, 10152,	6776, 6956, 6964,
14722, 14728,	10223, 10285,	8750, 8759, 10587,
14866, 14867,	10738, 11431,	10595, 16675, 16683
14880, 14881,	11438, 11455,	\huge 557,
15389, 15399,	11462, 11463,	5528, 5530, 5673,
15619, 15630,	11476, 11480,	6755, 6950, 8485,
15631, 15632,	11503, 11674,	8494, 8744, 10582,
15853, 15878,	11679, 11821,	16670, 16926,
16225, 16250,	11822, 11824,	17039, 17475,
16341, 16384,	11867, 11868,	17588, 18174, 18287
16440, 16457,	11870, 12003,	\hv@Bottom 12161
16566, 16625,	13084, 13101,	\hv@Center . . . 12065,
16642, 16875,	13619, 13677,	12076, 12116,
17253, 17262,	13690, 13705,	12178, 12206, 12259
17424, 17833,	13707, 13708,	\hv@figure . 12030, 12048
17842, 17994,	13774, 13781,	\hv@floatObject . . .
18123, 18516,	13784, 14604, 11991, 11995
18525, 18710,	14608, 14613,	\hv@floatType . 12021,
19553, 19659,	14704, 14708,	12030, 12048, 12266
20477, 20479,	14713, 14764,	\hv@Height 12003
20484, 20490,	14766, 14964,	\hv@label 11972
20694, 20812,	14970, 14974,	\hv@Left . . . 12006, 12074
20863, 20864,	15433, 15491,	\hv@longCap 11971
20866, 20867,	15502, 15507,	\hv@Right . . 12007, 12063
20869, 20870,	15508, 15509,	\hv@shortCap
20875, 20876,	15510, 15514,	. 11970, 12036, 12054
20933, 20934,	15529, 15646,	\hv@Top . 12089, 12125,
20935, 20936,	15669, 16716,	12145, 12187, 12219
21028, 21032,	16758, 16761,	\hv@Width . . 12001, 12024
21071, 21077, 21271	16816, 16823,	\hv@Zero . . . 11990, 12253
\ht 378, 1453, 1486, 1626,	17206, 17208,	\hvAboveCaptionSkip
1899, 7130, 7139,	17209, 17786, 12169, 12172
7141, 7457, 7459,	17788, 17789,	\hvBelowCaptionSkip
7466, 7472, 7473,	18469, 18471, 12153, 12156
7474, 7528, 7567,	18472, 18738,	



\hvCaptionBox . 12025,	\hvSet@capPos	12398, 12407,
12042, 12084,	. . 12006, 12007,	12410, 12413,
12086, 12097,	12074, 12145, 12161	12456, 12494,
12099, 12109,	\hvSet@capVPos 12076,	12527, 12558, 12589
12111, 12117,	12089, 12116,	\Hy@gttemp . . 12432, 12437
12118, 12126,	12125, 12178,	\Hy@href@nextactionraw
12127, 12134,	12187, 12206, 12219 12699,
12135, 12146,	\hvSet@capWidth 12001,	12731, 12760, 12786
12147, 12153,	12003, 12008, 12009	\Hy@href@page 12694
12156, 12162,	\hvSet@floatCapSep	\Hy@linkcounter 8339, 8344
12163, 12170, 12082,	\Hy@linktoc 12275
12173, 12179,	12095, 12107,	\Hy@LT@currentHref
12180, 12188,	12120, 12129, 12827, 12838
12189, 12196,	12137, 12182,	\Hy@LT@LTRfootnotetext
12197, 12214,	12191, 12199, 12455, 12464
12216, 12227,	12212, 12225, 12237	\Hy@LT@RTLfootnotetext
12229, 12239, 12241	\hvSet@floatPos . . 12019 12493, 12502
\hvCapWidth . . . 11999,	\hvSet@objectAngle	\Hy@MakeRemoteAction
12001, 12003, 11990, 11994 12678
12005, 12009,	\hvSet@objectPos . .	\Hy@maketitle@end .
12011, 12026, 12044	. 12063, 12065, 12259	. 12624, 12629, 12631
\hvFloat 11973	\hvSet@rotAngle . . .	\Hy@maketitle@optarg
\hvMaxCapWidth 11984,	. 11984, 12253, 12256 12622, 12627
11985, 12006,	\Hy@Acrobatmenu . . 12770	\Hy@pstringD 12677, 12696
12007, 12008, 12011	\Hy@backout 12797	\Hy@pstringdef
\hvObjectBox	\Hy@BeginAnnot 12676, 12677,
. . 11988, 11991,	. . 12653, 12673,	12711, 12712, 12743
11993, 11997,	12710, 12742, 12771	\Hy@pstringF
12003, 12078, 12526, 12535	. . 12674, 12675,
12080, 12091,	\Hy@bidipoem@footnotetext	12676, 12691,
12093, 12103, 12557, 12566	12711, 12724, 12729
12105, 12121,	\Hy@bidipoem@LTRfootnotetext	\Hy@pstringP 12712, 12729
12122, 12130, 12588, 12597	\Hy@pstringURI
12131, 12138,	\Hy@CleanupFile . . 12675 12743, 12756
12139, 12146,	\Hy@colorlink . 12703,	\Hy@raisedlink 12346,
12149, 12154,	12735, 12764, 12790	12357, 12368,
12157, 12162,	\Hy@EndAnnot	12379, 12394,
12165, 12169,	. . 12660, 12706,	12409, 12469,
12172, 12183,	12738, 12767, 12793	12507, 12540,
12184, 12192,	\Hy@endcolorlink . 12662	12571, 12602, 12839
12193, 12200,	\Hy@footnote@currentHlabel	\Hy@saved@footnotemark
12201, 12208,	. 12382, 12397, 12412 12614, 12633
12210, 12221,	\Hy@footnote@currentHref	\Hy@saved@footnotetext
12223, 12233, 12235 12344, 12615, 12636
\hvObjectWidth	12347, 12355,	\Hy@SetNewWindow . .
. . 11997, 12001,	12358, 12366, 12698, 12726
12005, 12006, 12007	12369, 12377,	\Hy@setpdfborder . .
\hvOBox 11991, 11995	12380, 12383, 12684,
\hvSet@capAngle . . .	12392, 12395,	12718, 12749, 12778
. 12024, 12043		



\Hy@tabularx@hook .	12961, 15808,	6720, 6728, 15943,
..... 12421, 12433	16258, 16320, 16463	15952, 15960,
\Hy@temp@menu 12772, 12785	\HyRTL@saved@RTLfootnotetext	16082, 16091, 16099
\Hy@xspace@end 12616, 12639	\if@altsecnumformat
.. 12669, 12705,		. 17063, 17611, 18310
12737, 12766, 12792	I	\if@bib@break@ 17073,
\HyLTR@saved@LTRfootnotetext 3847,	17098, 17113,
..... 12617, 12642	3848, 3860, 3872, 3873	17129, 17653,
\HyOrg@maketitle ..	\ialign ... 386, 18743,	17678, 17693,
. 12612, 12623, 12628	18781, 20721, 20909	17709, 18336,
\HyOrg@TX@endtabularx	\IeC 13087	18361, 18376, 18392
..... 12420	\if 354, 355, 356,	\if@bibchapter ... 19052
\hyper@@anchor 12344,	358, 359, 360, 361,	\if@bidi@amsmathloaded@
12347, 12355,	362, 365, 366, 367, 13380
12358, 12366,	391, 397, 1379,	\if@bidi@amstextloaded@
12369, 12377,	1380, 1381, 1383, 13383
12380, 12392,	1384, 1385, 1386,	\if@bidi@amsthmloaded@
12395, 12407,	1387, 1388, 1389, 13386
12410, 12467,	1392, 1393, 1394,	\if@bidi@animate@loaded@
12470, 12505,	1417, 1418, 1419, 13389
12508, 12538,	1421, 1422, 1423,	\if@bidi@arabxetexloaded@
12541, 12569,	1424, 1425, 2265, 13588
12572, 12600, 12603	2271, 2274, 2277,	\if@bidi@arrayloaded@
\hyper@anchorend . 12840	2280, 3551, 3606, 13522
\hyper@anchorstart 12840	3610, 3616, 3620,	\if@bidi@arydshlnloaded@
\hyper@link 12668	3653, 3736, 4123, 13546
\hyper@linkend	7000, 7019, 7052,	\if@bidi@blank
.. 12279, 12283,	7053, 7054, 11063,	... 2876, 3168, 3175
12287, 12289,	11087, 11321,	\if@bidi@breqnloaded@
12669, 12802, 12805	13054, 13601, 13392
\hyper@linkfile .. 12671	13603, 13605,	\if@bidi@calsloaded@
\hyper@linkstart ..	15307, 18750, 13395
.. 12279, 12283,	18784, 18789,	\if@bidi@captionloaded@
12287, 12289,	18876, 18877, 13398
12669, 12798, 12805	18878, 18879,	\if@bidi@colorloaded@
\hyper@linkurl ... 12740	18880, 18881, 13404
\hyper@makecurrent 12826	18882, 18884,	\if@bidi@colortblloaded@
\hyper@nat@current 12799	18885, 18886, 13423
\hyper@natlinkbreak	18887, 18888,	\if@bidi@croploaded@
..... 12804	18891, 18892, 13401
\hyper@natlinkend 12801	18893, 20807,	\if@bidi@csdef . 1810,
\hyper@natlinkstart	20808, 20901,	2840, 2889, 10181,
..... 12796	20918, 20925,	14911, 14967, 15043
\hypersetup 2366,	20926, 20927,	\if@bidi@csmacro .. 2888
2374, 5784, 5843, 5860	20928, 20929, 20930	\if@bidi@csp@primitive
\hyphenpenalty ... 6,	\if@allcaps 745, 2898
105, 201, 225,	754, 762, 997,	\if@bidi@csundef ..
616, 923, 1117,	1006, 1014, 1247,	2572, 2575, 2578,
6413, 6590, 12937,	1256, 1264, 6534,	2582, 2587, 2846,
	6543, 6551, 6711,	2919, 3436, 4328,



4380, 8827, 8828, 8841, 8842, 21401	\if@bidi@hyperrefloaded@	\if@bidi@perpage@footnote
\if@bidi@cutedloaded@ 13468 1555,1780
..... 13411	\if@bidi@lettrineloaded@	\if@bidi@pgfloaded@
\if@bidi@cutwinloaded@ 13489 13504
..... 13408	\if@bidi@linenoloaded@	\if@bidi@picinparloaded@
\if@bidi@dblfnoteloaded@ 13492 13507
..... 13414	\if@bidi@list@minipage@parbox	\if@bidi@polyglossialloaded@
\if@bidi@def 2858 1571, 13591
\if@bidi@defmacro .	20758, 20818,	\if@bidi@pstricksloaded@
.... 2881,2882,	20827, 20836, 13501
2890,3067,3086,3230	20845, 20858,	\if@bidi@quotchaploaded@
\if@bidi@defparam .	20859, 20873, 20874 13510
..... 3088,	\if@bidi@list@minipage@parbox@rotatingloaded@	\if@bidi@rotatingloaded@
3182, 3183, 3232 1572, 13567
\if@bidi@defprimitive	20766, 20820,	\if@bidi@soulloaded@
..... 2892	20829, 20838, 20847 13528
\if@bidi@defprotected	\if@bidi@listingsloaded@	\if@bidi@stabularloaded@
..... 3095, 13495 13525
3191, 3192, 3243	\if@bidi@longtableloaded@	\if@bidi@subfigloaded@
\if@bidi@diagboxloaded@ 13543 13531
..... 13417	\if@bidi@mdf@RTL ..	\if@bidi@subfigureloaded@
\if@bidi@draftwatermarkloaded@ 13736,13743 13534
..... 13477	\if@bidi@mdframedloaded@	\if@bidi@supertabularloaded@
\if@bidi@empheqlloaded@ 13459 13537
..... 13480	\if@bidi@midfloatloaded@	\if@bidi@tabslloaded@
\if@bidi@fancyboxloaded@ 13462 13570
..... 13471	\if@bidi@minitocloaded@	\if@bidi@tabularyloaded@
\if@bidi@fancyhdrloaded@ 13555 13573
..... 13474	\if@bidi@multicolloaded@	\if@bidi@tikzloaded@
\if@bidi@fancyvrbloaded@ 13549 13513
..... 13594	\if@bidi@multienumloaded@	\if@bidi@titlesecloaded@
\if@bidi@floatloaded@ 13552 13516
..... 13426	\if@bidi@natbibloaded@	\if@bidi@titletocloaded@
\if@bidi@floatrowloaded@ 13558 13519
..... 13429	\if@bidi@newfloatloaded@	\if@bidi@tocbasicloaded@
\if@bidi@flowframloaded@ 13561 13576
..... 13432	\if@bidi@ontheoremloaded@	\if@bidi@tocbibindloaded@
\if@bidi@fontspecloaded@ 13465 13582
..... 13585	\if@bidi@overpicloaded@	\if@bidi@tocstyleloaded@
\if@bidi@framedloaded@ 13483 13579
..... 13435	\if@bidi@patchable	\if@bidi@todonotes@figposition@right
\if@bidi@ftnrightloaded@ 3055,3056	.. 20305,20403,
..... 13438	\if@bidi@pdfencrypt	20408, 20415, 20421
\if@bidi@geometryloaded@ 1560,1793	\if@bidi@todonotes@textdirection@RTL
..... 13453	\if@bidi@pdfm@mark 20304,
\if@bidi@graphicxloaded@ 1563,	20338, 20378, 20412
..... 13450	1805, 1858, 1922	\if@bidi@undef
\if@bidi@hvfloatloaded@	\if@bidi@pdfpagesloaded@ 2864,2923,
..... 13456 13486	2964, 2975, 2994,
		2998, 3002, 3006,



3016, 3020, 3024, 3028, 3064, 3083, 3227	\if@continent ... 14485	8501, 8772, 10609,
\if@bidi@void@mpfootins	\if@DEBUG 2320	12918, 14547,
... 8825, 9093, 9101	\if@displaypagenumbers	15132, 15898,
\if@bidi@void@footins 2528, 2531	16292, 16486,
. 8824, 10456, 10463	\if@donumindex	16689, 17089,
\if@bidi@wrapfigloaded@ 19053, 19072	17669, 18352, 19021
..... 13447	\if@dotocbib 19014	\if@LTRmarginpar 1565,
\if@bidi@xcolorloaded@	\if@dotocind 19060, 19077	21266, 21271, 21275
..... 13420	\if@extrafootnotefeatures	\if@mainmatter . 5991,
\if@bidi@xltextraloaded@ 1568, 1766	6754, 6949, 8743,
..... 13441	\if@fcolmade ... 7379,	15682, 17614,
\if@bidi@xtabloaded@	7438, 10802,	17630, 17638, 17646
..... 13540	10842, 10926,	\if@minipage . 4736, 14538
\if@bidi@xunicodeloaded@	11610, 11663,	\if@mparswitch ... 21239
..... 13444	11692, 14640,	\if@newlist ... 10942,
\if@capbreak	14737, 21041, 21084	10974, 21295, 21370
. 17194, 17774, 18457	\if@ff@nwpg 10894	\if@nobreak 4324,
\if@captionabove ..	\if@filesw 2599	11528, 13747, 15743
..... 17227,	\if@firstcolumn 7330,	\if@nonlatin
17233, 17246,	7393, 7453, 7534,	.. 336, 341, 1554,
17256, 17807,	7553, 7709, 7728,	1778, 2822, 2828,
17813, 17826,	10770, 10806,	7035, 7037, 13731
17836, 18490,	11567, 11616,	\if@noparlist . 6244, 6357
18496, 18509, 18519	11704, 14552,	\if@noskipsec .. 6998,
\if@cftdopart 19109	14652, 14758,	11529, 13748, 15744
\if@cfthaschapter .	21000, 21047, 21237	\if@oldtoc . 651, 677,
..... 19100,	\if@firstdetailselement	879, 895, 1134,
19104, 19110, 7922, 7924	1161, 6430, 6454,
19131, 19143, 19165	\if@firstfooterelement	6607, 6631, 15843,
\if@cfthaspart ... 19096 7826, 7829	15867, 16215, 16239
\if@chapterentrywithdots	\if@flushend@auto@baselineskip	\if@openright
..... 17884, 18567 7569	... 6019, 6968, 8763
\if@colour 2349	\if@hboxRconstruct	\if@ovb 10746
\if@colourgreen 7757, 1559,	\if@ovl 10744
7786, 7855, 7881	1861, 2810, 2816,	\if@ovr 10743
\if@colourgrey . 7761,	11320, 20765,	\if@ovt 10745
7800, 7859, 7893	20789, 20820,	\if@pboxsw 20814
\if@colourorange 7755,	20829, 20838,	\if@ref 18017
7779, 7853, 7875	20847, 20858,	\if@restonecol
\if@colourred .. 7759,	20859, 20873, 20874 597, 613,
7793, 7857, 7887	\if@ignore ... 3403, 3405	862, 1114, 6410,
\if@compatibility .	\if@inlabel 6999	6587, 6797, 15805,
.. 511, 663, 739,	\if@inltxdoc 19045	16060, 16519, 19092
907, 991, 1146,	\if@insert 7737	\if@reversemargin 21242
1241, 6528, 6705,	\if@komalongtable .	\if@rjfield 21281
15937, 16076,	. 17243, 17823, 18506	\if@rl 1553
19135, 19663, 20889	\if@LTRbibitems . 87,	\if@rl@footnote ... 1570
\if@contcw . 14469, 14498	290, 565, 700, 963,	\if@rlmain 1552
\if@conthang 14479	1213, 1566, 2546,	
	6480, 6668, 6977,	



\if@rot@twoside 16720,	10554,	10569,	15630,	15631,
16725, 16735,	10572,	10573,	15632,	15677,
16765, 16771, 16783	10580,	10592,	15679,	15685,
\if@RTL 12,	10609,	10878,	15696,	15698,
13, 25, 87, 104,	11035,	11321,	15709,	15711,
107, 108, 109, 173,	11401,	11403,	15722,	15724,
180, 189, 207, 208,	11800,	11802,	15733,	15735,
224, 227, 228, 229,	11805,	11806,	15752,	15772,
290, 305, 309, 506,	11807,	11813,	15788,	15789,
523, 526, 527, 550,	11815,	11832,	15809,	15822,
565, 617, 630, 641,	11835,	11842,	15833,	15834,
642, 647, 658, 683,	11851,	11857,	15839,	15850,
686, 687, 700, 868,	11861,	11864,	15873,	15876,
869, 875, 885, 888,	11878,	11903,	15877,	15898,
889, 902, 924, 963,	11910,	12075,	16193,	16194,
1118, 1124, 1125,	12177,	12279,	16205,	16206,
1130, 1141, 1167,	12287,	12669,	16211,	16222,
1170, 1171, 1189,	12705,	12737,	16245,	16248,
1213, 1352, 1353,	12766,	12792,	16249,	16259,
1464, 1465, 1478,	12798,	12802,	16272,	16292,
1489, 1553, 1586,	12805,	12850,	16321,	16437,
1860, 1867, 2546,	12858,	12866,	16452,	16455,
2786, 2792, 5647,	12874,	12882,	16456,	16461,
5648, 5765, 5766,	12891,	12899,	16462,	16486,
5767, 6414, 6420,	12908,	12918,	16622,	16637,
6421, 6426, 6437,	12936,	12939,	16640,	16641,
6460, 6463, 6464,	12940,	12941,	16668,	16680,
6480, 6591, 6597,	12956,	12967,	16689,	16800,
6598, 6603, 6614,	12968,	13002,	16802,	16806,
6637, 6640, 6641,	13006,	13009,	16810,	16812,
6668, 6752, 6763,	13014,	13135,	16817,	16821,
6765, 6901, 6916,	13142,	13150,	16824,	16828,
6919, 6920, 6947,	13169,	13179,	16830,	16834,
6961, 6977, 6996,	13654,	13739,	16861,	16870,
7008, 7021, 7096,	13822,	13830,	17061,	17062,
7137, 7138, 7142,	14021,	14347,	17089,	17147,
7143, 7145, 7152,	14428,	14429,	17148,	17149,
7158, 7177, 7180,	14430,	14431,	17151,	17222,
7181, 7187, 7192,	14432,	14433,	17410,	17419,
7299, 7302, 7319,	14512,	14514,	17610,	17669,
7323, 8128, 8135,	14547,	14792,	17727,	17728,
8151, 8157, 8173,	14796,	14797,	17729,	17731,
8180, 8287, 8367,	14804,	14809,	17802,	17983,
8382, 8404, 8405,	14816,	14821,	17990,	18075,
8406, 8407, 8430,	15132,	15211,	18081,	18109,
8450, 8453, 8454,	15231,	15246,	18118,	18309,
8464, 8478, 8491,	15260,	15411,	18352,	18410,
8501, 8718, 8741,	15461,	15536,	18411,	18412,
8756, 8772, 8793,	15590,	15591,	18414,	18485,
8796, 8801, 8809,	15594,	15598,	18660,	18663,



18693,	18713,	20863,	20866,	7241, 7264, 7480,
18911,	18956,	20869,	20873,	7657, 8116, 8241,
18973,	18993,	20874,	20875,	8244, 8258, 8276,
18996,	19001,	20876,	20878,	11040, 11928,
19005,	19006,	20880,	20881,	11938, 11955,
19021,	19117,	20886,	20933,	11961, 13187,
19118,	19119,	20934,	20940,	14749, 14909,
19127,	19148,	20945,	21266,	21090, 21311,
19149,	19150,	21271,	21275,	21317, 21346, 21362
19158,	19171,	21283,	21284,	\if@RTLmarginpar 1564,
19172,	19173,	21285,	21286,	21266, 21271, 21275
19181,	19188,	21381,	21384,	\if@RTLtab . 355, 356,
19189,	19190,	21392,	21402,	372, 375, 397, 399,
19198,	19205,	21500, 21510, 21516		1360, 1361, 1380,
19206,	19207,	\if@RTL@footnote ..		1381, 1418, 1419,
19215,	19222, 36, 239,		1558, 2184, 2188,
19223,	19224,	1570, 1863, 5015,		2189, 2798, 2804,
19232,	19239,	8891, 8932, 9184,		7056, 7058, 7079,
19240,	19241,	9229, 9293, 9335,		7086, 7108, 7109,
19249,	19256,	9396, 9441, 9505,		7122, 7133, 13602,
19257,	19258,	9550, 9614, 9658,		13604, 13718,
19266,	19274,	9723, 9767, 9832,		13721, 18728,
19275,	19276,	9877, 9941, 9986,		18732, 18733,
19284,	19293,	10050, 10095,		18750, 18758,
19294,	19295,	10248, 10269,		18764, 18789,
19303,	19313,	10310, 10365,		18877, 18878,
19314,	19315,	10374, 11215,		20718, 20893,
19323,	19348,	11264, 11304, 11305		20897, 20898,
19349,	19350,	\if@RTLbibitems . 87,		20918, 20926, 20927
19358,	19398,	290, 565, 700, 963,		\if@sectionentrywithdots
19399,	19400,	1213, 1567, 2546,	 17304
20078,	20140,	6480, 6668, 6977,		\if@sentedir 1862
20141,	20142,	8501, 8772, 10609,		\if@specialpage ...
20148,	20151,	12918, 14547,	 10897, 21306
20198,	20258,	15132, 15898,		\if@star 15666
20263,	20286,	16292, 16486,		\if@tab@rl 1558
20293,	20353,	16689, 17089,		\if@tablecaptionabove
20356,	20440,	17669, 18352, 19021		. 17274, 17854, 18537
20475,	20483,	\if@RTLcolumnfootnotes		\if@tempswa 4166, 4211,
20510,	20511, 1569, 9154,		8024, 8081, 19792
20514,	20515,	9155, 9158, 9159,		\if@thmmarks .. 15194,
20517,	20554,	9194, 9246, 9302,		15198, 15215, 15219
20558,	20611,	9351, 9406, 9458,		\if@titlecentered .
20616,	20662,	9515, 9567, 9624,	 1334, 16173
20663,	20674,	9676, 9733, 9785,		\if@titlepage .. 404,
20675,	20678,	9842, 9894, 9951,		618, 726, 925, 978,
20682,	20759,	10003, 10060, 10112		1177, 1228, 6799,
20767,	20773,	\if@RTLmain 1552, 1585,		8524, 8617, 10624,
20779,	20792,	1604, 1859, 1866,		15810, 15924,
20860,	20861,	1885, 7195, 7218,		16061, 16260,



16323, 16520, 16895, 17444, 18143	\IfbidiPackageVersion 1539	6184, 6186, 6192, 6232, 6245, 6252,
\if@tocstyle@penalties 20061, 20170	\IfbidiPackageVersionBefore 1533	6333, 6335, 6348, 6350, 6358, 7029,
\if@todonotes@authorgiven 20329, 20340, 20365, 20382	\IfbidiPackageVersionLater 1527	7473, 7518, 7530, 7543, 7546, 7548,
\if@todonotes@disabled 20323, 20324	\ifblendcolors 20522, 20543, 20565, 20592	7578, 7582, 7583, 7597, 7622, 7647,
\if@todonotes@dviStyle 20326, 20360	\ifbool 13761, 13770	7692, 7705, 7718, 7721, 7723, 7971,
\if@ttb@rotate ... 11034	\ifcase 1401, 1428, 1432, 1436, 1440, 1466,	7992, 8012, 8021, 8048, 8052, 8069,
\if@twocolumn ... 98, 218, 451, 584, 600, 627, 634, 802, 849, 934, 945, 1054, 1101, 1186, 1193, 1304, 1605, 1611, 5945, 6397, 6574, 6784, 6846, 8567, 8664, 10667, 11706, 12930, 14411, 15792, 15819, 15826, 16000, 16047, 16141, 16269, 16276, 16385, 16506, 16567, 16974, 17523, 18222, 19047, 20962, 21236, 21395	1673, 1679, 1685, 1697, 1703, 1709, 1716, 1730, 1737, 1747, 7110, 12275, 13672, 18987, 19368, 20130, 20200, 20310, 20318, 20542, 20591, 20977, 20978	8078, 8100, 8104, 8999, 9004, 9011, 9016, 9023, 9028, 10224, 10228, 10232, 10286, 10290, 10294, 10732, 10734, 10877, 11413, 11421, 11437, 11438, 11468,
\if@twoside	\ifcat 1596, 1877, 3501, 3502	11476, 11489, 11504, 11537, 11538, 11820,
... 5936, 10901, 16943, 16956, 17024, 17492, 17505, 17573, 18191, 18204, 18272, 20466, 21309	\ifconvertcolorsU 20528, 20544, 20571, 20593	11827, 11866, 11873, 11918, 12008, 12146, 12162, 13093, 13107, 13113, 13246, 13655, 13666, 13705, 13708, 14418, 14461, 14468, 14472, 14474, 14513, 14574, 14582, 14584, 14674, 14682, 14684, 14759,
\if@vihproof 14777, 14783	\ifcpoddpage 4513	14770, 14854, 14862, 14868, 14885, 14893, 15361, 15408, 15433, 15491,
\ifadl@inactive ... 1366	\ifcsname . 2841, 2847, 2981, 3424, 3940, 3955, 4169, 4177, 15156, 15166, 15180, 20085, 20086, 20095, 20106, 20110, 20120, 20132, 20186, 20214, 20215, 20223, 20227, 20231, 20235, 20239, 20243, 20247, 20251	15502, 15509, 15514, 15529, 15642, 15667, 17181, 17189, 17761, 17769, 18021, 18027,
\ifadl@usingarypkg 1369	\ifdefined ... 2859, 2865	
\ifAM@output 15333	\ifdefining 3621	
\ifAM@survey 15311	\ifdfn@allowcbreak 7977, 7998	
\ifartopt 14448	\ifdfn@ruleboth 8035, 8089	
\ifbidi@autofootnoterule 11041, 11276, 11290, 11304	\ifdfn@trysingle 8016, 8073	
\ifbidi@in@label 3615, 3617	\ifdim 1454, 1455, 1528, 1534, 1540, 4749, 5316, 6085, 6122, 6124, 6183,	



18033, 18039,	12027, 12045,	15344, 15402,
18045, 18051,	12066, 12258, 12260	15634, 15670,
18057, 18063,	\ifhv@onlyText	16800, 16802,
18069, 18444, 12028, 12046	16806, 16810,
18452, 18775,	\ifhv@useOBox 11991, 11995	16812, 16817,
19703, 19717,	\ifHy@href@ismap . 12757	16821, 16824,
19722, 20096,	\ifHy@hyperfootnotes	16828, 16830,
20121, 20187,	. . 8829, 8843, 12294	16834, 20510,
20443, 20445,	\ifHy@nesting	20514, 20809, 20884
20447, 20449,	. . 12343, 12354,	\ifNAT@openbib . . . 15135
20450, 20451,	12365, 12376,	\ifnonlatin 2827
20453, 20493,	12391, 12406,	\ifnum 3, 137, 143, 198,
20500, 21248, 21380	12466, 12504,	304, 346, 347, 348,
\ifdofullc@p	12537, 12568, 12599	349, 351, 452, 501,
. 17184, 17764, 18447	\ifHy@pdfa . . . 12683,	518, 544, 553, 637,
\iffalse	12717, 12748, 12777	653, 671, 803, 864,
2730, 2731, 2733,	\ifin@ 4185	897, 915, 1055,
11528, 11529,	\ifin@label 3623	1120, 1136, 1154,
13297, 13747,	\ifinner . . 2255, 4980,	1305, 1371, 1372,
13748, 15743, 15744	5024, 5068, 11416,	1373, 1374, 1376,
\IfFileExists . . 3880,	20435, 21153, 21197	1415, 1416, 1775,
3895, 4493, 5965, 6030	\ifL@grid 13108	1776, 2281, 2617,
\iffootdir@debug . .	\ifL@realh 13044	3475, 3503, 3505,
. 11049, 11053	\iflatin 2821	3513, 3515, 3708,
\ifGin@grid . 15247, 15260	\ifLettrineImage . 13038	3718, 3816, 3822,
\ifGin@iso 11917	\ifLettrineOnGrid 13039	3847, 3862, 3868,
\ifhbox 10166, 10175, 10179	\ifLettrineRealHeight	6205, 6416, 6432,
\ifhmode . . 2249, 4974, 13040	6448, 6512, 6514,
5018, 5062, 5305,	\ifLettrineSelfRef 13041	6516, 6593, 6609,
5311, 7143, 7145,	\ifLtoR 2791	6625, 6689, 6691,
7152, 7158, 7177,	\ifLtoRhboxconstruct	6693, 6753, 6847,
18949, 20515, 2815	6896, 6911, 6934,
20517, 20554,	\ifLtoRtable 2803	6936, 6938, 6948,
20558, 20611,	\ifmaskcolors . 20532,	7030, 7297, 7305,
20873, 20874,	20543, 20575, 20592	7310, 7317, 7505,
20917, 21147, 21191	\ifmmode	7514, 7524, 7679,
\ifhv@fbox . . . 12077,	1850, 7137, 7142,	7688, 7698, 7912,
12083, 12090,	10847, 10857,	8445, 8459, 8472,
12096, 12102,	11800, 11802,	8481, 8568, 8665,
12108, 12117,	11805, 11806,	8714, 8728, 8730,
12121, 12126,	11807, 11813,	8732, 8742, 9160,
12130, 12134,	11815, 11832,	10549, 10564,
12138, 12152,	11835, 11842,	10581, 10668,
12168, 12179,	11851, 11857,	10718, 10720,
12183, 12188,	11861, 11864,	10722, 11010,
12192, 12196,	11878, 11903,	11012, 11014,
12200, 12207,	11910, 12654,	11023, 11025,
12213, 12220,	12666, 12669,	11027, 11173,
12226, 12232, 12238	12705, 12737,	11276, 11290,
\ifhv@nonFloat 12020,	12766, 12792,	11304, 11537,



11539,	11727,	19099,	19103,	19456,	19457,
12656,	12661,	19145,	19164,	19458,	19461,
12958,	13100,	19186,	19203,	19464,	19483,
13217,	13220,	19220,	19237,	19484,	19485,
13228,	13231,	19254,	19272,	19487,	19488,
13300,	13616,	19291,	19311,	19489,	19492,
13617,	13700,	19346,	19529,	19495,	19504,
13701,	14412,	19530,	19637,	19505,	19506,
14445,	14571,	19638,	19662,	19509,	19512,
14601,	14671,	19672,	20060,	19566,	19567,
14701,	14790,	20065,	20083,	19568,	19569,
14802,	14814,	20256,	20474,	19570,	19571,
14875,	14917,	20740,	20923,	19572,	19573,
14923,	14998,	20924,	20938,	19574,	19589,
15016,	15175,	20993,	21244,	19590,	19591,
15185,	15421,	21266, 21389, 21390		19592,	19594,
15427,	15439,	\ifodd 2266, 5936, 8249,		19595,	19596,
15442,	15443,	8266, 8326, 10902,		19599,	19602,
15444,	15446,	11948, 11954,		19611,	19612,
15447,	15448,	20466, 21240, 21310		19613,	19616,
15449,	15458,	\ifoddpage 4507		19619,	19817,
15480,	15485,	\ifonlinecaptions		19818,	19819,
15496,	15507,	. 17155, 17735, 18418		19820,	19821,
15508,	15514,	\ifpgfrememberpicturepositiononpage 22,		19822,	19823,
15518,	15521, 15357		19824,	19825,
15522,	15628,	\ifpoem@started 6179,		19868,	19869,
15629,	15636,	6185, 6332, 6339, 6353		19870,	19871,
15681,	15829,	\ifprimitive .. 2893, 2900		19873,	19874,
15845,	15861,	\ifPst@shift@star 15658		19875,	19878,
15919,	15921,	\ifr@ggedbottom .. 15608		19881,	19890,
15923,	16001,	\ifrot@messages ...		19891,	19892,
16142,	16201, 16770, 16782		19895,	19898,
16217,	16233,	\ifRtoL 2785		19928,	19929,
16284,	16286,	\ifRtoLhboxconstruct		19930,	19932,
16288,	16386, 2809		19933,	19934,
16433,	16447,	\ifRtoLtable 2797		19937,	19940,
16473,	16475,	\ifshowgrid 15636		19949,	19950,
16477,	16568,	\ifshr@king . 15041, 15056		19951,	19954,
16617,	16632,	\ifshr@kingsaved ..		19957,	19977,
16655,	16657, 15041, 15056		19980,	19983,
16659,	16669,	\ifsomething 3746		20003,	20007,
16963,	16975,	\ifstr .. 19411, 19412,		20012,	20024,
17512,	17524,	19413, 19414,		20027, 20031, 20041	
17613,	17629,	19415, 19416,		\ifstrstart	
17637,	17645,	19417, 19418,		. 19808, 19840, 19914	
18211,	18223,	19419, 19434,		\iftagsleft@ .. 328, 8284	
18820,	18868,	19435, 19436,		\iftest 3558	
18869,	18870,	19437, 19439,		\ifthenelse	
18871,	18873,	19440, 19441,		2500, 2517, 2521,	
18978,	18980,	19444, 19447,		2525, 2533, 4406,	



4466, 4468, 4471,	11339,	11497,	11170,	11381,
4475, 4478, 4481,	11518,	11673,	11582,	11631,
4506, 4563, 4582,	11678,	11696,	11669,	11846,
4597, 4602, 4608,	11698,	11707,	11888,	11889,
4617, 4628, 4634,	11717,	11737,	11895,	11982,
4640, 4641, 4648,	11738,	11742,	11984,	11990,
4655, 4657, 4663,	11753,	11760,	12001,	12003,
4680, 4698, 4700,	12833,	12837,	12006,	12007,
4704, 4722, 4723,	13718,	13792,	12024,	12030,
4726, 4727, 4762,	14829,	14984,	12031,	12033,
4771, 4782, 4792,	14986,	15000,	12036,	12048,
4841, 4956, 5180,	15001,	15045,	12049,	12051,
5198, 5199, 5217,	15049,	15053,	12054,	12063,
5218, 5236, 5237,	15536,	15602,	12065,	12074,
5268, 5269, 5387,	15604,	15609,	12076,	12089,
5392, 5416, 5421,	20616,	21095,	12116,	12125,
5445, 5450, 5527,	21110, 21111, 21134		12145,	12161,
5531, 5579, 5792,	\ifWF@float . 20448, 20462		12178,	12187,
5838, 5847, 5855,	\ifx . 115, 134, 136, 151,		12206,	12219,
5882, 5929, 5998,	155, 159, 166, 787,		12253,	12259,
6009, 7816, 7822,	791, 1039, 1043,		12272,	12303,
7839, 7842, 7843,	1289, 1293, 1784,		12314,	12325,
7844, 7845, 7846,	1785, 2132, 2138,		12632,	12635,
7932, 7937, 7940,	2144, 2159, 2190,		12638,	12641,
7941, 7942, 7943,	2242, 2245, 2506,		12685,	12693,
7944, 7947, 7951,	2507, 2508, 2510,		12719,	12727,
10983, 10998,	2610, 2639, 2642,		12750,	12779,
15301, 16724, 16769	2662, 2666, 2686,		12983,	13004,
\iftocstyle@autolength	2690, 2705, 2709,		13046,	13066,
..... 20105	2779, 2848, 2866,		13257,	13258,
\iftocstyle@indentnotnumbered	2944, 3132, 3148,		13262,	13264,
..... 20150, 20197	3481, 3487, 3488,		13621,	14522,
\iftrue 2732,	3525, 3526, 3527,		14563,	14663,
4921, 4934, 4947	3528, 3538, 3544,		14931,	14935,
\ifttl@label 18954	3569, 3574, 3579,		14939,	15161,
\ifTX@ 18810	3584, 3590, 3595,		15165,	15172,
\ifvbox 10477, 11774	3775, 3885, 3909,		15178,	15317,
\ifvmode .. 4324, 4710,	3924, 3989, 4001,		15329,	15599,
4713, 4716, 4719,	4033, 4044, 4079,		15651,	15692,
13776, 14844,	4085, 4096, 4097,		15705,	15718,
15205, 15225, 18762	4108, 4138, 4147,		15985,	15989,
\ifvoid 7365, 7381, 7424,	4148, 4168, 4183,		16126,	16130,
7440, 7459, 7467,	4193, 4207, 4214,		16857,	16883,
7500, 7625, 7636,	4226, 4242, 4297,		16890,	16910,
7674, 7975, 7996,	4308, 5250, 6074,		16915,	16922,
8007, 8032, 8064,	6095, 6256, 6307,		16928,	16952,
8086, 9049, 9050,	6312, 6314, 7341,		17023,	17027,
9058, 9064, 9088,	7404, 8044, 8096,		17035,	17041,
9089, 9105, 9117,	8791, 8807, 8811,		17053,	17077,
10517, 10532,	10780, 10816,		17139,	17144,



17406,	17432,	5355, 5373, 5409,	6792, 6793, 15799,
17439,	17459,	5438, 5467, 5732,	15800, 16054,
17464,	17471,	6156, 6167, 6327,	16055, 16513,
17477,	17501,	6328, 6475, 6663,	16514, 16515,
17572,	17576,	7033, 7039, 7152,	19056, 19057,
17584,	17590,	7158, 7166, 7173,	19058, 19062,
17602,	17656,	8796, 8810, 8874,	19063, 19064,
17719,	17724,	8880, 8886, 11227,	19067, 19068,
17979,	18007,	11244, 11260,	19074, 19075,
18008,	18009,	11287, 11301,	19079, 19080,
18010,	18011,	11315, 11930,	19081, 19084, 19085
18012,	18013,	11934, 11939,	\indexspace 5768
18014,	18018,	11944, 12990,	\input 1652, 1653, 1767,
18024,	18030,	13009, 13731,	1856, 1932, 2353,
18036,	18042,	14535, 14542,	5966, 6031, 21394,
18048,	18054,	15815, 15824,	21404, 21405,
18060,	18066,	16265, 16274,	21406, 21407,
18075,	18105,	16800, 16810,	21408, 21409,
18131,	18138,	16828, 17164,	21410, 21411,
18158,	18163,	17185, 17190,	21412, 21413,
18170,	18176,	17195, 17200,	21414, 21415,
18200,	18271,	17218, 17744,	21416, 21417,
18275,	18283,	17765, 17770,	21418, 21419,
18289,	18301,	17775, 17780,	21420, 21421,
18339,	18402,	17798, 18081,	21422, 21423,
18407,	18770,	18427, 18448,	21424, 21425,
18989,	19331,	18453, 18458,	21426, 21427,
19686,	19690,	18463, 18481,	21428, 21429,
19694,	19791,	20554, 20558,	21430, 21432,
20072,	20143,	20785, 20824,	21433, 21437,
20155,	20163,	20833, 20842, 20851	21442, 21449,
20180,	20205,	\iii 3854	21450, 21451,
20272,	20277,	\ilg 15430, 15453	21452, 21453,
20279,	20523,	\immediate . . . 4321, 6319	21454, 21455,
20566,	20683,	\in@ 4184	21456, 21457,
20793,	20796,	\includegraphics . .	21458, 21459,
20803,	20964, 2541, 7818,	21460, 21461,
20972,	21011,	7949, 15235, 15303	21462, 21463,
21058,	21323,	\includemedia	21464, 21465,
21324, 21326, 21327		. 13996, 14326, 14327	21466, 21467,
\ifXC@tst . 20546, 20595		\includepdf 15294	21468, 21469,
\ignorespaces . . . 46,		\indentedwidth 8809	21470, 21471,
60, 76, 122, 249,		\index 3732,	21472, 21473,
263, 278, 336, 623,		3733, 10955, 21334	21474, 21475,
632, 930, 1182,		\indexname 591,	21476, 21477,
1191, 3314, 3794,		592, 593, 607,	21478, 21479,
3810, 3812, 3818,		608, 856, 857,	21480, 21481,
3821, 3824, 3828,		1108, 1109, 5752,	21482, 21483,
3833, 4733, 4740,		5753, 6404, 6405,	21484, 21485,
4741, 4750, 5337,		6581, 6582, 6791,	21486, 21487,



21488, 21489,	14102, 14180,	\isSC@ODD 18661,
21490, 21491,	14268, 14271,	18662, 18664,
21493, 21494,	14272, 14283,	18665, 21501,
21495, 21496,	14321, 14359,	21503, 21505, 21507
21497, 21498,	14384, 15271, 15273	\isundefined
21521, 21522,	\interfootnotelinepenalty 4792, 4841,
21523, 21524,	. . 39, 53, 69, 242,	7816, 7822, 7839,
21525, 21526,	256, 271, 9080,	7842, 7843, 7844,
21527, 21528,	11218, 11235, 11251	7845, 7846, 7937,
21529, 21530,	\interlinepenalty 39,	7940, 7941, 7942,
21531, 21532,	53, 69, 242, 256,	7943, 7944, 7947, 7951
21533, 21534,	271, 551, 615,	\item 102,
21535, 21536,	640, 867, 922,	222, 596, 611, 860,
21537, 21538,	1116, 1123, 5644,	943, 1112, 5724,
21539, 21540,	6412, 6419, 6589,	5732, 5737, 5758,
21541, 21542, 21543	6596, 6760, 6955,	6408, 6585, 6796,
\input@path 14017	6963, 7503, 7512,	10852, 10867,
\InputIfFileExists	7522, 7677, 7686,	12934, 15803,
..... 3879,	7696, 8479, 8492,	16058, 16518, 19091
3883, 3892, 13057	8749, 8758, 9080,	\itemindent 5719,
\insert 35, 49, 65, 238,	10586, 10594,	5720, 5728, 20747
252, 267, 1602,	11218, 11235,	\itemsep 4455,
1883, 7966, 7982,	11251, 14794,	5665, 5704, 5718
7987, 8003, 8050,	14806, 14818,	\itemx 15060
8056, 8102, 8108,	15685, 15807,	\itemxox 15095
8890, 8904, 8918,	15832, 16204,	\itemxoxx 15105
9184, 9194, 9204,	16257, 16319,	\itemxx 15063
9293, 9302, 9311,	16674, 16682,	\itemxxo 15100
9396, 9406, 9416,	18946, 18987,	\itemxxox 15112
9505, 9515, 9525,	19121, 19152,	\itemxxx 15068
9614, 9624, 9634,	19175, 19192,	\itemxxxo 15119
9723, 9733, 9743,	19209, 19226,	\itemxxxx 15075
9832, 9842, 9852,	19243, 19260,	\itemxxxxx 15084
9941, 9951, 9961,	19278, 19297,	\itshape .. 2040, 2513,
10050, 10060,	19317, 19352,	5528, 5530, 5534,
10070, 10309,	19685, 20146,	5541, 5548, 5583,
10327, 10339,	20260, 20441, 20942	5590, 5597, 5604,
11214, 11231,	\intermath@penalty 7032	5611, 5915, 5916, 5917
11247, 11697,	\intertextsep . 20501, 20503	
11699, 14985, 14987	\InTheoType	J
\insert@column 8300, 15195,	\j 3868, 3869, 3873
.... 1403, 1404,	15197, 15216, 15218	\juo@ht 14590,
1405, 1406, 1408,	\invoice@name 18044	14597, 14690,
1409, 1469, 1471,	\ior .. 14100, 14101, 14105	14697, 14766, 14773
1472, 1474, 1475,	\iow 15272	\juo@pr 14573,
1476, 7113, 7115,	\isempty .. 4582, 5180,	14603, 14673, 14703
7116, 7118, 7119, 7120	5387, 5392, 5416,	\juo@sar 14572,
\insertpenalties ..	5421, 5445, 5450,	14602, 14644,
..... 11178, 11727	5838, 5847, 5855, 5882	14672, 14702, 14741
\int 14050, 14097, 14098,	\isodd 16724, 16769	



\juo@sk . 14571, 14601, 14644, 14671, 14701, 14741, 14774	11135, 11136, 11168, 11386, 11450, 11828, 11874, 12944, 12946, 12947, 12948, 13018, 13020, 13022, 13024, 13731, 14853, 14912, 14913, 14957, 14959, 14960, 14961, 15608, 15619, 15622, 15649, 15665, 15885, 15886, 15888, 15891, 15892, 15894, 15935, 16074, 16308, 16309, 16311, 16314, 16315, 16317, 16465, 16467, 16469, 16471, 16647, 16649, 16651, 16653, 16882, 16886, 16889, 16892, 16893, 17138, 17141, 17143, 17146, 17431, 17435, 17438, 17441, 17442, 17718, 17721, 17723, 17726, 17999, 18001, 18003, 18005, 18130, 18134, 18137, 18140, 18141, 18401, 18404, 18406, 18409, 18697, 18703, 18960, 20476, 20480, 20486, 20489, 20511, 20694, 20697, 20699, 21263	\KOMAClassName 16964, 17281, 17513, 17861, 18212, 18544 \KV@do 13074, 13079 \KV@prefix . 13072, 13077
\JustifyingParfillskip 15736		L
\JustifyingParindent 4461, 5132, 5691, 15737		\l 8326, 8342, 8345, 8351, 8354, 8356, 8357, 8360, 8361, 8364, 8367, 8368, 8369, 8374, 8375, 8376, 8382, 8383, 8384, 8389, 8390, 8391, 8400, 8403, 8411, 13821, 13823, 13829, 13831, 13837, 13838, 13839, 13840, 13841, 13842, 13843, 13844, 13845, 13846, 13847, 13849, 13850, 13852, 13853, 13854, 13861, 13862, 13863, 13865, 13867, 13870, 13871, 13878, 13888, 13889, 13890, 13891, 13892, 13893, 13894, 13895, 13896, 13897, 13898, 13899, 13900, 13901, 13902, 13906, 13907, 13908, 13910, 13912, 13915, 13916, 13918, 13919, 13920, 13929, 13939, 13940, 13941, 13942, 13943, 13944, 13945, 13946, 13947, 13953, 13955, 13956, 13957, 13960, 13962,
K		
\keepthetitle 14394		
\kern . . . 27, 29, 30, 31, 231, 233, 234, 235, 336, 532, 534, 536, 538, 716, 717, 719, 722, 723, 725, 737, 952, 954, 957, 959, 989, 1196, 1197, 1199, 1202, 1203, 1205, 1239, 1467, 1472, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2074, 2075, 2122, 2124, 2125, 4931, 4932, 4942, 4943, 4945, 5410, 5411, 5439, 5440, 5468, 5469, 6496, 6497, 6499, 6502, 6503, 6505, 6526, 6649, 6650, 6652, 6655, 6656, 6658, 6703, 6926, 6928, 6930, 6932, 7111, 7116, 7138, 7961, 7962, 8370, 8377, 8385, 8392, 8431, 8435, 8517, 8519, 8521, 8523, 8816, 8818, 8820, 8822, 8865, 8866, 8992, 8993, 10599, 10601, 10603, 10605, 10743, 10744, 10745, 10987, 11130, 11132, 11133, 11134,		
	\keys . . . 13813, 14009, 14103, 14342, 14343	
	\keywords 324	
	\kill 13618	



13964,	13969,	5653, 19253, 20253	13125, 13127,
13970,	13971,	\L@Findent	13128, 13131, 13138
13973,	13975,	. 13034, 13125, 13158	\L@raise . . . 13032, 13098
13980,	13982,	\L@first 13097, 13099,	\L@realhfalse 13040
13984,	13992,	13101, 13103,	\L@realhtrue 13040
14003,	14004,	13107, 13113,	\l@refstring 13027
14019,	14020,	13115, 13117,	\l@section 517,
14021,	14022,	13119, 13123,	678, 691, 880,
14040,	14060,	13124, 13126,	893, 1162, 1175,
14068,	14073,	13127, 13136, 13138	8444, 19163, 20229
14087,	14092,	\L@gridfalse 13039	\L@selfreffalse .. 13041
14096,	14097,	\L@gridtrue 13039	\L@selfreftrue . . . 13041
14098,	14100,	\L@hang 13030, 13122	\L@slope
14101,	14102,	\L@imagefalse 13038	. 13036, 13147, 13148
14105,	14109,	\L@imagetrue 13038	\l@subfigure 19290
14111,	14112,	\l@initial 13027	\l@subparagraph . . .
14113,	14114,	\L@lbox . 13076, 13083, 19236, 20245
14115,	14116,	13084, 13085,	\l@subsection 19185, 20233
14117,	14119,	13121, 13122, 13157	\l@subsubsection . .
14120,	14121,	\l@LOKeys 13067, 19202, 20237
14122,	14124,	13069, 13074, 13079	\l@subtable 19310
14125,	14126,	\L@lraise 13098,	\l@table 5653, 19271, 20249
14128,	14129,	13099, 13104, 13157	\L@target@dp 13104
14130,	14133,	\L@next . 13129, 13130,	\L@target@tbt
14134,	14135,	13143, 13145, 13148	. 13090, 13098, 13103
14138,	14171,	\l@ngrel@x 2944, 2945, 2947	\L@tbox . 13043, 13051,
14173,	14176,	\L@Nindent . . . 13035,	13096, 13101, 13159
14201,	14203,	13128, 13130,	\l@textcolor 13064, 13065
14235,	14239,	13132, 13145, 13147	\label 2537,
14251,	14252,	\L@novskip	4611, 4613, 4615,
14298,	14308,	. 13037, 13107, 13111	4619, 4671, 10954,
14314,	14326,	\L@oversize	12038, 12056, 21333
14327,	14346,	. 13031, 13088, 13093	\labelitemi . 736, 988,
14347,	14348,	\l@paragraph 19219, 20241	1051, 1238, 6525,
14349,	14350,	\L@parshape	6702, 15934, 16073
14351,	14352,	. . 13136, 13138,	\labelname . . . 15061,
14353,	14354,	13143, 13145,	15064, 15066,
14389,	14390,	13151, 13153, 13156	15069, 15071,
15276, 15278, 15287		\l@part . 500, 652, 670,	15073, 15076,
\l@ 19362		896, 914, 1135,	15078, 15080,
\L@ante 13033, 13123, 13157		1153, 6431, 6447,	15082, 15085,
\l@chapter 6455, 6469,		6608, 6624, 6895,	15087, 15089,
6632, 6646, 6910,		8458, 8713, 10548,	15091, 15093,
10563, 15868,		15844, 15860,	15096, 15098,
15882, 16240,		16216, 16232,	15101, 15103,
16254, 16446,		16432, 16616,	15106, 15108,
16631, 19011,		19008, 19009,	15110, 15113,
19012, 19144, 20225		19097, 20217, 20220	15115, 15117,
\l@color . . . 13062, 13063		\L@Pindent . . . 13121,	15120, 15122, 15124
\l@figure 5652,		13122, 13124,	



<code>\labelsep</code>	85, 90, 288, 293, 570, 705, 968, 1218, 2552, 2554, 5681, 5683, 5740, 6485, 6673, 6982, 8506, 8777, 10614, 12916, 12921, 15061, 15064, 15066, 15069, 15071, 15073, 15076, 15078, 15080, 15082, 15085, 15087, 15089, 15091, 15093, 15096, 15098, 15101, 15103, 15106, 15108, 15110, 15113, 15115, 15117, 15120, 15122, 15124, 15903, 16297, 16491, 16694, 17096, 17676, 18359, 19026		15124, 15901, 15902, 16295, 16296, 16489, 16490, 16692, 16693, 17094, 17095, 17674, 17675, 18357, 18358, 19024, 19025 <code>\langle</code> 2041 <code>\Larg</code> 2040, 2041, 2042, 2043, 2044 <code>\Larga</code> 2041 <code>\Largb</code> 2042 <code>\LARGE</code> 416, 487, 744, 834, 996, 1086, 1246, 1337, 1348, 5583, 5590, 5672, 5915, 6533, 6710, 6811, 6882, 7901, 8534, 8599, 8629, 8700, 10634, 10699, 15942, 16032, 16081, 16178, 16189, 16345, 16532, 16603 <code>\Large</code> 554, 5534, 5597, 5671, 5916, 5917, 7812, 7905, 8482, 16421, 16930, 16936, 16938, 16954, 17043, 17050, 17052, 17055, 17479, 17485, 17487, 17503, 17592, 17599, 17601, 17604, 18178, 18184, 18186, 18202, 18291, 18298, 18300, 18303 <code>\large</code> 418, 424, 489, 495, 509, 661, 751, 761, 836, 842, 905, 1003, 1013, 1088, 1094, 1144, 1253, 1263, 1339, 1345, 1349, 1354, 5541, 5604, 5670, 6440, 6540, 6550, 6617, 6717,	6727, 6813, 6819, 6884, 6890, 6904, 7811, 7813, 7904, 7906, 8467, 8536, 8542, 8601, 8607, 8631, 8637, 8702, 8708, 8721, 10557, 10636, 10642, 10701, 10707, 15853, 15949, 15959, 16034, 16040, 16088, 16098, 16180, 16186, 16190, 16195, 16225, 16347, 16353, 16440, 16534, 16540, 16605, 16611, 16625, 19655, 20005, 20043 <code>\Largr</code> 2044 <code>\Largs</code> 2043 <code>\lastbox</code> 7584, 7588, 7614, 10143, 10165, 10174, 10178, 13773, 15536, 20616 <code>\lastbox@a</code> 7584, 7585, 7588, 7589 <code>\LastFrameCommand</code> 11404, 11514 <code>\lastkern</code> . . . 5316, 11489 <code>\lastpenalty</code> . 7030, 20065 <code>\lastrule</code> 7077 <code>\lastskip</code> 4749, 6245, 6246, 6358, 6359, 7029, 7571, 7572, 7576, 7577, 7579, 7586, 7591 <code>\lastskip@a</code> 7574, 7578, 7582 <code>\lastskip@b</code> 7572, 7574, 7576, 7578, 7582, 7583 <code>\lastskip@d</code> 7571, 7577, 7579, 7585, 7586, 7589, 7591, 7592, 7595, 7605 <code>\LastTOCLevelWasHigher</code> 19975
--------------------------------	--	--	--	--



<code>\LastTOCLevelWasLower</code>	16439, 16454,	705, 940, 967,
..... 19971	16624, 16639,	968, 1217, 1218,
<code>\LastTOCLevelWasSame</code>	16892, 17441,	2553, 2554, 4452,
..... 19973	18140, 18677,	5662, 5721, 5722,
<code>\LaTeX</code> 12814,	18728, 18952,	5729, 5735, 6484,
20686, 20687, 20699	18975, 19122,	6485, 6672, 6673,
<code>\LaTeXe</code> 20688, 20689	19153, 19176,	6981, 6982, 8505,
<code>\LBEG</code> 2045	19193, 19210,	8506, 8776, 8777,
<code>\lcb</code> . 2042, 2045, 2046, 2049	19227, 19244,	10613, 10614,
<code>\lccode</code> 3503,	19261, 19279,	12921, 15685,
3505, 20467, 20468	19298, 19318,	15902, 15903,
<code>\Lcs</code> 2056	19353, 19546,	16296, 16297,
<code>\LcsStar</code> 2057	19654, 19699,	16490, 16491,
<code>\leaders</code> 16892,	20147, 20261,	16693, 16694,
17441, 18140,	20510, 20691,	17095, 17096,
18710, 19002,	20696, 20698,	17675, 17676,
20156, 20265, 20947	20706, 20713,	18358, 18359,
<code>\leavevmode</code> 14,	20787, 20893, 20943	19025, 19026,
209, 305, 371, 508,	<code>\left</code> . 20707, 20714, 20720	20757, 20760,
525, 646, 660, 685,	<code>\left@footnoterule</code>	20770, 20774,
737, 874, 887, 30, 234,	20782, 20819,
904, 989, 1052,	408, 531, 715, 732,	20821, 20822,
1129, 1143, 1169,	951, 984, 1195,	20823, 20828,
1239, 2174, 2482,	1234, 6495, 6521,	20830, 20831,
5304, 5645, 6113,	6648, 6698, 6803,	20832, 20837,
6189, 6425, 6439,	6925, 8516, 8528,	20839, 20840,
6462, 6526, 6602,	8621, 8815, 10598,	20841, 20846,
6616, 6639, 6703,	10628, 11133,	20848, 20849, 20850
6903, 6918, 6998,	11139, 11152,	<code>\leftmargini</code> ... 4452,
6999, 7137, 7189,	11154, 11290,	5662, 5675, 5682
8452, 8466, 8720,	11304, 12947,	<code>\leftmarginii</code> 5676
9218, 9324, 9430,	13017, 15884,	<code>\leftmarginiii</code> 5677
9539, 9648, 9757,	15930, 16067,	<code>\leftmarginiv</code> 5678
9866, 9975, 10084,	16307, 16327,	<code>\leftmarginv</code> 5679
10556, 10571,	16464, 16524,	<code>\leftmarginvi</code> 5680
10852, 10867,	16646, 16880,	<code>\leftmarginwidth</code> . 16461
11318, 11816,	16902, 17137,	<code>\leftmark</code> 6012
11862, 11882,	17429, 17451,	<code>\leftskip</code> 12,
12672, 12709,	17717, 17999,	13, 207, 208, 305,
12741, 12950,	18128, 18150, 18400	309, 506, 523, 526,
12969, 13768,	<code>\leftfootnoterule</code> .	527, 617, 630, 641,
14000, 14333,	1688, 7958, 8862,	642, 647, 658, 683,
14795, 14807,	11137, 11140,	686, 687, 868, 869,
14819, 15535,	11378, 11787, 21397	875, 885, 888, 889,
15616, 15621,	<code>\leftline</code> 15631,	902, 924, 1118,
15667, 15688,	20865, 20871, 20873	1124, 1125, 1130,
15838, 15852,	<code>\leftlinenumbers</code> ..	1141, 1167, 1170,
15875, 15935, 13190, 13193	1171, 1189, 5639,
16074, 16210,	<code>\leftmargin</code> 90,	5647, 5648, 6219,
16224, 16247,	293, 569, 570, 704,	6414, 6420, 6421,



6426, 6437, 6460,	19207,	19215,	821, 822, 823, 824,
6463, 6464, 6591,	19222,	19223,	825, 826, 833, 860,
6597, 6598, 6603,	19224,	19232,	971, 982, 983, 984,
6614, 6637, 6640,	19239,	19240,	985, 986, 1024,
6641, 6901, 6916,	19241,	19249,	1025, 1026, 1027,
6919, 6920, 7052,	19256,	19257,	1028, 1029, 1030,
7053, 7054, 7180,	19258,	19266,	1031, 1032, 1033,
7181, 7187, 8450,	19274,	19275,	1068, 1069, 1070,
8453, 8454, 8464,	19276,	19284,	1071, 1072, 1073,
8718, 9134, 10459,	19293,	19294,	1074, 1075, 1076,
10468, 10554,	19295,	19303,	1077, 1078, 1085,
10569, 10572,	19313,	19314,	1112, 1221, 1232,
10573, 12967,	19315,	19323,	1233, 1234, 1235,
12968, 13755,	19348,	19349,	1236, 1274, 1275,
14428, 14429,	19350,	19358,	1276, 1277, 1278,
14792, 14796,	19398,	19399,	1279, 1280, 1281,
14797, 14804,	19400,	20078,	1282, 1283, 1318,
14809, 14816,	20140,	20141,	1319, 1320, 1321,
14821, 15696,	20142,	20148,	1322, 1323, 1324,
15698, 15709,	20151,	20198,	1325, 1326, 1327,
15711, 15722,	20258,	20263,	1328, 1336, 1362,
15724, 15733,	20286,	20293,	1363, 1367, 1383,
15735, 15809,	20662,	20663,	1384, 1385, 1421,
15822, 15833,	20854,	20880,	1422, 1423, 1448,
15834, 15839,	20881, 20940, 20945		1449, 1450, 1451,
15850, 15873,	\LEND 2046		1456, 1491, 1492,
15876, 15877,	\LenToUnit 8244, 8258, 8276		1591, 1593, 1595,
16205, 16206,	\leqno 328, 15627,		1725, 1726, 1733,
16211, 16222,	15629, 21388, 21390		1819, 1872, 1874,
16245, 16248,	\let 86,		1876, 1908, 1981,
16249, 16259,	102, 115, 152, 153,		1982, 1983, 1984,
16272, 16321,	156, 157, 160, 161,		1985, 1986, 1987,
16437, 16452,	164, 222, 289, 319,		1988, 1989, 1990,
16455, 16456,	327, 328, 340, 372,		1991, 2129, 2130,
16461, 16462,	373, 376, 393, 397,		2131, 2158, 2175,
16622, 16637,	401, 406, 407, 408,		2176, 2177, 2178,
16640, 16641,	409, 410, 411, 412,		2179, 2180, 2181,
18944, 18956,	430, 431, 432, 433,		2182, 2183, 2185,
18973, 18994,	434, 435, 436, 437,		2186, 2187, 2297,
18996, 19001,	438, 439, 440, 441,		2298, 2299, 2300,
19005, 19006,	465, 466, 467, 468,		2301, 2302, 2303,
19117, 19118,	469, 470, 471, 472,		2304, 2305, 2557,
19119, 19127,	473, 474, 475, 476,		2566, 2639, 2657,
19148, 19149,	477, 484, 485, 486,		2681, 2700, 2705,
19150, 19158,	573, 596, 611, 708,		2730, 2731, 2738,
19171, 19172,	730, 731, 732, 733,		2739, 2742, 2743,
19173, 19181,	734, 772, 773, 774,		2777, 2910, 2913,
19188, 19189,	775, 776, 777, 778,		2921, 2945, 2967,
19190, 19198,	779, 780, 781, 816,		2989, 2990, 3120,
19205, 19206,	817, 818, 819, 820,		3200, 3202, 3203,



3204, 3205, 3206,
3261, 3297, 3304,
3310, 3321, 3327,
3335, 3338, 3341,
3349, 3353, 3355,
3420, 3421, 3426,
3533, 3536, 3567,
3646, 3652, 3655,
3665, 3675, 3686,
3753, 3763, 3765,
3799, 3810, 3905,
3921, 3941, 3956,
3972, 4065, 4086,
4087, 4103, 4146,
4149, 4151, 4156,
4170, 4178, 4179,
4199, 4200, 4227,
4238, 4243, 4247,
4249, 4252, 4262,
4273, 4300, 4311,
4320, 4369, 4374,
4390, 4391, 4392,
4393, 4395, 4396,
4397, 4398, 4444,
4574, 4575, 4612,
4613, 4619, 4621,
4625, 4670, 4671,
4753, 4755, 4757,
4903, 4904, 4917,
4921, 4923, 4924,
4930, 4934, 4938,
4947, 5191, 5192,
5210, 5211, 5229,
5230, 5257, 5258,
5286, 5287, 5288,
5385, 5406, 5407,
5408, 5414, 5435,
5436, 5437, 5443,
5464, 5465, 5466,
5482, 5486, 5487,
5488, 5491, 5495,
5496, 5497, 5500,
5504, 5505, 5506,
5653, 5717, 5758,
5845, 5912, 5913,
5914, 6104, 6105,
6107, 6108, 6126,
6147, 6148, 6149,
6150, 6151, 6152,
6153, 6154, 6155,

6158, 6159, 6160,
6161, 6162, 6163,
6164, 6165, 6166,
6227, 6253, 6303,
6309, 6330, 6343,
6353, 6367, 6371,
6372, 6373, 6374,
6375, 6376, 6377,
6378, 6379, 6385,
6386, 6387, 6388,
6389, 6390, 6391,
6392, 6393, 6408,
6488, 6519, 6520,
6521, 6522, 6523,
6561, 6562, 6563,
6564, 6565, 6566,
6567, 6568, 6569,
6570, 6585, 6676,
6696, 6697, 6698,
6699, 6700, 6738,
6739, 6740, 6741,
6742, 6743, 6744,
6745, 6746, 6747,
6796, 6801, 6802,
6803, 6804, 6805,
6806, 6807, 6825,
6826, 6827, 6828,
6829, 6830, 6831,
6832, 6833, 6834,
6835, 6836, 6860,
6861, 6862, 6863,
6864, 6865, 6866,
6867, 6868, 6869,
6870, 6871, 6872,
6879, 6880, 6881,
6985, 7009, 7011,
7014, 7015, 7016,
7022, 7027, 7047,
7059, 7060, 7061,
7063, 7064, 7070,
7071, 7072, 7073,
7093, 7102, 7143,
7149, 7170, 7342,
7345, 7346, 7405,
7408, 7409, 7956,
7957, 7958, 7959,
7960, 7963, 7964,
7966, 7984, 7985,
7987, 8005, 8006,
8010, 8045, 8047,

8059, 8062, 8063,
8067, 8097, 8099,
8111, 8114, 8115,
8162, 8186, 8194,
8202, 8509, 8526,
8527, 8528, 8529,
8530, 8548, 8549,
8550, 8551, 8552,
8553, 8554, 8555,
8556, 8557, 8581,
8582, 8583, 8584,
8585, 8586, 8587,
8588, 8589, 8590,
8591, 8598, 8619,
8620, 8621, 8622,
8623, 8624, 8625,
8643, 8644, 8645,
8646, 8647, 8648,
8649, 8650, 8651,
8652, 8653, 8654,
8678, 8679, 8680,
8681, 8682, 8683,
8684, 8685, 8686,
8687, 8688, 8689,
8690, 8697, 8698,
8699, 8780, 8830,
8831, 8832, 8833,
8834, 8835, 8844,
8845, 8846, 8847,
8848, 8849, 8850,
8851, 8852, 8853,
8854, 8855, 8860,
8861, 8862, 8863,
8864, 8964, 8965,
8966, 8967, 8968,
8969, 8972, 8973,
8974, 8975, 8976,
8977, 8981, 9169,
9170, 9171, 9175,
9176, 9177, 9178,
9181, 9278, 9279,
9280, 9284, 9285,
9286, 9287, 9290,
9381, 9382, 9383,
9387, 9388, 9389,
9390, 9393, 9490,
9491, 9492, 9496,
9497, 9498, 9499,
9502, 9599, 9600,
9601, 9605, 9606,



9607, 9608, 9611,	10906,	10907,	12810,	12811,
9708, 9709, 9710,	10910,	10911,	12812,	12827,
9714, 9715, 9716,	10940,	10942,	12838,	12917,
9717, 9720, 9817,	10944,	10954,	12934,	12983,
9818, 9819, 9823,	10955,	10956,	13027,	13063,
9824, 9825, 9826,	10962,	10966,	13073,	13078,
9829, 9926, 9927,	10969,	10972,	13285,	13297,
9928, 9932, 9933,	10974,	10977,	13608,	13609,
9934, 9935, 9938,	10978,	11112,	13610,	13612,
10035, 10036,	11140,	11166,	13614,	13618,
10037, 10041,	11167,	11276,	13620,	13622,
10042, 10043,	11290,	11304,	13623,	13625,
10044, 10047,	11330,	11331,	13626,	13627,
10194, 10195,	11332,	11333,	13631,	13637,
10196, 10201,	11367,	11382,	13649,	13685,
10202, 10208,	11388,	11393,	13686,	13687,
10209, 10210,	11528,	11529,	13747,	13748,
10211, 10212,	11530,	11531,	13749,	13750,
10213, 10217,	11583,	11586,	13751,	13759,
10218, 10249,	11587,	11632,	13806,	13807,
10251, 10253,	11635,	11636,	13808,	14396,
10254, 10259,	11772,	11787,	14397,	14398,
10260, 10266,	11788,	11789,	14399,	14400,
10267, 10268,	11790,	11791,	14401,	14402,
10270, 10272,	11885,	11919,	14403,	14404,
10274, 10275,	11921,	11949,	14460,	14463,
10279, 10280,	11951,	11956,	14464,	14466,
10307, 10316,	11958,	11962,	14467,	14564,
10328, 10340,	11964,	12295,	14567,	14568,
10371, 10390,	12296,	12297,	14664,	14667,
10404, 10474,	12338,	12339,	14668,	14903,
10544, 10617,	12340,	12382,	14906,	14932,
10626, 10627,	12383,	12384,	14933,	14936,
10628, 10629,	12397,	12398,	14937,	14940,
10630, 10648,	12399,	12412,	14941,	15041,
10649, 10650,	12413,	12414,	15056,	15142,
10651, 10652,	12420,	12422,	15143,	15144,
10653, 10654,	12423,	12424,	15252,	15253,
10655, 10656,	12425,	12426,	15254,	15255,
10657, 10681,	12427,	12428,	15256,	15258,
10682, 10683,	12437,	12473,	15297,	15302,
10684, 10685,	12511,	12544,	15316,	15348,
10686, 10687,	12575,	12606,	15537,	15541,
10688, 10689,	12612,	12614,	15586,	15587,
10690, 10691,	12615,	12616,	15588,	15589,
10698, 10754,	12617,	12618,	15592,	15593,
10781, 10784,	12619,	12620,	15595,	15600,
10785, 10817,	12621,	12633,	15623,	15624,
10820, 10821,	12636,	12639,	15625,	15626,
10903, 10904,	12642,	12809,	15627,	15689,



15693,	15695,	16368,	16369,	17016,	17020,
15706,	15708,	16370,	16399,	17021,	17022,
15719,	15721,	16400,	16401,	17107,	17132,
15731,	15732,	16402,	16403,	17133,	17157,
15743,	15744,	16404,	16405,	17158,	17159,
15745,	15746,	16406,	16407,	17160,	17161,
15747,	15760,	16408,	16409,	17162,	17168,
15766,	15778,	16410,	16411,	17169,	17170,
15786,	15787,	16417,	16418,	17171,	17172,
15803,	15906,	16419,	16494,	17173,	17267,
15928,	15929,	16518,	16522,	17269,	17275,
15930,	15931,	16523,	16524,	17277,	17388,
15932,	15970,	16525,	16526,	17389,	17390,
15971,	15972,	16527,	16528,	17449,	17450,
15973,	15974,	16546,	16547,	17451,	17452,
15975,	15976,	16548,	16549,	17453,	17454,
15977,	15978,	16550,	16551,	17455,	17457,
15979,	16014,	16552,	16553,	17521,	17538,
16015,	16016,	16554,	16555,	17539,	17540,
16017,	16018,	16556,	16557,	17541,	17542,
16019,	16020,	16581,	16582,	17543,	17544,
16021,	16022,	16583,	16584,	17545,	17546,
16023,	16024,	16585,	16586,	17547,	17548,
16031,	16058,	16587,	16588,	17549,	17550,
16065,	16066,	16589,	16590,	17551,	17552,
16067,	16068,	16591,	16592,	17553,	17554,
16069,	16070,	16593,	16600,	17555,	17556,
16071,	16109,	16601,	16602,	17557,	17558,
16110,	16111,	16697,	16722,	17559,	17560,
16112,	16113,	16749,	16750,	17561,	17562,
16114,	16115,	16767,	16839,	17563,	17564,
16116,	16117,	16840,	16841,	17565,	17569,
16118,	16119,	16900,	16901,	17570,	17571,
16120,	16155,	16902,	16903,	17687,	17712,
16156,	16157,	16904,	16905,	17713,	17737,
16158,	16159,	16906,	16908,	17738,	17739,
16160,	16161,	16972,	16989,	17740,	17741,
16162,	16163,	16990,	16991,	17742,	17748,
16164,	16165,	16992,	16993,	17749,	17750,
16166,	16167,	16994,	16995,	17751,	17752,
16175,	16176,	16996,	16997,	17753,	17847,
16177,	16300,	16998,	16999,	17849,	17855,
16325,	16326,	17000,	17001,	17857,	18087,
16327,	16328,	17002,	17003,	18088,	18089,
16329,	16330,	17004,	17005,	18148,	18149,
16331,	16359,	17006,	17007,	18150,	18151,
16360,	16361,	17008,	17009,	18152,	18153,
16362,	16363,	17010,	17011,	18154,	18156,
16364,	16365,	17012,	17013,	18220,	18237,
16366,	16367,	17014,	17015,	18238,	18239,



18240,	18241,	19124,	19125,	20960,	21012,
18242,	18243,	19126,	19155,	21015,	21016,
18244,	18245,	19156,	19157,	21059,	21062,
18246,	18247,	19178,	19179,	21063,	21293,
18248,	18249,	19180,	19195,	21295,	21298,
18250,	18251,	19196,	19197,	21310,	21312,
18252,	18253,	19212,	19213,	21314,	21316,
18254,	18255,	19214,	19229,	21318,	21320,
18256,	18257,	19230,	19231,	21323,	21324,
18258,	18259,	19246,	19247,	21326,	21327,
18260,	18261,	19248,	19263,	21333,	21334,
18262,	18263,	19264,	19265,	21335,	21340,
18264,	18268,	19281,	19282,	21352,	21355,
18269,	18270,	19283,	19300,	21357,	21364,
18370,	18395,	19301,	19302,	21368,	21370,
18396,	18420,	19320,	19321,	21373,	21374,
18421,	18422,	19322,	19355,	21387,	21388,
18423,	18424,	19356,	19357,	21396,	21397,
18425,	18431,	19420,	19575,	21398, 21545, 21547	
18432,	18433,	19712,	19793,	\Letter	2402
18434,	18435,	19796,	19826,	\Lettergroup	5769
18436,	18530,	20059,	20275,	\LettrineDepth . . .	13085
18532,	18538,	20283,	20288,	\LettrineHeight . . .	
18540,	18668,	20295,	20312,	. 13084, 13092, 13097	
18669,	18670,	20315,	20375,	\LettrineSecondString	
18673,	18729,	20433,	20437,	13043
18730,	18731,	20515,	20520,	\LettrineTextFont .	
18734,	18745,	20530,	20534,	. 13043, 13051, 13096	
18746,	18747,	20563,	20573,	\LettrineWidth	
18754,	18755,	20577,	20617,	13076, 13083
18760,	18769,	20621,	20670,	\lftside	15467,
18770,	18771,	20671,	20672,	15469, 15472,	
18773,	18776,	20673,	20676,	15474, 15488, 15490	
18780,	18783,	20677,	20679,	\Line	8189,
18785,	18788,	20684,	20686,	8192, 8197, 8200,	
18797,	18800,	20688,	20700,	8205, 8206, 8209,	
18813,	18814,	20701,	20702,	8210, 8214, 8215,	
18815,	18830,	20703,	20707,	8218, 8219, 8223,	
18831,	18832,	20708,	20714,	8224, 8227, 8228,	
18833,	18834,	20715,	20716,	8232, 8233, 8236, 8237	
18835,	18837,	20728,	20750,	\line	7199, 7200,
18838,	18841,	20812,	20853,	7202, 7203, 7209,	
18842,	18916,	20856,	20857,	7210, 7212, 7213,	
18917,	18920,	20871,	20872,	7222, 7223, 7225,	
18922,	18923,	20890,	20894,	7226, 7232, 7233,	
18924,	18939,	20895,	20896,	7235, 7236, 7245,	
18968,	18997,	20899,	20911,	7246, 7248, 7249,	
19002,	19008,	20912,	20913,	7255, 7256, 7258,	
19011,	19029,	20914,	20920,	7259, 7268, 7269,	
19091,	19095,	20921,	20922,	7271, 7272, 7278,	



7279, 7281, 7282,	20821, 20822,	\long .. 34, 48, 64, 237,
15630, 15631, 15632	20823, 20828,	251, 266, 448, 735,
\LineNumber ... 13168,	20830, 20831,	800, 987, 1050,
13170, 13172,	20832, 20837,	1237, 1302, 1974,
13177, 13180, 13182	20839, 20840,	2192, 2195, 2198,
\linenumberwidth ..	20841, 20846,	2203, 2206, 2209,
. 13170, 13177, 13182	20848, 20849,	2675, 2676, 2685,
\lineskip 394,	20850, 21282, 21285	2688, 2699, 2878,
419, 490, 752,	\link 2516	2882, 2915, 2947,
837, 1004, 1089,	\list 89,	2951, 3061, 3080,
1254, 1340, 1349,	292, 567, 702, 938,	3155, 3171, 3183,
2386, 6541, 6718,	965, 1215, 5700,	3192, 3224, 3252,
6814, 6885, 8537,	5718, 5727, 5735,	3264, 3265, 3633,
8602, 8632, 8703,	6482, 6670, 6979,	3635, 3639, 3651,
10637, 10702,	8503, 8774, 10611,	3658, 3667, 3670,
10958, 13650,	12920, 15134,	3677, 3695, 4317,
13756, 15757,	15900, 16294,	4581, 4730, 4990,
15950, 16035,	16488, 16691,	4994, 4998, 5034,
16089, 16181,	17091, 17671,	5038, 5042, 5078,
16190, 16348,	18354, 19023, 20739	5082, 5086, 5297,
16424, 16535,	\listdoubleitemmaincolumnwidth	5384, 5413, 5442,
16606, 16930, 2456, 2469,	6260, 6263, 6266,
17044, 17479,	2470, 2471, 2498, 2502	6270, 6273, 6276,
17593, 18178,	\listfigurename 5622, 5623	6524, 6701, 6843,
18292, 18749,	\listitemmaincolumnwidth	7136, 7965, 7986,
18788, 20916, 21336 2455,	8564, 8661, 10664,
\lineskiplimit	2463, 2464, 2496	11214, 11231,
..... 10959, 21336	\listitemsymbol ...	11247, 11275,
\linespacing .. 24, 12955 2397, 2454,	11289, 11303,
\linespread 2931	2495, 2497, 7767, 7865	11792, 11806,
\linewidth 2510,	\listitemsymbolwidth	11815, 11861,
4647, 10853, 2453,	11902, 11909,
10868, 10872,	2454, 2464, 2470	12341, 12352,
11540, 11548,	\listoffigures 5620	12363, 12374,
11549, 11551,	\listoftables 5628	12389, 12404,
11552, 11985,	\listparindent	12447, 12464,
13126, 13129,	. 938, 5720, 5727,	12485, 12502,
13151, 13153,	5728, 20746, 20755	12518, 12535,
13753, 14468,	\listtablename 5630, 5631	12549, 12566,
14474, 15209,	\llap 5707, 8299,	12580, 12597,
15211, 15229,	9000, 9012, 9024,	12822, 13237,
15231, 15425,	10760, 10766,	14410, 14460,
15431, 15517,	11794, 11930,	14510, 14532,
15526, 15527,	11932, 11934,	14944, 14948,
15580, 15582,	11936, 11939,	14952, 15406,
15750, 17253,	11941, 11944,	15615, 15933,
17833, 18516,	11946, 13157,	15998, 16072,
20664, 20666,	18695, 18957, 18975	16139, 16335,
20756, 20757,	\LoadClass ... 5954, 5978	16378, 16564,
20784, 20819,		16855, 17404,



17978, 18078, 18103, 18667, 18853, 18857, 18860, 18864, 20509, 20690, 20786, 21163, 21167, 21171, 21207, 21211, 21215, 21274, 21377	\longindentation .. 8808 \longthickrule 16416, 16422 \loop 1775, 1776, 3708, 3718, 7292, 7462, 7468, 7573, 7628, 7640, 10163, 10172, 13113, 15423, 15459, 15486, 15497, 15524, 18808 \looprepeat 3725, 3729, 3773, 3844, 3851, 3856, 3862, 3865, 3867, 3871, 3872, 3877 \lower 1629, 1902, 15621, 15655, 15663, 20503, 20696, 20698 \lowercase 2745, 2753, 2761, 2769 \lowertitleback 17013, 17562, 18261 \LR 12810, 15588, 15621, 20672, 20696, 20698 \lrb 2044, 2053 \LRE 1592, 1636, 1873, 1907, 12809, 15588, 15591, 20315, 20672, 20675 \LRfootnoterule 7960, 8864, 11140 \lsb 2043, 2051 \lst@caption . 13258, 13264, 13271, 13276 \lst@alloverstyle 2032, 2038 \lst@HRefStepCounter 13258, 13264 \lst@ifnumberbychapter 13297, 13298 \lst@Key ... 13201, 13208	\lst@MakeCaption 13256, 13269 \lst@makecaption 13253, 13286 \lst@maketitle 13254, 13287, 13291, 13293 \lst@title@dropdelim 13254 \lstKV@SwitchCases 13202, 13209 \lstset 2002 \LT@chl 13610, 13612 \LT@tabarray 13609, 13613 \LT@array 12818, 13599, 17267, 17268, 17847, 17848, 18530, 18531 \LT@bchunk 13640, 13647, 13651 \LT@caption ... 13618, 17269, 17275, 17277, 17849, 17855, 17857, 18532, 18538, 18540 \LT@cols 13653, 17252, 17832, 18515 \LT@end@open 13701 \LT@endpbox 13620 \LT@err 13702 \LT@foot 12833, 12837, 13705, 13709, 13718, 13721 \LT@head ... 13712, 13725 \LT@hline 13618 \LT@kill 13618 \LT@lastfoot 13705, 13707, 13718 \LT@LL@FM@cr 13627, 13631 \LT@make@crow 13648 \LT@makecaption 13652, 13663, 17244, 17824, 18507 \LT@mcrow 13608, 13653, 17252, 17832, 18515 \LT@no@pgbk . 13616, 13617 \LT@nofcols 13647 \LT@output 13699 \LT@p@ftn 12442, 12445, 12449, 12459, 12480,	12483, 12487, 12497, 13692, 13693, 13695, 13696 \LT@p@ftntext 13685 \LT@p@LTRftntext 12440, 12447, 13686, 13691 \LT@p@RTLftntext 12478, 12485, 13687, 13694 \LT@rows ... 13642, 13672 \LT@setprevdepth . 13643 \LT@start .. 12835, 12845 \LT@startpbox 13624, 13631, 13683 \LT@tabularcr 13614 \LT@caption 13665, 13674, 13675 \LT@capwidth 13653, 13666, 13667 \LTleft 13602, 13604, 13606, 13644 \LTR 15580, 20664 \LTR@column@boxes 14860, 14876, 14907, 14909 \LTR@outputdblcol 7392, 10805, 11566, 14651, 21046, 21090, 21092 \LTRbidituftesidenotemarginpar ... 5017, 5343, 5493 \LTRcite 5287, 5407, 5436, 5465, 5487, 5496, 5505 \LTRcolumnfootnotes 8983 \LTRdblcol 21092 \LTRdfnmakecol 8118 \LTRfootfootmark .. 8885, 9010, 9224, 9330, 9436, 9545, 9654, 9763, 9872, 9981, 10090, 10358 \LTRfootmarkstyle 8996, 9035 \LTRfootnote ... 411, 485, 2130, 2138, 5476, 5826, 6806, 6880, 8624, 8698, 11195, 16070,
---	--	--	---



16176, 16330,	\ltx@firstofthree .	\m@m@k 9150, 9152,
16418, 16527, 11065, 11089	9157, 9160, 9161, 9163
16601, 16905,	\ltx@ifundefined ..	\m@m@makecolfloats
17021, 17454, 11059, 11083	. 10472, 10525, 10531
17570, 18153, 18269	\ltx@secondofthree	\m@m@makecolintro .
\LTRfootnotetext 11068, 11092	. 10487, 10516, 10529
. . . . 2196, 2207,	\ltx@thirdofthree .	\m@m@makecoltext ..
6264, 6274, 11351,	. 11061, 11078, 11085	. 10476, 10526, 10539
11353, 12443,		\m@m@singlespace .. 8985
13692, 18854, 18858	M	\m@m@make@eightcol@footgroup
\LTRfootscript . 8996,	\m@m@advipersep 9822, 9913
9013, 9017, 9019 14593, 14693	\m@m@make@fivecol@footgroup
\LTRfoottextfont ..	\m@m@float@spacing 8987 9495, 9586
8886, 8922, 8947,	\m@m@footnote@spacing	\m@m@make@footstart .
9075, 9196, 9224, 8892, 8906, 9131, 9143
9244, 9304, 9330,	8920, 8934, 8945,	\m@m@make@fourcol@footgroup
9349, 9408, 9436,	8956, 8986, 9185, 9386, 9477
9456, 9517, 9545,	9195, 9205, 9231,	\m@m@make@mp@eightcol@footgroup
9565, 9626, 9654,	9243, 9256, 9267, 9828, 9918
9674, 9735, 9763,	9272, 9294, 9303,	\m@m@make@mp@fivecol@footgroup
9783, 9844, 9872,	9312, 9337, 9348, 9501, 9591
9892, 9953, 9981,	9360, 9370, 9375,	\m@m@make@mp@fourcol@footgroup
10001, 10062,	9397, 9407, 9417, 9392, 9482
10090, 10110,	9443, 9455, 9468,	\m@m@make@mp@ninecol@footgroup
10330, 10358, 10393	9479, 9484, 9506, 9937, 10027
\LTRight 13602,	9516, 9526, 9552,	\m@m@make@mp@para@footgroup
13604, 13606, 13645	9564, 9577, 9588,	. 10215, 10277, 10436
\LTRmarginnote 5490	9593, 9615, 9625,	\m@m@make@mp@sevencol@footgroup
\LTRmarginpar 21146	9635, 9661, 9673, 9719, 9809
\LTRmulticolcolumns	9686, 9697, 9702,	\m@m@make@mp@sixcol@footgroup
. 14905	9724, 9734, 9744, 9610, 9700
\LTRsidenote .. 5212, 5472	9770, 9782, 9795,	\m@m@make@mp@tencol@footgroup
\LTRthanks . 411, 431,	9806, 9811, 9833, 10046, 10136
466, 485, 5826,	9843, 9853, 9879,	\m@m@make@mp@threecol@footgroup
5834, 5851, 5867,	9891, 9904, 9915, 9289, 9373
5878, 6806, 6826,	9920, 9942, 9952,	\m@m@make@mp@twocol@footgroup
6861, 6880, 8624,	9962, 9988, 10000, 9180, 9270
8644, 8679, 8698,	10013, 10024,	\m@m@make@mp@ninecol@footgroup
11349, 14397,	10029, 10051, 9931, 10022
16070, 16110,	10061, 10071,	\m@m@make@para@footgroup
16156, 16176,	10097, 10109,	. 10199, 10257, 10416
16330, 16360,	10122, 10133,	\m@m@make@para@footstart
16400, 16418,	10138, 10220,	. . 10200, 10206,
16527, 16547,	10282, 10317,	10258, 10264, 10454
16582, 16601,	10329, 10341,	\m@m@make@mp@sevencol@footgroup
16905, 16990,	10372, 10391, 9713, 9804
17021, 17454,	10405, 10423,	\m@m@make@mp@sixcol@footgroup
17539, 17570,	10433, 10442, 10451 9604, 9695
18153, 18238, 18269	\m@m@h 9150, 9152,	\m@m@make@mp@tencol@footgroup
	9154, 9157, 9158, 9163 10040, 10131



\m@make@threecol@footgroup	\m@mold@mpLTRfootnotetext	2462, 2463, 2465,
..... 9283, 9368 8968, 8976	2469, 2484, 2488, 2513
\m@make@twocol@footgroup	\m@mold@mpRTLfootnotetext	\mainmatter 6005
..... 9174, 9265	.. 8969, 8977, 10275	\makeatletter . 3127, 3146
\m@mdoextrafeet ...	\m@mold@RTLfootnotetext	\makebox
. 9044, 10524, 10538	.. 8966, 8974, 10254	8287, 8292, 8361,
\m@mdoextrafeetendmini	\m@mopfootnote	8364, 8367, 8374,
..... 9113, 9126 10488, 10522	8382, 8389, 8430,
\m@mdoextrafeetmini 9085	\m@mremovehboxes ..	8434, 15246, 15264
\m@m dosplits ... 9155, 10178,	\makefooter
9159, 9160, 9161	10179, 10421,	... 7832, 7833, 7849
\m@minterparanoteglue	10431, 10441, 10450	\MakeFramed 11406
..... 10156, 10158	\m@mrigidbalance ..	\makelabel .. 5707, 20750
\m@mipn@skip 9152, 9157,	\MakeLineNo 13162
. 10148, 10155, 10157	9269, 9274, 9372,	\makeLineNumber ...
\m@mmakehboxofhboxes	9377, 9481, 9486, 13163, 13165
..... 10160,	9590, 9595, 9699,	\makeLineNumberLeft
10170, 10420,	9704, 9808, 9813, 13168
10430, 10440, 10449	9917, 9922, 10026,	\makeLineNumberRight
\m@m m f@prepare . 8902,	10031, 10135, 10140 13176
8916, 8930, 8991,	\m@m splitoff .. 9160, 9162	\maketag@@@ 336,
9193, 9203, 9213,	\m@mungebox	8285, 8298, 13731
9239, 9252, 9264,	.. 10149, 10326,	\makethanksmark .. 14410
9301, 9310, 9319,	10338, 10350,	\maketitle . 110, 313,
9344, 9356, 9367,	10387, 10401, 10415	320, 405, 433, 444,
9405, 9415, 9425,	\m@m unvxh .. 10141, 10150	468, 728, 773, 795,
9451, 9464, 9476,	\m@ne 304, 544, 553, 2729,	817, 980, 1025,
9514, 9524, 9534,	2918, 3453, 3460,	1047, 1069, 1230,
9560, 9573, 9585,	3704, 3709, 3719,	1275, 1297, 1319,
9623, 9633, 9643,	3800, 4985, 5029,	1970, 1982, 2477,
9669, 9682, 9694,	5073, 6753, 6911,	5802, 5906, 5930,
9732, 9742, 9752,	6948, 7292, 8472,	6517, 6562, 6694,
9778, 9791, 9803,	8481, 8742, 10564,	6739, 6800, 6828,
9841, 9851, 9861,	10581, 12665,	6839, 6863, 7814,
9887, 9900, 9912,	14834, 15681,	7928, 8525, 8549,
9950, 9960, 9970,	16447, 16632,	8560, 8582, 8618,
9996, 10009,	16669, 17331,	8646, 8657, 8681,
10021, 10059,	17909, 17912,	10625, 10649,
10069, 10079,	18592, 18595,	10660, 10682,
10105, 10118,	19103, 19145,	12612, 12613,
10130, 10326,	20084, 21158,	12978, 14405,
10338, 10350,	21202, 21237, 21240	15926, 15971,
10387, 10401, 10415	\m@th 396, 8288,	15993, 16015,
\m@mold@footnotetext	8293, 8299, 10853,	16063, 16112,
.. 8964, 8972, 10249	10868, 13649,	16134, 16158,
\m@mold@LTRfootnotetext	20156, 20265,	16324, 16362,
..... 8965, 8973	20720, 20814,	16373, 16402,
\m@mold@mpfootnotetext	20886, 20888, 20947	16521, 16549,
.. 8967, 8975, 10270	\maincolumnwidth ..	16560, 16584,
	2451, 2460, 2461,	16894, 16965,



16992, 17443, 17514, 17541, 18142, 18213, 18240	5002, 5046, 5090, 11929, 11931, 11943, 11945, 21175, 21219, 21269	\mdf@frametitlealignment 13767
\maketitledetailsnewline 7923, 7938, 7940, 7941, 7942, 7943, 7944	\markboth 124, 558, 6010, 8486, 12992	\mdf@frametitlebelowskip@length 13787
\maketitledetailwidth 7915, 7917, 7918, 7919, 7920, 7935	\mathindent . 10854, 10870	\mdf@frametitlebox .. 13766, 13779, 13780, 13781, 13782, 13784, 13785
\maketitlehookb .. 14455	\mathsurround 7026	\mdf@frametitlefont 13769
\maketitlehookc .. 14457	\max@poem@no 6205, 6314, 6315	\mdf@frametitlefontcolor 13768
\maketitlenamefullwidth ... 7909, 7910, 7912	\maxdepth 10527, 10540, 11778, 11785	\mdf@horizontalmargin@equation 13744
\maketitlenamemaxwidth ... 7907, 7908, 7912	\maxdimen 7333, 7334, 7336, 7396, 7397, 7399,	\mdf@ignorevbadness 13778
\maketitlenamewidth 7911, 7912, 7918, 7930	10322, 10334, 10346, 10383, 10397, 10411, 10725, 10773, 10774, 10775, 10809, 10810, 10811, 11413, 11574, 11575, 11577, 11623, 11624, 11626, 14555, 14556, 14558, 14655, 14656, 14658, 18801, 18840, 20216, 20219, 20224, 20228, 20232, 20236, 20240, 20244, 20248, 20252, 20437, 21003, 21004, 21006, 21050, 21051, 21053	\mdf@lrbbox . 13737, 13766 \mdf@par@local ... 13760 \mdf@patchamsthm . 13738 \mdfframeditileenv 13765 \mdfframetitleboxdepth 13782 \mdfframetitleboxheight 13781 \mdfframetitleboxtotalheight 13783 \mdfframetitleboxwidth 13780 \mdseries 307, 7808, 7810, 7812, 7813, 7900, 7901, 7902, 7905, 7906
\maketitlepage 5888, 5930		\meaning 2638, 2641, 2884, 3117, 3144, 3159, 3177, 3185, 3194, 3258
\maketitlepicturewidth 7913, 7914, 7920, 7949		\mediabutton 14329, 14389, 14390
\MakeUppercase . 125, 564, 592, 593, 608, 699, 857, 962, 1109, 1212, 6405, 6479, 6582, 6667, 6792, 6793, 6976, 8500, 8771, 10608, 12993, 15800, 15897, 16055, 16291, 16514, 16515, 16688	\mbox . 11890, 13157, 18081	\medskip 6112 \medskipamount 8810 \mem@makecol 10515, 10541 \memRTLleftskip .. 14428 \memRTLraggedleft 14433 \memRTLraggedright 14432 \memRTLrightskip . 14429 \memRTLvleftskip . 14430 \memRTLvrightskip 14431
\marginline 17150, 17730, 18413	\mc@col@status@write 14864, 14888	\message .. 1845, 1847, 11414, 11422, 11426, 11431,
\marginnote 5481	\mc@gridwarn 14854	
\marginpar 4551, 5259, 17151, 17731, 18414, 20351	\mc@lastcol@status@write 14870, 14896	
\marginparpush 4484, 21256	\mdf@footnotedistance@length 13794	
\marginparsep 1960, 2362, 4525, 4528, 4532, 4684, 4691, 11929, 11931, 11935, 11940, 11943, 11945, 21267, 21269	\mdf@footnoteinput 13802 \mdf@footnoteoutput 13791	
\marginparwidth 1959, 2363, 4524, 4529, 4541, 4639, 4909,	\mdf@frametitleaboveskip@length 13786	



11439, 11445,	\MidFrameCommand ..	\modernpoem@obeylines
11455, 11460,	. 11402, 11446, 11514 6107, 6367
11462, 11469,	\minrowclearance ..	\modernpoem@par ...
11477, 11490,	... 1453, 1487, 7131	... 6107, 6108, 6331
11498, 11503,	\mintagvsep 8302	\morefloats ... 4791, 4888
11508, 11521,	\missingfigure	\moreLRE 1593,
11532, 11540, 11552 20395, 20425	1874, 15542, 20622
\MessageBreak	\mix 13823, 13824, 13831,	\moreRLE 1595,
..... 148, 3368,	13832, 13858,	1876, 15543, 20623
3382, 3394, 3408,	13875, 13898,	\moveleft ... 4941, 14749
4081, 4092, 4099,	13901, 13903,	\moveright
4111, 4117, 4215,	13926, 13958,	. 10960, 14847, 21339
4268, 4269, 4270,	13966, 13975,	\mp@footgroupv@r 9104,
4284, 4285, 4287,	13986, 13997,	9149, 9181, 9290,
4565, 4661, 4888,	13999, 14004,	9393, 9502, 9611,
4889, 4957, 5561,	14005, 14007,	9720, 9829, 9938,
5562, 5563, 5565,	14008, 14010,	10047, 10217, 10279
5566, 5570, 5571,	14022, 14031,	\mp@LTRfootgroupv@l
5572, 5574, 5575,	14034, 14035, 9096,
13048, 13090,	14036, 14046,	9108, 10218, 10280
13091, 13094,	14056, 14057,	\mpfootnoterule ...
14506, 14507,	14059, 14060, 11167, 11171
14837, 14856,	14065, 14066,	\msg 13878, 13881,
14928, 15005,	14082, 14084,	13929, 13932,
15012, 16966,	14086, 14091,	13947, 13950, 13992
17117, 17124,	14130, 14137,	\MT . 8321, 8327, 8329, 13729
17515, 17697,	14138, 14141,	\mult@cols 14943
17704, 18214,	14159, 14161,	\mult@footnotetext
18380, 18387,	14164, 14166, 151, 153,
19728, 19730, 19733	14169, 14176,	14931, 14933, 14944
\MH 8297, 8301,	14184, 14186,	\mult@gfirstbox ...
8306, 8307, 8311,	14239, 14244,	. 14861, 14878, 14884
8315, 8316, 8320,	14255, 14256,	\mult@info 14835
8328, 8330, 8335,	14259, 14290,	\mult@LTRfootnotetext
8347, 8355, 8360,	14295, 14297, 155, 157,
8363, 8366, 8368,	14304, 14305,	14935, 14937, 14948
8369, 8371, 8372,	14308, 14323,	\mult@rightbox
8375, 8376, 8378,	14327, 14330,	. 14828, 14868,
8379, 8381, 8383,	14332, 14341,	14869, 14871,
8384, 8386, 8387,	14344, 14354,	14893, 14894, 14897
8390, 8391, 8393,	14355, 14357,	\mult@RTLfootnotetext
8394, 8396, 8401,	14380, 14386, 14390 159, 161,
8402, 8403, 8404,	\mkern 20157,	14939, 14941, 14952
8405, 8406, 8407,	20158, 20266, 20948	\multfootsep .. 5301, 5319
8408, 8409, 8418,	\mobile 2439	\multi@column@out ..
8420, 8424, 8425, 8427	\Mobilefone 2399 14997, 15040
\MHInternalSyntaxOff	\mobilesymbol	\multicol@leftmargin
..... 8442, 13734	... 2399, 7842, 7940 14838, 14847
\MHInternalSyntaxOn	\modernpoem 6367	\multicols 14916
..... 8282, 13728		\multicolumn 13608, 18775



\multiplefootnotemarker	1579, 1602, 1603,	4459, 4486, 4487,
..... 5300,	1618, 1634, 1650,	4488, 4489, 4504,
5316, 5410, 5411,	1778, 2031, 2037,	4523, 4559, 4561,
5439, 5440, 5468,	2040, 2041, 2042,	4562, 4567, 4568,
5469, 8990, 8992, 8993	2043, 2044, 2045,	4570, 4571, 4578,
\multiply	2046, 2343, 2429,	4579, 4580, 4588,
1949, 2287, 10237,	2434, 2435, 2436,	4591, 4679, 4697,
10299, 14977,	2438, 2439, 2440,	4907, 4915, 4925,
14978, 14981,	2442, 2443, 2445,	4928, 4936, 5105,
14982, 15442, 15446	2446, 2457, 2458,	5106, 5107, 5108,
\myrefname	2478, 2485, 2487,	5109, 5110, 5111,
	2491, 2495, 2497,	5112, 5113, 5114,
N	2503, 2512, 2514,	5115, 5116, 5117,
\next	2516, 2520, 2524,	5118, 5119, 5120,
1593, 1595, 1596,	2529, 2541, 2565,	5121, 5122, 5123,
1872, 1874, 1876, 1877	2571, 2744, 2752,	5124, 5125, 5126,
\na	2760, 2768, 2785,	5127, 5128, 5129,
15445, 15447,	2791, 2797, 2803,	5130, 5139, 5189,
15449, 15458,	2809, 2815, 2821,	5208, 5227, 5249,
15460, 15485, 15486	2827, 2834, 2837,	5255, 5280, 5281,
\narrower	2840, 2846, 2858,	5315, 5471, 5472,
\NAT@bibitem@first@sw	2864, 2876, 2879,	5473, 5481, 5490,
..... 15142	2881, 2888, 2892,	5499, 5512, 5513,
\nb 15445, 15448, 15449,	2898, 2905, 2908,	5636, 5689, 5769,
15458, 15459,	2911, 2914, 2930,	5782, 5816, 5817,
15480, 15496, 15497	2936, 2980, 2985,	5818, 5819, 5820,
\NC@find	3107, 3131, 3182,	5821, 5822, 5823,
\NC@rewrite@X	3191, 3268, 3271,	5874, 5888, 6064,
\NeedsTeXFormat ...	3274, 3277, 3280,	6071, 6080, 6084,
.... 1494, 1937,	3283, 3286, 3290,	6094, 6113, 6317,
1993, 2126, 2318,	3293, 3307, 3317,	6318, 7923, 8117,
2567, 2635, 4400,	3330, 3345, 3903,	8118, 8127, 8134,
4966, 5508, 5654,	3904, 3920, 3935,	8150, 8156, 8172,
5770, 5797, 5946,	3939, 3945, 3948,	8179, 8826, 8840,
5970, 6035, 7752, 7850	3951, 3954, 3959,	8867, 8871, 8877,
\new@command ..	3962, 3965, 3969,	8883, 9037, 9040,
\new@poem@width ...	3973, 3976, 3977,	10180, 10245,
6122, 6123, 6124,	3978, 3980, 3988,	10502, 10541,
6125, 6210, 6252, 6255	3997, 3999, 4009,	10542, 10543,
\newblock .	4011, 4023, 4025,	10544, 10983,
2565, 6222,	4032, 4040, 4042,	10986, 11045,
6329, 15136, 15138	4051, 4053, 4064,	11050, 11052,
\newboolean	4066, 4067, 4071,	11058, 11074,
4408,	4075, 4145, 4155,	11098, 11110,
4411, 4413, 4415,	4159, 4164, 4198,	11164, 11210,
4416, 4428, 4492,	4236, 4259, 4260,	11211, 11212,
4502, 4569, 4592,	4261, 4293, 4294,	11265, 11267,
4893, 5517, 5776, 5803	4295, 4296, 4307,	11973, 13215,
\newbox	4404, 4405, 4406,	13226, 14902,
6177, 6178	4407, 4429, 4432,	14905, 14908,
\newcommand		
1526,		
1527, 1533, 1539,		
1556, 1557, 1561,		
1562, 1573, 1576,		



16837, 16838,	4800, 4801, 4802,	16981, 17530, 18229
17386, 17387,	4803, 4804, 4805,	\newpoem@tabcr
18085, 18086,	4806, 4807, 4808,	. . . 6330, 6339, 6340
20306, 20308,	4809, 4810, 4811,	\newsavebox 2077,
20613, 20614,	4812, 4813, 4814,	4537, 4572, 4573
20662, 20663,	4815, 4816, 4817,	\newskip
20738, 20860,	4818, 4819, 4820,	2115, 2116, 2117,
20861, 20963,	4821, 4822, 4823,	2923, 10155, 11564
21091, 21092, 21289	4824, 4825, 4826,	\newthought 5710
\newcount 1769,	4827, 4843, 4844,	\newtoks 2128,
1940, 1941, 2569,	4845, 4846, 4847,	2649, 2650, 3447,
2579, 2583, 3446,	4848, 4849, 4850,	3448, 3618, 3631,
3549, 3701, 3762,	4851, 4852, 4853,	3649, 3701, 6120,
3842, 9150, 20955	4854, 4855, 4856,	11051, 15538, 20618
\newcounter 5188, 6313,	4857, 4858, 4859,	\newXeTeXintercharclass
10879, 11043,	4860, 4861, 4862, 1771, 1772
19332, 19336, 19337	4863, 4864, 4865,	\next 20986, 20989
\newdimen . 6068, 6069,	4866, 4867, 4868,	\next@tpage
6119, 9150, 11702	9139, 9144, 9147, 9148	. . 16911, 16943,
\newenvironment . . .	\newlength	16953, 16956,
2078, 2089, 2098,	2447, 2448, 2449,	17024, 17460,
2107, 2542, 4538,	2451, 2452, 2453,	17492, 17502,
4553, 4556, 4594,	2455, 2456, 2539,	17505, 17573,
4721, 6302, 6366,	4520, 4521, 4522,	18159, 18191,
12914, 20816,	4576, 4593, 5381,	18201, 18204, 18272
20825, 20834, 20843	7907, 7909, 7911,	\ninecolumnfootnotes
\newfloat@@setwithin	7913, 7915, 19364, 9923
. 15169,	19366, 19367, 19994	\no@bib@break
15175, 15183, 15185	\newline 2510, 4755	. 17103, 17683, 18366
\newfloat@Error . . 15188	\newlinechar 1820	\noalign 1367,
\newfloat@setwithin	\newlinetospace . . .	6233, 9160, 13615,
. 15155	4752, 4772, 4773,	13616, 13617,
\newif 1554, 1555, 1559,	4774, 6011, 6012, 6013	17245, 17270,
1560, 1563, 1564,	\NewList 3649	17272, 17825,
1565, 1566, 1567,	\newlistentry 19329, 19396	17850, 17852,
1568, 1569, 1571,	\newpage 458, 480, 809,	18508, 18533, 18535
1572, 1858, 1859,	829, 1061, 1081,	\nobibliography . . . 5185
1860, 1861, 1862,	1311, 1331, 4262,	\nobidilogo 1908
1863, 2320, 2349,	4264, 4268, 4273,	\nobreak 14, 16, 209, 211,
2528, 2576, 3133,	4274, 4277, 4281,	510, 528, 555, 559,
3615, 5991, 6179,	4283, 4286, 5907,	647, 648, 662, 688,
7755, 7757, 7759,	5944, 5945, 6853,	875, 876, 890, 906,
7761, 7826, 7853,	6875, 7749, 8574,	1130, 1131, 1145,
7855, 7857, 7859,	8594, 8671, 8693,	1172, 4324, 5308,
7922, 8824, 8825,	10674, 10694,	5648, 5649, 6133,
11041, 11049,	13615, 14419,	6135, 6141, 6426,
13736, 20304, 20305	16007, 16027,	6427, 6441, 6465,
\newinsert 1598, 1879,	16148, 16170,	6603, 6604, 6618,
4794, 4795, 4796,	16392, 16414,	6642, 6756, 6764,
4797, 4798, 4799,	16574, 16596,	6776, 6905, 6921,



6951, 6956, 6964,	2654, 2658, 2678,	19339, 19811,
7182, 8455, 8468,	2682, 2781, 2883,	19844, 19851,
8483, 8487, 8495,	2884, 2886, 3112,	19856, 19857,
8722, 8745, 8750,	3113, 3114, 3116,	19917, 20288,
8759, 8803, 8804,	3117, 3142, 3144,	20289, 20290,
10558, 10574,	3162, 3163, 3164,	20291, 20292,
10583, 10587,	3167, 3174, 3175,	20293, 20294,
10595, 12969,	3176, 3178, 3184,	20295, 20296,
12971, 13016,	3185, 3187, 3193,	20538, 20553,
13725, 13793,	3194, 3196, 3255,	20581, 20587,
14798, 14809,	3257, 3258, 3466,	20600, 20909, 21293
14810, 14821,	3612, 3617, 3623,	\noindent 448,623,632,
14822, 15684,	3663, 3691, 3694,	930, 1182, 1191,
15686, 15839,	3697, 3698, 3782,	1974, 4547, 4740,
15840, 15854,	3789, 3792, 3793,	5331, 5349, 5367,
15878, 16211,	3810, 3814, 3816,	5484, 5493, 5502,
16212, 16226,	3817, 3818, 3826,	5712, 5732, 5893,
16250, 16441,	3827, 3828, 3831,	5895, 5897, 6088,
16457, 16626,	3832, 3833, 3868,	6475, 6663, 6843,
16642, 16671,	3929, 4090, 4091,	7039, 8564, 8661,
16675, 16683,	4093, 4229, 4334,	8806, 8869, 10324,
17078, 18078,	4368, 4369, 5157,	10336, 10348,
18962, 18979,	5159, 5167, 5560,	10385, 10399,
18986, 19127,	5563, 5569, 5572,	10413, 10425,
19130, 19158,	6261, 6264, 6267,	10435, 10444,
19159, 19181,	6319, 7531, 7706,	10453, 10664,
19182, 19198,	8059, 8111, 10881,	11793, 13155,
19199, 19215,	10882, 10887,	14483, 15815,
19216, 19232,	10888, 10940,	15824, 16265,
19233, 19249,	11715, 11725,	16274, 16340,
19250, 19266,	12433, 12443,	16383, 16564,
19267, 19284,	12451, 12452,	16874, 16911,
19285, 19303,	12453, 12455,	17024, 17078,
19304, 19323,	12481, 12489,	17192, 17197,
19324, 19358,	12490, 12491,	17423, 17460,
19359, 19394,	12493, 12522,	17573, 17772,
19552, 19553,	12523, 12524,	17777, 17993,
19659, 19661,	12526, 12553,	18022, 18028,
19709, 19741,	12554, 12555,	18034, 18040,
19746, 19749,	12557, 12584,	18046, 18052,
20149, 20154,	12585, 12586,	18058, 18064,
20162, 20263,	12588, 13644,	18070, 18079,
20264, 20268,	13692, 13695,	18122, 18159,
20945, 20946, 20950	14257, 14523,	18272, 18455,
\nobreakspace 554	17100, 17101,	18460, 20327,
\node . 20349, 20379, 20385	17680, 17681,	20330, 20332,
\noexpand 386,	18363, 18364,	20334, 20337,
2150, 2151, 2165,	18671, 18743,	20341, 20343,
2166, 2193, 2196,	18780, 18781,	20399, 20461, 20878
2199, 2604, 2645,	18854, 18861,	\nointerlineskip . .



.... 7976, 7997,	10663, 10666,	8640, 8694, 10631,
11385, 13776,	12916, 12951,	10645, 10695,
14845, 21264, 21272	12956, 13002,	12883, 12900,
\nopagebreak	13769, 14409,	14799, 14809,
.. 6187, 6197, 13617	14823, 15248,	14810, 14821,
\nopagenumbers 2529	15261, 15997,	14822, 15813,
\normalbaselines . 20720	15999, 16138,	15816, 15938,
\normalbaselineskip	16140, 16334,	15967, 16028,
311, 4445, 10225,	16341, 16377,	16077, 16106,
10236, 10287,	16384, 16563,	16171, 16263,
10298, 13757, 15758	16566, 16668,	16266, 16342,
\normalcolor ... 2295,	16681, 19384,	16356, 16415,
7143, 7354, 7419,	19389, 19390,	16529, 16543,
8416, 9068, 9092,	19748, 20047,	16597, 16920,
9100, 9108, 9122,	20269, 20951, 21392	16942, 16953,
10496, 10509,	\normalfootnotes ..	17024, 17032,
11341, 11394, 8970, 8981	17469, 17491,
11599, 11646,	\normallineskip ...	17502, 17573,
11747, 11757,	. 2387, 13756, 15757	17581, 18168,
11764, 13002,	\normalparindent 42,	18190, 18201,
13795, 14823,	56, 72, 245, 259, 274	18272, 18280,
20047, 20269,	\normalRTLparaLTRfootnotes	18696, 18702,
20515, 20951, 10245	18724, 19127,
21024, 21073,	\normalsfcodes	19158, 19181,
21103, 21119, 10953, 21332	19198, 19215,
21130, 21138,	\normalsize 307,	19232, 19249,
21345, 21361, 21392	4438, 4439, 4446,	19266, 19284,
\normalfont 25,	5013, 5057, 5101,	19303, 19323,
38, 52, 68, 85,	5195, 5214, 5233,	19358, 19709,
241, 255, 270, 288,	5611, 7810, 7902,	20149, 20263, 20945
447, 450, 552, 799,	10951, 14541,	\number 8, 139,
801, 1053, 1301,	16423, 16881,	203, 2603, 2604,
1303, 1973, 1976,	16888, 17430,	2610, 2615, 3128,
2040, 2045, 2046,	17437, 18129,	3733, 3848, 3854,
2048, 2049, 2050,	18136, 19748,	3860, 3863, 3869,
2051, 2052, 2053,	21186, 21230, 21330	3873, 6205, 6306,
2054, 4486, 5105,	\NOT .. 4640, 4641, 4680,	7983, 8004, 8049,
5106, 5107, 5195,	4700, 4704, 5387,	8055, 8058, 8101,
5214, 5233, 5299,	5416, 5445, 5527, 5531	8107, 8110, 8339,
5534, 5541, 5548,	\null ... 413, 427, 481,	8342, 12963, 14919
5740, 6752, 6772,	621, 624, 740, 769,	\numberline
6842, 6845, 6947,	830, 928, 931, 992,	... 4733, 13271,
6962, 8288, 8293,	1021, 1082, 1180,	13276, 14535,
8299, 8480, 8493,	1183, 1242, 1271,	19057, 20059,
8563, 8566, 8660,	1332, 5648, 6222,	20277, 20280, 20283
8663, 8741, 8757,	6473, 6476, 6529,	\numberline@box ...
9001, 9005, 9007,	6558, 6661, 6664, 19712, 19713
9013, 9017, 9019,	6706, 6735, 6808,	\numberline@tempa 20279
9025, 9029, 9031,	6822, 6876, 8531,	\numberwithin 329
10580, 10593,	8545, 8595, 8626,	\numexpr .. 2931, 4341,



19529, 19637, 19811	\orig@footnotetext	6496, 6502, 6530,
\nxCs ... 2056, 2057, 2058	... 152, 14932, 14947	6580, 6584, 6595,
O	\orig@LTRfootnotetext	6611, 6627, 6634,
\obeylines ... 6223, 6331	... 156, 14936, 14951	6649, 6655, 6707,
\ocgbase ... 14313, 14315	\orig@RTLfootnotetext	6751, 6757, 6762,
\oddpaper 160, 14940, 14955	6766, 6768, 6771,
1941, 1945, 1946,	\origin@RaggedLeft	6774, 6778, 6780,
1947, 1950, 1951, 1952	... 15786, 15788, 15789	6790, 6795, 6809,
\oddsidemargin	\origin@RaggedRight	6898, 6913, 6926,
1963, 2358, 8267,	... 15787, 15788, 15789	6928, 6930, 6932,
11949, 11958,	\originalHbadness .	6946, 6952, 6957,
11962, 21314, 21318 20375, 20393	6960, 6965, 7197,
\on@stripcols@break 7615	\othermargin 872	7207, 7220, 7230,
\onecolumn	\outer 1934	7243, 7253, 7266,
... 597, 613, 862,	\outer@nobreak	7276, 7638, 7961,
1114, 2396, 6410,	2313, 5007, 5051,	7962, 8447, 8461,
6587, 6797, 15805,	5095, 21180, 21224	8517, 8519, 8521,
16060, 16519, 19092	\outputpenalty	8523, 8532, 8627,
\opening 8791, 13004 7505, 7506,	8716, 8740, 8746,
\OptArg 2057, 2123	7514, 7515, 7524,	8751, 8755, 8760,
\OptArg@i 2123, 2124	7525, 7679, 7680,	8816, 8818, 8820,
\OptArg@ii ... 2123, 2125	7688, 7689, 7698,	8822, 8865, 8866,
\OptArgs 2122	7699, 13700, 13701	10551, 10566,
\optparams	\overfullrule	10579, 10584,
4614, 5471, 5472,	... 2347, 2348, 15667	10588, 10591,
5473, 5475, 5476, 5477	\OVP@calc 15243	10596, 10599,
\OR 4608,	P	10601, 10603,
4680, 4700, 4704, 4956	\p@ ... 27, 29, 30, 31, 99,	10605, 10632,
\or 1403, 1404,	103, 219, 223, 231,	10733, 11130,
1405, 1407, 1408,	233, 234, 235, 311,	11132, 11133,
1428, 1429, 1430,	414, 503, 520, 532,	11134, 11135,
1434, 1435, 1436,	534, 536, 538, 590,	11136, 11168,
1437, 1438, 1442,	595, 606, 610, 639,	11820, 11827,
1443, 1471, 1472,	655, 673, 680, 716,	11866, 11873,
1473, 1475, 1476,	722, 741, 855, 859,	11918, 12931,
1657, 1663, 1669,	866, 882, 899, 917,	12935, 12944,
1675, 1681, 1687,	952, 954, 957, 959,	12946, 12947,
1689, 1691, 1693,	993, 1107, 1111,	12948, 13000,
1699, 1705, 1711,	1122, 1138, 1156,	13018, 13020,
1724, 1732, 1739,	1164, 1196, 1202,	13022, 13024,
1749, 7114, 7115,	1243, 1599, 1880,	14461, 14791,
7116, 7118, 7119,	2386, 2387, 2391,	14803, 14815,
12277, 12281,	2392, 4440, 4441,	14912, 14913,
19371, 19374,	4442, 4449, 4450,	14957, 14959,
19377, 20202,	4451, 4453, 4454,	14960, 14961,
20313, 20320,	5659, 5660, 5661,	15798, 15802,
20542, 20591,	5663, 5664, 5730,	15831, 15847,
20978, 20979, 20981	6403, 6407, 6418,	15863, 15870,
	6434, 6450, 6457,	15885, 15891,
		15939, 16053,



16057,	16078,	\PackageError 138, 2926, 3325,
16203,	16219, 144, 2715,	3440, 4069, 4098,
16235,	16242,	2747, 2750, 2755,	6308, 7764, 7862,
16308,	16314,	2758, 2763, 2766,	10883, 11519,
16343,	16435,	2771, 2774, 2925,	13047, 13059,
16449,	16465,	4278, 4405, 5513,	14855, 14918,
16467,	16469,	10182, 13206,	15003, 15010,
16471,	16512,	13213, 13381,	15149, 19334, 19725
16517,	16530,	13384, 13387,	\PackageWarningNoLine
16619,	16634,	13390, 13393, 2590, 4265
16647,	16649,	13396, 13399,	\page@sofar . . . 164, 14827
16651,	16653,	13402, 13406,	\pagebreak
16667,	16672,	13409, 13412,	. 13616, 20445, 20454
16676,	16679,	13415, 13418,	\pagecontents 15602
16684,	16882,	13421, 13424,	\pagedepth 20439
16886,	16889,	13427, 13430,	\pagefillstretch . 20451
16893,	17138,	13433, 13436,	\pagefilstretch . . 20450
17141,	17143,	13439, 13442,	\pagefootnoterule .
17146,	17297,	13445, 13448, 11166, 11174
17316,	17431,	13451, 13454,	\pagegoal 11413, 11415,
17435,	17438,	13457, 13460,	11420, 11427,
17442,	17718,	13463, 13466,	11468, 11470,
17721,	17723,	13469, 13472,	13706, 14761, 20442
17726,	17877,	13475, 13478,	\pageinwindow 7299
17896,	17999,	13481, 13484,	\pagenumbering 2394, 5995
18001,	18003,	13487, 13490,	\pageref 2533, 2535
18005,	18130,	13493, 13496,	\pageshrink . . . 11429,
18134,	18137,	13499, 13502,	11433, 11449,
18141,	18401,	13505, 13508,	11475, 11487, 20445
18404,	18406,	13511, 13514,	\pagestretch . . 11428,
18409,	18560,	13517, 13520,	11449, 11487, 20449
18579,	19090,	13523, 13526,	\pagestyle
19365,	19533,	13529, 13532,	1939, 2385, 2393,
19536,	19540,	13535, 13538,	2536, 4760, 5996, 7848
19641,	19644,	13541, 13544,	\pagetotal . . . 11415,
19648,	19978,	13547, 13550,	11420, 11426,
19981,	19985,	13553, 13556,	14418, 14759,
19991,	20073,	13559, 13562,	14762, 14773,
20257, 20939, 21402		13565, 13568,	20437, 20442, 20500
\p@enumiv 86,		13571, 13574,	\paperheight
289, 573, 708,		13577, 13580, 2322, 2325,
971, 1221, 2557,		13583, 13586,	2328, 2331, 2334,
6488, 6676, 6985,		13589, 13592,	2337, 2340, 2341, 8244
8509, 8780, 10617,		13595, 14924,	\paperwidth
12917, 15906,		18990, 19343, 20965	2323, 2326, 2329,
16300, 16494,		\PackageInfo	2332, 2335, 2338,
16697, 17107,	 2927, 3966,	2341, 2342, 8244, 8252
17687, 18370, 19029		4068, 4215, 4407,	\par . . . 5, 15, 46, 60, 76,
\p@subfigure 18754		13089, 15769, 20299	107, 108, 109, 110,
\p@subtable 18755		\PackageWarning . . .	200, 210, 227, 228,



229, 249, 263, 278,	8804, 8814, 9115,	16184,	16189,
310, 313, 397, 416,	9221, 9224, 9227,	16194,	16197,
422, 424, 425, 444,	9327, 9330, 9333,	16212,	16225,
487, 493, 497, 509,	9433, 9436, 9439,	16250,	16266,
528, 555, 558, 624,	9542, 9545, 9548,	16276,	16340,
634, 648, 661, 688,	9651, 9654, 9657,	16345,	16351,
749, 759, 766, 767,	9760, 9763, 9766,	16353,	16354,
795, 834, 840, 844,	9869, 9872, 9875,	16373,	16383,
876, 890, 905, 931,	9978, 9981, 9984,	16421,	16426,
945, 1001, 1011,	10087, 10090,	16429,	16440,
1018, 1019, 1047,	10093, 10425,	16457,	16532,
1086, 1092, 1096,	10435, 10444,	16538,	16540,
1131, 1144, 1172,	10453, 10557,	16541,	16560,
1183, 1193, 1251,	10574, 10583,	16603,	16609,
1261, 1268, 1269,	10587, 10595,	16613,	16625,
1297, 1337, 1343,	10634, 10640,	16642,	16671,
1348, 1353, 1356,	10642, 10643,	16675,	16683,
1934, 1970, 2311,	10660, 10699,	16873,	16918,
4634, 4642, 4701,	10705, 10709,	16923,	16926,
4702, 4705, 4706,	10877, 11337,	16928,	16933,
4731, 4740, 4741,	12939, 12940,	16936,	16938,
4910, 4926, 5650,	12941, 12960,	16940,	16946,
5765, 5766, 5767,	12970, 12978,	16954,	16960,
5768, 5893, 5895,	13006, 13011,	17030,	17036,
5897, 5915, 5916,	13014, 13016,	17039,	17041,
5917, 6091, 6198,	13106, 13247,	17047,	17050,
6212, 6223, 6241,	13649, 13749,	17052,	17055,
6323, 6331, 6356,	13772, 13776,	17058,	17078,
6427, 6440, 6465,	14405, 14477,	17187,	17191,
6476, 6538, 6548,	14483, 14489,	17192,	17196,
6555, 6556, 6604,	14493, 14499,	17197,	17201,
6617, 6642, 6664,	14514, 14533,	17422,	17467,
6715, 6725, 6732,	14542, 14799,	17472,	17475,
6733, 6756, 6764,	14811, 14824,	17477,	17482,
6776, 6811, 6817,	15062, 15074,	17485,	17487,
6819, 6820, 6839,	15136, 15409,	17489,	17495,
6882, 6888, 6892,	15580, 15581,	17503,	17509,
6904, 6921, 6951,	15582, 15583,	17579,	17585,
6956, 6964, 7041,	15676, 15677,	17588,	17590,
7182, 7599, 7969,	15684, 15685,	17596,	17599,
7990, 8455, 8467,	15745, 15816,	17601,	17604,
8483, 8486, 8494,	15826, 15840,	17607,	17767,
8534, 8540, 8542,	15853, 15878,	17771,	17772,
8543, 8560, 8599,	15947, 15957,	17776,	17777,
8605, 8609, 8629,	15964, 15965,	17781,	17992,
8635, 8637, 8638,	15993, 16032,	18022,	18028,
8657, 8700, 8706,	16038, 16042,	18034,	18040,
8710, 8721, 8745,	16086, 16096,	18046,	18052,
8750, 8759, 8793,	16103, 16104,	18058,	18064,
8798, 8801, 8803,	16134, 16178,	18070,	18072,



18075,	18078,	15063,	15065,	16438,	16453,
18082,	18121,	15067,	15068,	16623,	16638,
18166,	18171,	15070,	15072,	18941,	18970,
18174,	18176,	15074,	15075,	19000,	19119,
18181,	18184,	15077,	15079,	19150,	19173,
18186,	18188,	15080,	15081,	19190,	19207,
18194,	18202,	15082,	15083,	19224,	19241,
18208,	18278,	15084,	15086,	19258,	19276,
18284,	18287,	15087,	15088,	19295,	19315,
18289,	18295,	15089,	15090,	19350,	19545,
18298,	18300,	15091,	15092,	19653,	19679,
18303,	18306,	15093,	15094,	19681,	19741,
18450,	18454,	15095,	15097,	20142,	20144,
18455,	18459,	15098,	15099,	20258,	20855, 20940
18460,	18464,	15100,	15102,	\parindent 12,	
18785,	19395,	15103,	15104,	42,	56, 72, 103,
19401,	19554,	15105,	15107,	207,	223, 245, 259,
19660,	19741,	15108,	15109,	274,	448, 506, 523,
20168,	20270,	15110,	15111,	550,	594, 609, 645,
20327,	20328,	15112,	15114,	658,	683, 735, 752,
20334,	20335,	15115,	15116,	858,	873, 885, 902,
20337,	20345,	15117,	15118,	939,	987, 1004,
20398,	20664,	15119,	15121,	1050,	1110, 1128,
20665,	20666,	15122,	15123,	1141,	1167, 1237,
20667,	20817,	15124,	15125,	1254,	1974, 2389,
20826,	20835,	17253,	17833,	4462,	5133, 5642,
20844,	20913,	18022,	18028,	5684,	5692, 5757,
20952,	21381, 21402	18034,	18040,	5910,	6216, 6326,
\par@updaterelative		18046,	18052,	6406,	6424, 6437,
.....	16914,	18058,	18064,	6460,	6524, 6541,
17026,	17463,	18070,	18081, 18516	6583,	6601, 6614,
17575,	18162, 18274	\parfillskip . 13, 208,		6637,	6701, 6718,
\paragraph 5546		507,	524, 643, 659,	6752,	6772, 6794,
\paragraphfootnotes		684,	870, 886, 903,	6843,	6901, 6916,
.....	10185, 10191	1126,	1142, 1168,	6947,	6961, 7065,
\parbox . . . 2482, 2484,		5641,	6217, 6422,	7096,	7187, 8450,
7836,	8809, 10758,	6438,	6461, 6599,	8464,	8478, 8491,
10759,	10760,	6615,	6638, 6902,	8564,	8661, 8718,
10764,	10765,	6917,	7069, 7188,	8741,	8756, 8868,
10766,	12078,	8451,	8465, 8719,	9136,	9216, 9322,
12080,	12084,	10353,	10357,	9428,	9537, 9646,
12086,	12117,	10361,	10555,	9755,	9864, 9973,
12118,	12121,	10570,	12968,	10082,	10352,
12122,	12179,	13756,	14792,	10356,	10360,
12180,	12183,	14804,	14816,	10461,	10470,
12184,	12208,	15699,	15712,	10554,	10569,
12210,	12214,	15725,	15736,	10580,	10592,
12216,	13653,	15835,	15851,	10664,	11792,
14471,	14500,	15874,	16207,	12935,	12967,
15060,	15062,	16223,	16246,	13752,	14793,



14805,	14817,	20841,	20846,	16643,	19555,
15129,	15700,	20848, 20849, 20850		20066, 20174, 20441	
15713,	15726,	\parskip 103,	\pgf@baseline 15370
15737,	15801,	223, 595, 610, 859,		\pgf@insertlayers	15392
15837,	15850,	1111, 1967, 2390,		\pgf@nodecallback	15348
15873,	15933,	4463, 5134, 5685,		\pgf@oldpicture	.. 15355
15950,	16056,	5693, 5756, 5911,		\pgf@picmaxx	.. 15349,
16072,	16089,	6215, 6247, 6325,		15361, 15363, 15381	
16209,	16222,	6360, 6407, 6584,		\pgf@picmaxy	15351, 15365
16245,	16340,	6795, 7505, 7514,		\pgf@picminx
16383,	16420,	7524, 7679, 7688,		15350, 15364, 15374	
16437,	16452,	7698, 8797, 8800,		\pgf@picminy	15352, 15366
16516,	16564,	8802, 8804, 12935,		\pgf@picture 15355
16622,	16637,	13010, 13013,		\pgf@picture@serial@count	
16668,	16680,	13015, 13752,	 15346, 15347	
16874,	17423,	13761, 15415,		\pgf@process
17993,	18122,	15748, 15802,		15370, 15373, 15380	
18951,	18988,	16057, 16420,		\pgf@relevantforpicturesizefalse	
19089,	19120,	16517, 18015,	 15369	
19151,	19174,	19090, 20078,		\pgf@relevantforpicturesizetrue	
19191,	19208,	20436, 20440, 20754	 15353	
19225,	19242,	\part 23, 12954	\pgf@remember@layerlist@globally	
19259,	19277,	\partname 554, 8482 15387	
19296,	19316,	\partopsep	5706, 14456,	\pgf@resetpathsizes	
19351,	19544,	14458, 15205, 15225	 15354	
19652,	19683,	\PassOptionsToClass		\pgf@restore@layerlist@from@global	
20078,	20139,	5948, 5949, 5950,	 15391	
20140,	20259,	5951, 5952, 5972,		\pgf@shift@baseline	
20755,	20855,	5973, 5974, 5975, 5976	 15371	
20880,	20881, 20941	\PassOptionsToPackage		\pgf@trimleft 15373
\parsep	... 942, 4454, 4965, 5795		\pgf@trimleft@final	
4455, 5664, 5665,		\pbs 15269, 15290	15375, 15376, 15378	
5703, 5730, 20754		\pbs@newkey 15273	\pgf@trimright	... 15380
\parshape 7038,	\pdfencryptsetup	..	\pgf@trimright@final	
11541, 11549,		... 1650, 1651, 1759		15382, 15383, 15385	
13156, 15211,		\pdfm@box 12884,	\pgf@x 15374,
15231, 15415,		12892, 12901, 12909		15378, 15381, 15385	
15580, 15582,		\pdfstringdefDisableCommands		\pgf@y 15371
16339, 16382,	 12808		\pgfpic 15401
16861, 16870,		\penalty	744, 996, 1246,	\pgfpicture 15342
17410, 17419,		6137, 6466, 6533,		\pgfpictureid	15347, 15358
17983, 17990,		6643, 6710, 6922,		\pgfpicturetrue	.. 15345
18109, 18118,		7026, 7032, 7503,		\pgfsys@discardpath	
20664, 20666,		7512, 7522, 7677,	 15394	
20784, 20819,		7686, 7696, 10154,		\pgfsys@endpicture	15397
20821, 20822,		10354, 10358,		\pgfsys@endscope	15396
20823, 20828,		10362, 10575,		\pgfsys@markposition	
20830, 20831,		11450, 15879,	 15358	
20832, 20837,		15942, 16081,		\pgfsys@typesetpicturebox	
20839, 20840,		16251, 16458,	 15401	



<code>\pgfutil@gobble</code> .. 15348	<code>\poem@verse</code>	<code>\protect</code>
<code>\pgfutil@ifnextchar</code>	... 6121, 6191, 6194	1592, 1593, 1594,
..... 15355	<code>\poem@width</code>	1595, 1819, 1873,
<code>\phantom</code> ... 14003, 14850	6124, 6125, 6129,	1874, 1875, 1876,
<code>\phantomsection</code> ... 2480	6206, 6208, 6211, 6252	2132, 2138, 2144,
<code>\phone</code> 2440	<code>\poem@write@aux</code> ...	2150, 2159, 2165,
<code>\phonesymbol</code> 6255, 6306, 6318	2989, 2990, 3617,
... 2400, 7843, 7941	<code>\poemblocksep</code>	3623, 4320, 4733,
<code>\photo</code> 2445	... 6118, 6222, 6329	10940, 11351,
<code>\picbox</code> 15520	<code>\poemcolsepskip</code> 6109, 6138	11365, 13271,
<code>\picinwindow</code> 7319	<code>\poemextrabaseskip</code>	13276, 13637,
<code>\picwd</code> 15408,	... 6111, 6199, 6234	14535, 18775,
15411, 15519, 15521	<code>\poemmarginskip</code> ...	18776, 18780,
<code>\plainauthor</code> 6110, 6132, 6133	18788, 19057,
.... 4772, 5815,	<code>\poemskip</code> 6112, 6212, 6243	19401, 20607, 21293
5817, 5856, 5857, 5860	<code>\postbibhook</code> 14549	<code>\protected</code> 1873,
<code>\plainfootnotes</code> ... 8981	<code>\postdisplaypenalty</code>	1875, 2925, 2926,
<code>\plainpublisher</code> 10851, 10865	2927, 2937, 2945,
... 5818, 5883, 5884	<code>\postmath</code> 7032	2947, 2953, 3139,
<code>\plaintitle</code> 4773, 4774,	<code>\PotEndMark</code>	3155, 3171, 3194,
5815, 5816, 5839,	... 8291, 8296, 8299	3196, 3246, 3299,
5840, 5843, 6011, 6013	<code>\predisplaydirection</code>	3312, 15544,
<code>\plitemsep</code> 5704 15628,	15554, 15564,
<code>\plparsep</code> 5703	15629, 21389, 21390	15572, 20624,
<code>\plpartopsep</code> 5706	<code>\predisdisplaypenalty</code>	20634, 20644, 20653
<code>\pLRE</code> 1592, 1593, 1873, 1874 10850, 10864	<code>\protected@edef</code> . 43,
<code>\pltopsep</code> 5705	<code>\premath</code> 7028	57, 73, 246, 260,
<code>\poem@finish</code>	<code>\prepare@bidi@copyins</code>	275, 5332, 5350,
... 6256, 6305, 6312 11558,	5368, 8897, 8911,
<code>\poem@line</code> 6175, 6181, 6232	11591, 11640, 11798	8925, 8937, 8948,
<code>\poem@linebegin</code> 6132, 6190	<code>\prepare@multicols</code> 14988	8959, 9188, 9198,
<code>\poem@lineend</code> . 6133, 6196	<code>\preparefootins</code> ...	9208, 9234, 9247,
<code>\poem@lineparsebegin</code> 11590, 11639	9259, 9297, 9306,
... 6144, 6201, 6228	<code>\prepnext@tok</code>	9315, 9340, 9352,
<code>\poem@lineparseend</code>	... 1400, 1410,	9363, 9400, 9410,
... 6170, 6182, 6239	1458, 1490, 7106, 7134	9420, 9446, 9459,
<code>\poem@lineversesep</code>	<code>\presetkeys</code> 20427	9471, 9509, 9519,
..... 6134, 6193	<code>\presig@skip</code> 18081	9529, 9555, 9568,
<code>\poem@needrun</code> .. 6126,	<code>\prevdepth</code>	9580, 9618, 9628,
6253, 6307, 6309	4634, 4642, 8039,	9638, 9664, 9677,
<code>\poem@obeylines</code> 6227,	8093, 14461, 14852	9689, 9727, 9737,
6303, 6343, 6367	<code>\pRLE</code> 1594, 1595, 1875, 1876	9747, 9773, 9786,
<code>\poem@prop</code> ... 6208, 6317	<code>\process@cols</code> . 14828,	9798, 9836, 9846,
<code>\poem@startedfalse</code>	14861, 14878, 14884	9856, 9882, 9895,
... 6225, 6341, 6347	<code>\ProcessOptions</code> ...	9907, 9945, 9955,
<code>\poem@startedtrue</code> 2352, 4430,	9965, 9991, 10004,
..... 6183,	5521, 5780, 5812,	10016, 10054,
6184, 6224, 6333,	5953, 5977, 7766, 7864	10064, 10074,
6335, 6340, 6348, 6350	<code>\ProcessOptionsX</code> .. 1757	10100, 10113,
		10125, 10320,



10332, 10344,	12269, 12913,	15659, 15660,
10381, 10395,	12999, 13003,	15661, 15662, 15663
10409, 11222,	13025, 13161,	\pst@hbox 15642,
11239, 11255,	13200, 13304,	15646, 15647,
11283, 11297, 11311	13598, 13727,	15648, 15664,
\protected@write 1718,	13735, 14393,	15666, 15667, 15669
1722, 4300, 4311	14550, 14788,	\pst@ifstar 15634
\protected@xdef . . .	14826, 15059,	\pst@killglue 15638
. . . . 5395, 5424,	15126, 15154,	\pst@picture 15634
5453, 5836, 5853,	15192, 15213,	\pst@shift
5869, 5880, 11187,	15233, 15267,	. 15639, 15661, 15669
11196, 11350,	15293, 15341,	\pst@tempa . 15651, 15653
11355, 11364,	15405, 15633,	\publisher . . . 5873, 5874
11370, 12452,	15674, 15690,	\publishers
12490, 12523,	15790, 16045,	. 17011, 17560, 18259
12554, 12585, 12648	16322, 16504,	\put 7198,
\providecommand . . .	16707, 16836,	7199, 7200, 7201,
2397, 2398, 2399,	17385, 17976,	7202, 7203, 7208,
2400, 2401, 2402,	18084, 18659,	7209, 7210, 7211,
2413, 2414, 2415,	18666, 18726,	7212, 7213, 7221,
2416, 2417, 2418,	18752, 18757,	7222, 7223, 7224,
2419, 2420, 2421,	18791, 18866,	7225, 7226, 7231,
2422, 2423, 2424,	18896, 18915,	7232, 7233, 7234,
2425, 2426, 2427,	18935, 18964,	7235, 7236, 7244,
2428, 2637, 5293,	19013, 19094,	7245, 7246, 7247,
5300, 5301, 5710,	19402, 20057,	7248, 7249, 7254,
7827, 7832, 11073	20303, 20432,	7255, 7256, 7257,
\ProvidesClass	20508, 20612, 21544	7258, 7259, 7267,
. . . 2319, 5947, 5971	\ProvidesPackage . .	7268, 7269, 7270,
\ProvidesExplPackage 1497, 1938,	7271, 7272, 7277,
. 13810	1994, 2127, 2568,	7278, 7279, 7280,
\ProvidesFile 1,	2636, 4401, 4967,	7281, 7282, 8244,
131, 165, 196, 326,	5509, 5655, 5771,	8258, 8276, 15246,
337, 342, 344, 403,	5798, 6036, 7753, 7851	15248, 15261, 15264
598, 847, 1099,	\prune 15425,	
1359, 6395, 6572,	15463, 15467,	
6749, 6782, 6995,	15472, 15476,	
7050, 7092, 7094,	15488, 15499, 15526	
7097, 7135, 7178,	\prw@mkboth . . . 19063,	
7193, 7289, 7327,	19068, 19080, 19085	
7955, 8120, 8239,	\psgrid 15637	
8242, 8281, 8443,	\pspicture 15634	
8616, 8790, 8823,	\psset 15672	
10547, 10723,	\pst@dima 15649	
10752, 10768,	\pst@dimb 15647, 15652,	
10845, 10875,	15654, 15659, 15662	
10884, 10889,	\pst@dimc 15665	
11039, 11379,	\pst@dimd 15646,	
11556, 11799,	15652, 15653,	
11926, 11968,	15654, 15655,	
		15659, 15660,
		15661, 15662, 15663
		\pst@hbox 15642,
		15646, 15647,
		15648, 15664,
		15666, 15667, 15669
		\pst@ifstar 15634
		\pst@killglue 15638
		\pst@picture 15634
		\pst@shift
		. 15639, 15661, 15669
		\pst@tempa . 15651, 15653
		\publisher . . . 5873, 5874
		\publishers
		. 17011, 17560, 18259
		\put 7198,
		7199, 7200, 7201,
		7202, 7203, 7208,
		7209, 7210, 7211,
		7212, 7213, 7221,
		7222, 7223, 7224,
		7225, 7226, 7231,
		7232, 7233, 7234,
		7235, 7236, 7244,
		7245, 7246, 7247,
		7248, 7249, 7254,
		7255, 7256, 7257,
		7258, 7259, 7267,
		7268, 7269, 7270,
		7271, 7272, 7277,
		7278, 7279, 7280,
		7281, 7282, 8244,
		8258, 8276, 15246,
		15248, 15261, 15264
		Q
		\Q 5150, 5172
		\q 13898, 13901, 14130, 14184
		\qauthor 15675
		\qqquad 5586,
		5593, 5600, 5607,
		5614, 5649, 15677
		\quad 1637, 1907,
		4772, 4773, 4774,
		6011, 6012, 6013,
		6118, 20721, 20730
		\quote 2446
		\quotecolour
		. . . 2408, 7771, 7869



\quoteleftfont 2417,	\RaggedLeftParfillskip	\raise 10746, 12951
2425, 7811, 7904 15712	\raisebox . 4685, 4690,
\quotestyle	\RaggedLeftParindent	4701, 4702, 4705,
. . . 2425, 7824, 7953 15713	4706, 8289, 8294,
\quotewidth 2447,	\RaggedLeftRightskip	8310, 8313, 8429,
2459, 7824, 7953 15710	12091, 12093,
R	\raggedpart 17062	12097, 12099,
\R@@page 16712,	\RaggedRight . . 15717,	12126, 12127,
16713, 16722,	15755, 15770,	12130, 12131,
16724, 16755,	15775, 15787,	12188, 12189,
16756, 16767, 16769	15789, 18664,	12192, 12193,
\raggedbottom 2395	18665, 21503,	12221, 12223,
\raggeddictum	21507, 21513, 21517	12227, 12229, 13157
. 17147, 17727, 18410	\raggedright 25,	\rangle 2041
\raggeddictumauthor	104, 224, 550,	\rawtext 15415,
. 17149, 17729, 18412	6752, 6772, 6947,	15421, 15443,
\raggeddictumtext .	6961, 8478, 8491,	15444, 15525, 15529
. 17148, 17728, 18411	8741, 8756, 8793,	\rbrace 20710, 20719
\RaggedLeft . . . 15704,	8796, 8801, 8809,	\rcb . 2042, 2045, 2046, 2050
15753, 15769,	10580, 10592,	\rcol@footinsskip .
15773, 15786,	12936, 12956, 11571, 11620
15788, 18664,	13006, 13009,	\realfootnote 12645
18665, 21503,	13014, 14432,	\recomputelengths .
21507, 21511, 21519	14433, 15677, 2458, 2475
\raggedleft 25,	15679, 15685,	\recomputethemlengths
104, 224, 550,	16668, 16680, 2457,
6752, 6947, 6961,	17061, 17062,	2473, 7916, 7921
8478, 8491, 8741,	17147, 17148,	\reflectbox 11860
8756, 8793, 8796,	17149, 17151,	\refname 563,
8801, 8809, 10580,	17610, 17727,	564, 698, 699, 961,
10592, 12936,	17728, 17729,	962, 1211, 1212,
12956, 13006,	17731, 18075,	2544, 5745, 8499, 8500
13009, 13014,	18081, 18309,	\refstepcounter . . .
14432, 14433,	18410, 18411, 545, 8473,
15677, 15679,	18412, 18414,	10866, 12822,
15685, 16668,	19686, 19689,	13259, 13265,
16680, 17061,	19693, 19794,	13600, 14526,
17062, 17147,	20852, 20857,	15202, 15223, 19054
17148, 17149,	20859, 20860, 20861	\refvskip 18016
17151, 17610,	\RaggedRightLeftskip	\regex 13838,
17727, 17728, 15722	13843, 13846,
17729, 17731,	\RaggedRightParfillskip	13849, 13852,
18075, 18081, 15725	13853, 13889,
18309, 18410,	\RaggedRightParindent	13894, 13896,
18411, 18412, 4460,	13940, 13941, 13953
18414, 20856,	5131, 5690, 15726	\reinsert@footnotes
20858, 20860, 20861	\RaggedRightRightskip 14989,
\RaggedLeftLeftskip 5687, 15723	14991, 15019,
. 15709	\raggedsection	15021, 15026,
	. 17061, 17610, 18309	15028, 15033, 15035



<code>\relax</code>	2, 8, 10, 12, 14, 28, 85, 103, 132, 166, 197, 203, 205, 207, 209, 223, 232, 288, 301, 319, 393, 407, 408, 409, 430, 431, 432, 433, 438, 439, 440, 441, 465, 466, 467, 468, 469, 474, 475, 476, 477, 501, 595, 610, 617, 647, 653, 671, 724, 731, 732, 733, 737, 746, 755, 772, 773, 778, 779, 780, 781, 784, 787, 791, 816, 817, 818, 823, 824, 825, 826, 859, 875, 897, 915, 924, 958, 983, 984, 985, 989, 998, 1007, 1024, 1025, 1030, 1031, 1032, 1033, 1036, 1039, 1043, 1068, 1069, 1070, 1075, 1076, 1077, 1078, 1111, 1118, 1130, 1136, 1154, 1204, 1233, 1234, 1235, 1239, 1248, 1257, 1274, 1275, 1280, 1281, 1282, 1283, 1286, 1289, 1293, 1318, 1319, 1320, 1325, 1326, 1327, 1328, 1415, 1416, 1433, 1434, 1435, 1655, 1661, 1667, 1673, 1679, 1685, 1697, 1703, 1709, 1716, 1725, 1726, 1730, 1737, 1747, 1819, 1849, 1981, 1982, 1983, 1988, 1989, 1990, 1991, 2215, 2223, 2231, 2282, 2352, 2611, 2616, 2622, 2637, 2835, 2838, 2848, 2866, 2920, 2931,	2944, 3128, 3132, 3457, 3458, 3462, 3501, 3502, 3544, 3567, 3686, 3700, 3763, 3765, 3774, 3775, 3791, 3799, 3816, 3827, 3832, 3885, 3909, 3924, 3941, 3956, 3972, 3989, 4001, 4033, 4044, 4123, 4331, 4332, 4341, 4369, 4434, 4932, 5141, 5249, 5312, 5316, 5320, 5400, 5411, 5429, 5440, 5458, 5469, 5527, 5724, 5732, 5737, 5768, 5953, 5977, 6073, 6078, 6081, 6088, 6126, 6132, 6227, 6253, 6281, 6288, 6295, 6307, 6343, 6407, 6414, 6426, 6432, 6448, 6504, 6520, 6521, 6522, 6526, 6535, 6544, 6561, 6562, 6567, 6568, 6569, 6570, 6584, 6591, 6603, 6609, 6625, 6657, 6697, 6698, 6699, 6703, 6712, 6721, 6738, 6739, 6744, 6745, 6746, 6747, 6795, 6802, 6803, 6804, 6825, 6826, 6827, 6828, 6833, 6834, 6835, 6836, 6860, 6861, 6862, 6863, 6864, 6869, 6870, 6871, 6872, 6896, 7038, 7052, 7053, 7054, 7059, 7060, 7061, 7062, 7065, 7069, 7070, 7071, 7072, 7073, 7074, 7174, 7192, 7342, 7405, 7766, 7864, 7956, 7957,	7958, 7959, 7960, 7972, 7993, 8047, 8059, 8062, 8099, 8111, 8114, 8265, 8271, 8332, 8411, 8459, 8527, 8528, 8529, 8548, 8549, 8554, 8555, 8556, 8557, 8581, 8582, 8583, 8588, 8589, 8590, 8591, 8620, 8621, 8622, 8643, 8644, 8645, 8646, 8651, 8652, 8653, 8654, 8678, 8679, 8680, 8681, 8682, 8687, 8688, 8689, 8690, 8714, 8860, 8861, 8862, 8863, 8864, 8993, 9173, 9217, 9282, 9323, 9385, 9429, 9494, 9538, 9603, 9647, 9712, 9756, 9821, 9865, 9930, 9974, 10039, 10083, 10157, 10188, 10198, 10204, 10227, 10256, 10262, 10289, 10307, 10543, 10544, 10549, 10627, 10628, 10629, 10648, 10649, 10654, 10655, 10656, 10657, 10681, 10682, 10683, 10688, 10689, 10690, 10691, 10728, 10730, 10734, 10781, 10817, 10846, 10856, 10899, 10919, 10920, 10935, 11037, 11169, 11191, 11200, 11359, 11374, 11412, 11434, 11472,
---------------------	---	--	--



11583,	11632,	15778,	15802,	16590,	16591,
12031,	12033,	15809,	15839,	16592,	16593,
12036,	12049,	15845,	15861,	16617,	16882,
12051,	12054,	15893,	15929,	16883,	16889,
12300,	12311,	15930,	15931,	16890,	16892,
12322,	12333,	15935,	15944,	16901,	16902,
12347,	12358,	15953,	15970,	16903,	16963,
12369,	12380,	15971,	15976,	16989,	16990,
12395,	12410,	15977,	15978,	16991,	16992,
12451,	12470,	15979,	15982,	16993,	17006,
12489,	12508,	15985,	15989,	17007,	17008,
12522,	12541,	16014,	16015,	17009,	17010,
12553,	12572,	16016,	16021,	17011,	17012,
12584,	12603,	16022,	16023,	17013,	17014,
12685,	12719,	16024,	16057,	17015,	17016,
12750,	12779,	16066,	16067,	17077,	17139,
12916,	12935,	16068,	16074,	17144,	17305,
12945,	12957,	16083,	16092,	17322,	17431,
12963,	12965,	16109,	16110,	17432,	17438,
12967,	12969,	16111,	16112,	17439,	17441,
13054,	13066,	16117,	16118,	17450,	17451,
13073,	13074,	16119,	16120,	17452,	17512,
13078,	13079,	16123,	16126,	17538,	17539,
13088,	13156,	16130,	16155,	17540,	17541,
13637,	13774,	16156,	16157,	17542,	17555,
13777,	13780,	16158,	16159,	17556,	17557,
13781,	13782,	16164,	16165,	17558,	17559,
13788,	14396,	16166,	16167,	17560,	17561,
14397,	14398,	16211,	16217,	17562,	17563,
14399,	14400,	16233,	16259,	17564,	17565,
14460,	14564,	16316,	16321,	17613,	17629,
14664,	14790,	16326,	16327,	17637,	17645,
14792,	14793,	16328,	16359,	17656,	17719,
14796,	14802,	16360,	16361,	17724,	17885,
14804,	14805,	16362,	16367,	17902,	18130,
14808,	14814,	16368,	16369,	18131,	18137,
14816,	14817,	16370,	16399,	18138,	18140,
14820,	14916,	16400,	16401,	18149,	18150,
14958,	15252,	16402,	16403,	18151,	18211,
15253,	15254,	16408,	16409,	18237,	18238,
15297,	15302,	16410,	16411,	18239,	18240,
15307,	15316,	16433,	16517,	18241,	18254,
15324,	15346,	16523,	16524,	18255,	18256,
15349,	15350,	16525,	16546,	18257,	18258,
15351,	15352,	16547,	16548,	18259,	18260,
15361,	15363,	16549,	16554,	18261,	18262,
15364,	15365,	16555,	16556,	18263,	18264,
15366,	15535,	16557,	16581,	18339,	18402,
15599,	15689,	16582,	16583,	18407,	18568,
15760,	15766,	16584,	16585,	18585,	18673,



18710,	18773,	20205,	20209,	1201, 1206, 1207,
18788,	18798,	20258,	20259,	1208, 1209, 1222,
18800,	18829,	20262,	20310,	1229, 1230, 1240,
18987,	19005,	20318,	20459,	1297, 1299, 1970,
19006,	19090,	20542,	20591,	1972, 2344, 2345,
19099,	19117,	20606,	20683,	2346, 2382, 2383,
19120,	19123,	20740,	20752,	2388, 2437, 2441,
19148,	19151,	20803,	20883,	2472, 2477, 2558,
19154,	19171,	20886,	20888,	3883, 3907, 4239,
19174,	19177,	20940,	20941,	4244, 4264, 4277,
19188,	19191,	20944,	20964,	4299, 4310, 4438,
19194,	19205,	20973,	20977,	4447, 4488, 4606,
19208,	19211,	21012,	21059,	4609, 4610, 4614,
19220,	19222,	21396, 21397, 21398		4615, 4767, 4768,
19225,	19228,	\remainx 15062		5117, 5118, 5119,
19237,	19239,	\remainxox . 15097, 15104		5120, 5121, 5122,
19242,	19245,	\remainxox		5123, 5124, 5125,
19256,	19259,	. 15107, 15116, 15125		5179, 5294, 5303,
19262,	19274,	\remainxx . . 15065, 15067		5324, 5342, 5360,
19277,	19280,	\remainxxx		5475, 5476, 5477,
19293,	19296,	. . 15070, 15072,		5559, 5568, 5620,
19299,	19313,	15074, 15099, 15102		5628, 5652, 5657,
19316,	19319,	\remainxxxx . . . 15077,		5668, 5669, 5670,
19331,	19346,	15079, 15081,		5671, 5672, 5673,
19348,	19351,	15083, 15109,		5674, 5740, 5745,
19354,	19368,	15111, 15114,		5747, 5748, 5765,
19398,	19399,	15118, 15121, 15123		5766, 5767, 5768,
19400,	19529,	\remainxxxxx		5825, 5826, 5827,
19550,	19637,	. . 15086, 15088,		5829, 5833, 5834,
19663,	19675,	15090, 15092, 15094		5835, 5839, 5840,
19677,	19683,	\remove@strip . 14572,		5846, 5850, 5851,
19700,	19704,	14602, 14672, 14702		5852, 5856, 5857,
19716,	19718,	\renewcommand . . . 19,		5862, 5866, 5867,
19724,	19733,	20, 21, 22, 86, 168,		5868, 5877, 5878,
19735,	19797,	214, 215, 216, 217,		5879, 5883, 5884,
19811,	19845,	289, 329, 405, 444,		5906, 5930, 5992,
19852,	19858,	446, 500, 517, 531,		6005, 6010, 6018,
19919,	19978,	535, 539, 540, 541,		6411, 6415, 6431,
19981,	19985,	542, 574, 614, 636,		6447, 6455, 6469,
19991,	20036,	652, 670, 678, 691,		6489, 6495, 6501,
20072,	20080,	693, 694, 695, 696,		6506, 6507, 6508,
20081,	20083,	709, 715, 721, 727,		6509, 6510, 6511,
20084,	20097,	728, 738, 795, 797,		6513, 6515, 6517,
20108,	20112,	863, 880, 893, 896,		6527, 6588, 6592,
20117,	20122,	914, 921, 947, 948,		6608, 6624, 6632,
20130,	20134,	949, 950, 951, 956,		6646, 6648, 6654,
20143,	20144,	972, 979, 980, 990,		6677, 6683, 6684,
20155,	20163,	1047, 1049, 1115,		6685, 6686, 6687,
20174,	20180,	1119, 1135, 1153,		6688, 6690, 6692,
20184,	20188,	1162, 1175, 1195,		6694, 6704, 6800,



6839, 6841, 6895,	11030,	11031,	16232,	16240,
6910, 6925, 6929,	11032,	11033,	16254,	16256,
6933, 6935, 6937,	11034,	11044,	16278,	16279,
6939, 6940, 6941,	11113,	11380,	16280,	16281,
6942, 6943, 6944,	11927,	11937,	16282,	16283,
6967, 6986, 7051,	12917,	12974,	16285,	16287,
7056, 7078, 7085,	12975,	12976,	16301,	16307,
7095, 7179, 7184,	12977,	13000,	16313,	16318,
7194, 7217, 7240,	13004,	13017,	16324,	16332,
7263, 7290, 7306,	13021,	13030,	16373,	16375,
7767, 7807, 7808,	13031,	13032,	16432,	16446,
7809, 7810, 7811,	13033,	13663,	16461,	16464,
7812, 7813, 7814,	14394,	14405,	16468,	16472,
7828, 7833, 7865,	14428,	14429,	16474,	16476,
7899, 7900, 7901,	14430,	14431,	16478,	16479,
7902, 7903, 7904,	14432,	14433,	16480,	16481,
7905, 7906, 7916,	14434,	14435,	16482,	16495,
7928, 8116, 8117,	14437,	14439,	16521,	16560,
8118, 8240, 8243,	14441,	14443,	16562,	16616,
8247, 8263, 8416,	14444,	14446,	16631,	16646,
8417, 8444, 8458,	14447,	14454,	16650,	16654,
8510, 8516, 8520,	14455,	14457,	16656,	16658,
8525, 8560, 8562,	14463,	14464,	16660,	16661,
8612, 8613, 8614,	15060,	15063,	16662,	16663,
8615, 8618, 8657,	15068,	15075,	16664,	16665,
8659, 8713, 8727,	15084,	15095,	16698,	16842,
8729, 8731, 8733,	15100,	15105,	16846,	16850,
8734, 8735, 8736,	15112,	15119,	16854,	16880,
8737, 8738, 8762,	15136,	15138,	16887,	16894,
8781, 8791, 8804,	15155,	15197,	16907,	16909,
8815, 8819, 8889,	15218,	15294,	16971,	16973,
8903, 8917, 8931,	15303,	15675,	17018,	17063,
8942, 8953, 10548,	15678,	15687,	17064,	17065,
10563, 10598,	15691,	15704,	17068,	17069,
10602, 10618,	15717,	15730,	17083,	17108,
10625, 10660,	15742,	15806,	17137,	17142,
10662, 10712,	15828,	15844,	17147,	17148,
10713, 10714,	15860,	15868,	17149,	17150,
10715, 10716,	15882,	15884,	17153,	17226,
10717, 10719,	15890,	15907,	17244,	17266,
10721, 10846,	15913,	15914,	17268,	17289,
10856, 10876,	15915,	15916,	17291,	17293,
10885, 10990,	15917,	15918,	17296,	17302,
11009, 11011,	15920,	15922,	17311,	17313,
11013, 11015,	15925,	15926,	17315,	17321,
11016, 11017,	15936,	15993,	17391,	17395,
11018, 11019,	15995,	16062,	17399,	17403,
11020, 11022,	16063,	16075,	17429,	17436,
11024, 11026,	16134,	16136,	17443,	17456,
11028, 11029,	16200,	16216,	17458,	17520,



17522,	17567,	19397,	19671,	. 13765, 13791, 13802
17611,	17612,	19693,	19970,	\renewtagform 13733
17620,	17621,	19972,	19974,	\repeat 1775,
17624,	17625,	19990,	19997,	1776, 3713, 3720,
17628,	17636,	19999,	20001,	7305, 7467, 7473,
17644,	17663,	20004,	20008,	7581, 7639, 7649,
17688,	17717,	20013,	20017,	10168, 10177,
17722,	17727,	20021,	20035,	13116, 15433,
17728,	17729,	20040,	20042,	15480, 15491,
17730,	17733,	20045,	20049,	15502, 15530, 18812
17806,	17824,	20052,	20058,	\RequirePackage 1545,
17846,	17848,	20178,	20285,	1547, 1548, 1549,
17869,	17871,	20307,	20325,	1550, 1551, 1781,
17873,	17876,	20347,	20359,	1995, 1996, 2354,
17882,	17890,	20395,	20858,	2355, 2356, 2357,
17892,	17895,	20859,	21090,	2364, 2365, 2380,
17901,	17977,	21091,	21092,	2433, 4086, 4087,
18090,	18094,	21402,	21444,	4103, 4147, 4148,
18098,	18102,	21446,	21447,	4151, 4403, 4465,
18128,	18135,	21448,	21500,	4467, 4474, 4495,
18142,	18155,	21502,	21504,	4499, 4535, 4536,
18157,	18219,	21506,	21510,	4759, 4969, 4970,
18221,	18266,	21512, 21516, 21518		4971, 4972, 5176,
18310,	18311,	\RenewDocumentCommand		5177, 5292, 5511,
18315,	18316, 13996, 14329		5686, 5697, 5749,
18319,	18320,	\renewenvironment 83,		5775, 5783, 5800,
18323,	18327,	286, 562, 583,		5955, 5956, 5957,
18331,	18346,	599, 619, 626, 697,		5958, 5959, 5960,
18371,	18400,	848, 926, 933, 960,		5979, 5980, 5981,
18405,	18410,	1100, 1178, 1185,		5982, 5983, 5984,
18411,	18412,	1210, 4709, 4712,		21436, 21439,
18413,	18416,	4715, 4718, 5716,		21440, 21441, 21492
18489,	18507,	5726, 5734, 5750,		\RequireXeTeX . 1546, 1857
18529,	18531,	5961, 6396, 6471,		\reserved@a 2261, 2265,
18552,	18554,	6477, 6573, 6659,		2271, 2274, 2277,
18556,	18559,	6665, 6783, 6974,		2280, 2701, 2705,
18565,	18573,	7036, 7057, 7191,		2976, 2977, 2978,
18575,	18578,	8498, 8769, 10606,		4088, 4096, 4106,
18584,	18660,	10863, 11397,		4108, 4115, 4117,
18663,	18936,	14545, 15127,		4122, 4124, 4125,
18965,	18971,	15234, 15791,		4128, 4131, 4167,
19003,	19016,	15811, 15818,		4168, 4169, 4171,
19030,	19041,	15895, 16046,		4178, 4181, 4206,
19097,	19144,	16261, 16268,		4207, 4227, 4229,
19163,	19185,	16289, 16483,		4233, 4240, 4242,
19202,	19219,	16505, 16686,		4321, 4322, 19689,
19236,	19253,	17072, 17652,		19690, 19693,
19271,	19289,	18335, 19017,		19694, 20174, 20175
19290,	19309,	19020, 19046, 20722		\reserved@b 2241, 2242,
19310,	19329,	\renewrobustcmd . . .		2701, 2705, 2706,



4078, 4079, 4107,	\resizebox 11881	630, 641, 642, 647,
4165, 4167, 4184,	\restore@protect . . 2991	658, 683, 686, 687,
4201, 4202, 4207,	\restoreCaptionSkip	868, 869, 875, 885,
4212, 4214, 4215, 12062	888, 889, 902, 924,
4217, 4220, 4240, 4242	\restorecounters@ . 8343	1118, 1124, 1125,
\reserved@c 4180,	\restylefloat 4959	1130, 1141, 1167,
4183, 4184, 4188,	\resumename 2434	1170, 1171, 1189,
4199, 4212, 4226, 4230	\righskip 19399	5640, 5647, 5648,
\reserved@d 2700,	\right 20710, 20719, 20721	6218, 6414, 6420,
2705, 4200, 4219, 4232	\right@cor . . . 14574,	6421, 6426, 6437,
\reset@dir . 15599, 20683	14575, 14674, 14675	6460, 6463, 6464,
\reset@font 37,	\right@footnoterule	6591, 6597, 6598,
51, 67, 240, 254, 26, 230,	6603, 6614, 6637,
269, 5012, 5056,	407, 535, 721, 731,	6640, 6641, 6901,
5100, 5328, 5329,	956, 983, 1201,	6916, 6919, 6920,
5346, 5347, 5364,	1233, 6501, 6520,	7052, 7053, 7054,
5365, 8893, 8907,	6654, 6697, 6802,	7180, 7181, 7187,
8921, 8935, 8946,	6929, 8520, 8527,	8450, 8453, 8454,
8957, 9186, 9196,	8620, 8819, 10602,	8464, 8718, 9135,
9206, 9232, 9244,	10627, 11129,	10460, 10469,
9257, 9295, 9304,	11143, 11153,	10554, 10569,
9313, 9338, 9349,	11276, 11304,	10572, 10573,
9361, 9398, 9408,	12943, 13021,	12967, 12968,
9418, 9444, 9456,	14956, 15890,	13755, 14428,
9469, 9507, 9517,	15929, 16066,	14429, 14792,
9527, 9553, 9565,	16313, 16326,	14796, 14797,
9578, 9616, 9626,	16468, 16523,	14804, 14809,
9636, 9662, 9674,	16650, 16887,	14816, 14821,
9687, 9725, 9735,	16901, 17142,	15696, 15698,
9745, 9771, 9783,	17436, 17450,	15709, 15711,
9796, 9834, 9844,	17722, 18002,	15722, 15724,
9854, 9880, 9892,	18135, 18149, 18405	15733, 15735,
9905, 9943, 9953,	\rightfootnoterule	15809, 15822,
9963, 9989, 10001,	1690, 7957, 8861,	15833, 15834,
10014, 10052,	11141, 11788, 21398	15839, 15850,
10062, 10072,	\rightline . . . 15632,	15873, 15876,
10098, 10110,	20868, 20872, 20874	15877, 16205,
10123, 10318,	\rightlinenumbers .	16206, 16211,
10330, 10342, 13188, 13196	16222, 16245,
10379, 10393,	\rightmargin . . . 941,	16248, 16249,
10407, 10951,	5702, 5721, 5729,	16259, 16272,
11216, 11217,	5735, 11534,	16321, 16437,
11233, 11234,	11538, 13131,	16452, 16455,
11249, 11250,	13132, 13153,	16456, 16461,
11279, 11280,	15685, 20745,	16462, 16622,
11293, 11294,	20756, 20762,	16637, 16640,
11307, 11308,	20768, 20776, 20780	16641, 18940,
21185, 21229, 21329	\rightskip 12, 13, 207,	18945, 18956,
\ResetCounterPerPage	208, 305, 309, 506,	18969, 18973,
. 1782, 2571	523, 526, 527, 617,	18993, 18996,



19001,	19005,	18221, 18701, 20693	\RTL@column@boxes .
19006,	19117,	\RLE . 1594, 1875, 12811,	. 14874, 14904, 14909
19118,	19119,	15589, 15590,	\RTL@outputdblcol .
19127,	19148,	15594, 20312,	... 7329, 10769,
19149,	19150,	20673, 20674, 20678	11615, 14551,
19158,	19171,	\rmfamily 727,	20999, 21090, 21091
19172,	19173,	979, 1229, 5530,	\RTLbidityftesidenotemarginpar
19181,	19188,	5583, 5586, 5590,	... 5061, 5361, 5502
19189,	19190,	5593, 5597, 5600,	\RTLcases . . 20720, 20723
19198,	19205,	5604, 5607, 5611,	\RTLcite
19206,	19207,	5614, 15925, 16062	5288, 5408, 5437,
19215,	19222,	\romannumeral . . 3759,	5466, 5488, 5497, 5506
19223,	19224,	3760, 6255, 6317,	\RTLcolumnfootnotes 8982
19232,	19239,	8351, 8354, 8400,	\RTLdblcol 21091
19240,	19241,	10992, 10993,	\RTLdfnmakecol 8117
19249,	19256,	10994, 10995,	\RTLfootfootmark . .
19257,	19258,	10997, 10998,	8879, 9022, 9227,
19266,	19274,	10999, 11000,	9333, 9439, 9548,
19275,	19276,	11001, 11004,	9657, 9766, 9875,
19284,	19293,	11005, 11006, 20748	9984, 10093, 10362
19294,	19295,	\rot@float@box 16715,	\RTLfootmarkstyle .
19303,	19313,	16716, 16717, 8997, 9036
19314,	19315,	16731, 16740,	\RTLfootnote . . . 412,
19323,	19348,	16758, 16759,	486, 2131, 2144,
19349,	19350,	16760, 16761,	5477, 5827, 6807,
19358,	19398,	16762, 16778, 16789	6881, 8625, 8699,
19400,	20078,	\rot@label . 16711, 16754	11186, 16071,
20140,	20141,	\rot@LR 16722, 16767	16177, 16331,
20142,	20148,	\rot@mess@toks 16714,	16419, 16528,
20151,	20198,	16726, 16736,	16602, 16906,
20258,	20263,	16745, 16757,	17022, 17455,
20286,	20293,	16772, 16784, 16794	17571, 18154, 18270
20662,	20663,	\rot@message 16745, 16794	\RTLfootnotetext . .
20853,	20880,	\rot@pageref 16712, 16755 2199, 2210,
20881, 20940, 20945		\rotate 16808	6267, 6277, 11365,
\RL . . . 12812, 15589, 20673		\rotatebox	11368, 12481,
\rlap . . . 306, 447, 798,		. . 11035, 11994,	13695, 18861, 18865
1300, 1973, 6842,		12043, 12256,	\RTLfootscript . 8997,
8563, 8660, 10663,		13822, 13830,	9025, 9029, 9031
10758, 10764,		14352, 16731,	\RTLfoottextfont . .
11386, 11819,		16740, 16778, 16789	8880, 8908, 8958,
11865, 11931,		\rotateframe 10997, 11034	9076, 9206, 9227,
11932, 11945,		\rotFPbot 16732,	9257, 9313, 9333,
11946, 13001,		16739, 16779, 16788	9361, 9418, 9439,
14850, 15618,		\rotFPtop 16730,	9469, 9527, 9548,
15996, 16137,		16741, 16777, 16790	9578, 9636, 9657,
16334, 16377,		\rrb 2044, 2054	9687, 9745, 9766,
16563, 16909,		\rsb 2043, 2052	9796, 9854, 9875,
16973, 17458,		\RTL 15582, 20666	9905, 9963, 9984,
17522, 18157,			10014, 10072,



10093, 10123, 10342, 10362, 10407 \RTLmarginnote 5499 \RTLmarginpar 21190 \RTLMulticolcolumns 14902 \RTLsidenote .. 5231, 5473 \RTLthanks . 412, 432, 467, 486, 5827, 5835, 5852, 5868, 5879, 6807, 6827, 6862, 6881, 8625, 8645, 8680, 8699, 11363, 14398, 16071, 16111, 16157, 16177, 16331, 16361, 16401, 16419, 16528, 16548, 16583, 16602, 16906, 16991, 17022, 17455, 17540, 17571, 18154, 18239, 18270 \rtside 15463, 15465, 15476, 15478, 15499, 15501 \rule 46, 60, 76, 249, 263, 278, 2482, 7821, 8432, 8436, 8439, 8874, 8880, 8886, 11227, 11244, 11260, 11287, 11301, 11315, 14003, 15669	14021, 14308, 14347, 14352, 14465, 14480, 14512, 15235, 17163, 17177, 17217, 17743, 17757, 17797, 18426, 18440, 18480, 18955, 18972, 19714, 21379 \sc@temp 18021, 18022, 18027, 18028, 18033, 18034, 18039, 18040, 18045, 18046, 18051, 18052, 18057, 18058, 18063, 18064, 18069, 18070 \SC@FLOAT 18660, 21500, 21504, 21510, 21512, 21516, 21518 \SC@justify@caption .. 18663, 21502, 21506, 21511, 21513, 21517, 21519 \sc@temp 18019, 18021, 18025, 18027, 18031, 18033, 18037, 18039, 18043, 18045, 18049, 18051, 18055, 18057, 18061, 18063, 18067, 18069, 18079, 18081 \sc@wm@text 8241 \scalebox 11879 \scantokens ... 3127, 3147 \scr@caption 17269, 17271, 17273, 17849, 17851, 17853, 18532, 18534, 18536 \scr@caption@before@longtable@warning .. 17241, 17821, 18504 \scr@compatibility 17613, 17629, 17637, 17645	\scr@dte@current 19793, 19796 \scr@dte@def@l@targettocline 19560 \scr@dte@def@l@tocline 19762 \scr@dte@def@l@undottedtocline 19403 \scr@dte@donumwidth 19997, 19998 \scr@dte@targettocline@init 19561 \scr@dte@nosub 19809, 19811, 19841, 19842, 19844, 19849, 19851, 19856, 19857, 19915, 19917 \scr@dte@numberline@box 19712, 19739 \scr@dte@tocline 19671, 20054 \scr@dte@tocline@init 19763 \scr@dte@tocline@numberwidth 19715, 19717, 19719, 19722 \scr@dte@tocline@numbox .. 19714, 19716, 19730 \scr@dte@undottedtocline@init 19404 \scr@ifundefinedorrelax .. 19438, 19486, 19531, 19593, 19639, 19663, 19702, 19807, 19809, 19838, 19841, 19842, 19849, 19872, 19912, 19913, 19915, 19931, 19984, 20011, 20030 \scr@LT@array . 12821, 17266, 17267, 17847, 17859, 18529, 18530, 18542 \scr@parindent 17378, 17967, 18650
S		
\s 13852, 13853 \save@dir .. 15598, 20682 \savebox 8357, 11991, 11993, 12073 \saveCaptionSkip . 12023 \savecounters@ 8340 \saved@dir ... 15598, 15599, 20682, 20683 \sbox 8423, 12025, 12042, 13043, 13051, 13096, 13241, 13654, 13821, 13829,		



\scr@saved@footnotetext	929, 935, 937, 961,	4996, 4999, 5040,
..... 16839,	1108, 1181, 1187,	5043, 5084, 5087,
16843, 17388,	1190, 1211, 2478,	6146, 6157, 6370,
17392, 18087, 18091	2544, 5532, 5554,	6384, 7010, 7037,
\scr@saved@LTRfootnotetext	5622, 5630, 5745,	7042, 7074, 7109,
.. 16837, 16840,	5748, 5752, 6474,	7138, 7293, 7294,
16847, 17386,	6662, 8499, 15814,	7298, 7301, 7311,
17389, 17396,	15820, 15823,	7315, 7318, 7322,
18085, 18088, 18095	16264, 16270, 16273	7332, 7335, 7336,
\scr@saved@RTLfootnotetext	\sectionbib 19041	7350, 7367, 7383,
.. 16838, 16841,	\sectionfont ... 2418,	7395, 7398, 7399,
16851, 17387,	2426, 7812, 7905	7413, 7426, 7442,
17390, 17400,	\sectionstyle . 2426, 2484	7463, 7464, 7469,
18086, 18089, 18099	\sectiontitlecolour	7470, 7475, 7478,
\scr@smashdp .. 17185, 2409,	7501, 7509, 7519,
17199, 17200,	7774, 7782, 7789,	7570, 7584, 7588,
17218, 17765,	7796, 7803, 7873,	7598, 7603, 7612,
17779, 17780,	7879, 7885, 7891, 7897	7614, 7629, 7630,
17798, 18448,	\selectfont 340,	7641, 7642, 7654,
18462, 18463, 18481	2932, 5893, 5895,	7655, 7675, 7683,
\scr@tmp@footnotetext	5897, 15248, 15261	7693, 7741, 7965,
.. 17157, 17168,	\separatorcolumnwidth	7973, 7974, 7978,
17169, 17737,	2449, 2450, 2461,	7986, 7994, 7995,
17748, 17749,	2467, 2483, 2488,	7999, 8014, 8017,
18420, 18431, 18432	2494, 2552, 7919, 7949	8022, 8026, 8034,
\scr@tmp@LTRfootnotetext	\SepMark ... 20732, 20733	8071, 8074, 8079,
.. 17159, 17170,	\seq 14084,	8083, 8088, 8932,
17171, 17739,	14085, 15282, 15285	8943, 8954, 9046,
17750, 17751,	\set@color 7138, 7143,	9152, 9157, 9164,
18422, 18433, 18434	7151, 7157, 7165,	9229, 9241, 9254,
\scr@tmp@RTLfootnotetext	7172, 7177, 11393,	9335, 9346, 9358,
.. 17161, 17172,	20511, 20515, 20611	9441, 9453, 9466,
17173, 17741,	\set@typeset@protect	9550, 9562, 9575,
17752, 17753, 10946,	9659, 9671, 9684,
18424, 18435, 18436	10950, 18748,	9768, 9780, 9793,
\scriptsize 5668,	20915, 21301, 21303	9877, 9889, 9902,
18020, 18026,	\SetatBoolean 2760	9986, 9998, 10011,
18032, 18038,	\setbaselineskip .. 2930	10095, 10107,
18044, 18050,	\SetBoolean 2744	10120, 10142,
18056, 18062, 18068	\setboolean 4409, 4410,	10143, 10150,
\scshape 6755	4412, 4414, 4419,	10162, 10165,
\secshape .. 16420, 16461	4420, 4424, 4425,	10167, 10171,
\SectFont 622, 631, 929,	4496, 4500, 4503,	10174, 10176,
937, 1181, 1190,	4508, 4510, 4514,	10178, 10322,
6474, 6662, 15814,	4516, 4894, 5518,	10334, 10346,
15823, 16264, 16273	5519, 5520, 5777,	10364, 10383,
\sectfont 15679	5778, 5779, 5804, 5805	10389, 10397,
\section 563,	\setbox 380, 1406, 1408,	10403, 10411,
591, 607, 622,	1409, 1465, 1620,	10421, 10431,
628, 631, 698, 856,	1893, 2293, 4940,	10441, 10450,



10480,	10488,	16800,	16810,	16154,	16358,
10503,	10519,	16821,	16828,	16398,	16545,
10530,	10742,	17183,	17763,	16580,	16897,
10772,	10775,	18020,	18026,	16988,	17101,
10788,	10808,	18032,	18038,	17174,	17175,
10811,	10825,	18044,	18050,	17446,	17537,
10876,	10916,	18056,	18062,	17681,	17754,
10921,	11277,	18068,	18446,	17755,	18145,
11291,	11305,	18689,	18737,	18236,	18364,
11324,	11448,	18778,	18828,	18437, 18438, 19341	
11457,	11461,	18898,	20216,	\setdefaultbibitems	
11485,	11499,	20219,	20224, 20737	
11569,	11576,	20228,	20232,	\setdefaultmarginpar	
11577,	11593,	20236,	20240, 21280	
11618,	11625,	20244,	20248,	\setDefaults 11980	
11626,	11642,	20252,	20503,	\setfloatalignment 4568	
11693,	11705,	20511,	20616,	\setfootnoteLR ... 11208	
11739,	11741,	20692,	20693,	\setfootnoteRL ... 11206	
11752,	11777,	20877,	20903,	\setkeys 1650,	
11802,	11811,	21002,	21005,	7001, 7018, 8321,	
11818,	11819,	21006,	21020,	8327, 8329, 11810,	
11864,	11865,	21049,	21052,	11854, 11982,	
13633,	13642,	21053,	21067,	13042, 13080,	
13704,	13709,	21096,	21098,	15241, 15300,	
13712,	13721,	21112,	21114,	16719, 16764, 20396	
13741,	13773,	21125,	21169,	\setlatin 1556	
13779,	14554,	21172,	21213,	\setlength 504,	
14557,	14558,	21216,	21244,	521, 657, 681,	
14580,	14585,	21258, 21276, 21342		883, 901, 938,	
14595,	14613,	\setcaptionfont ... 4488		939, 940, 941, 942,	
14618,	14654,	\setcaptionwidth . 13667		1140, 1165, 2118,	
14657,	14658,	\setchapterpreamble		2119, 2120, 2322,	
14680,	14685, 17657, 18340		2323, 2325, 2326,	
14695,	14713,	\setcitationfont .. 5123		2328, 2329, 2331,	
14718,	14749,	\setcounter . 429, 464,		2332, 2334, 2335,	
14830,	14846,	739, 771, 815, 991,		2337, 2338, 2340,	
15407,	15421,	1023, 1067, 1241,		2341, 2342, 2347,	
15424,	15443,	1273, 1317, 1980,		2348, 2386, 2387,	
15444,	15450,	5196, 5215, 5234,		2389, 2390, 2391,	
15451,	15462,	5266, 5516, 6028,		2392, 2450, 2459,	
15464,	15466,	6313, 6528, 6560,		2460, 2463, 2465,	
15468,	15471,	6705, 6737, 6824,		2468, 2469, 2471,	
15473,	15475,	6859, 8547, 8580,		2474, 2540, 2550,	
15477,	15487,	8642, 8677, 10647,		2551, 2552, 4433,	
15489,	15498,	10680, 10976,		4460, 4461, 4462,	
15500,	15515,	13028, 13029,		4463, 4484, 4490,	
15517,	15525,	14426, 15200,		4491, 4524, 4527,	
15527,	15536,	15221, 15937,		4531, 4577, 4629,	
15617,	15618,	15969, 16013,		4630, 5131, 5132,	
15648,	15666,	16076, 16108,		5133, 5134, 5140,	



5382, 5675, 5676,	20669, 20670,	18067, 18357,
5677, 5678, 5679,	20683, 20701, 20702	19024, 20181, 20183
5680, 5681, 5682,	\setLTRbibitems .. 20736	\setupL@lbox 13075, 13082
5684, 5685, 5687,	\setLTRcitationfont 5124	\Setversedim
5690, 5691, 5692,	\setLTRmarginnotefont	... 6041, 6045, 6071
5693, 5910, 5911, 5121	\SetWatermarkText . 8240
6436, 6458, 6613,	\setLTRmarginpar . 21279	\sevendcolumnfootnotes
6635, 6899, 6914,	\setLTRsidenotefont 5118 9705
7185, 7908, 7912,	\setLTRtable 1562	\sf 18020, 18026,
7914, 7917, 8303,	\setmarginnotefont 5120	18032, 18038,
8448, 8463, 9038,	\setnonlatin 1557	18044, 18050,
9041, 9078, 10553,	\setparsizes .. 16914,	18056, 18062, 18068
10567, 11322,	17026, 17463,	\sf@size 12951
11796, 11904,	17575, 18162, 18274	\sfcode 93,
11905, 11911,	\setRL 15623, 20700	296, 579, 711, 974,
11912, 11914,	\setRTL . 15584, 15587,	1224, 6491, 6679,
11915, 11984,	15599, 15623,	6991, 8512, 8786,
11985, 11997,	20338, 20378,	10620, 12924,
12001, 12003,	20412, 20668,	15141, 15909,
12005, 12009,	20671, 20683, 20700	16303, 16500,
12011, 13034,	\setRTLbibitems .. 20735	16703, 17111,
13035, 13036,	\setRTLcitationfont 5125	17691, 18374, 19035
13037, 13076,	\setRTLmain 1865	\sh@wgridXunit ... 15637
13083, 13084,	\setRTLmarginnotefont	\sh@wgridYunit ... 15637
13085, 13097, 5122	\shadowbox 8417
13098, 13121,	\setRTLmarginpar . 21278	\shadowsize 8427, 8431,
13126, 13129,	\setRTLsidenotefont 5119	8432, 8435, 8436, 8439
13688, 15240,	\setRTLtable 1561	\shipout 10946,
15849, 15871,	\setsidenotefont .. 5117	11716, 11726, 21300
16221, 16243,	\setSingleSpace 8984, 8989	\shortauthors
16450, 16620,	\setspace@singlespace	.. 115, 116, 121,
16635, 16856,	... 5327, 5345, 5363	12983, 12984, 12989
17180, 17206,	\setthesection ... 14443	\shortcite 15143
17405, 17760,	\settodepth 15236	\shorttitle
17786, 18104,	\settoheight . 8300, 15237	.. 114, 115, 121,
18443, 18469,	\settowidth 89,	12982, 12983, 12989
18944, 18945,	292, 568, 703, 966,	\showbox 11522
18993, 18994,	1216, 2454, 6483,	\showgridps 15636
18996, 19365,	6671, 6980, 7910,	\showoutput 11522
19369, 19370,	8345, 8504, 8775,	\sidecaptionsep 18661,
19372, 19373,	10612, 12920,	18662, 21501,
19375, 19376,	13123, 15239,	21505, 21510,
19378, 19379,	15901, 16295,	21512, 21516, 21518
19381, 19382,	16489, 16692,	\sidenote 5193,
19542, 19650,	17094, 17674,	5247, 5285, 5380, 5471
19995, 20801, 20804	18019, 18025,	\sidenotes 5290
\setLR 15624, 20701	18031, 18037,	\sideways 16826
\setLTR 15585,	18043, 18049,	\sigindent 18080
15586, 15599,	18055, 18061,	\sixcolumnfootnotes 9596
15624, 15625,		\sixt@n 2260, 2282



<code>\size@chapter</code> 15679	15823, 15928,	7466, 7472, 7635,
<code>\skip</code> . 1599, 1880, 6234,	16065, 16273,	7643, 7644, 8744,
6235, 8019, 8076,	16325, 16522,	10582, 11422,
9066, 9091, 9099,	16900, 17449, 18148	11430, 11431,
9107, 9121, 9137,	<code>\smallcaps</code> 6011, 6012, 6013	11455, 11463,
9140, 9145, 10228,	<code>\smallskip</code>	13060, 13092,
10230, 10232,	. . 15062, 15067,	13093, 14129,
10234, 10290,	15074, 15083,	14836, 14838,
10292, 10294,	15094, 15099,	14839, 14840,
10296, 10462,	15104, 15111,	14841, 15007,
10471, 10494,	15118, 15125, 15676	15014, 15644,
10507, 11340,	<code>\smash</code> 4685, 4690, 4701,	16670, 16713,
11559, 11560,	4702, 4705, 4706,	16756, 16965,
11571, 11573,	4913, 7968, 7989,	17116, 17514,
11620, 11622,	11386, 13157,	17696, 18213,
11676, 11681,	15621, 20696, 20698	18379, 18848,
11744, 11755,	<code>\SOUL@apo</code> 18683	18850, 18907,
11762, 11796,	<code>\SOUL@comma</code> 18682	19732, 19734,
14963, 14969,	<code>\SOUL@do</code> 18685	20300, 20967, 21249
14973, 14978,	<code>\SOUL@eventuallyxexhyphen</code>	<code>\spacefactor</code> . . . 5306,
14982, 15044, 18672	5311, 5317, 5320
15048, 15605,	<code>\SOUL@grave</code> 18684	<code>\spaceskip</code> . 18716, 18721
15611, 21101,	<code>\SOUL@ignorespacesfalse</code>	<code>\speci@ls</code> . . 15025, 15032
21117, 21128, 21136 18676	<code>\special</code>
<code>\skip@</code> 311, 312	<code>\SOUL@lasttoken</code> . . 18679	1621, 1794, 1803,
<code>\sloppy</code> 42, 56,	<code>\SOUL@lowerthan</code> . . 18669	1894, 1920, 1969,
72, 92, 245, 259,	<code>\SOUL@minus</code> 18681	15618, 18904,
274, 295, 575, 710,	<code>\SOUL@postamble</code> . . 18686	18905, 18909,
973, 1223, 2559,	<code>\SOUL@preamble</code> . . 18678	18910, 18912, 20693
6490, 6678, 6987,	<code>\SOUL@soeventuallyskip</code>	<code>\spinemargin</code> . . 8250, 8254
8511, 8782, 10619, 18673	<code>\split@prev</code>
11554, 12923,	<code>\SOUL@spaceskip</code> . . 18674	. 11165, 11173, 11178
13758, 15140,	<code>\SOUL@start</code> 18667	<code>\splitbotmark</code> . . . 11459
15759, 15908,	<code>\SOUL@ulcolor</code> . 18698,	<code>\splitfirstmark</code> . . .
16302, 16496,	18704, 18710, 18718 7339, 7402,
16699, 17110,	<code>\SOUL@uldp</code> 18710	10778, 10814,
17690, 18373, 19031	<code>\SOUL@uleveryspace</code> 18712	11458, 11580,
<code>\slshape</code> . . . 648, 876,	<code>\SOUL@ulht</code> 18710	11629, 14561,
1131, 2506, 6427,	<code>\SOUL@ulleaders</code> . . .	14661, 21009, 21056
6604, 7810, 7811,	. 18698, 18704, 18720	<code>\SplitFootnoteRule</code>
7901, 7902, 7904,	<code>\SOUL@uloverlap</code> . . 18691 1692, 11164
15840, 16212, 16426	<code>\SOUL@ulunderline</code> 18688	<code>\splitfootnoterule</code>
<code>\small</code> . . 406, 631, 730,	<code>\SOUL@word</code> 18680 11168, 11176
937, 982, 1190,	<code>\soulomit</code> 18671	<code>\splitmaxdepth</code> 40, 54,
1232, 2005, 2420,	<code>\space</code> 1497,	70, 243, 257, 272,
2510, 2515, 2545,	3113, 3256, 4081,	7333, 7396, 9083,
5657, 5658, 5723,	4268, 4270, 4281,	10773, 10809,
5731, 5736, 5755,	4283, 4286, 4749,	11220, 11237,
6519, 6696, 6801,	4754, 4755, 4888,	11253, 11574,
8526, 8619, 10626,	4889, 6755, 6950,	



11623, 14555,	3369, 3382, 3383,	10358, 10362,
14655, 21003, 21050	3394, 3395, 3408,	13772, 17164,
\splittopskip . . . 40,	3409, 3440, 3454,	17166, 17185,
54, 70, 243, 257,	3455, 3456, 3457,	17187, 17190,
272, 9082, 9154,	3461, 4081, 4090,	17192, 17195,
9158, 9268, 9269,	4094, 4100, 4111,	17199, 17201,
9273, 9274, 9371,	4268, 4270, 4281,	17211, 17213,
9372, 9376, 9377,	4283, 4284, 4285,	17218, 17222,
9480, 9481, 9485,	4286, 4288, 4888,	17744, 17746,
9486, 9589, 9590,	4889, 7147, 7150,	17765, 17767,
9594, 9595, 9698,	7168, 7171, 10183,	17770, 17772,
9699, 9703, 9704,	10185, 11426,	17775, 17779,
9807, 9808, 9812,	11427, 11428,	17781, 17791,
9813, 9916, 9917,	11429, 11430,	17793, 17798,
9921, 9922, 10025,	11552, 11886,	17802, 18082,
10026, 10030,	11887, 15769,	18427, 18429,
10031, 10134,	15770, 16965,	18448, 18450,
10135, 10139,	17116, 17118,	18453, 18455,
10140, 11219,	17124, 17514,	18458, 18462,
11236, 11252,	17696, 17698,	18464, 18474,
11453, 11454, 15417	17704, 18213,	18476, 18481,
\stepcounter . . . 3420,	18379, 18381,	18485, 18955, 18960
3426, 3434, 3440,	18387, 18874,	\strutbox 40, 54,
5204, 5223, 5242,	20299, 20556,	70, 243, 257, 272,
5274, 5394, 5423,	20603, 20967, 20987	378, 382, 8875,
5452, 6204, 10975,	\strip@prefix . 3164, 3177	8881, 8887, 9083,
11046, 11116,	\strip@pt . 2835, 2931,	9268, 9273, 9371,
11186, 11195,	8189, 8192, 8197,	9376, 9480, 9485,
12647, 13600,	8200, 10241, 10303	9589, 9594, 9698,
15195, 15199,	\stripsep . 7384, 7443,	9703, 9807, 9812,
15216, 15220,	7458, 7504, 7513,	9916, 9921, 10025,
16710, 16753, 21372	7523, 7568, 7678,	10030, 10134,
\stopbreaks . . 8805, 18079	7687, 7697, 14589,	10139, 10223,
\str 13841, 13892,	14591, 14598,	10285, 11220,
13964, 13982,	14689, 14691,	11227, 11237,
14044, 14068,	14698, 14760,	11244, 11253,
14073, 14147,	14763, 14765, 14772	11260, 11287,
14178, 14191,	\strut 46,	11301, 11315,
14213, 14267, 14299	60, 76, 249, 263,	13619, 13635,
\stretch 1467,	278, 2035, 8813,	13677, 13774,
1470, 7111, 7114	9221, 9224, 9227,	17208, 17209,
\string . . . 352, 1377,	9327, 9330, 9333,	17788, 17789,
1719, 1723, 2602,	9433, 9436, 9439,	18471, 18472,
2638, 2644, 2716,	9542, 9545, 9548,	18738, 18739,
2718, 2736, 2737,	9651, 9654, 9657,	18774, 20904, 20905
2740, 2741, 2918,	9760, 9763, 9766,	\subfig@oldlabel . .
2958, 2959, 2965,	9869, 9872, 9875, 4619, 4621
3113, 3143, 3164,	9978, 9981, 9984,	\subfigure . . . 4618, 4625
3167, 3194, 3196,	10087, 10090,	\subitem
3256, 3325, 3368,	10093, 10354,	108, 228, 5766, 12940



1035, 1036, 1045,	3698, 3704, 3788,	13151, 13153,
1068, 1085, 1236,	3789, 3790, 3815,	13158, 13692,
1248, 1274, 1285,	4334, 4341, 4370,	13695, 14257,
1286, 1295, 1318,	5161, 5171, 5306,	14560, 14562,
1336, 1981, 5819,	5317, 6123, 6130,	14573, 14590,
5820, 5821, 5822,	6261, 6264, 6267,	14597, 14603,
5825, 5832, 5833,	6271, 6274, 6277,	14660, 14662,
5849, 5850, 5865,	6382, 6997, 7002,	14673, 14690,
5866, 5877, 6523,	7046, 7107, 7338,	14697, 14703,
6535, 6561, 6700,	7340, 7401, 7403,	14773, 14836,
6712, 6738, 6805,	7466, 7472, 7473,	14838, 14839,
6825, 6860, 6879,	7474, 7606, 7616,	14840, 14841,
8530, 8548, 8581,	7635, 7643, 7644,	14842, 15134,
8598, 8623, 8643,	7645, 7648, 7650,	15299, 15315,
8678, 8697, 10630,	7651, 7652, 10227,	15319, 15322,
10648, 10681,	10289, 10777,	15347, 15371,
10698, 14396,	10779, 10813,	15378, 15385,
15932, 15944,	10815, 11044,	15539, 15540,
15970, 15981,	11059, 11060,	16726, 16736,
15982, 15991,	11063, 11064,	16745, 16772,
16014, 16031,	11067, 11120,	16784, 16794,
16069, 16083,	11124, 11178,	17101, 17681,
16109, 16122,	11351, 11365,	18364, 18767,
16123, 16132,	11415, 11422,	18768, 18798,
16155, 16175,	11426, 11427,	18817, 18819,
16329, 16359,	11428, 11429,	18843, 18848,
16399, 16417,	11430, 11431,	18850, 18851,
16526, 16546,	11439, 11445,	18854, 18855,
16581, 16600,	11452, 11453,	18858, 18861,
16904, 16989,	11455, 11460,	18862, 18865,
17020, 17453,	11462, 11463,	18973, 19730,
17538, 17569,	11477, 11503,	19733, 19735,
18152, 18237, 18268	11533, 11534,	19811, 20082,
\thankses 323	11535, 11540,	20085, 20086,
\the . . . 124, 125, 1365,	11541, 11542,	20088, 20090,
1459, 1460, 1462,	11552, 11579,	20094, 20099,
1463, 1524, 1632,	11581, 11628,	20103, 20114,
1846, 1905, 1945,	11630, 11856,	20115, 20118,
1947, 1950, 1952,	11901, 12434,	20124, 20128,
2191, 2193, 2196,	12442, 12443,	20136, 20137,
2199, 2204, 2207,	12449, 12451,	20174, 20190,
2210, 2315, 2651,	12480, 12481,	20194, 20293,
2653, 2654, 2675,	12487, 12489,	20456, 20468,
2677, 2678, 3128,	12520, 12522,	20473, 20494,
3456, 3551, 3606,	12551, 12553,	20495, 20497,
3634, 3636, 3641,	12582, 12584,	20619, 20620,
3643, 3644, 3654,	12992, 12993,	20748, 20805,
3661, 3663, 3668,	13090, 13092,	20973, 20975,
3672, 3673, 3678,	13136, 13138,	20987, 21008,
3683, 3691, 3694,	13143, 13145,	21010, 21055, 21057



<code>\the@cornersize</code> . . .	16698, 17108,	11360, 11370,
. 10734, 10735	17688, 18371, 19030	11375, 12301,
<code>\thealgocf</code> 168	<code>\theequation</code>	12312, 12323,
<code>\theAlgoLine</code> 21444 6511, 6688,	12453, 12491,
<code>\thechapter</code> 308,	6933, 8727, 10717,	12524, 12555,
5528, 6506, 6512,	11009, 11022,	12586, 12648, 13804
6514, 6516, 6683,	13002, 14444,	<code>\thempfootnote</code>
6689, 6691, 6693,	15918, 16287, 11329, 13804
6755, 6934, 6936,	16472, 16654,	<code>\theorem@indent</code> 15209,
6938, 6939, 6940,	17644, 18331, 21392	15210, 15229, 15230
6950, 8728, 8730,	<code>\thefigure</code> 6513,	<code>\theorem@prework</code> . 15203
8732, 8733, 8734,	6690, 6935, 8729,	<code>\theorempostskipamount</code>
8744, 10582,	10719, 11011, 15204, 15224
10712, 10718,	11024, 14446,	<code>\theorempreskipamount</code>
10720, 10722,	15920, 16283, 15207, 15227
11010, 11012,	16474, 16656,	<code>\thepage</code> 1943,
11014, 11015,	17628, 18323, 18754	1948, 2535, 4660,
11016, 11023,	<code>\thefootdir@label</code> .	4772, 4773, 4774,
11025, 11027,	.. 11044, 11047,	4783, 4784, 5999,
11028, 11029,	11076, 11081,	6000, 6011, 6012,
13300, 14434,	11099, 11102, 11122	6013, 7532, 7550,
14443, 14445,	<code>\thefootnote</code> 446,	7707, 7725, 15007,
14446, 14447,	738, 797, 990,	15014, 20500, 21249
15175, 15682,	1049, 1240, 1299,	<code>\theparagraph</code> 21,
15913, 15919,	1972, 6527, 6704,	22, 216, 217, 541,
15921, 15923,	6841, 8562, 8659,	542, 695, 696, 949,
16278, 16284,	10662, 12334,	950, 1208, 1209,
16286, 16288,	15936, 15995,	5549, 6509, 6510,
16473, 16475,	16075, 16136,	6686, 6687, 6943,
16477, 16478,	16332, 16375,	6944, 8614, 8615,
16655, 16657,	16562, 16907,	8737, 8738, 10715,
16659, 16660,	16971, 17456,	10716, 11019,
16661, 16670,	17520, 18155, 18219	11020, 11032,
17614, 17616,	<code>\thefootnotemark</code> . .	11033, 12976,
17630, 17632, 16879,	12977, 14439,
17638, 17640,	17428, 17998, 18127	14442, 15916,
17646, 17648,	<code>\theHchapter</code> 15175	15917, 16281,
18312, 18324,	<code>\theHsection</code> 15183, 15185	16282, 16481,
18328, 18332, 19057	<code>\theindex</code> . 98, 218, 12930	16482, 16664,
<code>\thecontentspage</code> 5586,	<code>\TheList</code> 3652	16665, 17068,
5593, 5600, 5607, 5614	<code>\thelstlisting</code> 13271,	17070, 17624,
<code>\thedate</code> . 5815, 5823, 5869	13276, 13299, 13302	17626, 18319, 18321
<code>\theenumiv</code> 86,	<code>\thempfn</code>	<code>\thepart</code>
89, 289, 292, 574,	2216, 2224, 2232,	. 546, 554, 8474, 8482
709, 972, 1222,	5395, 5401, 5424,	<code>\ther@tfl@t</code> . . . 16711,
2558, 6489, 6677,	5430, 5453, 5459,	16712, 16754, 16755
6986, 8510, 8781,	6282, 6289, 6296,	<code>\thesection</code> 19,
10618, 12917,	11187, 11192,	214, 539, 693, 947,
12920, 15907,	11196, 11201,	1206, 5535, 6506,
16301, 16495,	11329, 11355,	6507, 6683, 6684,



6940, 6941, 8612,	10715, 11018,	823, 1030, 1075,
8734, 8735, 10712,	11019, 11031,	1280, 1325, 1988,
10713, 11016,	11032, 12975,	2437, 2476, 5814,
11017, 11029,	12976, 14437,	5829, 6567, 6744,
11030, 12974,	14440, 15915,	6833, 6869, 8554,
14434, 14436,	15916, 16280,	8588, 8651, 8687,
15183, 15185,	16281, 16480,	10654, 10688,
15913, 15914,	16481, 16663,	15976, 16021,
16278, 16279,	16664, 17065,	16117, 16164,
16478, 16479,	17068, 17621,	16367, 16408,
16661, 16662,	17624, 18316, 18319	16554, 16590,
17064, 17612,	\thetable 6515,	17007, 17556, 18255
17620, 18311, 18315	6692, 6937, 8731,	\TitleBarFrame
\thesubparagraph . .	10721, 11013,	. . 11380, 11399,
. . . 22, 217, 542,	11026, 14447,	11401, 11403, 11405
696, 950, 1209,	15922, 16285,	\titlecolour . . 2406, 7868
6510, 6687, 6944,	16476, 16658,	\titlecontents . 5581,
8615, 8738, 10716,	17636, 18327, 18755	5588, 5595, 5602, 5609
11020, 11033,	\thinlines 7197,	\TitleFont 727,
12977, 14441,	7207, 7220, 7230,	743, 834, 836, 842,
15917, 16282,	7243, 7253, 7266, 7276	979, 995, 1086,
16482, 16665,	\thispagestyle . 101,	1088, 1094, 1229,
17069, 17625, 18320	113, 221, 462,	1245, 1337, 1339,
\thesubsection . . 19,	594, 609, 813, 858,	1345, 1348, 1349,
20, 214, 215, 539,	1065, 1110, 1315,	1354, 6532, 6709,
540, 693, 694, 947,	5900, 5922, 5943,	15925, 15941,
948, 1206, 1207,	6406, 6583, 6794,	16032, 16034,
5542, 6507, 6508,	6857, 8578, 8675,	16040, 16062,
6684, 6685, 6941,	8792, 8795, 10678,	16080, 16178,
6942, 8612, 8613,	12933, 12981,	16180, 16186,
8735, 8736, 10713,	13005, 13008,	16189, 16190, 16195
10714, 11017,	14424, 15801,	\titlefont 2415,
11018, 11030,	16011, 16056,	2423, 7901, 16926,
11031, 12974,	16152, 16396,	17039, 17475,
12975, 14435,	16516, 16578,	17588, 18174, 18287
14438, 15914,	16912, 16985,	\titleformat . . . 5525,
15915, 16279,	17461, 17534,	5532, 5539, 5546
16280, 16479,	18160, 18233, 19089	\titlehead
16480, 16662,	\thm@topsepadd 15204,	. 17009, 17558, 18257
16663, 17064,	15205, 15208,	\titlepage 620,
17066, 17620,	15224, 15225, 15228	927, 1179, 6472,
17622, 18315, 18317	\thr@@ 349, 365,	6660, 15812, 16262
\thesubsubsection 20,	1374, 1392, 1416,	\titlepagestyle . . .
21, 215, 216, 540,	1425, 9372, 9377,	. 16985, 17534, 18233
541, 694, 695,	14998, 15016,	\titlespacing
948, 949, 1207,	18674, 18871, 18891	. . . 5553, 5554, 5555
1208, 6508, 6509,	\threecolumnfootnotes	\titlestyle . . . 2423, 7932
6685, 6686, 6942, 9275	\tl 13824, 13832,
6943, 8613, 8614,	\tiny 2018, 5297, 5669	13837, 13839,
8736, 8737, 10714,	\title 320, 438, 474, 778,	13840, 13841,



13842,	13844,	14335,	14336,	\tocstyle@feature@parfillskip
13845,	13847,	14337,	14338, 20143, 20144
13850,	13854,	14348,	14349,	\tocstyle@feature@raggedhook
13863,	13867,	14350,	14355, 20079
13870,	13875,	14360,	14362,	\tocstyle@feature@spaceafternumber
13880,	13888,	14365,	14366, 20180,
13890,	13891,	14371,	14372,	20184, 20205, 20209
13892,	13893,	14377, 14389, 14390		\tocstyle@indentstyle
13895,	13897,	\tmpcount 3842, 3868	 20130, 20200
13899,	13900,	\toaddress .. 8801, 13014		\tocstyle@l@define
13902,	13908,	\toc@headstar 19079, 19084		.. 20217, 20220,
13912,	13915,	\tocbasic@DependOnPenaltyAndTOCLevel	15, 20229,	
13916,	13919, 19674	20233, 20237,	
13926,	13931,	\tocbasic@SetPenaltyByTOCLevel	20241, 20245,	
13939,	13942, 19758	20249, 20253, 20285	
13943,	13944,	\TOCEntryStyleStartInitCode	\tocstyle@macrochangewarning	
13945,	13946,	.. 17288, 17301, 20273, 20280	
13949,	13955,	17320, 17868,	\tocstyle@numberline	
13956,	13957,	17881, 17900, 20059, 20178	
13962,	13964,	18551, 18564, 18583	\tocstyle@samed@dottedtocline	
13971,	13975,	\toclevel@subfigure 20275	
13980,	13982, 19291	\tocstyle@samed@numberline	
13984,	13986,	\toclevel@subtable 19311 20283	
14005,	14011,	\TOCLineLeaderFill	\tocstyledepth 20070,	
14012,	14013, 17305,	20082, 20094,	
14014,	14015,	17322, 17885,	20114, 20115,	
14027,	14030,	17902, 18568,	20118, 20136,	
14033,	14035,	18585, 19775, 20036	20137, 20186,	
14059,	14060,	\tocstyle@@numberline	20188, 20190, 20194	
14062,	14071, 20181,	\tocstyleTOC	
14074,	14075,	20183, 20201,	.. 20082, 20085,	
14076,	14077,	20203, 20206, 20208	20086, 20088,	
14078,	14079,	\tocstyle@activate@all@l	20090, 20094,	
14081,	14087, 20294	20095, 20097,	
14092,	14095,	\tocstyle@activate@features	20098, 20102,	
14096,	14109, 20071	20106, 20107,	
14111,	14112,	\tocstyle@dottedtocline	20110, 20111,	
14113,	14114, 20058	20114, 20115,	
14115,	14116,	\tocstyle@feature@dotohook	20118, 20120,	
14117,	14126, 20157	20122, 20123,	
14129,	14133,	\tocstyle@feature@entryhook	20127, 20132,	
14134,	14135, 20153	20133, 20136,	
14138,	14152,	\tocstyle@feature@entryvskip	20137, 20186,	
14158,	14171, 20072, 20075	20188, 20189, 20193	
14176,	14180,	\tocstyle@feature@leaders	\today 5823	
14201,	14209, 20155, 20160	\token 15273	
14210,	14235,	\tocstyle@feature@pagenumberhook 122,	
14239,	14240, 20163, 20166	124, 1459, 1460,	
14241,	14254,	\tocstyle@feature@pagenumberhook	1462, 1463, 5154,	
14326,	14327, 20164, 20166	5155, 5161, 7107,	



11458, 11459,	10821, 11578,	\ttl@contentsstretch
11460, 12990, 12992	11587, 11627, 18985
\toks@ 121, 125,	11636, 14559,	\ttl@corr
1619, 1632, 1892,	14568, 14659,	. 19000, 19001, 19004
1905, 4366, 4370,	14668, 21007,	\ttl@endlongest .. 18963
7337, 7338, 7339,	21016, 21054, 21063	\ttl@filleft 18937, 18966
7340, 7400, 7401,	\topsep ... 2100, 2109,	\ttl@filright 18938, 18967
7402, 7403, 10776,	2550, 4453, 5663,	\ttl@glcmds 18950
10777, 10778,	5705, 14456, 14458	\ttl@hmode@error . 18949
10779, 10812,	\topskip 301,	\ttl@leaders 19002
10813, 10814,	1966, 7592, 7595,	\ttl@lselect 19009, 19012
10815, 11578,	11464, 11466,	\ttl@makeline 18943, 18998
11579, 11580,	11471, 14462,	\ttl@margin . 18997, 19003
11581, 11627,	14753, 19055,	\ttl@midlongest .. 18962
11628, 11629,	19061, 19066,	\ttl@outnoblock .. 18976
11630, 11853,	19073, 19078, 19083	\ttl@savel@chapter 19011
11856, 11890,	\TOTALHEIGHT 18903, 18907	\ttl@savel@part .. 19008
11892, 11896,	\totalheight 11883	\ttl@hang 18942
11898, 11901,	\tovalue	\turn 16798
12431, 12434,	3726, 3813, 3821,	\turnbox 16819
12989, 12993,	3852, 3865, 3871, 3872	\tw@ ... 348, 356, 1373,
14559, 14560,	\tracingmacros 3841	1381, 1415, 1419,
14561, 14562,	\traditionalconnverses	1424, 2272, 2959,
14659, 14660,	... 6061, 6084, 6100	9269, 9274, 10739,
14661, 14662,	\traditionalhalfverses	10740, 11457,
18817, 18837, 6050,	11461, 11462,
18843, 21007,	6054, 6061, 6094	11476, 11480,
21008, 21009,	\traditionalpoem .. 6303	11485, 11488,
21010, 21054,	\traditionalpoem@cr	11499, 11503,
21055, 21056, 21057	... 6174, 6223, 6224	11504, 11505,
\tolerance	\traditionalpoem@obeylines	11506, 11509,
9217, 9323, 9429, 6104, 6303	11808, 11809,
9538, 9647, 9756,	\traditionalpoem@par	11819, 11821,
9865, 9974, 10083	... 6104, 6105, 6223	11822, 11824,
\toname 8801, 13014	\trimb 5156, 5163	11825, 11828,
\topheight	\trimc 5165	11830, 11831,
.. 15426, 15428,	\trivlist	11865, 11867,
15429, 15430,	. 10867, 15206, 15226	11868, 11870,
15432, 15438,	\ttdefault ... 7807, 7899	11871, 11874,
15440, 15442,	\ttfamily	11876, 11877,
15443, 15444,	2005, 2045, 2046,	13140, 14846,
15507, 15508,	2048, 2049, 2050,	14853, 14854,
15509, 15510,	2051, 2052, 2053, 2054	14862, 14863,
15514, 15515, 15519	\ttl@a 18978, 18980	14868, 14869,
\topins 15602	\ttl@b 18973,	14875, 14885,
\topmargin 1958, 2360,	18974, 18978, 18980	14886, 14893,
8272, 10960, 21338	\ttl@beginlongest 18948	14894, 14917,
\topmark .. 7337, 7346,	\ttl@calc .. 18943, 18955	14922, 15618,
7400, 7409, 10776,	\ttl@change@centercr	15619, 16870,
10785, 10812, 18947	17419, 17990,



18118, 18674,	\TX@trial	\undefined 4172, 6256,
18772, 18870,	. 18806, 18811, 18827	6309, 6312, 6314,
18878, 19203,	\TX@trial@ftn	17169, 17171,
20693, 20694,	. 18830, 18831, 18832	17173, 17749,
20923, 20927, 20929	\TX@typeout@ 18804, 18846	17751, 17753,
\twocolumn	\TX@verb 18797	18432, 18434, 18436
. . 455, 591, 607,	\TX@vwarn 18833	\underline . 20882, 20890
806, 856, 1058,	\TX@xftntext 18813	\undertext 20890
1108, 1308, 1942,	\TX@xLTRftntext . . .	\unexpanded 2986,
6404, 6581, 6791, 18814, 18857	2995, 2996, 3003,
6850, 7531, 7706,	\TX@xRTLftntext . . .	3004, 3017, 3018,
8571, 8668, 10671, 18815, 18864	3025, 3026, 3127, 3248
14415, 15799,	\typeout 1523,	\unhbox 1489,
16004, 16054,	1525, 4656, 4658,	6129, 6394, 7133,
16145, 16389,	4659, 4660, 4662,	10144, 10167,
16513, 16571,	4664, 4665, 4666,	10176, 10179,
16978, 17527,	11054, 15658,	10421, 10425,
18226, 19055,	20082, 20094,	10431, 10435,
19061, 19066,	20114, 20115,	10441, 10444,
19073, 19078, 19083	20118, 20136, 20137	10450, 10453,
\twocolumnfootnotes 9166		12856, 12861,
\TX@ 18794,	U	12889, 12894,
18795, 18823, 18824	\uc@authornothanks	12906, 12911,
\TX@align . . 18847, 18849	. . 755, 784, 789,	20812, 20933,
\TX@arith 18809	1007, 1036, 1041,	20934, 20935, 20936
\TX@ckpt . . . 18799, 18845	1257, 1286, 1291,	\unhcopy 12872, 12877,
\TX@col@width . 18796,	6544, 6721, 15953,	18694, 18706, 18782
18802, 18807, 18850	15982, 15987,	\unhskip 3646
\TX@cols	16092, 16123, 16128	\unitindent 630,
. 18803, 18807, 18851	\uc@ax 785,	641, 642, 644,
\TX@endtabularx 12420,	786, 1037, 1038,	718, 724, 868,
12431, 12437, 18792	1287, 1288, 15983,	869, 871, 937, 938,
\TX@find@endtabularxa	15984, 16124, 16125	940, 941, 953, 958,
. 18794, 18795	\uc@nothanks	1052, 1124, 1125,
\TX@find@endtabularxb	. . 746, 783, 784,	1127, 1189, 1198,
. 18824	793, 998, 1035,	1204, 6420, 6421,
\TX@find@endtabularxbb	1036, 1045, 1248,	6423, 6498, 6504,
. 18822	1285, 1286, 1295,	6597, 6598, 6600,
\TX@ftn . 18819, 18854,	6535, 6712, 15944,	6651, 6657, 15822,
18856, 18858,	15981, 15982,	15833, 15834,
18861, 18863, 18865	15991, 16083,	15836, 15887,
\TX@ftntext 18813	16122, 16123, 16132	15893, 16205,
\TX@LTRftntext	\uc@tx 783,	16206, 16208,
. 18814, 18853	791, 1035, 1043,	16272, 16310, 16316
\TX@newcol 18796	1285, 1293, 15981,	\unitlength
\TX@old@table 18801	15989, 16122, 16130	7197, 7207, 7220,
\TX@RTLftntext	\uc@ty 792,	7230, 7243, 7253,
. 18815, 18860	793, 1044, 1045,	7266, 7276, 15240
\TX@target . 18802, 18816	1294, 1295, 15990,	\unkern 5318
	15991, 16131, 16132	\unpenalty



	7032, 7575, 7587, 7598, 7604, 10147, 10164, 10173, 11488		7973, 7976, 7977, 7994, 7997, 7998, 8023, 8030, 8035, 8040, 8080, 8085, 8089, 8094, 8933, 8944, 8955, 9048, 9069, 9124, 9130, 9165, 9230, 9242, 9255, 9336, 9347, 9359, 9442, 9454, 9467, 9551, 9563, 9576, 9660, 9672, 9685, 9769, 9781, 9794, 9878, 9890, 9903, 9987, 9999, 10012, 10096, 10108, 10121, 10142, 10373, 10392, 10406, 10418, 10428, 10438, 10447, 10483, 10491, 10498, 10505, 10511, 11278, 11292, 11306, 11343, 11348, 11451, 11461, 11488, 11576, 11625, 11697, 11699, 11743, 11748, 11754, 11758, 11765, 11781, 13704, 13709, 13718, 13721, 13779, 13797, 14557, 14586, 14588, 14596, 14614, 14616, 14657, 14686, 14688, 14696, 14714, 14716, 14771, 15464, 15468, 15473, 15477, 15489, 15500, 15520, 15523, 15528, 15602, 15603, 15607, 15612, 20812, 21005, 21052,		21100, 21105, 21116, 21120, 21127, 21132, 21139 \unvcopy . 7570, 8017, 8074 \uppercase 308, 763, 783, 1015, 1035, 1265, 1285, 6552, 6729, 15961, 15981, 16100, 16122 \uppercasenonmath 114, 12982 \uppermargin 8256 \uppertitleback 17012, 17561, 18260 \upshape 5586, 5593, 5600, 5607, 5614, 7808, 7812, 7813, 7900, 7905, 7906, 15677 \urlstyle 2379 \use 13955 \usebox . . . 2085, 2095, 4551, 4683, 4685, 4690, 4692, 4701, 4702, 4705, 4706, 4913, 8362, 8365, 8373, 8380, 8388, 8395, 8438, 11991, 11995, 12078, 12080, 12084, 12086, 12091, 12093, 12097, 12099, 12103, 12105, 12109, 12111, 12117, 12118, 12121, 12122, 12126, 12127, 12130, 12131, 12134, 12135, 12138, 12139, 12153, 12154, 12156, 12157, 12169, 12170, 12172, 12173, 12179, 12180, 12183, 12184, 12188, 12189, 12192, 12193, 12196, 12197, 12200,
\unrestored@protected@xdef 2216, 2224, 2232, 5401, 5430, 5459, 6282, 6289, 6296, 11192, 11201, 11360, 11375, 12301, 12312, 12323, 12334				
\unsetfootnoteRL 11207, 11208				
\unsetLTR . . 15587, 20671					
\unsetRL . . . 15625, 20702					
\unsetRTL . . 15586, 20670					
\unskip 46, 60, 76, 249, 263, 278, 336, 1441, 1442, 1443, 4710, 4713, 4716, 4719, 5409, 5438, 5467, 6156, 6167, 7029, 7335, 7398, 7575, 7587, 7598, 7600, 7604, 7608, 9116, 10145, 10146, 11338, 11576, 11625, 13731, 13773, 13776, 14557, 14657, 16803, 16813, 16831, 17166, 17187, 17192, 17201, 17746, 17767, 17772, 17781, 18429, 18450, 18455, 18464, 21005, 21052, 21281					
\untilcondition	3727, 3741, 3825, 3868				
\unvbox 7043, 7044, 7298, 7301, 7318, 7322, 7335, 7385, 7398, 7444, 7502, 7510, 7511, 7520, 7598, 7600, 7604, 7607, 7613, 7617, 7676, 7684, 7685, 7694, 7742,					



14595,	14613,	992, 1021, 1180,	\vsize 7540, 7715,
14618,	14657,	1183, 1242, 1271,	10936, 11413,
14680,	14685,	6116, 6473, 6476,	11464, 13716, 13724
14687,	14695,	6529, 6558, 6661,	\vskip 309, 312,
14713,	14718,	6664, 6706, 6735,	414, 417, 423, 482,
14749,	15288,	6808, 6822, 7973,	488, 494, 498, 560,
15450,	15451,	7994, 8531, 8545,	639, 741, 750, 760,
15464,	15468,	8626, 8640, 10631,	831, 835, 841, 845,
15473,	15477,	10645, 15608,	866, 993, 1002,
15489,	15500,	15813, 15816,	1012, 1083, 1087,
15515,	15517,	15938, 15967,	1093, 1097, 1122,
15519,	15522,	16077, 16106,	1243, 1252, 1262,
15527,	15564,	16263, 16266,	1333, 1338, 1344,
15571,	15572,	16342, 16356,	1348, 1354, 1357,
15579,	15688,	16529, 16543, 21343	2311, 6172, 6199,
17183,	17763,	\vfill 1934, 5896,	6235, 6236, 6242,
18446,	18750,	9155, 9159, 10543,	6246, 6248, 6359,
18784,	18789,	15515, 15520,	6361, 6418, 6457,
20216,	20219,	15521, 16728,	6530, 6539, 6549,
20224,	20228,	16743, 16775,	6595, 6634, 6707,
20232,	20236,	16792, 16920,	6716, 6726, 6757,
20240,	20244,	16942, 16947,	6762, 6766, 6768,
20248,	20252,	16953, 17469,	6774, 6778, 6780,
20644,	20652,	17491, 17496,	6809, 6812, 6818,
20653,	20661,	17502, 18168,	6877, 6883, 6889,
20802,	20807,	18190, 18195, 18201	6893, 6913, 6952,
20901,	20918,	\vfuzz . . . 5167, 5170, 5171	6957, 6965, 7384,
21005,	21020,	\vleftskip . 14430, 14431	7443, 7504, 7505,
21052,	21067,	\voffset 1962	7513, 7514, 7523,
21098,	21114,	\voidb@x 7010, 7074	7524, 7605, 7678,
21125,	21259,	\vphantom 20379	7679, 7687, 7688,
21300, 21339, 21342		\vpic . 15440, 15450, 15451	7697, 7698, 8038,
\vboxL 15572,		\vrighskip . 14430, 14431	8092, 8488, 8496,
16718, 16763, 20653		\vrule 380,	8532, 8535, 8541,
\vboxR 15564, 20644		1488, 4942, 4943,	8596, 8600, 8606,
\vcenter 391, 1473, 7117,		6115, 6117, 7132,	8610, 8627, 8630,
18784, 20720,		7354, 7419, 7482,	8636, 8695, 8701,
20809, 20810, 20901		7494, 7659, 7668,	8707, 8711, 8746,
\veqno 327, 328		10790, 10831,	8751, 8760, 9066,
\verb 18797		11599, 11646,	9091, 9099, 9107,
\VerbBox 8419, 8421		13633, 13690,	9121, 9137, 10462,
\verse@i 6146,		14039, 14301,	10471, 10484,
6177, 6183, 6191, 6232		14382, 14590,	10492, 10494,
\verse@ii		14597, 14622,	10507, 10566,
6157, 6178, 6184,		14690, 14697,	10584, 10588,
6186, 6192, 6194, 6232		14724, 14753,	10596, 10632,
\versewidth		14866, 14880,	10635, 10641,
. . . 6109, 6119, 6211		18710, 18738,	10696, 10700,
\vfil 413, 427, 621, 624,		18779, 20904,	10706, 10710,
740, 769, 928, 931,		21024, 21073, 21273	10960, 10964,



10965,	11340,	17139,	17144,	5326, 5331, 5344,
11449,	11487,	17228,	17230,	5349, 5362, 5367,
11492,	11744,	17234,	17236,	5484, 5493, 5502,
11755,	11762,	17247,	17249,	5583, 5590, 5597,
11782,	13119,	17257,	17259,	5604, 5611, 5894,
13239,	13252,	17432,	17439,	5938, 5942, 6751,
13660,	13677,	17473,	17476,	6771, 6946, 6960,
13678,	13680,	17478,	17484,	8740, 8755, 8800,
13794,	14456,	17486,	17488,	8802, 8804, 10579,
14458,	14461,	17504,	17582,	10591, 13013,
14502,	14511,	17586,	17589,	13015, 13761,
14519,	14588,	17591,	17598,	13774, 16667,
14589,	14591,	17600,	17603,	16679, 18073,
14598,	14615,	17608,	17719,	18076, 18078,
14688,	14689,	17724,	17808,	18083, 19055,
14691,	14698,	17810,	17814,	19061, 19066,
14715,	14760,	17816,	17827,	19073, 19078, 19083
14772,	14791,	17829,	17837,	\vsplit 7293,
14803,	14815,	17839,	18015,	7294, 7311, 7315,
15415,	15432,	18016,	18131,	7336, 7399, 7465,
15453,	15519,	18138,	18172,	7471, 7476, 7631,
15605,	15611,	18175,	18177,	7633, 7642, 7654,
15831,	15870,	18183,	18185,	7744, 9164, 10775,
15939,	15948,	18187,	18203,	10811, 11457,
15958,	16029,	18281,	18285,	11577, 11626,
16033,	16039,	18288,	18290,	14558, 14658,
16043,	16078,	18297,	18299,	15421, 15424,
16087,	16097,	18302,	18307,	15443, 15444,
16172,	16179,	18402,	18407,	15462, 15466,
16185,	16189,	18491,	18493,	15471, 15475,
16195,	16198,	18497,	18499,	15487, 15498,
16203,	16242,	18510,	18512,	15525, 21006, 21053
16343,	16346,	18520,	18522,	\vss 306,
16352,	16416,	19147,	19166,	7370, 7429, 7465,
16422,	16427,	19187,	19204,	7471, 7476, 7484,
16430,	16449,	19221,	19238,	7487, 7492, 7497,
16530,	16533,	19255,	19273,	7632, 7642, 7654,
16539,	16598,	19292,	19312,	7660, 7662, 7666,
16604,	16610,	19347,	19536,	7670, 7745, 8030,
16614,	16634,	20073,	20257,	8040, 8085, 8094,
16672,	16676,	20436,	20440,	10987, 13709,
16684,	16883,	20459,	20824,	13721, 14312,
16890,	16924,	20833,	20842,	15450, 15451,
16927,	16929,	20851,	20939,	15522, 15688, 20812
16935,	16937,	21101,	21117,	\vtop . . 391, 397, 1408,
16939,	16955,	21128,	21136,	1475, 5001, 5045,
17033,	17037,	21259,	21338,	5089, 7043, 7119,
17040,	17042,	21351, 21378, 21386		13624, 18750,
17049,	17051,	\vspace 2479, 4544, 4634,		18784, 18789,
17054,	17059,	4642, 5260, 5264,		20808, 20901,



20918, 21174, 21218	18051, 18057,	\wstrutbox . 15427, 15429
W	18063, 18069,	X
\waslice 15450, 15468,	18444, 18690,	\x 3862, 3863,
15473, 15489,	18848, 18899,	4333, 4336, 8205,
15508, 15509, 15518	18956, 18973,	8206, 8209, 8210,
\wbslice 15451,	19716, 19730,	8215, 8219, 8223,
15464, 15477,	20470, 20514,	8224, 8227, 8228,
15500, 15507,	20694, 20878, 21380	8233, 8237, 12822,
15509, 15510,	\WF@everypar 20433	12831, 12833, 12845
15514, 15515,	\WF@adjlw . . 20473, 20498	\XC@tmp 20541, 20542,
15522, 15527, 15528	\WF@adjtlm . 20495, 20498	20556, 20590,
\wd 1627, 1900,	\WF@box 20470, 20503, 20504	20591, 20599, 20603
6122, 6123, 6183,	\WF@floatfalse 20436,	\XC@tstfalse 20541, 20590
6184, 6186, 6192,	20444, 20454, 20457	\XC@tsttrue . . 20542,
6232, 6333, 6335,	\WF@fltmes 20463	20543, 20544,
6348, 6350, 7141,	\WF@info 20443,	20591, 20592, 20593
8432, 8436, 10152,	20453, 20456,	\XC@bidideclaredcolor
10750, 10877,	20465, 20500, 20502 20597, 20602
11386, 11504,	\WF@ovh 20470	\XC@bidideclaredcolor
11505, 11828,	\WF@place . . 20468, 20474 20596, 20598
11830, 11874,	\WF@putfigmaybe . . 20434	\XC@bidiundeclaredcolor
11876, 11997,	\WF@size . . . 20447, 20501 20581, 20583
12078, 12080,	\WF@startwrapping 20506	\XC@coremodel 20525, 20568
12084, 12086,	\WF@wfname	\XC@current@color .
12117, 12118,	. 20465, 20500, 20502 20553,
12121, 12122,	\WF@wrapil . 20494, 20497	20556, 20557,
12146, 12147,	\whilecondition 3727,	20587, 20603, 20604
12149, 12162,	3741, 3830, 3862	\XC@declaredcolor .
12163, 12165,	\whiledo 10920 20548, 20555
12179, 12180,	\widowpenalty . . . 92,	\XC@declaredcolor 20547
12183, 12184,	295, 578, 710,	\XC@display . . . 20554,
12208, 12210,	973, 1223, 2559,	20558, 20588, 20605
12214, 12216,	6220, 6490, 6678,	\XC@edef . . . 20541, 20590
12884, 12892,	6990, 8511, 8785,	\XC@fbox 20609
12901, 12909,	10619, 12923,	\XC@getmodclr 20521, 20564
13076, 13083,	15140, 15908,	\XC@inflate . 20535, 20578
13121, 13122,	16302, 16499,	\XC@let@Nc . 20556, 20603
13246, 13655,	16702, 17110,	\XC@mclr . . . 20535, 20578
13780, 14468,	17690, 18373, 19034	\XC@mmod 20533,
14472, 14474,	\WIDTH 18899, 18907	20534, 20576, 20577
14482, 14513,	\width . . 11407, 11808,	\XC@mul 20536, 20579
14832, 15408,	11896, 11898,	\XC@split 20599
15619, 15642,	14348, 14357, 14381	\XC@tgt@mod . 20529, 20572
15669, 16715,	\widthof 8287, 8292	\XC@type . . . 20542, 20591
16760, 16816,	\windowbox . 15517, 15523	\XC@undeclaredcolor
16823, 17181,	\wlog 7466, 7472, 20538, 20549
17761, 18021,	7474, 7635, 7643, 7650	\xcolor@ . . . 20553, 20587
18027, 18033,	\write 2601,	\xdef 333,
18039, 18045,	4321, 6105, 6108,	386, 2038, 2783,
	6319, 18836, 20986	



2918, 3003, 3004, 3007, 3008, 3025, 3026, 3029, 3030, 3414, 4212, 4367, 6123, 6125, 6206, 6208, 6210, 7338, 7340, 7401, 7403, 7983, 8004, 8049, 8055, 8056, 8101, 8107, 8108, 10227, 10241, 10289, 10303, 10473, 10777, 10779, 10813, 10815, 11178, 11579, 11581, 11628, 11630, 11771, 12432, 13069, 13640, 14560, 14562, 14660, 14662, 15371, 15378, 15385, 18973, 20098, 20102, 20123, 20127, 20189, 20193, 20468, 20473, 20494, 20495, 20497, 20498, 21008, 21010, 21055, 21057		\ym . . 8223, 8227, 8233, 8237 \yourmailname 18026 \yourrefname 18020 \yym . 8205, 8209, 8215, 8219	6358, 6402, 6406, 6407, 6418, 6419, 6422, 6424, 6437, 6460, 6512, 6514, 6516, 6524, 6541, 6579, 6583, 6584, 6595, 6596, 6599, 6601, 6614, 6637, 6689, 6691, 6693, 6701, 6718, 6752, 6772, 6789, 6794, 6795, 6854, 6901, 6916, 6934, 6936, 6938, 6947, 6961, 7012, 7013, 7024, 7026, 7109, 7111, 7116, 7130, 7132, 7133, 7138, 7139, 7140, 7141, 7142, 7176, 7187, 7305, 7459, 7506, 7515, 7525, 7543, 7546, 7583, 7625, 7680, 7689, 7699, 7718, 7721, 7971, 7992, 8009, 8010, 8012, 8013, 8021, 8043, 8045, 8048, 8066, 8067, 8069, 8070, 8078, 8095, 8097, 8100, 8401, 8423, 8425, 8427, 8430, 8432, 8434, 8436, 8438, 8439, 8445, 8450, 8464, 8478, 8491, 8575, 8672, 8718, 8728, 8730, 8732, 8741, 8756, 8874, 8880, 8886, 8999, 9004, 9011, 9016, 9023, 9028, 9134, 9135, 9136, 9216, 9322, 9428, 9537, 9646, 9755, 9864, 9973, 10082, 10151, 10224, 10286, 10352, 10356, 10360, 10459, 10460, 10461, 10468,
		Z	
		\z@ 12, 24, 46, 60, 76, 99, 103, 111, 128, 134, 136, 207, 219, 223, 249, 263, 278, 306, 314, 318, 336, 350, 354, 357, 368, 383, 388, 394, 395, 459, 506, 518, 523, 550, 589, 594, 595, 605, 609, 610, 639, 640, 643, 645, 658, 683, 735, 752, 810, 854, 858, 859, 866, 867, 870, 873, 885, 902, 939, 942, 987, 1004, 1050, 1062, 1106, 1110, 1111, 1122, 1123, 1126, 1128, 1141, 1167, 1237, 1254, 1312, 1349, 1375, 1379, 1382, 1395, 1417, 1425, 1443, 1453, 1455, 1465, 1467, 1472, 1486, 1488, 1489, 1620, 1625, 1626, 1627, 1629, 1893, 1898, 1899, 1900, 1902, 2256, 2311, 2571, 2581, 2586, 3707, 3717, 4441, 4450, 4749, 4982, 4986, 5026, 5030, 5070, 5074, 5660, 5687, 5718, 5730, 5908, 6136, 6139, 6142, 6183, 6184, 6186, 6192, 6206, 6210, 6214, 6215, 6216, 6217, 6218, 6219, 6232, 6245, 6313, 6325, 6326, 6333, 6335, 6348, 6350,	
		Y	
\y . . . 8206, 8210, 8214, 8218, 8223, 8224, 8227, 8228, 8232, 8233, 8236, 8237, 12818, 12820, 12821, 12824, 12831			
\XeLaTeX 12814, 20698, 21547, 21548			
\XeTeX . . 12813, 15621, 20696, 21545, 21546			
\XeTeXcharclass 1773, 1774, 1775, 1776			
\XeTeXinterchartokenstate 1770			
\XeTeXinterchartoks 1777			
\xm . . 8206, 8210, 8224, 8228			
\xxm . 8214, 8218, 8232, 8236			
\xyzy 5148			



10469,	10470,	14418,	14421,	16760,	16761,
10554,	10569,	14445,	14570,	16762,	16800,
10580,	10592,	14574,	14584,	16804,	16805,
10675,	10718,	14645,	14670,	16810,	16814,
10720,	10722,	14674,	14684,	16815,	16816,
10751,	10902,	14742,	14759,	16821,	16822,
10959,	10987,	14768,	14770,	16823,	16828,
11010,	11012,	14791,	14803,	16832,	16833,
11014,	11023,	14815,	14835,	16875,	16883,
11025,	11027,	14846,	14852,	16890,	16892,
11173,	11227,	15129,	15134,	16914,	16937,
11244,	11260,	15175,	15185,	16955,	16982,
11287,	11301,	15235,	15236,	17026,	17051,
11315,	11329,	15237,	15239,	17139,	17144,
11333,	11454,	15241,	15246,	17189,	17253,
11504,	11511,	15264,	15536,	17329,	17332,
11537,	11538,	15580,	15582,	17338,	17348,
11539,	11560,	15617,	15618,	17358,	17368,
11561,	11727,	15619,	15628,	17424,	17432,
11802,	11803,	15629,	15642,	17439,	17441,
11804,	11811,	15666,	15667,	17463,	17486,
11818,	11819,	15688,	15733,	17504,	17531,
11820,	11821,	15734,	15751,	17575,	17600,
11822,	11824,	15797,	15801,	17719,	17724,
11825,	11827,	15802,	15831,	17769,	17833,
11828,	11830,	15832,	15835,	17913,	17918,
11864,	11865,	15837,	15850,	17921,	17927,
11866,	11867,	15873,	15919,	17937,	17947,
11868,	11870,	15921,	15923,	17957,	17994,
11871,	11873,	15933,	15950,	18123,	18131,
11874,	11876,	16008,	16052,	18138,	18140,
11948,	11954,	16056,	16057,	18162,	18185,
12931,	12935,	16072,	16089,	18203,	18230,
12951,	12955,	16149,	16190,	18274,	18299,
12967,	12979,	16203,	16204,	18402,	18407,
12996,	13093,	16207,	16209,	18452,	18516,
13136,	13143,	16222,	16245,	18596,	18601,
13151,	13163,	16284,	16286,	18604,	18610,
13165,	13205,	16288,	16341,	18620,	18630,
13212,	13217,	16384,	16393,	18640,	18681,
13228,	13300,	16420,	16437,	18682,	18683,
13602,	13604,	16452,	16473,	18684,	18689,
13636,	13642,	16475,	16477,	18690,	18694,
13645,	13650,	16511,	16516,	18706,	18740,
13653,	13690,	16517,	16575,	18763,	18775,
13704,	13708,	16622,	16637,	18779,	18872,
13709,	13712,	16655,	16657,	18876,	18883,
13718,	13731,	16659,	16668,	18894,	18940,
13752,	13754,	16680,	16715,	18941,	18951,
13776,	13805,	16716,	16717,	18955,	18956,



18957,	18960,	20513,	20514,	21349, 21389, 21390
18969,	18970,	20609,	20614,	\z@skip .. 2311, 10957,
18972,	18973,	20616,	20664,	10958, 13752,
18975,	18983,	20666,	20692,	13755, 15748,
18988,	19003,	20693,	20694,	18744, 18749,
19089,	19090,	20745,	20746,	18782, 18788,
19164,	19254,	20747,	20824,	20854, 20855,
19272,	19365,	20833,	20842,	20910, 20916, 21336
19544,	19652,	20851,	20855,	\zap@space 4078, 4165, 4201
19681,	19991,	20875,	20876,	\zifrefundefined ..
19995,	20073,	20906,	20917, 11076, 11099
20078,	20083,	20925,	20930,	\zref@extractdefault
20131,	20257,	20939,	21155, 11081, 11102
20443,	20450,	21159,	21199,	\zref@labelbyprops
20451,	20469,	21203,	21244, 11047, 11122
20485,	20488,	21248,	21251,	
20497,	20498,	21261,	21262,	☒
20500,	20504,	21266,	21273,	\ 1776
20511,	20512,	21310,	21336,	\ 1776

